

This index is constructed from author-provided key words and key words in titles. Scientific names were correct when published (according to cited nomenclatures) but have not been updated in this index to reflect current taxonomy. Numbers correspond to article index. **Bold** entries indicate refereed research articles.

- 2,4-D **13**  
 aboriginal people 451  
*Acacia* 217; *angustissima* var. *hirta* **314**;  
*confusa* 211; *koa* 176, 211, 226, 251,  
 358, *mangium* 211  
 acacia, prairie **314**  
 accessions **328**  
*Acer grandidentatum* 394  
 achene **40**  
*Achnatherum hymenoides* 330  
 acid detergent fiber **172**; lignin **172**  
 Acoraceae 451  
 acorns 143, 144, 199, 220; storage **324**  
*Acorus americanus* 451  
 adaptation **139**, **155**; local **352**; traits 140,  
**308**  
 ADF – see acid detergent fiber  
*Adiantum* 1  
 ADL – see acid detergent lignin  
 afforestation **46**, **435**  
 AFLP – see amplified fragment length  
 polymorphism  
*Agoseris glauca* 125  
 agroforestry **305**  
 airplane **343**  
 Alaska **101**  
 Alberta, central **406**  
 alder, green **253**; thinleaf **78**  
 alfalfa **304**  
 Alismataceae 238  
 alley effect **376**  
*Allium acuminatum* 212  
*Alnus crispa* **253**  
 alpine 114, 133  
*Amblyolepis* 160  
*Ambrosia dumosa* **146**; *pumila* 229  
 AMF – see mycorrhizae, vesicular-arbuscular  
 (VAM)  
*Amorpha canescens* **270**  
*Amorpha herbacea* var. *crenulata* 202  
*Ampelaster carolinianus* **223**  
 amplified fragment length polymorphism  
**154**, **200**, **221**  
 Anacardiaceae 48, 50, **362**  
*Anaphalis margaritacea* 196  
*Andropogon gerardii* **59**, 153, 389  
 animals 166  
*Anthonomus* 390  
 Apocynaceae – see Asclepiadaceae  
 apomixis **152**  
 Appalachians, Central 149; Southern 454  
 applectactus, Caribbean **164**  
 application, large-scale 409  
 Araceae 168  
 Araliaceae 70, 72  
 arbuscular mycorrhizae – see mycorrhizae,  
 vesicular-arbuscular  
*Arbutus menziesii* **130**  
*Arctostaphylos* 239; *franciscana* 410; *montana*  
 ssp. *montana* 410  
 Arecaceae 75, 398, 393  
*Argyroxiphium kauense* 89  
 arid **219**, 243, 316  
*Arisaema triphyllum* 168  
*Aristida beyrichiana* **138**  
 Aristolochiaceae 453, 454, **455**  
 Arizona **146**, 197, 354  
 arrowhead 41; broadleaf 238  
 art 207  
*Artemisia* 140, 141; *cana* ssp. *cana* **55**;  
*tridentata* **372**; *tridentata* ssp.  
*wyomingensis* 412  
*Asarum* 254, **255**; *canadense* 124, 453  
 Asclepiadaceae 404, 433  
*Asclepias* 404; 433  
 ash, black 102; green **46**, 371  
 aspen, big tooth 107; quaking 107, 108  
 asselrue 15  
*Aster carolinianus* **223**  
 Asteraceae **8**, **63**, 89, 123, 125, 129, 141,  
 196, 206, **233**, **291**, 319, 342, **372**,  
**376**, 412, **425**, 429, **444**, **445**  
*Astragalus bibullatus* 54; *filipes* 273  
*Athyrium* 1  
*Atriplex canescens* 322; *polycarpa* **146**; *torreyi*  
 322  
 auger 87, 121  
 augmentation 133; population 282  
 Auwahi 92  
 auxin **52**, **73**, **169**, **414**  
 awns 320  
 azalea, mountain **169**; orange **169**  
 BA – see benzylaminopurine  
 Baboquivari Mountain 355  
*Bacillus subtilis* 147  
*Balduina angustifolia* **440**  
*Balsamorhiza sagittata* 206  
 balsamroot, arrow-leaved 206  
 bats 439  
 bay, Carolina 178; loblolly 34; swamp 178  
 bean, wild **172**  
 bear root 302  
 beargrass 289  
 bedformer 323  
 bees, bumble 266, 420; ground-nesting 266;  
 honey 266; wood-nesting 266  
 benzylaminopurine 131  
 bermudagrass 116  
 biodiversity 30  
 bioengineering **32**; 310  
 biological control 267  
 biomass **59**; yield **198**  
 biosolids **223**  
 bioswale 283  
 birch, water **78**  
 bitterbrush, antelope 209  
 Black Belt Prairie **422**  
 blackbrush **377**, 396  
 Blackfeet 18  
 blender 123; modified 96  
 BLM – see Bureau of Land Management  
 blueberry, velvet-leaf **399**  
 bluegrass, Nevada 269; Texas **383**  
 bluestem 9; big **13**, 389; creeping **132**; little  
**13**, **76**, **361**  
 bog pools **397**  
 bog, sphagnum 62  
 boiled 409  
 book reviews 67, 68, 81, 82, 97, 98, 114,  
 115, 134, 135, 149, 150, 166, 175, 189,  
 205, 214, 215, 237, 245, 256, 265, 287,  
 298, 312, 355, 356, 386, 387, 402, 403,  
 413, 419, 420, 421, 430, 431, 432, 441,  
 442, 456  
 Boraginaceae 258  
 borer, emerald ash 371  
 boroughs **435**  
*Bouteloua curtipendula* **59**, **76**; *curtipendula*  
 var. *caespitosa* 452; *hirsuta* 337; *repens*  
 311; *rigidiseta* 338  
 Brahea 75  
 Brassicaceae 216  
 breadroot 263  
 breeding **61**

- bristlegrass, Catarina blend 339  
 British Columbia 67  
 brome 126; Kalm's **76**  
 bromes, North American mountain **154**  
*Bromus* 126; *carinatus* 94, **113**, **154**, **195**,  
**308**, **352**; *kalmii* **76**; *ortcutianus* **308**,  
**352**; *sitchensis* **195**; *tectorum* 125  
 Brooklyn Botanic Garden 170  
 browse 209, **395**; protection 209, 225  
 bryophyte **397**  
 buckwheat, sulphur-flower 196  
 budburst phenology **183**  
 buds, axillary 131  
 buffaloberry, russet **99**; silver 247  
 bugbane, Carolina 15  
 bulb 36, 228; collection 212  
 bulltongue 41  
 bulrush 41  
 bunchgrass **297**; wheatgrasses **406**  
 bundleflower, rayado 116; velvet 116  
 Bureau of Land Management 100, **329**  
 burnet **101**  
 bush-clover, tall **314**  
 buttercup 15  
 butterfly 404; migration 433; monarch 404;  
 monarch waystations 433; rare **423**; regal  
 fritillary 448  
*C<sub>3</sub>* grasses – see grass  
*C<sub>4</sub>* grasses – see grass  
 Cactaceae 17  
 Caesar Kleberg Wildlife Research Institute  
 446  
*Calamovilfa longifolia* **59**  
 California **113**, 190, **326**; central coast 375;  
 northern **93**; **308**, **352**; San Francisco  
 37; San Francisco Bay area 375  
 caliper 106  
*Callicarpa americana* **309**  
*Callirhoe involucrata* 119  
*Callisia ornata* **440**  
 camas, common 36  
*Camassia* 36  
 camera, digital (see digital photography);  
 single-lens reflex 264  
 Campanulaceae 129  
 Canada 81  
 canarygrass, reed 192  
 Capparaceae 333  
 Caprifoliaceae 96, 128, 364, 365  
 Captan **372**  
 carbohydrate reserves **120**  
*Cardamine californica* 216  
*Carex* 33, 128, 323, **397**; *nebrascensis* **40**,  
**203**, 411; *perigynium* **40**; *stipata* 351  
*Carnegiea gigantea* 17  
 carrionflower 381  
*Carya* 439  
 cased-hole punch seeding – see seeding,  
 cased-hole punch  
*Castilleja* 158, 160, 181; *angustifolia* 159;  
*aplegatei* 159; *cusickii* 159; *exilis* 159;  
*hispidata* 159; *indivisa* 159; *integra* 159;  
*linariifolia* 159; *lutescens* 159; *miniata* 159;  
*minor* 159; *nivea* 159; *occidentalis* 159;  
*pallascens* 159; *pulchella* 159; *purpurea*  
 159; *rhexiifolia* 159; *scabrida* 159;  
*sessiliflora* 159; *sulphurea* 159  
 Catalina Island 190  
 catkins 293  
*Ceanothus* 214  
*Celtis occidentalis* 371  
 Center for Plant Conservation 54  
*Centrosema virginianum* **306**  
*Ceratiola ericoides* **52**  
*Ceratoides lanata* 84  
*Cercis occidentalis* 173; *orbiculata* 173  
 ceremonial plants 19  
*Chamaecrista fasciculata* 161  
 Chamaedorea 75  
 cheatgrass 125, 240  
 Chehalis River Surge Plain 192  
 Chenopodiaceae 84  
 chestnut, American 318  
 children 279  
*Chionanthus pygmaeus* **353**  
 Chippewa 18  
*Chloris cucullata* 340; *Chloris x*  
*subdolichostachya* 341  
 chlorophyll fluorescence **183**, 318  
 Choctaw 18  
 chokecherry 232; colorow black 315  
*Chrysoma pauciflosculosa* **440**  
*Chrysopsis godfreyi* **440**  
*Chrysothamnus* **444**, **445**  
 cinquefoil, Robbins' 133  
 CITES – see Convention on International  
 Trade in Endangered Species  
 CKWRI – see Caesar Kleberg Wildlife Research  
 Institute  
 clammyweed, Rio Grande 333  
 clonal 229  
 clover, western prairie 370  
 clustervine, Florida beach **120**, **368**  
 coastal dune 224; strand **120**, 224  
 coconut **22**  
*Cocos nucifera* **22**  
 coir fiber **22**, 26  
*Coleogyne ramosissima* **377**, 396  
 Coleoptera 392  
 collaboration 250, 332  
 Colorado 74; Plateau **377**  
 commercially produced **248**  
 common-garden, study **155**, **233**, 280, 281  
 community stability, plant 30  
 community, people 279; plant development  
**406**  
 competition **46**, **59**, 129, 240; biology **219**;  
 grass **426**  
 competitive ability **426**  
 compost – see container media, compost  
 composted pine bark 147  
 concepts 136, **357**, 413  
 conditions, managed **361**  
 coneflower, purple **13**; Tennessee purple **63**  
 conifer **183**, 255; plantations interference **93**  
*Conradina canescens* **73**  
 conservation **29**, **69**, 70, **137**, 175, 285,  
**353**, **368**, 384, 400, 439, 441, **450**, 454;  
 bats 439; biology **8**; fish hatchery 366;  
 horticulture **164**; *in situ* 212; planting  
**422**; Reserve Program 100  
 container media **22**, **148**, **440**; biosolids  
**148**; compost 147, **148**, **223**; disease  
 suppressive 147; electrical conductivity  
**257**; formulations 384; pH 243; recycled  
 244  
 container plants 88, 168, 173, 184, 347,  
 408, 443; production 147; seedling 7, 34,  
**53**, 318, 451; soft-walled 449; Styroblock  
 254; tallpot 316; type 11, **163**, **257**, 344  
 contract specifications 171, 344  
 controlled-release fertilizer – see fertilization,  
 controlled-release  
 Convention on International Trade in  
 Endangered Species **69**  
 Convolvulaceae 224, **368**  
 cordgrass, smooth 236  
*Cordia globosa* **148**  
*Coreopsis* 160, *gladiata* **223**; *lanceolata* **13**;  
*leavenworthii* **233**, **248**; *tinctoria* 161  
 coreopsis, lance-leaved **13**; Leavenworth's  
**233**, **248**  
 Cornaceae 127  
*Cornus sericea* ssp. *sericea* 127  
 cottontop, Arizona 292  
 cottonwood 12, **435**  
 cotyledon 220  
 Cover Monitoring Assistant 373  
 CP – see crude protein  
 CPB – see composted pine bark  
*Crepis acuminata* 125  
 crops, cover 283  
 Crosby Arboretum 300  
 crown diameter **46**  
 crude protein **172**, **304**, **359**  
 Cuisinart 122  
 cultivar **152**, 153, 156; eastern gamagrass  
**359**; release **186**; American grass **59**

cultivation 175, 408  
 cultural practices, nursery 141  
 cultural significance, people 17, 19, 193  
 culture, people 36, 194  
 Culver's root 331  
 Cupressaceae 96, 182, 260, **414**, 415  
 cuttings 6, 12, **32**, 34, **73**, 109, 202, 260,  
 262, **399**, **414**; basal cut-surface 242;  
 divisions 47, 49, 453; dormant pole 316;  
 dormant stem 242; dormant whip 316;  
 hardwood stem **399**; installation 121;  
 micro **455**; mini 110; rhizome 457; root  
 108, 222; stem 47, 49; stooling beds 109  
 Cycad coontie 244  
*Cylindrocarpon* 267  
 Cyperaceae 128, **203**, 411, 416  
*Cyripedium arietinum* 234; *kentuckiense* 391;  
*montanum* 79  
 daisy, Willamette 285  
*Dalea* **142**, **246**, **349**; *candida* **83**; *feayi* **440**;  
*ornata* 370; *purpurea* **83**, 153  
*Danaus plexippus* 404, 433  
 dandelion, mountain 125  
*Danthonia californica* **195**  
*Dasiphora fruticosa* **270**  
 database 23  
 deciduous 218  
 deep-pipe **31**  
 defoliation **172**  
 degree days **345**  
 dehydration stress 318  
 derivation 281  
*Deschampsia* 126; *cespitosa* **113**, **195**  
 desiccation 220  
 design, diversity enhancement block 284;  
 ecological 300; Nelder's **45**; patented  
 294; response surface **45**; systematic  
 experimental **45**; traditional 380  
 desired future conditions 278  
*Desmanthus* 116, **142**; *illinoensis* **83**  
*Desmodium* **142**; *canadense* 83, **305**;  
*canescens* 83; *glabellum* 317; *illinoense*  
**305**; *paniculatum* **83**, **314**; *sessilifolium* **83**  
 devil's club 47  
 DFCs – see desired future conditions  
 dibble 12, 121; double 88; homemade 12  
*Dicentra cucullaria* 124  
 Dicranaceae 193  
*Dicranum scoparium* 193  
 digestibility **304**, **359**  
 digital photography, camera 264; image  
**343**; image formats 264; image  
 manipulation 264; non-SLR photographic  
 exposure 264; short course 264  
*Digitaria californica* 292  
 disease 226; dieback 251; resistance 211;  
 root 267; suppressive compost 147  
 disturbance **406**, **428**, **388**  
 distyly 259  
 diversity 274, 276, 277, 313, 417, 454;  
 interference **45**  
 divisions – see cuttings  
 DNA profile **200**, **221**  
*Dodecatheon* species 124  
 dogwood, redosier 127  
 domestication selection 284  
 Douglas-fir **22**  
*Dracopis amplexicaulis* 161  
 dropseed, prairie **361**  
 drought adapted 243  
 dry matter **359**  
*Dryopteris* 1  
 duck potato 238  
*Echinacea* 217; *tennesseensis* **63**  
 ECM – see mycorrhizae, ectomycorrhizae  
 ecological design 300; life history **8**  
 ecology **8**, **63**, **93**, 175, 355, 400;  
 restoration 278; seedbed **55**  
 economics **162**, 201, **326**; fire-driven prices  
 100  
 ecoregion **152**; approach 284  
 ecosystem 9; function 366; groundwater  
 dependent 398; restoration **329**;  
 roadside 278  
 ecotype 65, 140, **152**, 153, **230**, **329**, **444**,  
**445**  
 ectomycorrhizae – see mycorrhizae,  
 ectomycorrhizae  
 education, place-based 279  
 efficiency, fertilizer-use **357**; nitrogen-use  
**357**; water-use **357**  
 Elaeagnaceae **99**, 247  
 elaiosomes **423**  
 elderberry 122; American black 365;  
 common 364  
 electrical conductivity 217, **357**  
 elevation **130**; gradients 140  
*Elymus* 126; **422**; *canadensis* **76**; *elymoides*  
 125, 321, 437, 438; *glabriflorus* **450**;  
*glaucus* 7, 94, **195**, **308**, **352**; *lanceolatus*  
**59**, **328**; *multisetus* 437; *wawawaiensis*  
 268  
 embryo 72  
 emergence **246**, **291**, **369**, **377**, **444**, **445**  
 encyclopedia 114  
 endangered – see threatened and  
 endangered  
 endemic **353**  
 endomycorrhizae – see mycorrhizae,  
 vesicular-arbuscular  
 environmental stewardship 74  
 environments, field **55**  
 epidemiology 226  
 equilibrium 412, 417  
 equipment, auger 87, 121; bedformer 323;  
 Cuisinart 122; development 320; dibble  
 12, 88, 121; expandable stinger 121;  
 hedge trimmer (gas) 25; hoedad 121;  
 hydrodrill 44, 204; inexpensive 252; Jet  
 Harvester 363; laundry spin dryer 39; low  
 cost 128, 417; low tech 25, 252, 274;  
 modifications 51; outplanting 12, 44, 87,  
 121, 204; power hammer 121; seed  
 cleaning 96; seed drying 39, 418; seed  
 harvesting 25, 363; seed sowing 77; shop  
 vacuum 111; sickle bar mower 429;  
 smoker 348; Trac Vac 51; vacuum skid  
 steer 429; Waterjet Stinger 44, 204;  
 Westrup HA-400 320; Woodward Flail-Vac  
 seed stripper 213 (see also entries in seed  
 cleaning and processing, seed collection,  
 and seed harvesting)  
*Eragrostis intermedia* 354  
 Ericaceae 96, **169**, 239, **399**, 410  
*Ericameria nauseosa* **444**, **445**  
*Erigeron decumbens* **376**  
*Eriogonum umbellatum* 196; *lanatum* **195**,  
 196  
 erosion control 281; shoreline 236;  
 vegetative mats 26  
 establishment **13**, 33, **76**, 79, 116, **198**,  
**246**, **306**, **328**, **397**, 416; grass stand  
**383**; plant 261, 271; rapid 407; seed  
 161; shrub 209; stand **180**  
 ethics 171  
 ethnobotany 36, 263, 355  
 ethylene 206  
*Euphorbia esula* **343**  
*Euphorbiaceae* **343**  
*Eurotia lanata* 84  
 evergreen, broadleaf 239  
 evolution **29**, 166  
 expandable stinger 121  
 expanded polystyrene 303  
 experiment, competition **45**; greenhouse  
**397**; mixtures **45**; move-along 85  
 exported species **69**  
 extinction **368**  
 Fabaceae 91, 116, **142**, 153, 173, 176, **198**,  
 202, 251, 263, 273, **286**, **291**, **304**,  
**314**, 317, 358, 370, **395**, **427**, 443, 446  
 Fagaceae **16**, 144, 145, 199, 318, 325  
 fall-sown 145, 185  
 federal 196; agencies 60; nurseries 7  
 fencing 90  
 fern 1, 150; bracken **93**  
 fertility 243  
 fertilization **14**, 141, 144, 217, 247, 252,  
**270**, **424**; concentration 243; controlled-  
 release 106, 255, **357**; regime **270**  
 fescue 126, 208; red 26; rough **406**

- Festuca* 126; *hallii* **406**; *roemerii* 208, **280**, 281; *rubra* 26, 208
- fiber **172**
- field performance 358, **361**
- field requirements **32**
- fire 5, 9, 177, 289, **388**, 290, 396; adapted **401**; ecology **362**; prescribed 177
- firebush **148**
- firewheel **230**
- flaming 91
- flatwoods 177, **223**
- flax, distinguishing characteristics 259
- flora 157, 431, 432; Colorado 419; vascular 189
- Florida 10, **73**, **138**, **148**, **223**, **288**, **353**, **440**; South 224
- flowering 228, **230**, 405
- flowers 237
- food plant, perennial 283
- forage **172**, **422**, **450**; quality **304**; yield **142**
- forb 2, **195**, 196, **219**, **291**, 363; semiarid grassland **434**; warm-season **13**; woodland 453
- forest 430; highways 188; Indiana hardwood 242; openings 79; plantations **93**
- Forest Service **329**, 404
- Forestiera pubescens* var. *pubescens* 127
- forestry 151; clonal 260
- forests, eastern 241; urban 283; temperate 454
- four o'clock, showy 184
- Franciscan manzanita 410
- Frankia* **253**
- Fraxinus nigra* 102
- fringetree, pygmy **353**
- frost protection 247
- fuelbreaks 240
- fungi 112, **372**
- Fusarium* 226; *oxysporum* 251, 267; *semitectum* 251; *solani* 251; *steriliihyphosum* 251; *subglutinans* 251
- GA<sub>3</sub> – see gibberellic acid
- Gaillardia* 160, **246**, **349**; **230**
- garden(ing) 181, 193, 215, 275; trial **440**; western 134
- garden, rock 184
- gardens, public 300
- GDD – see growing degree days
- gene pool **29**
- genecological evidence 280
- genetic, principles **152**; resource 374; shift **186**
- genetic variation **139**, **155**; adaptation **152**; conservation 280; considerations 151; diversity **61**, **137**, **154**, **200**, **221**, **233**; erosion **137**; fingerprinting **200**, **221**; regional **308**
- genetics 24; primer 136
- genotype x environment **138**, **426**
- geographic information system 212
- geographic variation **308**
- georeferencing 212
- geotropism **53**
- Geranium maculatum* 124
- germination – see seed germination
- germplasm 156, **186**, 272, 315, 319; Antelope Creek 438; ‘Appar’ flax release 259; Atascosa Texas grama 338; Bonita 354; Bounty 389; Chaparral hairy grama 337; ‘Continental’ basin wildrye 295; ‘Discovery’ Snake River wheatgrass 268; Divot tallow weed blend 336; Ekalaka 325; experimental **359**; Fowler 327; genetically diverse 284; Goliad 342; Hoverson 446; La Salle 292; Mariah hooded windmillgrass 340; Marion 317; Maverick 335; native plant 269, 277, 313; natural 292, 317, 333, 334, 335, 336, 337, 338, 339, 340, 341, 364, 370, 371, 389, 446, 452; NBR-1 273; Opportunity 269; Pleasant Valley 438; Prairie Harvest 371; pre-variety **186**, 281; Rattlesnake 321; South Texas sideoats grama 452; Spectrum 370; Vintage 364; Webb 334; Welder shortspike windmillgrass 341; ‘Windbreaker’ cultivar big sacaton 385; White River 330; Zapata 333
- gibberellic acid **78**, **80**, **164**
- ginger 453, 454, **455**
- ginseng 70; American **69**, 71, 72
- GIS – see geographic information system
- Glacier National Park 193, 382
- Glandularia* 160
- globemallow **346**, 390; Munro’s 409
- Glomus intraradices* **113**, 261
- glossary 136
- goldenrod **8**
- goldenseal **200**, **221**
- gophers **297**
- Gordonia lasianthus* 34
- grafting, cleft 211; splice 211
- grama, sideoats **76**, 452
- grass **61**, **76**, 94, **113**, 280, 281, **308**, 320, **352**, **422**; C<sub>3</sub> **59**; C<sub>4</sub> **59**; cool-season **422**, **450**; redhead 27; warm-season **14**, **395**
- grassland **28**, 277, 441; remnant 153; restored 153; western Oregon **286**
- gravimetric weight 449
- gravity separation **78**
- grazing **422**, **450**
- Great Basin 212, 240, **291**
- Great Plains **369**
- green industry 74, 380
- green roof 283, 303
- greenbrier 381
- greywater 283
- Grossulariaceae 127
- ground cover 6, 350
- groundwater, fringe 316
- growing degree days (GDD) **345**
- GROWISER 79
- growth, development **345**; early 347; height 106; response 181; root **53**; stage **345**; stem diameter 106
- guide 256, 265, 356; children’s 387; field 287, 419; identification 387; illustrated 189; nomenclature 437; propagation 97; seed collection 67; winter 442
- guidelines, cultural 391
- gulf prairies and marshes 332
- Gymnocarpium 1
- habitat 266, **297**, 433, characteristics **69**
- hackberry, common 371
- hairgrass 126
- Hakalau Forest National Wildlife Refuge 87
- Hamelia patens* **148**
- handbook 205
- hardhack 405
- hardiness, cold 75, 239
- hardseed **314**
- hardwoods 151; bottomland **46**
- Harrisia fragrans* **164**
- Hawai’i 86, 90, 92, 176, 226, 249, 251, 358
- hawksbeard, long-leaf 125
- hayland 389
- heat island effect 283
- heat shock **362**
- heated 409
- hedge trimmer, gas 25
- Hedysarum boreale* **345**
- Helianthus angustifolius* **223**
- Heliotropium angiospermum* **148**
- hellebore, false **428**
- hemiparasitism 159, 181
- Hemiptera 392
- Hepatica americana* 124
- herbage, nutritive value **307**; yield **307**
- herbicide 65, 225, 240, 242, **246**, 276, 277, 294, 313; application 294; imazapic **1**, 240, **349**; injury **246**, **349**; post-emergent **349**; pre-emergent **246**
- herbivory **286**
- heterostyly 259
- Hexastylis* 454, **455**
- Hibiscus moscheutos* 235

- hibiscus, marsh 235  
hickory 439  
*Hierochloe odorata* 19  
highways, forest 188  
historical and modern use 263  
historical prairie remnant 103  
history 193; natural 207, 393, 400, 441  
hoedad 121  
hollyhock, streambank wild **401**  
*Holodiscus discolor* 443  
home region **230**  
Hopi Reservation 197  
*Hordeum brachyantherum* **195**  
hormone, rooting 260, **399, 435**  
horticulture 275  
host plant, nursery 249  
huckleberry, black **399**; mountain 378  
hurricanes 178  
hybridization **152**  
Hydrangeaceae 128  
*Hydrastis canadensis* **200, 221**  
hydrodrill 44, 204  
hydrogel **379**  
hydroseed 416  
Hy-Gro Tiller 121  
Hylocomiaceae 193  
*Hylocomium splendens* 193  
hyperhydricity 322  
*Hypericum reductum* **73**  
IBA – see indole-3-butyric acid  
ICBN – see International Code of Botanical Nomenclature  
Idaho 68  
identification 355, 442  
IDS separation **78**  
‘Iliahi 249  
*Iliamna remota* 3; *rivularis* **401**  
Illiciaceae **43**  
*Illicium floridanum* **43**; *parviflorum* **43**  
Illinois bundleflower **13, 116, 198, 304**  
imazapic **1, 240, 349**  
imperiled 374  
implementation **357**  
inbreeding depression **152, 280**  
index, seed **83**  
Indiana 405  
indiangrass **13**  
indigenous species **28**  
indigo, blue wild **304**; false **198, 304**; wild blue **198**  
indole-3-butyric acid **52, 73, 131, 169, 260, 414, 455**  
Inland Northwest 387  
inoculation **113, 147, 176, 253, 253**  
insects 392  
integrated approach 278  
Intermountain West **219, 243, 431**  
International Code of Botanical Nomenclature 158  
Internet 23  
interpretation 207  
interseeding 116  
Intertribal Nursery Council 197  
IR-4 Program 21  
irrigation 88, 217, **219, 252, 357**; clay pot **31**; drip **146, 323**; ebb-and-flow **257**; efficiency **31**; flood **257**; overhead 358; regimes **163**  
*Iva imbricata* **73**  
Jack-in-the-pulpit 168  
*Jacquemontia reclinata* **120, 368, 224**  
*Jeffersonia diphylla* 124  
Jet Harvester 363  
jiffy forestry pellets 443  
Juglandaceae 145, 439  
Juncaceae 128, **203**  
*Juncus* 33, 128; *balticus* **203**  
junegrass, prairie 126  
juniper, oneseed 182; Rocky Mountain 42, **369, 415**; Utah 182, **414**  
*Juniperus monosperma* 182; *osteosperma* 182, **414**; *scopulorum* 42, **270, 369, 415**  
Kentucky 150, 189, 296, 442  
key 437  
K-IBA – see indole-3-butyric acid  
Klamath 454  
knotweed, Bohemian 192  
koa 87, 176; wilt 211, 226, 251  
*Koeleria* 126  
*Kosteletzkya virginica* 179  
*Krascheninnikovia lanata* 84  
Ktunaxa Kinbasket 18  
Lamiaceae **309**  
land, private 374  
landowners, private 171  
landscape architecture 74, 207, 275, 300; perception 380; preference 380  
landscape ecology, disturbed 386  
landscape, xeric 385; yard 218  
*Lantana depressa* **223**  
*Larix laricina* 255  
*Larrea tridentata* **146**  
larval host **423**  
laundry spin dryer 39  
Lauraceae 178, 210, **436**  
laurel wilt-resistant **436**  
lead plant, crenulate 202  
leaf greenness 405  
legal status 165  
legume **83, 91, 198, 304, 305, 306**; herbaceous **314**  
Lepidoptera 404  
*Lespedeza* **142**; *capitata* **83**; *hirta* **83**; *stuevei* **83, 314**; *virginica* **83**  
*Lesquerella perforata* **227**; *stonensis* **227**  
*Lewisia cotyledon* 131  
*Leymus cinereus* 295, **297**; *racemosus* **59**  
*Liatris* **246**  
*Licania michauxii* **440**  
life cycle **69, 79**  
light **101, 120, 248, 445**  
lignin **172**  
*Ligusticum porteri* var. *porteri* 302  
Liliaceae 56, 57, 58, 104, 123, 289, 384, **428**  
*Lilium canadense* 104; *philadelphicum* 228  
lily, Canada 104; western red 228  
Linaceae 259  
*Lindera benzoin* 210  
*Linum*, distinguishing characteristics 259; *lewisii* 259; *perenne* 259  
livestock **422**  
living roof – see green roof  
lizard’s tail 35  
locust, black 64; bristly **395**; New Mexico 64  
long-stem capillary 316  
lotus, American 117, 407  
Louisiana **306**  
lovegrass, plains 354  
lumber, urban 283  
lupine, Kincaid’s **286**  
*Lupinus* 160; *latifolius* **155**; *oreganus* var. *kincaidii* **286**; *polyphyllus* 443  
*Lycium torreyi* 127  
macerate/macerator 42, 232  
*Macromeria viridiflora* 258  
madrone, Pacific **130**  
Magnoliidae–Caryophyllidae 431  
maintenance 65  
mallow, Kankakee 3; marsh 179; Virginia saltmarsh 179  
Malvaceae 3, 119, 179, 235, **291, 346, 390, 401, 409**  
mamane **427**  
management 36, 374; habitat 400; nursery 356; roadside 278  
manzanita, Mt Tamalpais 410  
maple, bigtooth 394  
marker, molecular **200, 221**  
market price 60  
marketing 167  
marsh, tidal 421  
maternal effects **426**  
meadow beauty 170  
meadowsweet 405  
mechanical application 294  
medicinal 175, 283  
*Meehania cordata* 6  
Melastomataceae 170



- mesquite **31**  
*Metrosideros polymorpha* 21  
 Mexico, northeastern 75  
 Miami 250  
 microbes 166  
 microhabitat **286**  
 micropropagation 91, 131, **132**, 234, 322, 384, **455**; medium, Driver Kuniyuki Walnut 131; medium, Murashige and Skoog 131; medium, Woody Plant 131; cleaning protocols 384  
 Midwest 237  
 migration 30  
 milkmaids 216  
 milkvetch, basalt 273  
 milkweed 404, 433  
*Mimosa strigillosa* **306**  
 Minnesota 371, 403  
 mint, creeping 6; Meehan's 6; trailing 6  
*Mirabilis multiflora* 184  
 Mississippi 41, 161, 300; Delta soil types **46**; northeast **422**  
 Missoula Technology and Development Center 225  
 mist **414**; interval **169**  
*Mitella* 124  
 mitigation **288**; projects 24  
 Mniaceae 193  
*Mnium lycopodioides* 193  
 model, heat-unit **345**  
 Mohawk 18  
 Mojave Desert **377**  
 molecular 157; marker **200**; **221**  
*Monarda punctata* **223**  
 monitoring 373  
 monoculture **46**  
 monsoon **434**  
 mortality **163**  
 moss growth 217  
 mowing **219**  
*Muhlenbergia asperifolia* 272  
 mulch **31**, 290; fabric **180**; living 145; nursery 188; plastic 323; straw 185  
 multiple species **45**  
 mushrooms 149  
 mycorrhizae **113**, **424**; colonization **424**; ectomycorrhizae 112, **424**; inoculum 261, **270**; vesicular-arbuscular 112, **113**, 261, **270**  
 Myrtaceae 217  
 NAA – see naphthaleneacetic acid  
 name change 157  
 naphthaleneacetic acid **52**, **73**, 260  
 narrow endemic **8**, **63**  
*Nassella viridula* **59**, 327  
 National Forest and Grasslands 277, 313  
 National Forest, eastern 430; Kisatchie 391; Mt Hood **155**  
 National Plant Germplasm System 212  
 native alternative 259  
 Native Americans 18  
 Native Plant Network 23  
 native plant sector 74  
 native seeds, purchasing 187  
 native status **28**  
 natural areas **137**  
 natural heritage **69**  
 nature 279  
 Navajo 18  
 nectar 433  
 needlegrass, green 327  
 Nelder's Design **45**  
*Nelumbo lutea* 117  
 Nelumbonaceae 117, 407  
*Neptunia lutea* **306**; *pubescens* var. *microcarpa* **307**  
 nettle, stinging 49  
 neutral detergent fiber **304**  
 New England Wild Flower Society 81  
 New Mexico **78**, **95**, 354; central **434**  
 New York City **435**  
 ninebark 38  
 nitrogen **424**; fixing **253**; loss 217  
 nodulation **305**  
 nomenclature 157  
 North America 97, 114, 115; western 60  
 North Dakota 432  
 no-till drill **383**  
 N-sulate seed guard 254  
 nursery 5, 11, 18, 23, 26, **32**, 38, 141, 144, 190, 196, 247, 331, 344, 350, 408, 413, **424**, 433; Andrews 10; bareroot 2, 36, 109, 145, 254; container 2, 3, 10, 33, 36, 37, 182, 217, 252, **253**, 254, 378, 394, 415, 449; education 167; forest 402; manual 356; Mexican forest 147; network 375; opportunities **32**; production 56, 318; stock 24; tribal 356  
 nutrition 263  
 nutritive value **172**, **304**, **307**  
 Nyctaginaceae 184  
 Nymphalidae 404, 433  
 oak 143, 185, **163**; bur 325; island scrub 190; northern red 220; **257**; Nuttall **46**; Oregon white **324**; poison 48; swamp white 199; water **46**  
 oak savanna **195**; degraded **195**  
*Oenothera* 160; *caespitosa* 231  
 'ōhi'a lehua 87  
 oil sands 451  
 Ojibwa 20  
 Old Mill seeder 77  
 Oleaceae 102, 127  
 olive, New Mexico 127  
 Olympic Peninsula 289  
 Onagraceae 123, 231  
 onion, tapertip 212  
 Ontario 109  
*Oplopanax horridus* 47  
 orchards, seed 151, **180**  
 orchid 79, 256, 403; Kentucky lady's slipper 391; mountain lady's slipper 79; Navasota ladies' tresses 400; ram's head lady's slipper 234; terrestrial 400  
 Orchidaceae 234, 391, 400  
 Oregon **270**, 275, 285  
 Oregon Coast Range **195**  
 origin 259  
 ornamental **223**, **288**  
*Oryzopsis hymenoides* 330  
 Oshá 302  
 outbreeding depression **152**  
 outplanting 86, 92, **183**, 190, 202, 204, 229, **270**, 344, 366, **388**, 391; co-planting 88; deep-planting 316; dormant cuttings 310; large container 301; seedling density 201; survival **379**  
 overburden sand tailings **132**  
 Pacific Islands 245  
 Pacific Northwest **139**, 277, 287, 313  
 paintbrush 181; indian 159  
 palatability **304**  
 palm 75; oases 398; California fan 398; desert fan 393, 398  
 PAM – see polyacrylamide  
*Panax quinquefolius* **69**, 70, 71, 72  
*Panicum virgatum* **59**  
*Pappophorum bicolor* 335; *vaginatatum* 334  
 pappusgrass, pink 335; whiplash 334  
 particle size **379**  
 partnerships 33  
*Pascopyrum smithii* **59**  
 Passiflora 250  
 passionflower, goatsfoot 250  
 pasture 389  
 pathogens 118; forest **436**  
*Paysonia perforata* **227**; *stonensis* **227**  
 pearl seed 258  
 pearly everlasting, western 196  
 peat stability **397**  
*Pediomelum esculentum* 263  
 peduncles 131  
 pendimethalin **349**  
*Penstemon* 181, 392  
 people 430  
 perception **28**; differences 74; visitor 300  
 perennial **4**, 299; cool-season **383**; herbaceous 243; herbaceous Texas legumes **307**; Texas **314**

perennials, desert **388**  
 performance, agronomic **359**  
*Perigynium* 351  
 perigynium removal **40**  
*Persea borbonia* **436**; *palustris* 178  
 pesticide 21; application **93**; label 21  
 pests 402, 392  
*Phacelia* **349**  
 phenotypic variation **233**  
*Philadelphus lewisii* 128  
 philosophy **29**  
*Phlox* 160; *longifolia* 299  
 phosphate **132**  
 photography – see digital photography  
 phreatophyte 316  
 Phyllostomidae 439  
 phylogenetics 157  
 phylogeography **154**  
*Physocarpus opulifolius* 38  
*Picea* 217; *glauca* 255; *mariana* 255  
 pickerelweed **288**  
 Piedmont 454  
 Pinaceae **424**, 449  
 pine, loblolly **162**, **379**; longleaf 9, 11, **53**,  
 201, 347, 348; pinyon 449; ponderosa  
**93**; straw 348; whitebark 267, **424**  
*Pinus albicaulis* 267, **424**; *banksiana* 255;  
*edulis* 449; *palustris* 9, 11, **53**, 118, 201,  
 347, 348; *ponderosa* **93**; *resinosa* 255;  
*strobus* 255; *taeda* **162**, **379**  
 pitcher plants 62  
 plant, community **195**; competition **8**; form  
 24; populations **198**; position **297**;  
 selection 30; size 209; tags 167  
 plant material 74, 323; development 30,  
 284; rangeland 437  
 Plant Materials Program (USDA NRCS) 332,  
 446  
 plant variety protection **186**  
 Plantaginaceae 336  
*Plantago hookeriana* 336; *rhodosperma* 335  
 plantain, Hookers 336; redseed 336  
 plantations **46**  
 planting 12, 77, 79, **383**; costs **326**; depth  
**297**, **369**, **445**; dormant cuttings 44;  
 methods 121; mixed species **45**; rate  
**395**; season **369**; tool 87, 121;  
 wildflower 65 (see also outplanting)  
 plants, alpine 114; aquatic 98, **288**, 451;  
 common greenhouse 243; container 89;  
 culturally significant 197; Hawaiian 89;  
 invasive 165, **286**; wetland 98, 366;  
 woody 366  
 PLANTS Internet Database 165  
 plasticity, adaptive **426**; transgenerational  
**426**  
 plasticulture 323  
 Platanaceae 127  
*Platanus wrightii* 127  
 plateau 240  
 ploidy by cytometry 191  
 ploidy hybridization 140  
*Poa secunda* 269, **426**  
 Poaceae **14**, 19, 20, 26, **59**, **61**, 94, **113**,  
 116, 123, 125, 126, 153, 208, 268, 269,  
 272, 295, 311, 321, 334, 335, 337, 338,  
 339, 340, 341, **352**, 354, **359**, **361**, 385,  
 389, **406**, **422**, **426**, 437, **450**, 452  
 pocosin 34, 178  
 point-of-purchase 167  
 poison oak 48; sumac 50  
 poisonous plants 115, 205  
*Polanisia dodecandra* 333; ssp. *riograndensis*  
 333  
 pollination, cross **152**; hand 216; self **152**  
 pollinator reproduction 216  
 pollinators 266, 315  
 polyacrylamide **379**; seed wafers **180**  
 polyethylene **414**  
 Polygonaceae 196  
*Polygonella macrophylla* **440**; *polygama* **440**;  
*robusta* **440**  
*Polygonum x bohemicum* 192  
 polymorphism, seed 330  
 polyploidy **152**  
*Pontederia cordata* **288**  
 Pontederiaceae **288**  
 pool margin **397**  
 poplar 110  
 poppymallow, purple 119  
 population 374, **444**, **445**; declining 439;  
 differentiation **233**; polycross 281;  
 rescued 202; size **286**  
*Populus* 12, 105, 128, 197, 293; *balsamifera*  
 110; *deltoides* **435**; *grandidentata* 107,  
**435**; *tremuloides* 107, 222  
 portable refrigerator-freezer 262  
 Portulacaceae 131  
*Potamogeton perfoliatus* 27  
 Potamogetonaceae 27  
*Potentilla gracilis* **195**; *robbinsiana* 133  
 power hammer 121  
 ppi 264  
 prairie 129, **219**, 276, 277, 284, 313, **376**;  
 Canadian **59**; clover, purple **13**, **198**,  
**304**; eastern US 417; fen 103; Midwest  
**361**; Piedmont **417**; remnants 374; tall  
 grass 2; wet 103  
 predation, seed **163**, 185, **286**; wildlife 185  
 pre-dispersal **286**  
 pressure pump 44  
 pre-varietal 156; release 325  
 price, fire-driven 100  
 primrose, rock evening 231  
 principals 386  
 private property 171  
 production 100, **223**; bareroot 117, 102,  
 255; commercial 71; operational 151;  
 plant 71; plug 448; seedling **253**; timber  
 151  
 production field 60; grass 190  
 propagation **4**, 6, 17, 18, 35, 79, 86, 104,  
**120**, 133, 141, 144, 170, 173, 179, 206,  
 208, 210, 218, 231, 351, 375, 393, 411,  
 439, 443, 449, 451; beautyberry **309**;  
 container 110; *in vitro* 384, 391;  
 management 263; moss 194; protocol  
 89, 102; rare plant **8**, **63**; sexual **309**;  
 shrub 350; spore 1; stacked 222;  
 vegetative 27, 36, 48, 52, 56, **73**, 104,  
 106, 108, 109, **120**, **169**, 194, 222, 235,  
 238, **257**, **353**, 407, **414**, **436**  
 propagule **195**, 216  
*Prosopis glandulosa* **31**  
 protective marking 70  
 protocol, propagation 102  
 provenance, seed **426**  
*Prunus* 232; *pumila* var. *besseyi* **270**;  
*virginiana* var. *melanocarpa* 315  
*Pseudotsuga menziesii* **22**  
*Psoralea esculentum* 263  
*Pteridium aquilinum* **93**  
 pure live seed **186**  
*Purshia tridentata* 209  
 quality **142**; stocking **162**  
*Quercus* 143, 144, 217; *alba* 185, 199; *bicolor*  
 199; *douglasii* **16**; *garryana* **324**; *lobata*  
**163**; *macrocarpa* 325; *rubra* 220  
 rabbitbrush **444**, **445**  
*Raffaella lauricola* **436**  
 ragweed 229  
 rangeland 295, 327, 330, 370; seed 60;  
 Triticeae 321  
 Ranunculaceae 15, 123, **200**, 350  
 rare **8**, 88, 391; wildflowers 298  
 rarity **63**  
*Ratibida* **246**; *linuron halosulfuron* **349**  
 recalcitrant 91, 143, 220  
 reciprocal agreements 171  
 reclamation **14**, **29**, **422**; mine **132**, **180**  
 recovery 133, 282; Mojave **388**; plant  
 community **428**; rare plant **63**  
 recycled materials 303  
 redbay **436**; swamp 178  
 redbud, California 173  
 redwood, coastal 260  
 reestablishment 209  
 reforestation 87, 92, **137**, **183**, 251; artificial  
**16**; costs **162**  
 regional effort 332  
 rehabilitation 89, 100

reintroduction 250, 285, **376**; endangered plant 282  
 relative humidity 293, 412, 417  
 release 281; selected class 281  
 remediation 407  
 remnant guild **418**  
 renovation **306**  
 reproductive biology **8**  
 research, collaborative 276  
 resolution 264  
 response, community **428**; harvest **428**  
 restoration 5, 7, 9, 12, 27, **28, 32, 37, 52, 84, 86, 90, 113, 137, 138, 151, 156, 163, 187, 188, 190, 192, 194, 195, 197, 204, 222, 225, 271, 277, 282, 284, 289, 297, 326, 332, 333, 337, 344, 354, 377, 381, 386, 388, 396, 397, 418, 421, 422, 424, 427, 433, 434, 435, 436, 452**; disturbed areas 74; ecological **29, 55, 375, 382**; gene pool concept **29**; grassland 276, 313; habitat 280, 281, 374; methods 276, 277, 313; partnerships 279; prairie **76, 153, 208, 276**; projects 24, 27; rangeland 438; riparian 105, 197; seed 404; stream-bank **32**; techniques 177; Texas 337; tidal marsh 236; wetland pond 407  
 revegetation **14, 28, 32, 48, 50, 120, 137, 188, 203, 259, 271, 278, 290, 328, 332, 388**; desert **146**; prairie 389; roadside 373; roadside 374  
*Rhexia virginica* 170  
*Rhexifolia* 158  
*Rhizobium* 176  
 rhizome **399**; divisions 62; spread **328**  
*Rhododendron austrinum* **169**; *canescens* **169**  
*Rhus michauxii* **362**  
*Rhynchosia americana* **307**; *latifolia* **306**  
*Rhytidopsis robusta* 194  
*Ribes aureum* 127, **270**; *cereum* 127  
 rice, wild 20  
 ricegrass, Indian 330  
 Rio Grande Plain 292, 332, 338, 339, 340, 341  
 riparian 12, 44, 301; vegetation 316; zone **32, 109**  
 road 188; decommissioning 271  
 roadside 374; disturbed 278; vegetation 373  
*Robinia hispida* **395**  
 rockland hammocks 250  
 Rocky Mountains, northern 382  
 rooftop meadow 129  
 roost trees 439  
 root crown 315  
 root, deformation 344; formation 384; illegal harvesting 70; lateral **53**; mass **120**; nodulation **253**; spiraling 344; vigor 310  
 root dip **379**  
 root gels, polymer **379**  
 rooting **52, 239**; media **436**  
*Rosa carolina* 408; *woodsii* 128  
 Rosaceae 96, 123, 128, 133, 232, **377, 396, 408, 443**  
 rose, pasture 408  
 rosemallow, crimsoneyed 235  
 rosemary, Florida **52**  
 roundwood 283  
*Rudbeckia hirta* 161, **223**  
*Ruellia caroliniensis* **223**  
 rural-to-urban continuum 74  
 rush, Baltic **203**  
*Sabal* 75  
 sage, butterfly **148**; tropical **148**  
 sagebrush 140, 141; big **425**; silver **55**; Wyoming big **180, 372, 412**  
*Sagittaria* 41; *latifolia* 238  
 saguaro 17  
 Salicaceae 12, 105, 106, 107, 108, 109, 110, 111, **113, 128, 197, 293, 296, 435**  
 Salish-Kootenai 18  
*Salix* 12, 111, 128, 197, 293, 310; *arizonica* 106; *bebbiana* 106, 296; *discolor* 296; *drummondiana* 110; *eriocephala* 296, **435**; *exigua* 106, 110; *irrorata* 106; *lasiolepis* **113**; *nigra* **435**; *prolixa* 110; *scouleriana* 106  
 salt marsh, coastal 37  
 saltbush, fourwing 322; Griffiths' 322  
*Salvia coccinea* **148**; *lyrata* 161  
*Sambucus* 122; *nigra* ssp. *canadensis* 364, 365  
 sampling **343**; field 212  
 sand plains 332  
 sandalwood 249  
*Sanguinaria canadensis* 124  
*Sanguisorba* **101**  
 Santalaceae 249  
*Santalum freycinetianum* 249  
*Sarracenia* 62  
 Sarraceniaceae 62  
 sarsaparilla 381  
*Saururus cernuus* 35  
 savanna **418**  
 scaling 104  
 scalping 347  
 scarification – see seed scarification  
 schedule, planting 263  
*Schizachyrium* **361**; *maritimum* **73**; *scoparium* **59, 76**; *scoparium* var. *stoloniferum* **132**  
*Schoenoplectus* 41, 128  
 schools 279  
*Scirpus* 33, 41  
 scorpions tail **148**  
 scratchgrass 272  
 Scrophulariaceae 181, 331, 392  
 scrub, Florida **52**  
 sedge 287, 351; awl-fruit 351; Nebraska **40, 203, 411, 416**  
 seed 38, 56, 57, 65, 77, 79, 100, 106, 117, 145, **152, 163, 202, 206, 218, 231, 289, 309, 324, 381, 396, 398, 399, 401, 429**; accessions 374; addition 276, 277, 313; biology **248**; burial **368, 445**; burning 91, 409; capsules 293; certification **186**; certified 66, 354, 385; chaffy **383**; coat 118; collection 293; damage 185; deterioration **55**; forest tree 348; grass **195**; infection 226; longleaf pine 118; loss 185; manual 135; mixtures 129, **219, 382, 406**; moisture content 143, 296, 393; orchard 42, 151, **180**; planting efficiency 77; polymorphism 330; prairie 374; prices **186**; quality 11, 66, 118, 220, **328, 360**; rain **286**; set 216; size **326**; source 153, **230, 329, 369**; storage 41, 94, 107, 143, 190, 199, 202, 210, **288, 399, 418**; viability 220, 232, **377, 397, 412, 444, 445**; wax currant **95**; weight 360, 382; Willamette Valley 274; woody plant 67; yield **59, 180, 359**  
 seed cleaning and processing 39, 42, 96, 107, 111, 122, 123, 125, 126, 127, 161, 232, 236, 293, 320, 360, 367, 408; brush comb 320; drying 39, **418**; gravity separation **78**; moisture tester **418**  
 seed collection 10, 25, 42, 57, 60, 102, 105, 124, 128, **155, 235, 262, 263, 293, 382, 447, 448**; caution 208; *ex situ* 202, 224  
 seed dispersal 124; bear 178; bird 381; coyote 398  
 seed dormancy **4, 5, 42, 43, 64, 72, 80, 91, 95, 99, 101, 164, 248, 299, 302, 314, 327, 330, 346, 351, 353, 368, 369, 410, 434, 445**; breaking technique **427**; double 104, 182; morphophysiological **43**; physical 119, **401, 409**; riparian 411  
 seed germination 17, 20, 27, 37, **40, 41, 42, 48, 50, 55, 58, 80, 85, 101, 107, 118, 133, 164, 203, 206, 227, 228, 248, 263, 286, 288, 289, 299, 309, 314, 324, 331, 346, 348, 350, 351, 353, 360, 362, 365, 367, 372, 377, 397, 401, 409, 410, 411, 412, 416, 423, 427, 444, 445, 451**; cloths 254; patterns **434**; rate **43, 83, 130**; smoke-induced 410; time **99**  
 seed harvesting 25, 161, 171, 174, 177, 196, 213, 274, 429; brushing machines 320; commercial 187; cordless hedge trimmer



174; fluffy seeds 51; timing **444**;  
wildflower **246**

seed predation **163**, 185, **286**; insects 390

seed production 7, 51, **61**, 66, 71, 84, **142**,  
**172**, 213, 216, 315, 323, **328**, 363, 390,  
392, 429, 443, 447, 448; increase 60,  
323, 443; increase program 284; industry  
100; methods 161, 196, 274; wildflower  
**349**

seed propagation 20, 41, 47, 49, 62, 71, 75,  
102, 104, 105, 107, 119, 159, **164**, 178,  
182, 210, 234, 238, 244, 258, **346**, **353**,  
404, 433

seed scarification 64, 119, 176, 184, **314**,  
**346**, **353**, **362**, 365, 409, 449; acid **80**,  
**99**; boiling water **401**; percussion 64;  
sulfuric acid **95**, **164**, **309**

seed source **426**

seed survival, longevity 94, **377**; long-term  
**368**

seed testing 66, 94, 191; accelerated aging  
191; pop 367; tetrazolium **444**

seed transfer **139**; guidelines 140; risk **155**;  
zones **139**, 140, 151, **152**, **155**, 280,  
281, 284, **308**, **329**, **352**

seed treatment 5, 33, 39, 225, 299, 348,  
**369**; after-ripening 72, **423**, 429;  
chemical 118; combination **99**;  
conditioning 127; IDS separation **78**;  
imbibition **99**; operational 409, **427**;  
soak 224; stratification (cold-moist) **4**,  
**40**, **43**, 72, **78**, **80**, 85, **95**, **99**, **130**,  
159, 178, 228, 299, 302, **346**, **353**, 365,  
394, 396, 401, 408, 415, 416, **423**, **434**,  
**445**; warm-moist **80**, 394, 415

seedbank(ing) 133, **401**

seedbed 254, **397**

seeding **14**, 290; cased-hole punch **180**;  
date **76**; depth **291**; direct **326**;  
establishment **388**; grass **195**; rate **198**,  
**361**; roadside 160

seedling 5, 18, 23, **286**, 185, 211; bareroot  
7, **16**, 38, 107, 141, 144, **162**, 218, 225,  
247, 255, 347, **369**, **379**, 439, 443;  
container 267, **270**, 443; establishment  
11; hardwood **257**; installation 121;  
morphologically improved **162**;  
production 7; quality **257**, 318, 347,  
358, **425**; stabilization **328**; storage **183**;  
survival **379**; thawing **183**

seedpods 226

selected 156

selection **152**; plant **435**

self-pollination **152**

semiarid 316, 243

*Senna covesii* 290

senna, wild **198**

*Sequoia sempervirens* 260

service-learning 279

*Setaria leucopila* 339; *vulpiseta* 339

shade **120**, **307**, 453; tolerance **305**

*Shepherdia argentea* 247; *canadensis* **99**

shop vacuum 111

shop-built tool 363

shrub **113**, 363; desert **31**; native 84

sickle bar mower 429

*Sidalcea malviflora* ssp. *virgata* **195**

Sierra Nevada **352**

silica gel 94

silversword, Mauna Loa 89

silvopasture, emulated organic **395**

single-lens reflex camera 264

*Sitanion hystrix* 437, 438; *jubatum* 437

site preparation 65, 271

site stabilization 26

skid steer 301

slag refuse areas **14**

slope, eastern 419

SLR – see camera, single-lens reflex

Smilacaceae 380, 381

*Smilax* 381; *smallii* 380

smoke, cellulose-based 348

smoker 348

smokewater 289, 410

Smoky Bear **329**, 404

snowberry, mountain **80**

soaking 310

soil compaction 271; forest 271

soil seedbank 177, **368**

soil surface **297**; vacuuming 177

Solanaceae 127

*Solidago shortii* **8**

Sonoran Desert 17, **31**, **146**

*Sophora chrysophylla* **427**

*Sorghastrum nutans* **59**, 153

source materials **137**

source-identified 156

South 9, 441

southern plains **359**, **383**

sowing 128; broadcast 416; machine 77

spacing 201

*Spartina alterniflora* 236

specialty plants 21

species of concern 86

species, richness **46**; alien 90, 166, 241;  
broadleaved 252; coastal dune **73**;  
composition 129; diversity **219**, 454;  
exotic 166, **195**, 241; invasive 197, 241,  
275, 276, 277, 313, **343**; invasive control  
192; legume **142**; mixed **46**; ornamental  
**148**; prairie 274; rare 282; restoration  
**426**; selection 290, **388**; woodland 124;  
woody **353**

*Speyeria idalia* **423**

*Sphaeralcea* **291**, **346**, 390; *munroana* 409

sphagnum bog 62

spice bush 210

*Spiraea alba* 405; *douglasii* 443; *tomentosa*  
405

*Spiranthes cernua* 124; *parksii* 400

spirea 405

spore propagation 1

*Sporobolus* **361**; *wrightii* 385

spurge, leafy **343**

squirreltail 125, 437; bottlebrush 321, 438

stand establishment **180**

stands, grass 116

steeplesh 405

stewardship 279

*Stipa viridula* 327

stock, container **16**, **146**, **163**, **183**, **326**,  
**388**; nursery 261

stocking **162**, 201

stocktype 87, 347, 378

storage, overwinter **425**; interval **444**;  
behavior 224; cooler **425**; freezer **425**;  
long-term **377**; seed requirements 412

stratification – see seed treatment

streams 275

strophiole 64

*Strophostyles helvola* **172**; *leiosperma* **172**;  
*umbellata* **306**

Styroblock 254

subirrigation 217, **257**, **357**, 358; system 252

subjective labels 30

submerged aquatic vegetation 27

subsoiling 271

substrate **22**

substrate, container (see container media);  
growth **399**; sand **227**

*Suillus* **424**

sulfurflower **4**

sulfuric acid **95**, **164**, **309**, 365

sumac, Michaux's **362**

sunflower, common woolly 196

supply and demand 187

survey, green industry 74; nursery managers  
**425**

survival **46**, **230**, **291**, **297**, **306**, 347, **395**

sweetgrass 19

sweetvetch **345**

switchgrass 116

sycamore, Arizona 127

symbionts, obligate 261

*Symphoricarpos albus* 128

*Symphytotrichum carolinianum* **223**

talc 77

taproot **53**, **163**

techniques, companion planting 88

temperature **83**, **101**, 143, 254, **248**, 262;  
profiles **55**

Tennessee 82, 442  
*Tephrosia virginiana* **306**  
terminology 136  
Terrafill 303  
test, cold 191; electric conductivity 191;  
tetrazolium 191, **444**  
Texas 333, 334, 335, 336, 338, 339, 340,  
341, 342, 400, 446; South 311, 332, 452  
*Thalia* 41  
Thiram **372**  
threatened and endangered 3, **8**, 54, **63**, 70,  
86, 88, 89, 90, 91, **120**, 133, 165, 202,  
224, 229, **286**, **362**, 366, **368**, **376**,  
400, 410  
threeawn, Beyrich **138**  
*Thuja occidentalis* 255  
tick-clover, panicked **314**  
tick-trefoil, Dillenius' 317  
tidal zone 37  
*Tipularia discolor* 124  
tissue culture – see micropropagation  
Tohono O'odham 17  
tolerance **349**  
toppling **53**  
*Toxicodendron diversilobum* 48; *vernix* 50  
Trac Vac 51  
translocation 282  
transplant 27, 133, **146**, 378; establishmet  
**31**; mini-plug **16**  
transport survival 133; public 207  
*Trautvetteria caroliniensis* 15  
travel corridors 433  
tree 218, 387; improvement 151; traditional  
245; tropical 135  
trefoil, birdsfoot **304**  
trial, field **270**  
*Trichoderma* 147; *harzianum* 267  
*Trillium* 56, 57; *albidum* 58; *ovatum* 58;  
*parviflorum* 58; *persistens* 384; *reliquum*  
384; *rivale* 58  
*Tripsacum* **359**  
Triticeae 268, 295  
trumpets, giant 258  
tumbled 127, 409  
turnip, prairie 263  
two-stage "scalping" auger bit 301  
Ulmaceae 371  
United States 81; Eastern 151; Midwestern  
**198**, 448; Northern 265; Southeastern  
98, 106, 124, 385; Western 100, 114, 420  
unprotected 374  
upland sites **306**  
urban lumber 283  
*Urtica dioica* 49  
Utah's Choice 167  
*Vaccinium membranaceum* 378, **399**;  
*myrtilloides* **399**  
vacuum skid steer 429  
value, cultural 380  
VAM 80® 261  
variability **95**  
variety **186**  
vegetation management, integrated 242  
vegetative 381; cover 373  
*Veratrum californicum* **428**  
*Verbena* 160  
verbena, pink sand 285  
*Veronicastrum virginicum* 331  
Vespertilionidae 439  
vetch, deer pea 446  
*Vicia ludoviciana* 446  
vines, woody 381  
*Viola* 124, 448; *adunca* 447; *pedata* **423**  
Violaceae **423**, 447, 448  
violet, early blue 447  
Virginia 103  
volunteer 250  
wapato 238  
*Washingtonia filifera* 393, 398  
waste 294  
water, aerated 411; level **397**; management  
358; quality 33; use 217  
water-efficient plants 275  
Waterjet Stinger 44, 204  
water-wise 275  
weaning **163**  
*Wedelia texana* 342  
weed 129; control 65, **246**, 294, **343**;  
perennial 241  
weevils 390  
West Virginia 149  
Westrup HA-400 320  
wetland 37, 170, **203**, **223**, 237, **288**, 323,  
351, 411, 416; construction 33, 238;  
equipment 301; plant 33, 35; restoration  
238; shrub 50; species 41  
wheatgrass, thickspike **328**  
white nose syndrome 439  
wild harvest **69**  
wild senna **304**  
wildflower 51, 57, 82, **101**, 150, 161, 168,  
**233**, **246**, **248**, 331, **440**, 456; Florida  
**230**; mountain 68  
wildland plantings 30  
wildrye 126, **422**; basin **297**; blue 7; Canada  
**76**  
Willamette Valley **286**, 374, **376**; Seed  
Increase Program 284  
willow 12, 109, 110, 310, **435**; Arizona 106;  
Bebb's 106; bluestem 106; coyote 106;  
Scouler 106  
windbreak 371, 385; wildlife 315  
wine cups 119  
winterfat 84  
wiregrass 9, **138**; propagation 10  
wolfberry 127  
wood quality 201  
woodlands, California **16**  
woods grown 71  
Woodward Flail-Vac seed stripper 213  
woody invasive 242  
woody plant 24, 97, 241, **326**, 381, **395**,  
442  
Woody Plant Seed Manual 312  
woolgrass 41  
*Xanthorhiza simplicissima* 350  
xeric 258  
xeriscaping 259  
*Xerophyllum tenax* 289  
X-rays 220  
*Xyleborus glabratus* **436**  
yellowroot 350  
yield, forage **359**; seed **180**, **359**  
*Zamia pumila* 244  
Zamiaceae 244  
zexmenia, orange 342  
*Zinnia acerosa* 319  
zinnia, desert 319  
*Zizania palustris* 20