Digitized by
UNIVERSITY OF MICHIGAN
Original from
UNIVERSITY OF MICHIGAN



Digitized by
UNIVERSITY OF MICHIGAN
Original from
UNIVERSITY OF MICHIGAN

(2)

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

G. H. G. JAHR'S

MANUAL

OF

HOMŒOPATHIC MEDICINE.

Translated from the German

by authority of the North American Academy of the Homœopathic Healing Art.

With an introduction and some additions by C. Hering.

ALLENTOWN, Pa.:

AT THE ACADEMICAL BOOK STORE.

In Commission by J. G. Wesselhœft,

Philadelphia: 9, Bread Street, near Arch; — New York: 322, Broadway, corner of Pearl Street; — Baltimore: corner of Camden of Kutaw St.

1838.

Digitized by UNIVERSITY OF MICHIGAN

Original from UNIVERSITY OF MICHIGAN

Entered according to the Act of Congress, in the year 1838, by *The North American Academy of the Homœopathic Healing Art*, in the Clerk's Office of the District Court of the Eastern District of Pennsylvania.

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

INTRODUCTION.

A work of this kind requires, that some explanatory observations, as to its nature, use and mode of application should be given. This will be done as fully and as clearly as the limits of an introduction will admit of. It is designed as a medical directory for the practical Homœopathist, in which each morbid symptom has its appropriate remedy indicated, and each remedy its own curative influence particularized.

The contents of the work will be found in the materia medica of the homœopathic school, of which it is an abstract, and the different effects of the several remedies arranged, after a scheme approved of, and adopted by Homœopathists generally.

Each remedy is introduced with a digest of the symptoms, which have been taken from trials actually made on healthy individuals, particularly selecting those, which were the most remarkable; and also from patients, who, in a state of sickness have ascertained their curative effects. There will be found interspersed, notices of diseases cured by these remedies, which in all cases were selected after the manner of the new school, and given in doses, prepared after the rules of Hahnemann.

Two hundred remedies are here published, one half of which have been satisfactorily tested on healthy individuals; the remainder have not yet been sufficiently tried; it was however necessary to the completeness of the work as a translation, that they should appear; a few are merely introduced by name; the symptoms of which will be published among the Transactions of the North American Academy of Homœopathic medicine.

The remedies are alphabetically arranged, and the nomenclature of the United States Dispensatory adopted; those plants which are not found there, are for the most part named after Sprengel and the animals after Cuvier. An accurate sketch of the parts, both of plants and animals as well as their preparation, may be seen in the Homœopathic materia medica.

The second part includes all the symptoms and the names of several diseases, to which the proper remedies are referred; and its use as an Index or *Repertory*, can scarcely ever be dispensed with.

Digitized by
UNIVERSITY OF MICHIGAN
Original from
UNIVERSITY OF MICHIGAN

Homœopathia in the United States is comparatively in its Infancy. That a science so singular and so new, should be mistaken, or misrepresented, or even opposed, is not to be wondered at. Yet, it is highly creditable to the medical profession in this country, that hitherto, none of its members have declared themselves as its opponents. This is the more remarkable, as in every part of Europe, where the science has spread as rapidly and extensively, as it has here, the most virulent opposition has appeared. Should the conduct of the American Faculty arise from a reluctance to attack a system, which they have not investigated, this work will enable them, in some good degree, to ascertain what that system is, which some Physicians at least, affect to despise.

The results of the multiplied trials made on healthy individuals, have, through the zeal of the Homœopathists, already filled more than 15 octavo volumes. Whether such observations made on the healthy, have any value or not, may safely be referred to those, best acquainted with the old materia medica. Of the number of cases successfully treated homœopathically, but few comparatively could meet the public eye, yet sufficient have been published, to show the striking resemblance existing, between the artificial symptoms in the one case, and the morbid symptoms in the other.

Every cure, and for the most part, the symptoms produced on healthy persons, have been effected, by what are called "*the little doses*". On this peculiarity, we do not expect to hear one syllable by way of objection, from any man of experimental science, until he have made repeated and accurate investigations. Suppose *electricity* had at its first disclosure been sneeringly called "*the little tempest*", how ridiculous might it have appeared to those persons who were incapable of comprehending either its minuteness or its might — more especially so, when they were told, that by these *small flashes from the little tempest* the laws of the prodigious power of the atmosphere, could be ascertained and mathematically determined; and that a new view of the world would proceed from the correctness of these calculations. As it is in the one instance, so will it certainly be in the other, the principle of the new medical discovery will lead on, to the entire transformation of both physical and medical science.

The unenviable feelings of the scoffer, and the pitiable position of the man of mere indifference, may easily been conceived, should Homœopathia, like electricity be in accordance with nature and truth!!

The following work must not be taken as a standard of Homœopathic science, but rather as the desultory observations, contributed by a number of different medical men. It is necessary to urge on every one, who would give this manual a fair trial, strictly and invariably to follow its directions: this advice which is the

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

result of experience, will prevent the recurrence of gross mistakes, into which many of the German physicians have fallen; who after acknowledging the soundness of the Homœopathic method, have ridiculously attempted to add improvements of their own, and have published to the world, for new discoveries, what to the scientific Homœopathist had been known for years before. Like emigrants to the United States, who no sooner touch the soil than they propose improvements and conceive themselves capable of altering and amending the institutions of the Republic.

There is a quarter from whence Homœopathia may suffer injury — and by which its reputation may be lowered and its usefulness abridged; I refer to the futility of combining the practice of the old and the new school together: the Juste-milieu-system, which some physicians have indiscreetly adopted. We readily allow, that no medical man can be expected to pass *instanter*, from one mode of treatment to an other: an affair of such moment should be done gradually, yet with the resolute purpose, as quickly as possible, to lay aside the old method of treatment. No practitioner, and more especially no Noviciate should arrogantly affirm that what he cannot homœopathically cure, can be cured by no other person in that way. The history of Homœopathia (which is now 46 years old) has abundantly shown, during the last 25 years, that whoever attempts to unite the two modes of treatment, must ever remain a very moderate Homœopathist; and as it regards the advancement and perfection of the science, the whole of this class have contributed nothing that is worth recording.

I sincerely hope, that this charge may not at some future day, be brought against American Physicians.

In order to render the study of this manual useful to those, who are desirous of trying the Homœopathic method of cure, we shall proceed to lay down certain necessary *preliminary instructions.*

Where the *names* of diseases occur in this work, they will answer at least one purpose, of showing that in special cases, remedies have succeeded, where the artificial and morbid symptoms have corresponded. The morbid symptoms show in all cases, what remedies are proper to be administered. These should be sought, in an accurate examination of the patient, nor should this enquiry be made hastily, since a complete sketch of the entire symptoms is an affair of no ordinary difficulty to draw out. As Hahnemann has furnished in his "*Organon*" the most ample instructions on this subject, we shall confine ourselves to such rules only, as are absolutely indispensable.

When visiting the patient, his own description of his case must be carefully

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

observed, without any interruption; every symptom should, as nearly as possible, be written down in his own words, as an affair of this nature can not be done too accurately. He should be admonished to communicate as distinctly and unreservedly as possible all his sensations. It will avail the Homœopathist but little, should the ordinary vague expressions be employed, in use in the old Pathologies and which the well informed Pathologist will admit as being too indefinite, as for instance: Dyspepsia, complaints of the spine, consumption, nervous, bilious &c. as it is well known, that these names may apply, to a host of different maladies, which never belonged to the same class. To employ terms to denote the *order* of a disease, will be equally unavailing, as: Hysterics, Hypochondria, Tetters, Rheumatism, Catarrh &c. very little can be gathered from such generalities, as to the proper mode of treatment, while on the other hand, every thing depends on a correct discrimination of the species of the disease. In like manner, the words Headache, Toothache, pain in the bowels, &c., are far too indeterminate to indicate the proper remedy. Whereas in all cases, the more accurate the symptoms, the more easily is a remedy found.

After the patient has given, in all cases where it is practicable, his own description, the peculiarities on which he often is silent, must be ascertained by questions, so framed, as to obtain the necessary information. In the group of symptoms written down, every aberration from the healthy state of the several functions of the system, must be included, where pathologically connected or not. Leading questions should carefully avoided, and the interrogation so shaped, that the patient must answer otherwise than yes, or no. The particular *kind* of feeling and the very *spot where* it is felt, must be ascertained, not allowing such general descriptions as "acute pain &c."

Enquiries after the *condition* under which the several symptoms appeared, were exasperated, ameliorated, or removed, must be made. For example, how individual symptoms, or entire groups are affected at a particular season of the year, state of the moon, time of the day, change of weather, warmth or cold, when in the open air or in the house. How the symptoms are in sleeping and waking, whether they appear before, during, or after sleep, or from a want of it. How, from the different positions of reposing, whether on the back, the belly, the right or left side; whether the patient lies high or low; how affected when sitting, rising up, standing, beginning to walk, treading heavily, going up steps, reaching, walking hastily; with other movements such as: bending, stooping, stretching forward, lifting, reaching up, false stepping &c. How affected in a carriage, on horseback, and other exercises; how impressions change by touching, pressing, rubbing &c.; when respiring, breathing deep, speaking, sneezing, gaping,

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

coughing, walking against the wind; how affected at meals, whether before, during or after them, if not immediate, in how many hours. Also what is observable when masticating, swallowing, drinking. Also what is singular before, during or after stools, urinating, menstruation &c., what are the effects of mental and sensual irritations, passions, solitude, society &c., as also the influence of certain aliments such as: pork, goose, duck, fat, pastry, veal, oysters etc., and the usual stimulants: coffee, tea, tobacco, wine, spirits, beer, &c.

In addition to an accurate description of the *place*, the *kind* and the *condition* of the several symptoms, their *connexion* also must be attended to, whether they appear simultaneously or in succession; but on this subject the Physician versed in Physiology and Pathology, will require no instruction.

It is of consequence, that the symptoms collected be properly arranged; this may be done as they are written down or may lie disposed in the Physician's mind. The most important will be distinguished; but we do not mean those, which are important in the view of the Pathologist; these are frequently very obscure, indistinct, and difficult to discriminate, still to him they are of great significance. They serve to indicate the *class* and the *genus*, but not the *species*, and therefore assist but little, in the choice of a suitable remedy; consequently a large number of remedies will always be open to his choice.

If the entire group of symptoms (or in other words: the image of the disease) is looked over, there will immediately appear many, of which the patient particulary complained, while others were noticed as of comparatively little importance. On a question of this sort the Pathologist thinks often differently from the patient. Those symptoms, which from their intensity are most important to the sufferer, are sometimes but of minor consequence to the Pathologist, while, those which the patient considered of little importance, may be differently estimated by the Pathologist.

A judicious Homœopathist will pay a due regard to both these arrangements, without following either the one, or the other exclusively. He will consider those symptoms of the *first* importance, which are the most evidently characteristic that is, those which are the most definite as to *place*, *kind*, and especially *condition*. If these several symptoms thus accurately defined, be in a peculiar connexion with others, then will they hold the highest relative importance. Again, if there are other symptoms, which by a similar process, are similarly characterized then the relative importance of these, must be decided upon pathologically, or in accordance with the feelings of the patient; but should both these agree, which is not a rare occurrence, then is the symptom of first rate importance. If in certain symptoms, the same condition, or the same connexion appear, or if a peculiar

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

kind of sensation, is felt in many places, then such a condition, kind or connexion becomes a symptom of the first consequence, from the frequency of its recurrence.

When the symptoms have been classified according to their relative importance, the next thing is, to find a remedy, which exhibits precisely the same symptoms as to nature and rank. In truth, the correspondence ought to be so correct as to force the conviction, that no other remedy can answer equally well. The following work will generally, though not always, assist materially in this affair, which must be used in the following manner; viz.:

You will begin with those symptoms, which are the most definite, then turn to the second part, or *Repertory* and look out those symptoms, and over against them, set down the remedies there indicated; or give a number to each symptom and affix the remedies to the number. But should you not find a symptom including all the peculiarities of place, kind, condition, and connexion; then look for the remedies connected with *each* peculiarity, and these which most frequently recur, are to be selected.

In this manner, one symptom after another is to be sought for, and the remedies indicated, set against them. It will be found, that if the symptoms be accurately defined, there will be a fewer number of remedies indicated, and the reverse where the symptoms are vague and indefinite. As the indefinite symptoms will be considered at last, those remedies which include the most important symptoms, are to be taken out, and the others disregarded.

The names of diseases are of very minor importance, still they may serve to confirm the choice of a remedy applicable to them.

In deciding on the remedy most proper, among the number annexed to each symptom in the Repertory, those which appear indicated by a *majority of the symptoms*, are the remedies sought for.

When the names of one or more remedies have been found, according to the process recommended, the whole articles in the first part must then be compared with the group of symptoms, keeping in view their relative rank. It will then be easy to choose the one remedy most similar to the disease. —

It must be borne in mind, that these directions, are intended chiefly for those who are unacquainted with Homœopathia, but may wish to make trial of its efficacy; but that these instructions, however strictly followed, unassociated with other qualifications, can never make a Homœopathic physician. —

The true Homœopathic physician will refer to this manual in cases only which demand a prompt decision, but his general rule is to refer all cases to the materia medica itself; it becomes therefore the more necessary for those who confine

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

themselves to this extract, to proceed with the utmost precaution. In exhibiting the remedies selected, the following rules must be attended to, viz.:

A. Procure the higher *potence*, as prepared after the directions given in the Organon. Though different potences are in use, still the 30th dilution (X) is most usual.

B. Give from I to 3 globules at once. The application of different other preparations requires a more intimate acquaintance with Homœopathia.

C. The influence of any remedy may be neutralized or destroyed in various ways; for example, when large doses of medicine have been taken, either just before or after receiving it. Spices and other stimulants, either in solids or fluids, act this way. Should it operate favorably in such cases, it is from mere accident, and therefore very uncertain. There are cases where the remedy and certain stimulants are not antagonists to each other, and may by the Physician be allowed. Coffee for instance, is an antidote to very many remedies and may act injuriously, and pure chocolate be substituted for it. Still there are cases, when the Homœopathist will forbid chocolate and allow, or even prescribe coffee. But on these questions no general rule can be laid down, except that every article should be laid aside, which may interrupt the influence of the remedy.

D. The effects of the remedy are most carefully to be watched. He who is accustomed to make minute observations, will readily perceive the slightest alteration.

The following rules taken from the homœopathic Therapeutics, require the strictest attention.

1. The more acute or rapid the disease, the sooner can its issue be decided on, the more tedious or chronic, the longer time must elapse before its result can be reckoned upon.

The ordinary time in common acute cases is from 6 to 7 hours, in some inflammations and neurophlogoses a still shorter period, and in some very acute cases such as apoplexy, cholera, &c., it does not exceed 10 or 15 minutes.

In chronic diseases the medium time is about 6 or 7 days, but which may be extended. Violent paroxysms of chronic complaints are considered as acute, the results arising from acute cases as chronic.

2. In many cases, where no effect appears in the first hour in acute complaints, or in 24 hours in those which are chronic, then the same remedy may be repeated, but afterwards, the course of time peculiar to the disease must in all cases be waited for.

3. Should no alteration whatever appear, it will then be necessary to ascertain without loss of time, whether the proper remedy have been chosen, or whether

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

other influences have neutralized its effect, or whether the changes produced by the remedy have through negligence been overlooked &c. In such cases, the magnitude of the doses cannot affect the question, as the repetition of the same minute doses has a far more powerful effect, than the so called large ones. Should the remedy have been correctly chosen, it may be well to repeat it once, however it would be preferable to change the medicine; but on this point no specific instructions can be given. Sometimes there is in patients a repellency to certain medicines, a dose of no amount can avail. The new practitioner will pursue the wiser course, by selecting another remedy which is nearly similar to the former, and then alternate with both.

4. Should an amelioration occur, within the ordinary time, then no farther steps should be taken while the improvement continues. This important rule new Homœopathists find it difficult to follow. The more sudden the improvement, the sooner a relapse may return. Should the same symptoms recur as at first, before the amendment began, then repeat the same remedy. But if other symptoms arise, other remedies must be selected, and a special reference to the new symptoms must be had in the selection.

5. If the repetition of a remedy be without effect, as in the foregoing rule, then must another remedy be sought for.

6. If a part of the symptoms disappear after a remedy, and another part after a second remedy and then the primitive symptoms recur, both remedies may in such cases be given in turns, until a change of symptoms require a change of remedy; or until a general improvement takes place, which must quietly be waited for, as long as possible.

7. Should there be an exacerbation after a medicine, it refers either to symptoms already in the system and now aroused, or they are new ones. In the one case, the denominated homœopathic exasperation requires that nothing be done, as it generally happens, particularly in chronic affections, that it is the forerunner of a cure.

8. But where the exacerbation admits of no delay; if other violent pains accompany it; then an antidote should be applied, for which the following act the mildest in the crude state: camphora, spir. aeth. nitr.; vinegar, coffee without milk or sugar; wine in drops &c. The application of the antidotes will be found annexed to each remedy.

9. In those cases where a correct choice has been made, especially where sudden exasperation occurs, then the repetition of the remedy is preferable to the antidote, still this treatment, requires considerable practical skill. The same remedy may likewise be repeated, when after abating the violent symptoms by

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

the antidote, no improvement appears, as is frequently the case. In many instances to alternate the remedy and the antidote is good practice.

10. Should the exacerbation arise out of the malady itself, a circumstance best known to the practical Pathologist, then the remedy may be renewed, but another should be ready, provided the second dose be not followed by an amendment.

11. When new symptoms accompany the exacerbation, then they are either unimportant and the course of treatment should not be disturbed on that account, or they may be so important, as to require a remedy particularly adapted for the new symptoms.

12. If the expected relief appears, it will generally continue in acute complaints a few days, and in chronic cases (even after a solitary dose) may hold on for 6, 8, or even 10, 12 weeks, and may on no account be interrupted either with the same remedy or a fresh one; afterwards should the disease appear a fresh, then accurately distinguish which symptoms are become worse. Should precisely the same appear, as before the remedy was given, then it may be repeated. The Homœopathist often gives an intervening medicine, by which the system is disposed to receive the former remedy with greater effect, which we cannot here fully explain. But should the symptoms not exactly agree, the remedy must by no means be renewed, but rather select a new one, such as the new symptoms evidently require.

In this way, without an intimate acquaintance with Homœopathia, many cures may be made, but the Physician may not associate his former habits of proceeding, for example:

a. The examination of the patient must not be made superficially, nor may he theorize on the case.

b. He must not be guided by names of diseases, or antiquated medical theories.

c. Remedies must not be chosen for sudden and superficial effect, as is practized in the old school.

d. Minute doses must not be regarded as too insignificant to require a rigid discrimination in the choice; which may be repeated with a similar indifference or changed one for the other, until finally the right one may be hit upon.

e. Homœopathic remedies must not be given when the entire system is surcharged with allœopathic medicines, or the air of the room affected by the odour of drugs &c., or the patient himself furnished with medicinal, aromatic or other operative materials.

f. He must not regard the above recited rules and instructions, as the fanciful and valueless scheme of a set of blind, conceited medical partizans, but the result

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

of a long and mature experience, sustained by a great number of skillful, sagacious observing Physicians.

Should he neglect these precautions, he will perform no cure but by mere accident, and no benefit can ever be expected from him.

Every honest enquirer, who from the purest motives, wishes to assist in advancing the best interests of his fellow-mortals (men of other aims and efforts we have no wish to conciliate) will, by a strict adherence to these instructions, soon be convinced, that the whole homœopathic edifice rests on truth: and should he wish fully to grasp the whole science, we will submit to him, what we conceive to be, the necessary prerequisites.

To study Homœopathia with effect, a man must know the German language. We are inclined to pity that man, who considers this as too difficult an undertaking. In Germany every respectable man finds it necessary, if he would maintain his station in society, to learn at least one language besides his own; and if he aim at a profession, he must add the ancient classics also. On all hands the knowledge of the German is a necessary branch of a polite education, and as it is spoken by millions in the Union, it is further necessary as a medium of social and mercantile intercourse. But should we even admit what some shallow politicians are willing to believe, that this language will become extinct (quod Deus avertat) in this country, still not a single science could accurately and radically be treated without it. In Europe it holds the undisputed preeminence as the language of science and in future times the knowledge of German will distinguish the literary man from the scientific mechanic. Whoever presumes to deny this (as every new truth, is for a while repelled in this way) will certainly not deny, that to keep pace with the progress of medical science, the knowledge of the German language is indispensable.

Translations have their use; still they are but indifferent substitutes for the language itself, and particularly so with the German. No language presents so many difficulties to the translator, or is liable to so many inaccuracies as the German.

It is our design gradually to furnish translations of every article necessary for the homœopathic Physician, and by this effort we furnish the means of an elementary acquaintance, and we hope to see a good use made of it, namely in facilitating the study of the German, by a comparison of the translation with the original, as there is no method of obtaining a language so rapidly as by that mode.

He who is unacquainted with the German and has no inclination to learn it, but is satisfied with reading translations, may carefully study the Organon, and other works, which we intend to publish. But he who reads German, we

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

recommend the materia medica in German; all further instructions he may obtain by addressing himself to the Academy.

Homœopathic Physicians understand the use of this book. They are of the same opinion with the author, that "they who undertake the practice of medicine chiefly by the aid of extracts and repertories, will always continue mere novices, will never accomplish what belongs to skill, founded on science and carried out practically, with diligence and care".

The abuse of this work is no proof, that it is unnecessary. It is of great value to the Homœopathic student, as it affords him the means of knowing the principal symptoms of the remedies, and is also serviceable to the practitioner, as it assists him to select the proper remedies with greater facility.

All Homœopathists are indebted to the author for the extraordinary pains he has taken in this performance. The only objections we have are the following:

1. The pathological names are not in accordance with one system of pathology, but are derived from different systems, frequently at variance with each other. In the present state of the science, it could hardly be otherwise. A glossary of these words ought to have been carefully made, a defect which we intend to remedy in our next edition.

2. The artificial symptoms produced on the healthy by medicines, are intermixed with those which have been removed by the medicine. These last should have been distinguished by some mark. They should always be considered totally distinct the one from the other. This indiscriminate mixture, if it were allowed to remain, would operate against the progress of medical science. It was impossible to avoid this defect in our translation, as Jahr availed himself of the original contributions of many very respectable Physicians. We hope however that Jahr himself will, for the sake of the science, undertake the task of revising his work. As far as we can, it will be done in the following edition.

3. The characteristics of the several remedies are not always sufficiently definite. We have made but few alterations, as we are engaged at the Academy, in some preparatory works, in which the principal character of each remedy will be more distinctly marked, than has hitherto been done.

4. The alphabetical arrangement in the Repertory, we never approved of, from the difficulty we found in using it. So long as different terms may be chosen for the alphabetical order, so long will it be attended with perplexity. We shall weigh the matter well, ascertain the opinion of the other Homœopathists, before we decide on such an arrangement in our next edition. At least, if we retain the

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

alphabetical order, we shall add a systematic arrangement — or if we systematize the words we shall add an alphabetical list.

Whoever compares the American with the German edition, will discover many alterations, which we consider as improvements, which have partly been made from the materia medica, and partly from our own experience.

The important medicines, which *Heine* has contributed, we could not allow ourselves to keep back, such as: *Actæa*, *Aquilegia*, *Alkekengi*, *Chenopodium*, *Chiococca*, *Nigella*, and for the same reason we have added: *Aloe*, *Barytæ murias*, *Berberis.*, *Brucea*, *Ferri oxydum magneticum* &c.

The various observations on remedies, which have appeared in the latest publications, are included. Only two short articles, of little consequence, have been omitted. We were inclined to make farther additions, from the mass of experiments at our command; but the translation is sufficiently increased, and as this edition is primarily designed for American Physicians, who may wish to gain a superficial acquaintance with Homœopathia, we conceived that enough was already afforded. Should the favorable reception of Homœopathia be answerable to our anticipation, we may make further additions as the size of the volume may admit of.

In reference to the execution of this translation, we deprecate the severity of criticism, from the fact, that a work abounding with terms distinguished by the nicest shades of meaning, is a task of no common difficulty. We have broken up untrodden ground, we had greater difficulties to surmount, than any scientific work presents. Native Americans, English and Germans, have combined their energies to make this beginning. It will be no difficult task to discover defects — it may be easy to correct them, and we believe, it will now be easier to translate the materia medica itself. In this first effort it has been our care, to be as faithful and correct as possible.

Every improvement which may be suggested, will most thankfully be received and acknowledged, and no pains or care will be wanting in the arrangement and execution which the work will admit of.

Finally it will be borne in mind, that the translators and editors of this entire work *have made a free will offering of their services.* — *The printer likewise and booksellers have given up their profits and appropriated them to the support of a benevolent medical institution.*

Immediately this work is finished, we shall dispatch in single parts, the translation of the materia medica, each remedy will be enlarged with many experiments, and on a plan adapted to study and use.

Allentown, Jan. 18, 1836.

CONSTANTINE HERING.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Index of the remedies contained in this manual.

☞ The names of the several remedies referred to in this book, will be found in the first column. — In the second are systematic names at full length, and in the third are a few names, which are in use in German medical works and affixed to imported preparations.

1. Acetum.		
2. Aconitum.	Aconitum napellus.	
3. Actæa.	Actæa spicata.	
4. Aethusa.	Aethusa Cynapium.	
5. Agnus.	Vitex agnus.	Agnus castus.
6. Alcohol.		
7. Alkekengi.	Physalis Alkekengi.	
8. Aloe.		
9. Alumina.	Aluminum oxydatum.	Argilla.
10. Amanita.	Amanita muscaria. Pers.	Agaricus muscarius.
11. Ambra.	Ambra grisea.	
12. Ammoniæ carbonas.		Ammonium carbonicum.
13. Ammoniæ murias.		Ammonium muriaticum.
14. Anacardium.	Anacardium orientale.	
15. Angustura.	Galipea officinalis.	
16. Antimonii sulphuret.		Antimonium crudum.
17. Antimonii & potassæ tartras.		Tartarus emeticus.
18. Aquilegia.	Aquilegia vulgaris.	
19. Argentum.		Argentum foliatum.
20. Arnica.	Arnica montana.	
21. Arseniosum acidum.		Arsenicum.
22. Artemisia santonica.		Cina.
23. Arum.	Arum maculatum.	
24. Asarum.	Asarum europæum.	
25. Assa fœtida.	Ferula assa fœtida.	
26. Aurum.		Aurum foliatum.
27. Badiaga.		
28. Barytæ carbonas.		Baryta carbonica.
29. Barytæ murias.		Baryta muriatica.
30. Belladonna.	Atropa Belladonna.	
31. Berberis.	Berberis vulgaris.	
32. Bismuthi subnitras.		Bismuthum.
33. Bovista.	Lycoperdon bovista.	
34. Bromum.		
35. Brucea.	Brucea antidysenterica.	
36. Bryonia.	Bryonia alba.	
37. Caladium.	Caladium seguinum.	
38. Calcis carbonas.		Calcarea carbonica.
39. Calcis phosphas.		
40. Calcis sulphuretum.		Hepar sulphuris.
41. Camphora.		
42. Cannabis.	Cannabis sativa.	
43. Cantharis.	Meloe vesicatorius; Lytta vesicatoria.	
44. Capsicum.	Capsicum annuum.	
45. Carbo animalis.		
46. Carbo vegetabilis.		Carbo ligni fagi.
47. Cascarilla.	Croton cascarilla.	

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

48. Castoreum.		
49. Causticum.		Tinctura acris sine kali.
50. Chamomilla.	Matricaria chamomilla.	
51. Chelidonium.	Chelidonium majus.	
52. Chenopodium.	Chenopodium olidum.	
53. Chiococca.	Chiococca racemosa.	Cainca.
54. Cicuta.	Cicuta virosa.	
55. Cinchona.		China.
56. Cinnamomum.		
57. Citricum acidum.		
58. Clematis.	Clematis erecta.	
59. Coccinella.	Coccin. septempunctata.	
60. Cocculus.	Cocculus suberosus.	Menispermum cocculus.
61. Coffea.	Coffea arabica cruda.	
62. Coffea tosta.		
63. Colchicum.	Colchicum autumnale.	
64. Colocynthis.	Cucumis colocynthis.	
65. Conium.	Conium maculatum.	
66. Copaiba.		Balsamum copaivæ.
67. Corallia.	Isis nobilis.	Corallia rubra.
68. Crocus.	Crocus sativus.	
69. Cuprum.	Cuprum metallicum.	
70. Curcas.	Jatropha curcas.	Jatropha.
71. Cyclamen.	Cyclamen europæum.	
72. Dictamnus.	Dictamnus albus.	
73. Digitalis.	Digitalis purpurea.	
74. Drosera.	Drosera rotundifolia.	
75. Dulcamara.	Solanum dulcamara.	
76. Epeira.	Epeira diadema.	Diadema.
77. Euphorbium.		
78. Euphrasia.	Euphrasia officinalis.	
79. Evonymus.	Evonymus europæus.	
80. Ferrum.	Ferrum metallicum.	
81. Ferri oxydum magneticum.		Lapis magneticus.
82. Filix mas.		
83. Graphites.		
84. Gratiola.	Gratiola officinalis.	
85. Guajacum.	Guajacum officinale.	
86. Helleborus.	Helleborus niger.	
87. Hydrargyrum.	Hydrargyrum metallicum.	Mercurius vivus.
88. Hydrargyri chloridum corrosivum.		Mercurius sublimatus.
89. Hydrargyri sulphuretum rubrum.		Cinnabaris.
90. Hyoscyamus.	Hyoscyamus niger.	
91. Jalapa.	Convolvulus Jalappa.	
92. Jambos.	Eugenia Jambos.	Eugenia.
93. Ignatii faba.	Ignatia amara.	
94. Illicium.	Illicium anisatum.	Anisum stellatum.
95. Indigo.		
96. Jodinum.		
97. Ipecacuanha.		
98. Kalmia.	Kalmia latifolia.	
99. Krameria.	Krameria triandra.	Ratanhia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

100. Kreosotum.		
101. Lachesis.	Trigonocephalus Lachesis.	
102. Lactuca.	Lactuca virosa.	
103. Lamium.	Lamium album.	
104. Laurocerasus.	Prunus laurocerasus.	
105. Ledum.	Ledum palustre.	
106. Lycopodium.	Lycopodium clavatum.	
107. Magnesiæ carbonas.		Magnesia carbonica.
108. Magnesiæ murias.		Magnesia muriatica.
109. Magnesiæ sulphas.		Magnesia sulphurica.
110. Manganesii oxydum.		Mangánum.
111. Marum verum.	Teucrium marum verum.	Teucrium.
112. Menyanthes.	Menyanthes trifoliata.	
113. Mephitis.	Mephitis putorius.	
114. Mezereum.	Daphe mezereum.	
115. Millefolium.	Achillea millefolium.	
116. Moschus.	Moschus moschiferus.	
117. Muriaticum acidum.		
118. Myristica.		Nux muschata.
119. Niccolum.		
120. Nigella.	Nigella sativa.	
121. Nitri acidum.		
122. Spiritus ætheris nitrici.		
123. Nux vomica.	Strychnos nux vomica.	
124. Oleander.	Nerium Oleander.	
125. Oleum animale æther.		
126. Oniscus asellus.		
127. Opium.		
128. Pæonia.	Pæonia officinalis.	
129. Paris.	Paris quadrifolia.	
130. Petroleum.		
131. Petroselinum.	Apium petroselinum.	
132. Phellandrium.	Phellandrium aquaticum.	
133. Phosphorus.		
134. Phosphori acidum.		
135. Platina.		
136. Plumbum.	Plumbum aceticum.	
137. Potassæ carbonas.		Kali carbonicum.
138. Potassæ nitras.		Nitrum.
139. Potassæ Jodidum.		Kali hydriodicum.
140. Prunus spinosa.		
141. Psorinum.		
142. Pulsatilla.	Pulsatilla pratensis.	
143. Ranunculus bulbosus.		
144. Ranuncul. sceleratus.		
145. Rheum.		
146. Rhododendron.	Rhododend. chrysanthum.	
147. Rhus vernix.		Vernix.
148. Ruta.	Ruta graveolens.	
149. Sabadilla.	Veratrum Sabadilla.	
150. Sabina.	Juniperus Sabinæ.	
151. Sambucus.	Sambucus nigra.	
152. Sambuci cortex.		
153. Sapo.		
154. Sassaparilla.	Smilax Sassaparilla.	

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

155. Scilla.	Scilla maritima.	
156. Secale cornutum.		
157. Selenium.		
158. Senega.	Polygala Senega.	
159. Senna.		
160. Sepia.		
161. Sericum.		
162. Silica.		Silicea.
163. Sodæ Boras.		Borax. Natr. boracicum.
164. Sodæ carbonas.		Natrum carbonicum.
165. Sodæ nitras.		Natrum nitricum.
166. Sodæ sulphas.		Natrum sulphuricum.
167. Sodii chloretum.		Natrum muriaticum.
168. Solanum mammosum.		
169. Solanum nigrum.		
170. Spigelia.		
171. Spongia tosta.	Spongia marina tosta.	
172. Stannum.		
173. Staphisagria.		
174. Stramonium.	Datura stramonium.	
175. Strontiǫnæ carbonas.		Strontiona carbonica.
176. Succinum.		
177. Sulphur.		
178. Sulphuricum acidum.		
179. Tabaćum.	Nicotiana tabacum.	
180. Tanacetum.	Tanacetum vulgare.	
181. Taraxacum.	Leontodon taraxacum.	
182. Tartaricum acidum.		
183. Thea.	Thea cæsarea.	
184. Therebinthinæ oleum.		
185. Theridion.	Theridion currasavicum.	
186. Tiglii oleum.	Croton tiglium.	Croton.
187. Tongo.	Baryosma tongo.	
188. Toxicodendron.	Rhus toxicodendron.	
189. Thuya.	Thuya occidentalis.	
190. Urea.		
191. Uva ursi.	Arbutus uva ursi.	
192. Valeriana.	Valeriana officinalis.	
193. Veratrum.	Veratrum album.	
194. Verbascum.	Verbascum Thapsus.	
195. Vinca.	Vinca minor.	
196. Vinum.		
197. Viola odorata.		
198. Viola tricolor.		
199. Zincum.		
200. Zingiber.		

Digitized by
UNIVERSITY OF MICHIGAN
Original from
UNIVERSITY OF MICHIGAN

1. Acetum.

Vinegar. — Germ. Essig.

Andidote for: sulphuretum calcis; aconitum, asarum, coffea, euphorbium, stramonium, tabacum, tongo; sepia.

It increases the symptoms of hydrargyrum, belladonna and lachesis.

NB. Remarks on its use in diseases will appear in the transactions of the Academy.

---

2. Aconitum.

Aconitum Napellus. — Aconite. — Germ. Sturmhut, Eisenhut.

Duration of its effect: 6 — 48 hours.

Antidotes: acetum, vinum, paris?

Used as antidote for: chamomilla, coffea, nux vomica, petroleum, sepia, sulphur, veratrum.

It answers well after: arnica (alternating), sulphur (limiting).

It may successfully precede the following, viz.: arnica (in inflammations caused by contusion), arsenicum (in colics), belladonna (in inflammation of the brain), ipecacuanha (in gastric complaints after inflammation of the chest), spongia (in croup), sulphur (in hepatitis, hæmorrhoidal diseases, chronic inflammations).

Predominant effects: Stinging pain with a sensation of soreness, especially in the internal organs. — Pains as from a bruise. — *Intolerably painful attacks.* — External and internal dry heat of the affected parts. — *Congestions towards different organs.* — *Acute inflammations of internal organs.* — *Acute rheumatic inflammations.* — *The slightest touch or movement very sensibly affects the suffering parts.* — Thirst, and redness of the face, during the complaints. — Exacerbation in the evening and morning; diminution in the open air. — Different *complaints, in consequence of fright and vexation*, or catching cold, especially during menstruation. — Gastric and bilious complaints.

General painfulness of the body, with an acute sensibility to the touch. — *Jaundice* with soreness of the liver. — Swelling of the body and turning black, (protrusion of the eyes and hanging out of the tongue). — Great inclination, to lie down. — Weakness and relaxation of the ligaments. — *Fainting fits* with agitation of the blood and congestion to the head. — Sensation of an interruption of the circulation of the blood and coldness in all the veins. — Apoplexia sanguinea. — Convulsions of children. — Cataleptic fit. The body stiff, immoveable, with shrieking, gnashing of the teeth and hiccough. — Very great liability to take cold.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Crawling on different spots of the skin, with peeling and itching. — Spots here and there, resembling fleabites. — *Measles.* — *Purpura miliaris.* — Inflammation like erysipelas.

Frequent yawning. — *Great drowsiness*, even in taking a walk, especially after dinner. — *Coma vigil, with anxious fantasies.* — Very light sleep. — Fearful dreams, with *nightmare.* — Animated dreams, in which obscure circumstances are completely developed.

Shaking chills with great redness of the face and pain in the limbs. — General chilly shiverings, in the evening, with thirst, burning heat in the face, redness of the cheeks and headache, pressing outwards. — Heavy chills with succeeding dry burning heat, anxiety and oppression. — *Burning dry heat*, with hot parched skin and great thirst. — Hot skin with overflowing chilly shiverings. — Internal dry heat, with chills over the whole body, with heat of the forehead and the lobes of the ear. — *Inflammatory acute fever.* — Rheumatic, nervous, puerperal- and milk-fever. — *Pulse hard* or intermitting, full, small.

Complaining and lamentation during the pains. — *Distressing anxiety* with lamentations and upbraidings — *Apprehensions.* — *Fear of death* and superstitious prediction of the day of its approach. — Intolerance of noise. — *Excessive liability, to be easily frightened.* — Great fretfulness and violent impetuosity.

Weakness of memory. — Inability, to exercise the thoughts in the natural way, as if all mental impressions arose from the stomach. — *Unsteadiness of ideas.*

Moping dizziness, particularly in a warm room. — *Vertigo with apparent loss of eyesight*, on moving the head, or when stooping, or rising from the seat, with danger of falling. — Giddiness attended with a sick stomach.

Headache on a small spot of the os bregmatis, either when touched, or blown upon by the air. — Jamming or compressing headache (depriving of recollection), especially above the root of the nose. — Squeezing in the forehead and over the eyes. — *Heaviness, fullness and pressing outwards in the forehead*, especially when leaning forwards. — *Stinging or throbbing in the head*, or drawing, on one side of the head. — Congestion to the head. — Burning, and bubbling, like boiling water. — *Inflammations of the brain.* — Hydrocephalus internus. — A feeling of *wavering and motion of the brain, in moving*, drinking and speaking. — Sensation of a cooling ball, ascending from the abdomen towards the head. — Headache from taking cold, with buzzing in the ears, catarrh and abdominal pains. — Headache *increased by speaking and moving*, alleviated in the open air.

Acute inflammation of the eyes, with *deep redness of the arteries.* — Inflammation of the eyes, after catching cold, or caused by extraneous bodies, accidentally entering them. — Inflammation of the eyes of newborn children. — Vehement inflammation caused by bruising; (alternately with *arnica*). — *Inflammation like erysipelas, and hard swelling of the eyelids*, with a straining pain especially in the morning. — *Inflammation of the eyes with very painful* lippitude (bleareyedness), so that the patient prefers death to the pain. — Dryness and heaviness of the eyelids. — Closing of the eyes, with drowsiness. — Sensation of swelling in the eyes. — Protrusion, spasm and distortion of the eyes. — Staring. — *Dilated pupils.* — Attacks of sudden blindness. — *Shunning light*, or desire for light, (lighthunger.)

Otitis. — Humming before the ears.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Stupefying compression at the root of the nose. — *Bleeding at the nose*, (Epistaxis). — Heightened sense of smelling.

Redness of the face. — Blueish face with black lips. — Distortion of the countenance. — Sensation of swelling about the cheeks. — *Inflammatory, rheumatic*, crawling *prosopalgia*, with swelling of the lower maxilla. — Hot, bloated face. — Sweating on the upperlip under the nose, and on that cheek, upon which one lies.

Throbbing toothache, after cold, with congestion to the head and burning in the face. — Pains and swelling after putting in artificial teeth.

Dryness in the mouth. — Moist tongue with sensation of dryness in the mouth. — Crawling, *burning, stitching in the tongue.* — *Inflammation of the cavity of the mouth* and of the tongue. — Painful sensation of soreness, as if the orifice of the salivary glands were corroded. — Salivation, with stinging in the tongue. — *Spitting of blood* (hæmoptysis).

Pain in the throat, as if from astringents. — *Crawling in the œsophagus.* — Choking in the throat when swallowing and speaking. — *Burning or stinging* pains in the throat with difficulty of swallowing. — *Inflammation of the fauces, of the soft palate, and of the œsophagus* with deep redness of the parts.

Taste bitter or putrid. — *Violent thirst*, choking with thirst, eminently so, while the mouth dry. — Desire for wine. — Lingering nausea and anorexy.

Vain inclination to eructate. — Unproductive eructation. — *Rising of sweetish water*, with qualmishness and buzzing in the ears.

Sick stomach in the morning, fasting. — Tendency to vomiting, (like after taking sweet meals or very fat food), even when walking in the open air. — *Vomiting* of bitter bilious matter *or bloody slime*, attended with choking. — *Hæmatemesis.* — Vomiting of lumbricoides.

Cardialgia after eating. — Straining *pressure in the stomach and in the scrobiculus cordis, as if proceeding from a weight*, with obstruction of breathing. — Contraction in the stomach as if from astringents. — Gastritis and diaphragmatitis. — Swelling in the epigastric, and hypochondriac regions, with throbbing and burning, increased by compression.

In the hypochondriac regions a straining pressure, as if from a weight. — Constriction of the hypochondria. — Pressure or *stinging-burning soreness* in the region of the liver. — *Hepatitis.* — Renitis with pungent pains in the lumbar region and suppressed urinal secretion.

Abdominal pains of a drawing kind, when pressing the stomach together. — Compressing, raffing and pinching about the umbilical region, and retraction of it. — Insupportable cutting pain in the bowels, in the morning, in bed. — *Enteritis* with burning, cutting and throbbing in the umbilical region. — *The abdomen is swollen*, as in ascites. — Painful soreness of the abdomen, when touched. — Windcolic with rumbling noise in the bowels, especially at night.

Hard stools with forcing. — Frequent, small, soft stools with tenesmus. — *White stools.* — Waterish diarrhœa. — Involuntary stools from relaxation of the sphincter ani. — Ascarides. — Pains in the rectum. — Stinging and squeezing in the anus. — *Bleeding piles.*

Ischury with pressure in the bladder and pains in the kidneys. — Ischury of newborn children. — Frequent, painful, *uneasy urgings, to discharge urine.* — *Flow of urine* with sweat, diarrhœa and pain in the bowels. — Involuntary flow of

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

urine, proceeding from relaxation of the neck of the bladder. — *Urine high red, sparing*, or brown, ardent, with a lateritious sediment. — The urine after remaining for some time, deposits a bloody sediment.

Diminished sexual inclination. — Amorous fits. — Crawling sensation in the sexual parts.

Inflammation of the labia majora; metritis; oaritis. — *Prolonged menstruation.* — *Me*trorrhagia. — The menstruation commences with mania. — Leucorrhœa, tough and yellowish.

Violent sneezing with pain in the abdomen. — Sneezing is prevented by soreness in the left side. — Aphonia, caused by screaming. — Hoarseness (with angina).

A kind of numbness and loss of sensibility in the trachea. — Tracheitis. — *Croup.* — The epiglottis periodically palsied in swallowing, so that things may easily enter the glottis and produce coughing.

Cough from smoking tobacco or after drinking. — *Dry short cough*, especially after midnight. — Hooping-cough. — Painful *hæmoptysis* with nocturnal anxiety and timidity. — *Every solitary cough with violent stitches in the chest and in its sides.*

Breathing short and difficult or quick, contracted. — *Anxious* contracting *pressure of the chest* with obstruction of breath. — Suffocating fits with great anxiety. *Asthma Millari.*

Pain in the breast with a sensation of heaviness and compression around the whole chest. — Crawling pain in the breast. — *Stinging and piercing through the chest and its sides*, especially when *breathing* or coughing. — *Pleuritis.* — *Pneumonia.* — *A feeling of great anxiety in the breast.* — Chronic disease of the heart with dyspnoe and stinging in that region, when in motion and ascending steps. — *Palpitation of the heart* with anxiety, with a higher temperature of the body. — Carditis. — Rheumatism of the heart. — Galactorrhœa.

The small of the back aches, as if beaten; stiff, maimed and sore, the same in the hip-joints; — boring pain in the whole back. — Crawling in the spine, as if from chafers. — Stinging agitation along the whole spine, increased by respiration. — Rheumatic pains in the neck, only by motion. — Debility and want of firmness in the neck, with a feeling, as if the flesh were loose from the bone.

The arms as if crushed and powerless. — A feeling of heaviness in them, the fingers asleep. — Swelling of the shoulder-muscles with pain as if beaten, when touched. — Disability of the fore-arm and hand, in writing and resting, relieved by motion. — The hand insensible, cold and benumbed. — Swollen hands. — *Crawling in the fingers.*

Hip-joint and thigh as if bruised and squashed, especially after lying down and sleeping. — Tottering walk caused by infirmness and pain in the head of the os femoris. — *Want of firmness* and easy breaking of *the knee.* — *Inflamed swelling of the legs* and feet with internal and external heat; red spots on the skin and soreness, when touched or moved. — Pain in the joints of the feet, with despair and fear of death. — Heaviness of the feet. — Cold feet, especially on the toes, and sweat of the soles and toes.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

3. Actæa.

Actæa spicata. — Germ. Christophskraut.

Duration of effect: in acute cases about 8 hours, in chronic cases from 8—12 days.

It answers well after: nux vomica.

Predominant effects: Arthritic or rheumatic complaints; chronic arthritic pains. — Neuralgia. — Hemicrania. — Prosopalgia Fothergilli. — Cotunni ischias. — Coincident gastric-bilious symptoms. — In the evening and at night appear the most symptoms. — Many symptoms arise when lying or sitting. — The affections of the head are relieved by exercise in the open air. — Symptoms in the head, abdomen and mind after eating.

Continual restlessness and anxious throwing about. — Great excitement of the nerves, in the morning. — Very reluctant, to be uncovered; exposure to the air produces a sensation of a painful tension in the breast. — Liability to take cold. — Disinclination to exercise in the open air.

General itching, especially on the scalp and in the face. — Dry herpetic eruptions with isolated itching pimples. — A furfuraceous peeling off on different parts of the body. — Pustulous eruptions. — Tedious crawling.

Coma vigil, with half open eyes. — Wakefulness. — Drowsiness in the daytime. — Easily frightened, he startles at the least impression or noise and cries sometimes while asleep.

Vehement internal and external heat. — Violent febrile excitement, at night. — Excessive agitation and congestion of the blood to the head, produced by drinking coffee. — Insatiable thirst. — Continual inquietude and anxious tossing about. — Incapacity, to lie in bed, at night. — Nocturnal sleeplessness. — The attacks of fever are mostly preceded by a mild cold shivering in the back, and beginning always at different times. — Nocturnal attacks of fever. — Anxious heat of the forehead. — Burning in the neck, as if hot water were poured over it. — Excessive mental excitement. — General, sour smelling sweat.

Dejectedness. — Sadness. — Desperation about the success of every, even the most trifling undertaking. — Hopelessness. — Constant apprehension. — Bewildering fits, almost to the degree of insanity. — Selfdeception. — Caprice. — Self-satisfaction. — Anger. — Irresolution. — Great desire to work, though incapable of it. — Inconstancy. — Anxious solicitude, when quiet. — Constant lamentation and sighing. — Fear of death, especially at night in bed. — Judgment perplexed. — Mental exhaustion. — Dejection, with inclination to weep. — Growing love of life. — Inclination to debauchery. — Mental enjoyment, while exercising.

Weakness of memory. — Incapacity to recollect. — Abstraction or occasional absence of mind. — Indisposed to close thinking. — Weakened apprehension.

Giddiness and reeling, gradually abated in the open air. — Heaviness and dulness in the forehead. — Vertigo with darkening before the eyes. — Dizziness with a sensation of emptiness in the forehead, when stooping.

Shooting headache, with a sensation of swelling towards the neck, when sitting. — Excessive racking in the vertex, almost causing despair, extending to the

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

eyebrows. — Dull cutting pain in the head, attended with momentary vanishing of consciousness and with rustling and humming deep in the brain. — A tearing gnawing pain in the right temple, especially in the mastoid process, as if it would be screwed off, at night in bed, connected with a mooting cutting pain in the interior of the head. — Pressure in the occiput. — Jerking throbbing in the brain.

Burning heat on the forehead, above the eyebrows, alternating with a jamming pain between the forehead and os bregmatis. — Stinging, drawing or dull pressing in the region of the thalami nervorum opticorum with obscuration of sight, after smoking tobacco. — Sudden stitches through the right temple into the brain. — Soreness of the whole head, when sitting or lying. — Congestion of the forehead with great redness of the face. — Crampy pressure in both tubera frontalia, when speaking. — Boring and rending headache on the whole right side, with excessive soreness, when standing accompanied with cloudiness and dizziness, decreased in the open air by exercise, abated after drinking coffee. — Violent shooting pain in the forehead. — Mooting in the left tuber frontale, with a sensation, as if the bone would be crushed, with moaning, after eating and cold drinking. — Throbbing and hammering, alternating with burning below the right eyebrow. — Sensation of heat between the eyebrows towards evening. — Cutting, sometimes gnawing in the left frontal sinus. — Frequently the pains in the frontal sinus disappear, and wander to isolated spots of the cranium, but return after midnight. — Excited sensibility of the whole frontal bone, becoming acute, when touched, and compelling, to cry out. — Stinging pain from within, in the right eyebrow. — Sometimes minute stitches, as if with a needle, sometimes a stirring boring pain in the middle of the forehead.

Severe itching and crawling on the scalp alternating with sensation of heat. — The hairs falling off. — On the sinciput towards the front a furfuraceous peeling off. — Copious sweat; the head and face dripping wet. — Sensation of ease and hilarity after coughing and sneezing. — Burning heat on the occiput, in the evening.

The eyes very red, sparkling, protruded, with a rapid motion; very sensible to the light. — Sparkling and glittering before the eyes. — Smarting, itching and burning. — Tension and rooting in the interior of the eye, sometimes quivering. — When closing the eyes, a sensation as if sand were in them. — Boring and tearing pain in the socket of the right eye. — Sometimes fiery illusions, as if globes, after midnight. — The eyes sunken and dim, with livid circles around them. — Irritation and cloudiness of the eyes. — The eyelids puffed and inflamed, especially the superiors. — Continual itching pricking thereon, compelling to rub them. — Isolated millet-like vesicles on the right upper eyelid, without biting or itching. — The eyes cemented together by a purulent yellow mucus. — Twitching of the left upper eyelid in the morning. — Soreness in the right upper eyelid. — Secretion of a serous fluid, sometimes tears. — Stinging and itching of the internal canthi, after reading or writing. — Soreness of the internal canthi.

Tinkling, humming, roaring, or ringing in the ears. — A tense pressure in the tympanum. — A sense of obstruction and transient difficult hearing, after eating. — Burning itching, with a sensation of heat in the right external ear, when lying. — Rending boring pain in the right tympanum. — Rooting outward. — Sensation as if cold air were rushing in and aggravating the pain, in the afternoon. —

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Sensation of heat alternating with itching on the left earflap. — Pricking in the right earflap. — Great sensibility of the ears to currents of air. — Thin liquid sour-smelling cerumen. — Spasmodic pain in the interior of the right ear, extending to the cavity of the mouth. — Perspiration behind the ears in lying.

Redness and erysipelatous inflammation of the tip of the nose, with vehement itching and pricking. — The cuticle of the nose furfuraceous peeling off. — Burning in the left nostril, with sensation of dryness and coldness. — Cracks on the left wing of the nose, in the morning. — Scab on the right wing of the nose. — Pustulous eruption on the septum of the nose. — Red itching pimples, intolerably burning after scratching. — Sensation of ulceration in the nostrils. — Excessive tearing boring pain in the root of the nose towards the right frontal sinus. — Bleeding from the left nostril.

The face bright red. — The right side of the face bloated, with a dull pressing, sometimes with compression of the parotis. — Racking spasmodic pain in the zygomatic bone. — Boring upon the periosteum. — In the lower jaw tearing outward with frequent stinging, especially after midnight. — Swelling of the cheek, with rheumatic pains. — Sunken, pale and emaciated face. — Pressing outward below the eyes, considerably augmented by exercise, sneezing, and stooping.

Drawing and tension in the underlip, extending towards the chin. — Dryness and sensation of soreness on the upperlip, after eating. — Dry herpetic eruption around the mouth, with isolated itching pimples.

Shooting and dilacerating pain in the left molares of the lower jaw, with a sensation, as if they were too long, decreasing after smoking tobacco. — Burning on the gums, with a sensation of swelling. — Drawing tension in the gums of the right upperjaw, extending towards the uvula. — Highred blue streaked appearance of the gums. — Sensation of heat in the gums, after smoking tobacco and cold drinking.

Frequent spitting. — Conflux of a sour liquid in the mouth. — Gnawing on the inside of the right cheek, with soreness. — The tongue red, clean, not furred, hot tremulous. — Sometimes burning on different spots of the tongue. — Soreness of the tongue, chiefly in the morning.

Dryness and ardor in the throat; sometimes a sensation as if hot air were passing through it. — Burning scratching in the throat, when swallowing solid food. — Strong pressure in the left tonsil, with sensation of swelling. — Dull pressure in the whole œsophagus, with oppression of the chest.

Sour, bitterish, sometimes saltish taste. — Return of food, with nausea and tendency to vomit, in the evening. — Frequent thirst with scratching dryness in the throat as if after waking at night. — Increased heat after cold drinking.

Sour eructation. — Heartburn after every meal. — Frequent eructation, and uneasy pressure in the œsophagus, after speaking. — Sensation as if from a vitiated stomach.

Tension and pressure in the stomach, after eating. — Flabbiness. — Constriction of the stomach, at night. — Grumbling and grasping towards the pylorus. — Gnawing and drawing, sometimes turning into a considerable pain, at night. — Spasmodic contraction immediately above the navel. — Throbbing pain in the pit of the stomach. — Drawing and tension in the pit of the stomach, with intermittent chilliness, when exercising in the open air. — Pressure and sensation of

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

fullness, as if every thing were tight, with oppression and gasping for air, after awaking at night, increased to the highest degree by coffee and exciting draughts.

Pressure deep in the liver. — Sensation of fullness in the liver. — Tension and stretching in the part of the liver towards the diaphragm. — Sometimes a sudden momentary burning in it. — Stretching and dilacerating pain, as if the liver would enlarge, in the evening and when moving in the bed. — A light pricking pressure after eating. — Painful distension of the right hypochondrium, alleviated from eructation. — Shooting and rending from the right to the left hypochondrium, especially, when lying.

In the renal region burning, alternating with drawing. — Tearing stretching pain towards the spina, severest on sitting, decreased by motion. — Sometimes stitches fore- and backwards. — Pressure and sensation of soreness in both kidneys. — Vehement burning pain, sometimes pricking itching on the left side, immediately succeeded by discharge of a muddy lateritious urine with much sediment.

Pains shooting outward in the abdomen, occasioned by sneezing and coughing. — Very painful tension and pressing wringing about the navel. — Below the navel a sharply circumscribed, reddish, painfully tense, small elevated tumour. — Distention of the belly, attended with transient stitches, sometimes shooting, extending towards the right side of the breast. — Pressing griping in the bowels, generally changing to a cutting vellicating pain, frequently before evacuation. — Sensation of a burning heat over the whole hypogastrium, in the evening, when sitting. — Spasmodic retraction of the abdominal muscles, when going to bed. — Inflation of the belly, especially on the right side. — Stretching drawing and tension towards the right lumbar-region. — Tympanous distention of the hypogastrium and frequent grumbling from below upwards, with eructation, after eating, gradually disappearing with a slight motion. — Frequent rumbling and grumbling. — Sensation as if from a heavy weight on the abdomen, when lying.

Shooting about the rectum. — Frequent ineffectual efforts to stool. — Vehement pressure, sometimes cutting and burning in the rectum. — Protrusion of the hæmorrhoidal tumours, and pricking burning therein. — Wringing in the bowels. — During evacuation great anxiety, arising from the hypogastrium. — Costiveness with a drawing tension in the back, towards both loins. — Stitches in the back. — Discharge of hard stools, in the morning. — Vehement tedious griping, cutting and mooting in the bowels. — Stinging pain in the left side of the hypogastrium. — Tenesmus. — Thin, corrosive, acrid evacuations, twice intermixed with bloody slime, in the evening. — Galling and fretting about the anus. — Pricking in the rectum. — Sensation of emptiness in the hypogastrium.

Dripping of ardent urine, with efforts to stool. — Constriction of the urethra and violent burning in it. — Strong urging to urinate with vehement itching and pricking at the orifice of the glans penis. — Copious, fiery, turbid urine, with a thick sediment, succeeded by alleviation in the morning. — Copious discharge of slime. — Stinging in the urethra towards the abdomen. — Shooting and drawing straining in the ureters. — Sometimes transient stitches in the region of the bladder, connected with pressure in the rectum, without evacuation. — Hæmaturia.

Spasmodic erections, attended with a straining pain in the root of the penis. — Libidinous sensations. — Inclination to cohabit. — Pressing, sometimes rending or inward piercing in the right testicle.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

The menses very profuse and four days before the proper period. — Soreness in the labia pudendi, with frequent prurient pains. — Drawing straining and pressure, sometimes transient stitches in the vagina towards the uterus. — Burning, when discharging urine.

Catarrhal complaints. — Flowing catarrh with uneasy tickling in the right nostril and sneezing, caused by it. — Copious discharge of a serous fluid from the nose.

Sometimes trembling of the voice. — Uncommonly rapid speaking.

Irritation to cough in the larynx from cold air and cold water. — Straining cough and spasmodic constriction of the bronchiæ. — Sometimes a frothy, slimy, bloody expectoration.

Considerably increased sensibility of the organs of respiration, to any thing cold. — Angina pectoris. — Sensation, as if the chest were screwed together, almost to suffocation, with excessive oppression and great anxiety. — Short, unequal, asthmatic, rattling breath, at night, when lying, relieved by rising.

Compression of the right lung, coincident with pricking drawing or painful stretching towards the left shoulder. — Sometimes shooting obliquely through the lungs, with asthmatical attacks. — Vehement pressure in the posterior part of the lungs, sometimes a sensation, as if it were dilacerated, at night. — Squeezing and pressure from the heart towards the abdomen. — Strong oppression of the chest, with sensation as if the blood had not a free passage through the larger vessels, with incapacity to lie on the back. — Pressure from the heart towards the hepatic region with excessive anxiety, blueish red or brown face, at night. — Dull pricking in the left side of the breast towards the spina; periodical jerks. — Great sensibility to cold air; short difficult breathing. — Sudden vehement tearing or drawing in the pectoral cavity towards the abdomen, with burning. — The warmth of the bed insupportable. — Frequent fainting fits, cold sweat. — The heart beating weak, suppressed, unequal, attended with strong pressure in the abdomen and rumbling succeeded by copious, first slimy, then blackbloody evacuation. — Great weakness and tremor of the body.

Swelling of the female breasts, with sensation of heat in them. — Frequent shooting pains in the right breast, sometimes a straining drawing in the left one; at night. — Tedious itching in the nipples and after scratching a burning therein, in the morning. — Flabbiness and minute pricking in the breasts, in the forenoon.

Light dull pressing in the external breast, with sensation of heaviness. — Stinging drawing towards the hepatic region in the morning. — Vehement mooting in the sternum, extending towards the clavicles.

Stiffness of the neck. — Tension from the neck towards both shoulders. — Sudden jerks in the spina, succeeded by a sensation as if beaten. — Slight chilliness between the shoulders, in the morning. — Inclination to lie on the back. — Continual throwing about. — Anxious restlessness, and sensation, as if beaten, when lying. — Formication in the back, especially in the os sacrum. — Cold shivering along the back, attended with trembling and great tenderness. — Drawing from the right costal- to the right lumbar-region. — A circumscribed, very painful spot about the middle of the back, when touched intolerably burning, at midnight. — Sensation of weakness in the small of the back. — Copious, offensive,

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

clammy sweat, in the morning. — Painful rending in the left side of the back. — Pustulous eruption on the left loin.

Continual pains in the extremities. — Boring pains in the shoulder-joints. — Pricking and gnawing in the left os humeri, as if in the periosteum, most excessive at night. — Boring in the wrist, with outward stinging pain towards the ulna and radius. — Swelling of the wrist with redness, piercing pains. — Stiffness of the right arm. — Tension in the fingers of the right hand, with drawing towards the hand. — Burning on the back of both hands. — Sensation of warmth and clammy sweat in the palm of the hands, after midnight. — Sometimes jerks and plunges from the breast into the arms. — Benumbedness of the arms or hands. — A sensation of lameness in the arms with formication. — Slight stings alternating with drawing in the tips of the fingers of the left hand, in the morning.

Racking and jamming pains in the hips. — Drawing tension in the lumbar region, as if from swelling, increased by warmth of the bed. — Crawling on both hips.

In the right thigh, below the hip-joint vehement burning itching, increased by friction. — Sensation of lameness in the thighs, with inability to move them. — Involuntary motions of the muscles, sometimes jerks in the right thigh. — In bed the thighs benumbed, and almost unable to move them. — Sensation in the thigh, as if from dislocation.

In the knee and foot-joint excessive racking burning pains, as if a hot iron were forced into the bones, or the whole leg as if split, with swelling. — Tumefaction and redness of the knee-joint, very tender to the touch, even the bedclothes are insupportable, at night. — Boring rooting from the shinbone into the foot-joint. — Painful stretching, mostly burning heat in the leg, abating by motion, in the morning, succeeded by ineffectual urging to urinate, with vehement burning. — The cuticle of the right leg peeling off, sometimes attended with a slight burning. — Boring and wringing pain in the external right ankle. — Rending stinging in the toes. — Pricking in the little toe of the left foot. — Swelling and redness of the big toe of the left foot, with painful tension, after midnight. — Whirling vibration in the sole of the foot, alternating with burning. — Numbness in the back of the right foot, nearly torpid.

---

4. Aethusa.

Aethusa Cynapium.* — Germ. *Gleisse, Giersch.

Predominant effects: Tearing and stinging in the extremities. — Fits of torpor. — Cramps, with delirium and stupor. — *Epileptic cramps.* — The symptoms increase in the room and decrease in the open air.

Great drowsiness. — Coma vigil.

Coldness, especially of the limbs, and *chills*, with drowsiness. — Pulse small, somewhat hard, quick. — Irregular pulse and palpitation of the heart.

Restlessness and anxiety. — Fretful peevishness increased in the open air.

Unconsciousness. — Delirium. — Fixed ideas. — Insanity.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Dizziness, as if the brain were bound together. — *Vertigo with drowsiness.* — *Compressing headache.* — Tearing or *striking and piercing in the head*, chiefly in the afternoon. — The head (as well as the face and hands) seems as if swollen when coming from the open air into a room.

Violent burning of the eyes, as if from smoke in a room. — Many little red veins in the conjunctiva. — Glistening protuberant eyes. — *Staring*, *lifeless eyes.* — Fixed strange look. — Downward distorted eyeballs.

Piercing and *rending in the ears.* — The ears apparently closed, with difficult hearing.

Face pale, wan. — Collapsed and disfigured face. — Countenance full of anxiety, and denoting pains. — Painful piercing and *rending in the ossa zygomatica.*

Sweetish or bitter taste in the mouth, with dryness. — Heat in the œsophagus. — Milky foam about the mouth.

Milk made use of is thrown up. — Vomiting of porraceous slime, of milky white froth. — Vomiting, with frequent painful diarrhœa.

Rending pain from the scrobiculus cordis upwards into the œsophagus.

Stinging in the lumbar and hypochondriac regions. — *Coldness in the abdomen.* — The abdomen bloated, sore when touched, especially in the region of the liver. — Dark blue swelling of the belly.

Soft stool, with cutting pain and tenesmus. — *Diarrhœa*, with a thin, *bilious*, light-yellow or *green discharge*, *together with violent tenesm.*

Copious, pale urine.

Anxious, sobbing, *short breath.*

Darting jerks in the nape. — Rending in the neck. — *Pain in the small of the back, as if screwed together.* — Painful furuncle in the small of the back.

Tightness in the tendons of the arms and fingers, when bent. — During convulsions the thumbs are clinched.

---

5. Agnus.

Vitex agnus. — The chaste tree. — Germ. Keuschlamm. — Agnus castus.

Predominant effects: Pains in the limbs, *as if they were luxated.* — Inflammatory, rheumatic swelling of the joints. — Arthritic concretions.

Pricking, *pungent itching* on different parts of the skin.

Coma. — Restless sleep with awaking, as if alarmed, and startings.

Internal chills with tremour and perceptible external warmth. — Chilliness, or alternation of heat and chill, without thirst; only the hands are externally cold. — Burning heat, flying over the whole body, with cold knees, in the evening in bed.

Melancholic-hypochondriac humour. — *Great sadness*, *with fear of approaching death.* — Excessive anxiety, with great debility. — Eccentric mind, alternating with disesteem of one's self.

Great mental abstraction, absence of mind, and want of recollection. — Difficult apprehension of what has been read.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Pain in the upper part of the head, as after having been in a dampish room, relieved by looking towards one point, and a sensation of heaviness when looking away. — Contracting pain in the head, especially when reading. — Pressing rending in the temples and forehead; increased by motion.

Pungent itching or pricking on the scalp, particularly at evening, and when falling asleep. — Tightness of the teguments of the head, with *chilliness and externally perceptible warmth.*

Burning in the eyes, in the evening, when reading. — *Pungent itching on the eye-brows, the lids, above and below the eyes.* — Very dilated pupils.

Buzzing and tingling in the ears.

(Pseudosmia) a mere illusion of the smell of musk or herrings. — Hard pressure in the root of the nose, disappearing by external pressure.

In the *face*, especially on the cheeks, formication and *pungent itching*. — Rending in the right side of the lower jaw under the alveoli.

Ulcers in the mouth and on the gums. — Eating or drinking warm causes toothache.

Taste in the mouth, as if from copper or metal. (Pseudogeusia.) — Absence of thirst and aversion to all liquids. — After dinner full and inflated.

Frequent hiccoughing with peevish fretfulness.

A flabby sickish feeling, first in the pit of the stomach, then in the bowels, as if all the intestines were sinking down. — Pressure in the region of the liver, increased by touch. — *Swelling and obduration of the spleen.* — *Ascites.* — Great flatulency; rumbling in the abdomen, especially during sleep.

Costiveness. — *Soft stools.* — *Cracks and chaps in the anus.*

Augmented urine. — The urethra discharges a yellow slime.

Relaxation of the sexual power, lax, cold genitals, not irritable, without inclination. — *Gonorrhœa.* — *Gonorrhœa secundaria*, with absence of desire and erection. — *Swelling and induration of the testicles*, after suppressed gonorrhœa. — Pungent itching on the perinæum. — Prostatic fluid emitted when difficult stooling.

Sterility. — *Suppressed menstruation* with pain, bearing down.

Toneless voice. — Cough in the evening in bed, before falling asleep.

Pressure upon the sternum, increased by breathing deeply. — *Agalactia in childbed.*

In the arm-pits and upper-arms a hard pressure, augmented by touch. — Arthritic concretions on the finger-joints.

Rending on the feet and toes, particularly when walking. — The feet easily sprained, when walking on stone-pavements. — Heaviness in the feet, drawing downwards.

---

6. Alcohol.

For combustion in the lower degrees it is used externally, calefied, and often repeated.

For overheating of the body, by drops with sugar.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

As antidote for: phosphorus, selenium, sulphur, — and for others instead of wine, viz.: acidum carbonicum, cuprum, graphites; aconitum, amanita, belladonna, lactuca, nux vomica, ranunculus, spigelia; — jodine? — bite of a serpent?

---

7. Alkekengi.

Physalis alkekengi. — Wintercherry. — Germ. Judenkirsche.

Duration of effect: a few days.
Antidote: camphora.
Used as antidote for: the bad consequences of secale cornutum.

Constant internal inquietude with pains in all the limbs. — When rising, trembling and tottering of the body, sinking down with giddiness and unconsciousness. — Bending of the limbs almost impossible, stretching very difficult. — Excessive decay of strength. — Complete atony, towards eveniug. — Emaciation. — Jerking, pricking and insufferable crawling in the extremities. — Typhus symptoms. — Rheumatismus paralyticus. — Raphania; (necrosis ustilaginea.)

Excessive soreness of the whole body, especially in the afternoon. — Frequent jerking and convulsions. — Benumbedness of the whole body. — Incapable of drawing up the feet in bed. — Frequent involuntary stretching, with some relief of pain. — Formication through the whole body, particularly in the extremities.

Itching and pricking, sometimes burning in the skin. — Congestion of blood to the skin. — General perspiration of the body. — Pustulous itching eruption on the right side of the spina near the shoulder. — Sweat on the feet and hands. — Copious, clammy, offensive sweat of the whole body.

Drowsiness. — Disturbed sleep, continually interrupted by pains. — Wakefulness towards morning. — During sleep talking, frequent startling and screeching. — When falling asleep frequent starts through the whole body.

Inconsiderable symptoms of fever towards evening. — Insatiable thirst. — Pulse weak, slow and intermitting. — Dry, soft skin. — Great restlessness and anxiety. — Cold shivering over the whole body with internal burning heat. — External heat after chills.

Unaffected by agreeable impressions. — Indifference. — Aversion to company; incapable of being diverted. — Dejectedness and timidity. — Pensiveness. — Excessive irritation with fits of sudden laughter about trifling things. — Capriciously irritated about a harmless word. — Inclination to anger and quarrelling. — Imagination of diverse confusedly playing phantasm's. — Transient insanity, terminating with general powerlessness.

Diminished power of thinking. — Excessive mental exhaustion; inability to think. — Confused thoughts. — A kind of stupidity. — Thoughtlessness. — Paroxysms of unconsciousness with inclination to fainting. — Evanescence of thoughts, with reeling, when rising. — Unusual elevation of spirit. — Attacks of insanity and fury, at different times, mostly attended with gnashing of the teeth, or convulsions and loud shrieking. — Weakness of memory, he forgets, what he is about to speak. — Want of recollection. — Stupor.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Head Dizziness and vertigo. — When raising the head giddiness and obscuration of sight. — Giddiness with tremor of the body, while standing, accompanied with a forsaking of the senses, and sinking down. — Giddiness, when sitting, with sensation of whirling round, inclination to vomit, and vomiting. — An impression, as if he were hanging on the ceiling, which makes it necessary to close the eyes, on lying. — Giddiness and fainting with strong pressure in the pit of the stomach, succeeded by vomiting of mucus.

Stunning headache; a dull pressing in the head with dizziness and beclouding of senses. — Drawing pain in the left temple. — Pressing pain alternating with drawing and burning. — Dull knocking and buzzing or clucking in the brain. — Inward pressing pain in the sinciput. — Sensation of heaviness in the whole head, it can scarcely be raised. — Exceedingly painful tension in the occiput towards the neck. — Spasmodic grasping in the right side of the occiput. — Frequent numbness and torpor of the scalp, mostly succeeded by crawling or a pricking sensation of dryness. — Squeezing between the frontal sinus, chiefly in the afternoon. — Burning pressing pain in the left frontal sinus, at the same time a sensation of emptiness in the right. — Shooting tightness obliquely through the forehead. — Sometimes congestion to the forehead and bubbling in it.

Eyes The eyes cloudy, without lustre and covered with a muddy gray mucus, sunken or retracted. — Weakness of sight, cecutiency. — Sometimes sparkling before the eyes, sometimes darkening or gray spots before them. — Wavering cast of the eye. — Diplopia. — Squinting. — Pressure in the left orbit. — Stinging pressure in the eyes. — Pricking from inside outward in the right eye. — Pupil contracted and somewhat distorted, motionless and insensible to light. — The eyelids erysipelatously inflamed, swollen, in the morning cemented, but not quite closed. — Vehement burning and drawing in the upperlids. — Continual twitching of the eyelids. — Sometimes a pricking tension in the left upperlid. — On the right lower lid a few small very painful pustules.

Ears Roaring before the ears, sometimes a peculiar sound or tinkling. — A mild pressure in the right inner ear, with alternating drawing outward. — Pruriency in the left external with a sensation of cold in the internal ear. — The earflaps almost cold. — Diminished faculty of hearing. — Dysecoia (difficult hearing). — Occasional transient deafness of the right ear; towards evening.

Nose The nose rather cold. — Squeezing tensión, sometimes jamming in the root of the nose, frequent alternating shooting through the right wing of the nose. — When blowing the nose, a copions thin, bloody discharge, mixed with slime. — Soreness of the septum of the nose, immediately above the upperlip.

Face Pale and calcareous appearance. — Sunken and disfigured countenance. — Reddish streaks on the right cheek towards the chin. — The left side of the face bloated. — Frequent distortion of the muscles of the face. — Distortion of the mouth. — The right corner of the mouth drawn obliquely.

The lips pale, dry and cracked. — Painful tension in the underlip, sometimes burning. — Livid lips. — An empty vesicle on the upperlip. — Soreness of the corners of the mouth with burning pains.

Teeth Rending pinching pain in the lower incisors with spasmodic drawing in the whole lower maxilla and towards the maxillary glands. — Burning pain in a left lower molar tooth, mostly passing over into a troublesome sensation of coldness. —

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Shooting pinching pain in one of the right upper molar teeth, with stings in the hard and soft palate. — Outward rending pain in the backpart of the upper maxilla on the right side near to the fauces. — Sensation, as if all the teeth were hollow and soft, especially, when chewing. — Sensation as if a redhot pin were thrust deep in the backpart of the lower maxilla, with painful stretching in the joint and vehement chilly shiverings along the back.

On the inner edge of the gums in the left side a vehement burning, as if an ignited coal were lying thereon. — The gums swollen, and covered with much slime. — Drawing pain in the gums of the right side, alternating with stinging and rending. — Gaping of the gums on the left side, so that the roots of the teeth are partly laid bare, with insupportable burning pain. — The epidermis of the forepart of the upper gums immediately above the incisors peeling off, with continual smart. — On exposure to the air a pressure. — Bleeding of the inner edges of the gums. — The blood very fluid, of a grayish color and putrid taste.

The tongue furred with a thick muddy slime, very moveable, cold on the tip, its edges deflected. spasmodically contracted. — On the back of the tongue a vehement burning, alternating with coldness. — Rasping and drawing pain in the root of the tongue into the œsophagus, occasionally becoming violent. — Frequent tremor of the tongue. — The tongue insensible, almost palsied. — Excessive crawling and pricking on the back of the tongue.

Continual drawing and tension in the œsophagus, sometimes with stinging. — Spasmodic pain in the right side of the œsophagus. — Tension and pressure from the œsophagus towards the uvula. — Shooting spasm in the left tonsil. — Sensation of swelling. — Difficult swallowing, even liquids are retained a long while in the mouth. — Tension and pressure in the throat, when swallowing. — Burning heat in the throat. — Rending in the throat, when erecting the body. — Burning in the throat after coughing. — Spasmodic drawing and grasping in the œsophagus.

A nauseous, insipid, slimy, putrid or rancid taste, with a sensation of dryness, as if produced by rancid oil. — Anorexia, every thing produces loathing and inclination to vomit. — Insatiable thirst. — Soreness of the salivary glands. — Offensive smell from the mouth. — Sensation of great weakness, sometimes a bulimy suddenly arises, chiefly in the afternoon.

Frequent rancid eructations. — Collection of water in the mouth. — Copious secretion of saliva and slime.

Tedious loathing and inclination to vomit. — Vomiting of a slimy bilious matter, preceded by choking. — Inclination to vomit, after drinking.

Cramp in the stomach. — Spasmodic compression of the stomach. — Drawing mooting at the cardia. — Painful tension below the scrobiculus cordis, when moving. — Grumbling and rattling below the scrobiculus before vomiting. — Frequent shooting through the stomach in a perpendicular direction. — Swelling of the scrobiculus cordis with oppression on the chest and drawing pain towards the spina. — Sensation of emptiness and flabbiness. — The stomach as if collapsed, when rising.

Drawing pain in the right hypochondrium with outward pressing pain in the depth. — Burning pain on a circumscribed spot towards the scorbiculus cordis and extending below the navel. — Sometimes a throbbing pressure or bubbling below the right ribs. — When drawing a long breath a vehement pressing from the right

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

hypochondrium towards the navel. — When moving in bed a painful stretching near the diaphragm and spina, which produces crying and moaning. — Burdensome heaviness towards the abdomen, when rising. — Intolerably burning and vellicating in the hepatic region, when lying on the right side. — Soreness deep within and externally a sensation of festering under the skin. — In the left hypochondrium a drawing pain towards the back. — Excessive crawling succeeded by heat, which frequently passes over in shaking chills. — Frequent quivering in the side forward. — Benummedness of the whole side, succeeded by pricking and shooting. — Painful drawing and tension with single jerks into the depth of the hypogastrium, originating in the back.

Slight distention of the hypogastrium. — Frequent rumbling and grumbling in the hypogastrium, succeeded by voiding of wind. — Sometimes a spasmodic pain below the navel, which is pressed inwards. — Vehement stinging and rending below the navel towards the small of the back, increased to the highest degree by motion in the bed. — Wringing in the right side of the hypogastrium, as if the intestines were entangling, with constriction of the left side. — Stinging and vellicating towards the groins, mostly terminating in pressing. — Sensation of emptiness in the whole abdomen.

Frequent pressing and straining in the rectum. — Pressing drawing towards the os sacrum, especially during evacuation. — Squeezing pain in the upperpart of the rectum. — Liquid black colored stool, with small flatulency. — Cutting pressure in the rectum, with efforts to stool. — Pruriency externally around the anus, extending to the thigh. — Excessive griping in the hypogastrium, sometimes with tenesmus. — Evacuation of hard faeces, succeeded by much slime and some blood, at night. — Two loose stools with much porraceous and blackish mucus. — Vehement burning around the anus with excessive drawing pain in the small of the back and general shivering, succeeded by burning heat. — Continual itching and tension in the perinæum. — Whitish blister like eruption on the perinæum, somewhat burning, when lying.

The urine reddish and forming a whitish cloud. — Copious discharge of urine, at night. — Tension and straining in the bladder, extending into the penis. — Sometimes a peculiar pressure on the back of the penis. — Total relaxation of the penis and scrotum. — Frequent troublesome itching on the root of the penis and on the posterior part of the scrotum, where it generally ends with a burning. — Sometimes a peculiar pricking in the right testicle.

The menses at the proper time, but very liquid, and continuing only two days.

Frequent sneezing with a copious discharge of muddy mucus, commonly preceded by tickling in the nose. — Epistaxis. — Stoppage in the head. — Sometimes hiccupping, frequent yawning, with involuntary stretching of the extremities, by which the pains in general are somewhat diminished.

The voice dull and anxious, speaking difficult, weak and painful.

Frequent cough with expectoration of much phlegm. — Hæmoptysis, soon ceasing. — Once coughing up of thin frothy blood, after dinner. — Periodically returning spasmodic cough, towards morning.

Respiration deep and slow, sometimes snoring and with rattling on the chest. — Rending straining in the left lung, when lying on the side. — Sometimes a strong

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

pressure and constriction of the lungs, almost to suffocation. — Drawing pressure in the right side of the lungs, especially in the evening. — Occasional asthmatic attacks.

Strong heavy pressure on the chest, as if a heavy weight were lying upon it, originating from motion, especially, when stretching the lower extremities and attended with an excessive anxiety and oppression, exacerbated at midnight. — Slow, dull, even intermitting palpitation of the heart. — Sensation of warmth about the heart, when rising. —Strong pressure and drawing in the whole breast, when coughing. — Burning pain deep in the left side of the breast, towards the spina. — Sensation of emptiness and reeling, on rising. — Externally on the chest a continually strong itching and burning alternately with chills, — Pruriency in the left side of the breast, terminating with benummedness and almost insensibility. —Sore spasmodic pain on the right side, near the sternum, sometimes extending to the navel.

Pain as if beaten in the back and sacral region, attended with stretching and trembling, and excessive crawling. — Sometimes racking and extending pains in the middle of the spina towards the sternum.

Drawing tightness in the muscles of the throat. — Drawing pain between the shoulders alternately with crawling. — Continual shooting tension in both sides of the throat extending to the shoulders. — Spasmodic grasping and pinching on the right shoulderblade. — Stinging drawing on the left shoulderblade extending to the posterior part of the ribs. — Relaxation in the throat and shoulders.

Squeezing or shooting pain through the left axilla. — Sometimes a rending squeezing in both axillas. — Wrenching pain in the left shoulder-joint. — Spasmodic drawing through the arms, originating in the tips of the fingers. — Pricking or straining in the right upper-arm. — Excessive itching or burning in the fore-arms. — Burning pain, sometimes straining and rending in the left elbow. — Cramping pain in the joint of the right elbow. — Numbness and disability of the arms, he cannot raise them. — Excessive crawling, especially inside the arms. — Formication in the right arm. — Frequent twitching and sudden jerks through the arms. — Pricking and itching in the arms. — Sensation of heat and burning in the palms of the hands with external coldness. — Excessive drawing and jamming in the tips of the fingers. — Racking pain in the metacarpal bones of the left forefinger. — Tension on the back of the right hand. — Outward rending pain on the back of the left hand, alternately with pricking, extending to the fore-arm. — Burning rending pain in the first joint of the thumb, of the right hand; with pricking or vellicating in it. — Inflammatory swelling of the right thumb with boring pain, extending to the back of the hand. — Spasmodic rigidity of the fingers of the left hand. — Troublesome crawling in the hands, extending to the arms. — Benummedness, formication and a sensation of bruising in the upper-extremities. — Tenderness of the points of the fingers and benummedness of single joints. — Disability and inflexibility of the hands and fore-arms. — Nervous twitching in the flexores of the left hand. — Convulsions and stretching of the hands and arms, by which pains are mitigated. — A pustulous pricking eruption on the right thumb towards the hand. — The epidermis of the hands peeling off, with itching.

Drawing pain in the thighs and legs, commencing in the small of the back. — Rending tension on the inner side of the thigh. — Shooting in the left hipjoint ex-

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

tending to the middle of the external side of the thigh. — Mooting in the buttock, extending to the hollow of the knee. — Dilacerating pain in the right thigh, proceeding from the loins. — Pricking, spasmodic drawing, sometimes pinching on the foreside of the right thigh, and burning pain in the backpart of it, towards the anus, sometimes with a sensation as if the bone would be pressed out.

Pricking in the thighs, terminating in an excessive crawling, sometimes alternating with violent burning, especially on the right thigh. — Frequent spasmodic contraction or squeezing on single spots, chiefly of the exterior side of the thigh. — Benummedness and disability, or pain as if beaten in both thighs.

Painful stretching on the right shinbone, with great sensibility to the touch. — Shooting obliquely through the bend of the knee, with sensation of tumefaction, gradually decreasing. — The cuticle furfuraceously peeling off. — Intense burning, as if from boiling water, alternating with coldness in the external side of the right leg. — Spasmodic grasping and cramp in the calves, succeeded by quivering therein. — Drawing and rending in the left leg. — Crawling soreness in both legs. — Formication, disability, benummedness, trembling and inflexibility of the legs.

Vibration, pricking and crawling, sometimes burning in the feet. — Pain in the feet, as if beaten. — Numbness and disability of the feet, especially of the right foot. — Torpor in the toes. — A whitish-red, vehemently pricking eruption, with large pimples on the sole of the left foot.

---

8. Aloe.

(Extract of Aloe spicata and others.)

Predominant effects: Enormous excitation of all the organs. — A kind of pressure, as if the whole body would burst.

Universal turgescence; the skin very red, especially in the face and its temperature raised. — Burning heat on different parts of the body, especially in the face and on the scalp.

Vehement symptoms of fever, seldom chills or coldness. — Heat, sometimes succeeded by sweats. — Mostly vehement thirst. — Quickened large pulse. — Strong palpitation of the heart. — Swelling of the veins.

Great anxiety, fearfulness and restlessness. — Fear of death and great anxiety, refusing all places of rest.

Intolerable headache. — Vehement pressure in the occiput, as if pressing asunder. — Throbbing in the centre of the brain. — Pressing extending pain, sometimes pulsation in the sinciput. — Often a sensation of heat in the scalp. — Congestion to the head, continually, and more to the hindpart and forepart, causing a protrusion of the eyes.

Eyes glittering, somewhat red, protruded. — Unsteady and anxious look, with extreme restlessness.

Sometimes bleeding at the nose.

Frequent tinkling and humming in the ears. — Throbbing and sensation of heat in the backpart of the ear.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Lips dry, very red, and hot, sometimes trembling. — Dryness in the mouth, great thirst. — The mouth parched. — Tongue very red and dry.

Colic. — Violent pain in the bowels. — Cutting and griping in the umbilical region. — One has to lie on the belly, but cannot rest. — Abdomen somewhat bloated and stretched, very sensible to the touch. — Strong pressure from the left side of the abdomen towards the navel. — Intolerable tearing and stretching in the interior of the abdomen. — Sometimes single stitches through the same. — Flatulency, wind not passing freely off.

Fæces hard, afterwards fluid, and very ardent. — Burning and prickling before evacuation. — Burning around the anus. — Tenesmus, and after a few minutes fluid excretions mixed with blood and slime. — Dysentery. — Tenesmus with burning heat in the anus. — Piles, swollen and sore. — Copious discharge of blood, with vehement pains in the small of the back. — Drawing stitches or tearing from the anus into the small of the back and the abdomen. — Hæmorrhoidal, painful complaints.

Urine scantily discharged, very red. — Sometimes a painful burning in the neck of the bladder, while urinating.

Menstruation reappears very copious. — Abortus, succeeded by copious secretion of bloody slime, with pressing and tearing in the uterus. — Metrorrhagia.

Breathing somewhat close. — Coughing up blood.

---

9. Alumina.

Aluminium oxydatum. — Pure clay. — Germ. Thonerde. Argilla.

Duration of effect: often more than 40 days.
Antidotes: Bryonia, Camphora, Chamomilla, Ipecacuanha.
Used as antidote for: poisoning with lead. — Solanin?
It answers well after: Bryonia, Lachesis, Sulphur.
After it succeeds well: Bryonia.

Predominant effects: Rending pains, especially in the limbs. — *Constriction of internal organs.* — *All symptoms are aggravated by eating potatoes.* — *Symptoms recurring every 48 hours.* — *Many symptoms*, which do not appear at night or forenoon, *arise after dinner* and continue till the evening. — Symptoms which appeared in the morning and evening, are diminished after dinner. — Symptoms appearing in the afternoon decrease when others arise. — Different complaints caused by vexation.

Excessive languor; fatigue even after a little walk, by *speaking*. — Relaxation of the whole body, with inclination to lie down, by which the weakness is augmented. — Frequent stretching, when sitting. — Trembling and *jerks of the head and extremities.* — *Cramps, alternating with laughing and weeping.* — Unpleasant lack of heat of the body.

Tuberous tumors on the skin, with brown areola's around them. — Scales exuding serum. — *Herpes* with itching in the evening. — Rhagades (cutaneous fissures), Panaritia. — Harsh dry nails. — Renewal of the cutaneous complaints at every full- and newmoon.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sleeplessness before midnight. — *Light sleep*, restless, often disturbed by starting. — Profound *sleep*, but *not refreshing*. — *Many dreams*, *at night*, some anxious, others with violent apprehension of thieves. — Somnambulism.

Chilliness even near a warm stove, and at night; one cannot become warm in bed. — *Fever in the evening*, *with prevailing chills*. — Shivering, chiefly internal, increased by drinking warm liquids; while an external warmth is felt, particularly in the cheeks; with stretching, groaning, sick stomach, trembling and irritability.

Ill humor. — Involuntary whining. — *Anxiety and fearfulness.* — Timorousness. — Easily to be frightened. — Gloomy and dejected countenance. — Peevishness and aversion to labour. — Fretfulness and caprice. — *Easily to be displeased.*

Weakness of memory. — *Inability to think coherently.* — Want of recollection. — Constantly misapplying terms. — Great vivacity of the mind, alternating with dullness of thoughts, sight, and hearing. — A sensation, as if the faculty of self-consciousness were out of the body.

Vertigo in the morning, which often induces an apprehension of falling, with a burning sensation in the nape. — Intoxication after smoking tobacco.

Headache, as if the hairs were pulled up, or as if crushed. — *Darting pain in the brain*, *with nausea and inclination to vomit.* — Heaviness of the head, with paleness of the face, and feebleness. — *Compressing headache.* — Throbbing and pulsation in the head. — Congestion of blood to the eyes and nose, with aching pain in the forehead and bleeding at the nose. — Headache increased by walking in the open air.

External itching on the forehead. — Painfulness of the scalp, as if it were sore. — Moist scabs on the temples.

Violent pressing in the eyes, which prevents them from opening. — Aching, as if sand were in the internal canthus, in the evening. — Burning in the eyes; *they are closed by matter at night*, and tearful in the daytime. — Sensation of coldness in the eyes, on walking in the open air. — Dimness, it is like mist before the eyes; glittering. — *Strabism of both eyes.*

Stinging in the ears. — Throbbing earache at night, in the morning stinging with excretion of a greenish matter; and swelling of the auditory passage, and the eustachian tube. — Heat and redness of *one ear*. — Swelling of the ears and discharge of matter from them. — Humming in the ears, and crackling, when swallowing and particularly when chewing.

The nose red; swollen; a furuncle on it. — Small red veins appear on the nose, as if injected. — The sense of smelling weakened.

A sensation, as if *the white of an egg were dried upon the skin of the face.* — Feeling of heaviness in the face. — Tearing and pricking pain in the cheek-bone. — Flushes of heat in the face. — Furuncle on the cheek. — Tuberous tumours, uneven lumps, in the face. — Copper-like redness on the cheeks. — Swelling of the underlip. — Eruption on the lips.

Toothache, *when chewing*, or in the evening in bed; or during pregnancy. — Drawing, racking pain in the teeth, which extends to the zygomatic bone, forehead, and temples. — The teeth seem to be too long. — Tubercles on the gums. — The lower jaw seems to be shorter.

The mouth, tongue, palate, and the gums ache as if sore, which almost

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

prevents eating. — Dryness of the mouth. — Putrid offensive odour from the mouth. — Spitting of bloody slime.

Pain in the throat, increased in the evening and at night, and relieved by warm eating and drinking, likewise lessened in the forenoon. — Pain in the throat, *stinging or contracting*, *especially when swallowing*. — *Difficulty in swallowing*, *as if caused by a slight stricture of the œsophagus*. — Dryness in the throat. — Copious thick clammy slime in the throat, especially in the evening and at night, which can only be thrown out by hawking.

Taste sweetish or bloody. — Harsh and astringent taste. — The appetite alternates, sometimes too strong, at other times deficient. — Food has no taste, a particular aversion to meat. — Potatoes are indigestible and cause griping in the bowels.

Eructation; a chronic inclination to it. — Acrid, *sour eructation and heartburn*. — *Frequent nausea*, *and inclination to vomit*, particularly when speaking, on entering the room after taking a walk, or in the morning.

Stomach-ache in the evening. — Sensation of *contraction in the stomach, extending to the breast and throat*. — Soreness in the pit of the stomach, and the hypochonders, principally when stooping.

Pains in the liver, when stooping. — The region of the liver sore to the touch, with darting pains; it prevents the lying on the right side. — *Pain in the kidneys.*

Griping in the bowels, in consequence of cold. — Colic-like racking in the bowels. — *Lead-Colic.* — *Cutting in the belly*, chiefly in the morning, *moderated by warmth.* — Stitching pain in the abdomen, extending to the breast. — Protrusion, incarceration of the inguinal herniæ. — Herpetic eruption in the inguinal region.

Fæces indurated and inconsiderable, and pains in the anus. — Costiveness. — *Difficult evacuations*, *on account of the inactivity of the entrails*. — *Copious discharge of slime passing with the fæces*, attended with colic. — Diarrhœa with visceral pains. — Discharge of blood with or after the stool. — Burning and *itching on the anus*. — Hæmorrhoidal tumours. — Pressing and stinging in the perinæum.

Efforts to urinate, with a *copious aqueous discharge*, with burning. — Urinating at night. — Urine in smaller quantity, with a red gravelly sediment.

Excited or suppressed *sexual passion*. — Nocturnal erections and *involuntary seminal emissions*. — Discharge of prostatic fluid in consequence of a hard bound stool. — Chronic yellowish gleets. — Seminal emissions increase the complaints.

Menses in too small quantity, too early and of too short duration. — Cessation of menses. — *Before and during the menses*, *pains in the abdomen and other* parts. — Excoriating *acrid leucorrhœa*, before and after the menses. — Leucorrhœa of an albuminous fluid, sometimes resembling the washes of meat. — Leucorrhœa produces a soreness on the parts.

Disposition to *catarrh of the nose*. — Flowing from one nostril, while the other is checked.

Catarrh of the throat and breast, attended with a scraping sensation in the larynx. — Sudden hoarseness and momentary failing of the voice, in the afternoon and evening.

Cough with catarrh of the nose. — *Dry cough*, *in the morning*, succeeded by

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

expectoration. — *Dry hacking cough, with momentary interrupted breathing* or attended with pain in the head and the nape.

Difficult respiration, when sitting. — Asthmatic affection.

Pressure on the chest, at night. — *Constriction of the breast*, when stooping. — Palpitation of the heart; single throbs of the heart. — Itching in the breast.

The small of the back aches, as if beaten, when resting. — *Stinging pain in the back;* sensation as if it were beaten, and sometimes, as if pierced with a hot iron.

The arms ache, when hanging down, or when extended. — *Tearing in the arm, from the shoulder to the fingers.* — Burning, as if with a hot iron, on the arms, elbows and fingers. — Disabling *heaviness in the arms.* — Moist scabs on the fore-arms. — Pungent pains in the wrist, when working. — The skin of the hands furfuraceously peeling off. — *Rhagades in the hands.* — Gnawing pain under the fingernails. — Panaritia.

The legs torpid, benumbed and asleep, at night. — Tearing in all parts of the lower extremities. — The legs very heavy. — Drawing pains in the knees, when ascending steps. — Tension in the calves of the legs, when walking; and a crampy sensation, when putting one leg over the other, and stepping upon the toes. — The joints of the feet ache, as if wearied, on sitting. — Cold feet. — Burning sensation on the lower side of the toes.

---

10. Amanita.

Amanita muscaria. Pers. — *Bug agaric.* — Germ. *Fliegenpilz. Agaricus muscarius.*

Duration of effect: about 40 days.

Antidotes: camphora, coffea tosta, pulsatilla, vinum.

Predominant effects: Cramping ache in the muscles, on sitting. — *Rending pain*, especially *in the limbs, continuing at rest*, on sitting or standing, disappearing by motion. — *Complaints appearing crosswise*, viz.: on the right arm and left leg and vice versa. — One feels best, when walking slowly.

Great tenderness of the whole body; the slightest touch creates considerable pain. — *Soreness of the arms and legs* and all joints, *after a moderate motion.* — Boring pains in all parts of the body, particularly in the head, attended with drowsiness and lassitude, on sitting. — Powerlessness and heaviness of the limbs. — Trembling. — Convulsions. — *Epileptic fits* with powerful motions. — Great sensibility from the open air.

Pungent itching on different spots of the skin, inducing to scratch. — *Itching, burning and redness on different parts, like chilblains.* — *Millet-like eruptions*, whitish and thick, with a vehement itching.

Diurnal sleepiness, especially after dinner. — Vehement yawning, causing giddiness. — Not refreshed from sleep and unwilling to rise from bed.

Great chilliness, on exposure to the air, or when the bedclothes are raised up, sometimes even when the limbs are warm. — Vehement shaking chills through the whole body, with a warm face and cold hands, not succeeded by heat or thirst. — Perspiration on moderate walking or with the least exercise.

Disinclination to speak. — Aversion to labour. — Inclination to rhyming and prophecying. — Timid insanity. — Fearless destructive fury, with great bodily power.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Vertigo, *as if from intoxication*, *especially in the open air*, *or in the morning*, or when closely thinking. — Momentary giddiness from strong sunlight, as if instantly falling.

Headache, *when sitting*. — Dull pain, particularly in the forehead, with inclination to close the eyes. — *Drawing headache*, *chiefly in the morning*, *when awaking*, extending towards the eyes and the root of the nose. — Pain in the right side of the head, as if a nail was forced into it. — Boring headache. — Agitation in the brain, with a sensation, as if it were dilacerated. — Racking in the left half of the brain, attended with a muddled head. — Knocking in the vertex with almost furious desperation.

Sensation of an external pressure on the left temporal bone, extending deep into the brain, increased by touching of the hairs, and pressing upon the scalp; attended with exceedingly low spirits. — Sensation of ice-coldness on the head. — *Twitching on the forehead and temples.*

Pressing or *itching in the eyes*. — Burning in the internal canthi (corners of the eyes), with soreness by touching. — Secretion of yellow, white matter in the canthi, cementing the eyelids together. — The orifice of the eyelids is contracted. — *Quivering on the eyelids* and one cheek. — *Unpleasant twitching in the eye* with a squeezing pain. — *Weakness of the eyesight and dimness.* — Myopia. — Diplopia. — Brown spots, like musketoes before the eyes.

Acute pain in the right auditory passage, produced and increased by cold air. — *Itching of the ears* with redness and burning, as if chilblains. — Buzzing in the ears

The internal surface of the nose very sensible. — *Itching on and in the nose.* — Soreness and inflammation of the internal surface of the nose. — Bloody mucus, when blowing the nose, and epistaxis. — *Delicate sense of smelling.*

Stinging and *rending pain in the jaws*, the cheeks and the chin. — Itching, redness and burning of the cheeks, as after freezing. — Quivering and pulsation in the cheeks. — Blueish lips. — Ardent cracks on the upperlip. — Spasmodic drawing in the chin and lower jaw.

Toothache, *mostly racking and increased by cold.* — Swollen, painful, easily bleeding gums.

Mouth and palate aching as if sore. — *Soreness of the tongue.* — Yellowish aphthæ on the tongue (after meals), with a sensation, as if the epidermis would peel off. — Abscess on the frenulum. — *Offensive smell out of the mouth;* as after eating horse-radish. — Froth before the mouth. — Discharge of an acrid saliva from the mouth.

Taste in the mouth continually offensive, insipid and stinking. — Bread is not relished. — Anorexia with hunger. — *Attacks of sudden appetite*, especially in the evening. — After eating, pressure and fulness in the stomach and the abdomen.

Vacant eructation, alternating with hiccups. — Eructation with a taste of the food which has been eaten. — Sick stomach, with cutting visceral pain. — Nausea and vomiturition immediately after eating.

Pressure on the stomach and in the scrobiculus cordis, after eating. — Crampy pain and pressing heaviness in the stomach.

Stitches in the region of the liver and spleen when breathing. — Pinching and cutting pain in the abdomen, *as if diarrhœa would follow.* — Noise and grumbling in the bowels. — *Expulsion of much wind* of a fetid garlic-like stench.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Constipation succeeded by a *hard dark colored discharge.* — Diarrhœa-like, *pappy stools*, *with vehement pains in the abdomen* before, during and after the stool, and attended with a *discharge of much wind.* — Painful retraction of the stomach and abdomen, with diarrhœa. — Crawling on the anus.

The discharge of urine seldom and in small quantity. — Light, lemon colored urine. — Discharge of a viscid slime from the urethra.

Great excitation of the sexual passion with a flabby penis. — Insufficient seminal discharge during the coitus. — After the coitus night-sweats and great exhaustion. — Itching on the genitals. — Drawing in the testicles.

Aggravated menstruation.

Frequent sneezing without catarrh. — Dry nose. — Frequent dropping of clear water from the nose, without catarrh.

Expectoration of small lumps of slime almost without cough.

Short breathing and asthmatic affection, which makes walking difficult, even when walking slowly. — Difficult breathing, as if the breast were surcharged with blood. — Constriction of the chest, with inclination, to draw long and frequent breath.

Pain in the breast, especially in the pit of the stomach, as if the internal parts of the breast would be drawn together. — Stitches in the breast. — Painful palpitation of the heart. — Excessive perspiration on the breast, at night. — Itching of the nipples.

The small of the back, the neck and *back as if beaten and wrenched*, especially when sitting and lying. — *Painful weakness of the muscles of the back.* — Disabling pains in the loins, increased by walking and standing.

The arms weak and powerless. — Disabling of the upper-arm caused by writing. — *Burning above the elbows and on the fore-arm*, succeeded by small white pimples attended with scaling of the epidermis. — *Trembling hands.* — Rending in the fingers. — Crampy pain in the ball of the thumb. — Torpor in the fingers, with great sensibility to cold in them. — *Itching burning and redness of the fingers*, as after chilblains.

The legs heavy and weary, especially the thighs. — *Racking in the lower extremities, as if in the marrow*, chiefly when sitting and standing, alleviated by exercise. — Painful sensation in the hips, when walking. — Drawing pain in the legs. — On standing weakness of the legs, which occasions reeling of the body. — Stinging pain in the feet and toes. — Rending pressure in the ankles. — *Itching redness and burning of the toes*, as after chilblains.

---

11. Ambra.

Ambra grisea. — Ambergris. — Germ. Ambra.

Duration of effect: about 40 days.
Antidotes: camphora, nux vomica, pulsatilla.
Used as antidote for: staphysagria.

Predominant effects: Tearing or *cramping pain in the muscles.* — *Twitching and spasms in the muscular parts.* — Pressing pains in internal organs. — Single

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

limbs readily benumbed. — *Exacerbation in the evening*, also on lying and in the warmth, diminution when taking a moderate walk in the open air, but relapses on sitting.

A general drawing sensation in all the limbs. — Cutting in the hands and feet. — *Great agitation in the blood and pulsation through the whole body*, with great weakness, after walking in the open air. — *Restlessness* and trembling in the whole body, attended with drowsiness, after talking a great deal. — Spasms in the body, *jerks and twitches in the limbs*. — *Lassitude* chiefly in the morning, in the bed, and at night when awaking. — *Benummedness and torpor in the whole surface of the body*, principally in the morning.

Itching and burning on different spots of the skin, as if from scabies. — Scabious and herpetic eruptions reappear. — Dryness of the skin.

Sleepiness during the day. — Nócturnal sleeplessness, without any cause. — Disturbed sleep, caused by *coldness of the body and twitching in all the limbs*. — *Reveries in sleep, with anxious dreams and fantasies*. — Frightful startling when falling asleep.

Chills, in the forenoon, with drowsy weariness, relieved after dinner. — *Feverchills* on single parts, succeeded by heat of the face. — *Flushes of heat*, with anxiety about the præcordia. — Continual perspiration in the daytime, especially on the abdomen and the thighs, when walking. — Sweat, after midnight, or on the affected side of the body.

Disconsolate sadness. — *Anxiety, particularly in the evening*. — Confused in company. — *Despair* and weariness of life. — Aversion to talk and to laugh. — *Excitement*, inquietude and hastiness during mental labour. — Odd spectral illusions, with obscene representations playing before the imagination.

Thoughtless. — Slowness of comprehension.

Violent giddiness, when walking in the open air. — Giddiness, which induces to lie down, with a sensation of weakness in the stomach.

Head muddled and aching. — The *head weak* and sensible to cold. — *Pressing pain in the head* with fear of insanity. — *Squeezing* with dizziness, especially in the forehead and occiput. — Oppressing pain in the forehead and vertex, with *heat of the head*, burning in the eyes and pale face, every other day. — Rending in the upperpart of the head, in the forehead, in one half of the brain, or behind the ears. — *Congestion to the head*, when listening to music.

Soreness of the scalp, when touching the hair. — The hair falling off.

The eyes ache, as if they were placed too deep. — *Pressing upon the eyes*, as if they were closed too firmly, *with difficult opening of them, in the morning*. — Intolerable tickling about the eyes. — Itching on the eyelid, as if a sty were originating. — *Inflammation of the eyes* and swollen veins in the conjunctiva. — *Misty dimness* and darkness before the eyes.

Acute earache. — Tension in the ears. — Crawling and tickling in the internal part of the ear. — *Dull hearing* on one side. — Buzzing and ringing before the ears.

Cramp in the wings of the nose. — Dried blood in the nose. — *Epistaxis*, especially in the morning.

Redness of the face, with heat. — *Jaundiced countenance*.

Flushes of heat in the face. — *Crampy trembling and twitching of the facial*

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

muscles.—Pungent crawling itching in the face with eruption, on the forehead and in the whiskers.—A red spot upon the cheek.—*Cramp in the underlip.*—Hot lips.—Screwing together or asunder in the jaw.

Stinging shooting *toothache, especially in carious teeth*, and chiefly in the open air.—*Drawing toothache*, at night and in the daytime, increased by taking something warm.—*Bleeding of the gums.*—Swollen, sore gums.

Dryness in the mouth, in the morning, when awaking, with a sensation of numbness on the tongue and lips.—Pricking and cracks in the mouth.—Vesicles in the mouth with a burning pain.—Sore knots under the tongue.—White or *gray-yellow furred tongue.*—*Offensive smell out of the mouth.*

Pain in the throat, as if occasioned by a plug, which prevents swallowing.—Choking in the throat, when swallowing food.—Rawness and *scratching in the throat.*—Much *grayish slime in the throat*, with choking and vomiting, when hawking.—Hawking of slime in the morning.

Taste flat or rancid.—Anorexia.—After eating, pressure in the throat-pit, as if some food remained there.—After drinking milk, a sour taste in the mouth.

Vain efforts to eructate.—*Frequent eructation, sometimes sour*, sometimes with a taste of the food eaten.—*Heartburn* especially in the evening, or when walking in the open air.—Nausea and vomiting.

Pressure in the stomach, sometimes crampy.—Burning in the stomach and below the scrobiculus cordis.

Pain in the liver, mostly of a squeezing kind.—*Pressing pain* in the epigastrium and hypogastrium.—*Heaviness in the abdomen.*—Tension and *inflation of the abdomen* after eating or drinking.—Compressing pain in the abdomen, sometimes in the morning.—*Cutting pain* in the bowels, in the evening, after midnight, and in the morning in bed, with diarrhœa.—Soreness of the abdominal muscles, when coughing or turning the body.—*Sensation of coldness* on one side of the abdomen.—Twitching in the abdominal muscles, in the evening.—Obstructed flatulency.—Colica flatulenta, after midnight.

Constipation.—Fruitless efforts to evacuate, with fearfulness and insufferable apprehension of the approach of others.—*Irregular, interrupted stool*, after only every other day.—Soft, lightbrown stools (diarrhœa).—After evacuation, pressure in the abdomen.—Discharge of blood with the stool.—Hæmorrhoidal tumours.—Tickling and *itching in the anus* and rectum.

Diminished secretion of urine.—Sudden effort to urinate, in the morning after rising.—*Augmented secretion of urine, chiefly at night* and early in the morning.—*Yellow-brown, turbid urine*, with a brown sediment.—A reddish cloud in the urine.—Bloody urine.—Sourish offensive smell of the urine.—Burning in the orifice of the urethra.

On the genitals, itching with a vehement voluptuous sensation, without external excitement.—Burning in the region of the seminal vesicles.—*Erections in the morning*, without a voluptuous sensation, attended with numbness and diminished sensibility of the external genitals.

Burning pain as if sore, and itching on the female privy parts.—Oaritis.—Discharge of blood during the intervals.—*Menstruation too early.*—During the menstruation, pressing in the leg and blueness of it, caused by varices.—Leucorrhœa.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Frequent sneezing. — Dryness and *obstruction* of the nose, with soreness. — Checked catarrh of the nose. — Lingering suppressed catarrh of the nose.

Hoarse, rough voice, and much thick slime in the trachea.

Short breath. — *Asthmatic complaints* in children or scrophulous persons. — Offensive breath, in the morning, when awaking. — Whistling in the trachea.

Cough with catarrh and expectoration of white saltish slime. — *Nightcough caused by vehement tickling in the throat.* — Evening-cough, with a pain below the ribs of the left side, as if there something would be pulled off. — *Spasmodic cough with eructation and hoarseness.* — During cough a pressing pain in the temples.

Painful *oppression of the chest* and in the back. — *Pressure in and upon the breast, especially in the region of the heart.* — Sensation of rawness in the breast. — Nocturnal shaking and trembling in the chest. — *Palpitation of the heart*, when walking in the open air, with paleness of the face and pressure in the breast as if from a lump. — Rheumatic pain in the external breast, as if beaten.

Stinging pain in the small of the back. — Stiffness in the small of the back, after sitting. — *Heaviness in the back and a pain as if the intestines would be pressed together.* — Rheumatic pressure and drawing in the nape and the back.

The arms easily fall asleep, when lying upon them, especially *at night, with a sensation of numbness;* sometimes also when carrying something. — *Rending* and disabling, drawing, *wrenching pain in the shoulder-joints, elbows, fore-arms and hands.* — Trembling of the arms. — Pain in the bone on the elbow-knuckle when touched. — Spasm in the hands, when grasping. — Benummedness of the hands, at night, and when carrying something. — Continual coldness of the hands. — Drawing and *tearing in the fingers.* — Contraction of the fingers. — In the evening, attacks of trembling in the thumb. — Weakness of the fingers at night. — Shrivelled tips of the fingers, in the morning. — Itching herpes between the fingers.

The legs as if benumbed, with an infirm step. — Heaviness, tightness and laxness of the legs. — *Spasm* in the legs, and *at night, in the calves.* — *Rending in the legs.* — Soreness in the bend of the knee; in the evening particularly painful. — Painful spots on the shinbones. — Tingling (vibration) in the calves and the feet. — Coldness of the legs and feet. — Arthritic pains in the joints of the feet and balls of the big toes. — Stiffness in the joint of the feet. — Pain in the soles as if sore, when walking. — *Burning in the soles of the feet.* — Swelling of the feet. — Itching in the interior part of the soles, not extinguishable by scratching. — Intolerable stinging in the chilblains on the toes. — Corns ache as if sore.

---

12. Ammoniæ carbonas.

Ammonium carbonicum. — Germ. *Kohlensaures Ammonium.*

Duration of effects: about 40 days.

Antidotes: camphora, sulphuretum calcis.

Predominant effects: Stinging and tearing pains. — Wrenching pain in the limbs; the tendons contracted as if too short. — The right side of the body more affected, than the left. — Exacerbation in the evening.

Restlessness in the whole body in the evening. — Inclination to stretch out the extremities. — Excitation by speaking too long and hearing too much talk. — Great

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

weakness, lassitude and soreness of the limbs, which induces lying down, especially in the evening and when walking in the open air. — Wasting of the body. — Great sensibility to the cold. — Aversion, to walk out.

Vehement itching here and there, and after scratching burning vesicles and pimples. — Lingering miliary eruptions. — *Summer-freckles.* — Warts. — *Corns* with a burning, stinging and tearing pain. — *Ganglia.* — *Galling of the skin* on young children. — Tumefactions of the glands. — Incurvation of bones.

Sleepiness in the daytime. — Late sleep and sleeplessness, especially when late going to bed. — Nightmare, when falling asleep. — Nausea and agitation of the blood at night. — Frequent frightful awaking and difficult falling asleep again.

Attacks of chills, during the evening. — Vehement shaking chills before sleep. — Feverheat in the head and cold feet.

Sadness with lamentation and *fearful anxiety*, mostly disappearing in the evening. — Anxiety with weakness and nightmare. — Fearfulness. — Weariness of life. — Peevishness in the morning. — *Distemper* caused by cloudy weather. — Peevish and angry. — Obstinate and disobedient. — Exceedingly merry.

Absence of mind. — Forgetfulness and abstraction of mind. — Misapplying words, miswriting and misreckoning. — Diminished faculty of thinking.

Vertigo, when sitting, or reading, or in the evening, sometimes *with nausea.*

Headache, with sick stomach, or in the evening, after walking in the open air, or after eating. — *Chronic headache.* — Pain as if from an abscess in the head, on moving, or pressing upon. — *Urging, hammering and knocking in the head and outpressing pain in the forehead, as if the skull would fly open.* — Piercing through the brain. — Sensation, as if the brain were loose in the head.

The hair falling off.

Burning in the eyes, with shunning light in the morning. — Sensation of coldness in the eyes. — Hordeolum (sty). — Nocturnal cementing of the eyes by matter. — Dried matter on the eyelids. — Inability to move the eyes. — Glittering dimness. — Myopia. — *Cataracta.* — Diplopia. — Black spots and streaks of light before the eyes.

Buzzing in the ears at night. — Humming and tinkling before the ears. — *Dysecoia, with itching and suppuration of the ear.* — *Hard tumefaction of the parotis.*

The tip of the nose heavy, as if from congestion, when stooping. — Itching and blains on the nose. — Purulent discharge out of the nose. — *Epistaxis* in the morning, when washing and after dinner.

The face *as pale as death* and bloated. — Cracks on the cheek, from the upper-lip to the ear. — Knacking in the joint of the jaw, when chewing. — Itching *eruption on the face* and on the body, with swollen jugular glands. — Summer-freckles in the face. — Furuncle on the cheek. — Herpetic eruptions about the mouth on the cheek and chin. — *Dry rasped lips, with burning.*

Toothache, mostly *drawing*, or *racking*, or stinging as if an abscess and sometimes extending to the ear and cheek, *when compressing the teeth*, or in the evening, or on exposure to the air, likewise during menstruation. — *Tedious stinging pain in the teeth.* — *Inflammatory swelling* and suppuration of the gum and liability, to bleed easily.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Swelling of the mouth on the internal surface of the cheeks. — Eruption of blisters in the mouth and on the tongue.

Pain in the throat, in the morning and evening, as if a bit were sticking in it. — Soreness and scratching in the throat. — Swollen tonsils with impeded swallowing. — Spasmodic contraction in the anterior jugular muscles, after drinking.

Taste of blood in the mouth. — Bitter taste, especially in the morning, after awaking. — *Continual thirst.* — Inability to eat, without drinking. — Strong hunger and appetite. — Want of appetite in the morning. — Soon satiated when eating. — Aversion to milk. — Excessive inclination to sugar. — Heat in the face and dizziness, when eating. — *After eating, scratchy heartburn*, with nausea.

Suppression or vacant eructation, sometimes sour. — Eructation with a long remaining taste, of what has been eaten. — *Nausea and vomiting after every meal*, with pressure in the pit of the stomach.

Pressure in the stomach after eating, with nausea and sensitiveness in the pit of the stomach. — Contracting pain in the pit of the stomach when stretching. — *The clothes occasion a pressure upon the stomach.*

Burning pain in the liver. — Boring stitches in the liver, when sitting.

Visceral pain with diarrhœa. — *Contracting cramps in the abdomen* with nausea and waterbrash. — Concussive pain in the hypogastrium, when stepping. — Uneasiness in the abdomen. — Pneumatocele in the left inguinal region. — Painful flatulent colic.

Constipation. — Difficult evacuation. — *Tardy hard stool* in small lumps. — Soft flux-like stools, preceded and succeeded by cutting visceral pain. — *Discharge of blood from the anus during the stool and other times.* — *Itching on the anus.* — Hæmorrhoidal tumours, sometimes bleeding.

Urging upon the bladder, with diminished discharge of urine. — Frequent, copious urinating especially in the evening. — *Nocturnal urinating and incontinence in the bed.*

Excessive sexual passion, without voluptuous thoughts or erections. — Absence of sexual passion and aversion to the other sex. — Constriction, drawing and heaviness in the testicles, with *frequent seminal emissions.* — Discharge of prostatic fluid after a hard stool.

Menstruation in too small a quantity and too short, with a discharge of black, acrid blood. — *Menstruation, aggravated*, or too early. — Before and during menstruation, pains in the small of the back and in the bowels. — During the menstruation, pressure upon the uterus, cutting pain in the bowels, rending in the back and genitals, and urging to lie down. — Sadness during the menses. — Aqueous discharge from the uterus. — Acrid, corrosive, or aqueous, burning leucorrhœa. — *Sterility by menstruation of a too small quantity.*

Tedious *catarrh* or dryness of the nose. — *Checked catarrh* and obstruction of the nose, especially at night, almost suffocating.

Roughness and hoarseness, which nearly prevents speaking.

Cough with hoarseness, while the body is warm. — *Dry cough*, as if caused by feather-dust in the throat. — Tickling cough with expectoration. — *Cough only at night*; or only in the daytime; or in the evening before falling asleep; or in the

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

morning at 3, 4 o'clock. —When coughing stitches in the back. — *Hæmoptysis* with violent affection of the breast.

Short breathing, especially when ascending steps. — *Asthmatic affection*, with palpitation of the heart, especially after exercise.

Stitches in the breast, when breathing and singing. — *Stitches in the sides of the breast*, when stooping and walking, and especially at night in the left side, with inability to lie upon that side. — *Congestion to the breast*, after writing. — Burning in the breast. — Heaviness in the breast. — Hydrothorax. — Stitches in the musculous parts of the chest. — Racking from the sides of the breast to the shoulder-joint. — *Palpitation of the heart.*

Drawing pain in the nape and the small of the back. — Painful swelling of the jugular and axillary glands. — Drawing tightness in the back and sacral region.

The arms and fingers become torpid and dead, at night, in the morning, and when grasping something. — Rending in the joints of the arms, hands and fingers, alleviated by the warmth of the bed. — *Pain in the wrist, which formerly was sprained.* — Attacks of trembling of the hands. — Swollen veins and blue hands, after cold washing. — Scaling of the palm of the hands. — Hard cracked skin of the hands. — Spasm in the fingers. — The fingers asleep. — The fingers become bloated, when the arms hang down. — Swelling of the middle joints of the fingers.

Tension in the legs, as if the tendons were too short. — Contraction of the legs. — Great weakness of the legs. — *Pain in the hip-joints and thighs, as if beaten*, in the morning in bed, relieved after rising and walking. — Cramp in the shinbones, calves of the legs and feet. — Twitches in the knee and legs. — Drawing pain in the legs, when sitting. — Rending in the feet-joints alleviated by warmth in bed. — Burning in the feet. — Stinging and soreness in the heel. — Swelling of the feet. — Sweating of the feet. — *Wrenching pain in the big toe, at night in bed*, when moving. — Redness, heat, and swelling of the big toe in the evening, with pricking pain, as from chilblains.

---

13. Ammoniæ murias.

Ammonium muriaticum. — Germ. *Salmiak.*

Duration of effect: several weeks.
Antidote: camphora.

Predominant effects: Tearing jerks, mostly *in the limbs*, as if in the bones, and particularly in the points of the fingers and toes. — Burning and pressing, or *stinging and throbbing, like in an abscess*, on many spots. — *Tightness in the joints*, as *if the tendons were contracted.* — The right side more affected, than the left. — *Exacerbation of the pains* (particularly in the extremities) in the evening and *at night;* relieved in the open air.

Agitation of the blood in the body with anxiousness. — *Disabling weakness and lassitude*, particularly in the legs, with torpor, straining and drawing in the legs.

Frequent pricking and after scratching a rash-like eruption. — *Vesiculous eruption* terminating with scabs. — The *cuticle peeling off* on different spots.

Sleepiness in the daytime, with sluggishness and aversion to labour. — Early sleepiness in the evening. — Sleeplessness before midnight. — Early awaking. — *Frightful, anxious dreams.* — Nightmare.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Coldness and chills, chiefly in the evening at 6 *o'clock.* — Fever-chills, succeeded by heat, with a swollen, red face; thirst during chills and heat (during the whole attack). — General heat felt in a warm room, or after a rapid movement, attended with a pricking sensation of external heat on the breast. — Sweat after midnight. — Lingering, intermittent fever, with a yellowish hue in the face and shivering from cold drinking.

Very fearful and pensive, as if depressed by sorrow and grief, with a *disposition to shed tears.* — *Irksomeness and indifference*, with disinclination to speak. — Vexatious irritability. — Aversion to certain persons.

Dizziness and giddiness, *disappearing in the open air.*

Sensation of fulness in the head and heaviness in the forehead, especially in the morning when rising. — Pressing in the forehead, towards the root of the nose, with an impression, as if the brain were dilacerated. — Rending in the right half of the head and face. — Congestion to the head, accompanied with heat therein.

Burning in the eyes; chiefly in the evening twilight, disappearing as soon as a light is brought in; or in the canthi, when arising in the morning, with *shunning light*, abating after washing. — *Quivering in the eyelids.* — Misty dimness. — *Flying spots and specks before the eyes*, during the daytime and in the evening, on exposure to candle-light. — Yellow spots before the eyes, when looking at any thing.

Piercing outward in the ears. — Boring and twitching in the ears. — Eruption in the ears. — Running of the ears. — Disecoia. — Tinkling and buzzing before the ears.

Swelling of the nose, as from an ulcer, with bloody crusts in it, and tenderness to the touch.

Pain in the face, as if from rending in the facial bones. — Burning heat in the face. — *Ulcers in the corners of the mouth* and ulcerous upper-lip. — Greasy shining lips. — Dry, shrivelled, *cracked lips.* — On the under-lip burning spots, *void of the epidermis.* — Straining in the joint of the jaw, when chewing and opening the mouth. — Swelling of the *submaxillary glands with a knocking pain.*

Tearing toothache. — Swelling of the gums with stinging pain.

Burning vesicles on the point of the tongue.

Sore throat with a *stinging pain when swallowing.* — Adhesive slime in the throat, especially in the morning.

Bitter taste in the mouth, *in the morning*, with a bitter eructation and fearfulness. — Absence of hunger and appetite. — After every meal, diarrhœa with pain in the bowels and extremities.

Eructation, mostly bitter or vacant. — Return of what has been eaten, or rising of bitter-sour water. — *Frequent vehement hiccupping*, attended with stitches in the breast. — Waterbrash after eating.

Drawing or gnawing pain in the stomach, as if from worms. — Burning in the stomach and scrobiculus cordis.

Stinging pain in the region of the spleen, in the morning when awaking, with difficult breathing, which makes it necessary to sit up.

Distension of the abdomen. — *Griping pain in the bowels.* — Tension and inflation in the groin. — Sensation as if swollen and suppurated in the inguina, when touched.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Constipation. — Hard, or frequent soft stools. — Diarrhœa with soreness in the belly and sensation, as if beaten. — Porraceous slimy diarrhœa. — Discharge of blood with the fæces. — *Before the stools, pains about the navel.* — Smarting like a sore upward in the rectum, when sitting.

Increased secretion of urine, especially during the night. — Reddish, bright urine, without any sediment.

Stinging and throbbing in the spermatic cord. — Frequent erections.

Menses too early, with pressing contracting pains in the bowels, the sacral region and the back. — During the menses vomiting and diarrhœa, or rending pain in the feet. — Brown slimy leucorrhœa, discharged after urinating.

Sneezing with racking pains from the nape to the shoulder. — Catarrh with *obstruction of the nose* and loss of smelling. — Catarrh with efflux of a clear corrosive water.

Hoarseness with burning in the larynx.

Severe *cough in the evening and at night*, when lying on the back. — *Dry cough from tickling in the throat*, attended with stitches in the left hypochondrium (loosening in the afternoon).

Asthmatic affection during manual labour.

Pain at the chest, as if beaten, when touched or not. — *Heaviness on the chest*, with contracted breathing, especially at night. — Pressure and stitches in the breast. — Pulsating in the breast, only while standing.

Pains in the sacral region, as if beaten, especially at night, and when touched. — Painful stiffness in the small of the back, which prevents walking upright. — *Stitches in the shoulder-blades, when breathing.* — *Tearing in the sides of the neck*, and in the clavicles. — Stiff neck, with pain, from the neck to the shoulders, when moving.

The arms heavy and rigid, as if maimed. — *Rending in the arms, as if in the bones, at night.* — *Tearing in the shoulders.* — Swelling of the wrists with a tearing pain. — *On the wrists pustules, which become scurfy.* — *Racking or stinging, throbbing, pricking*, and pain as if from an ulcer *in the points of the fingers.* — The *epidermis* between the fingers *peeling off.*

Tightness in the hips and bend of the knees, as if they were too short. — Rending, stinging, wrenching pain in the hip. — *Contraction of the sinews of the bend of the knee.* — *Stiffness of the knee-joint.* — *Rending in the leg*, as if in the bone, *during night.* — Stinging pain in the calves of the leg, when resting after a long walk. — Insensibility and deadness of the legs. — *Pain as if from an ulcer and rending in the heels.* — Stinking sweat of the feet. — *Rending or stinging, beating and pricking in the tips of the toes.*

---

14. Anacardium.

Semecarpus Anacardium.

Duration of effect: Sometimes more than 30 days.

Antidotes: camphora, juglans?

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Predominant effects: Spasmodic jerks, or *dull pressing pains, as if from a plug*, or drawing pressure. — *Dullness of senses*, as of the sight, smelling, hearing, &c. — *Periodical complaints.* — Many complaints *disappear during dinner* and return two hours afterwards. — Many complaints appear after meals.

Dull and heavy all over, from playing on the piano. — Exceedingly fatigued from the least exercise. — *Lassitude, with trembling and excessive weakness* in the extremities almost increasing to lameness, especially in the knees. — *Apoplectic lameness.* — Very sensible to cold and draught of air, and *very easily taking cold.*

Burning itching, increased by scratching. — *Absence of the natural irritability of the skin.* — Pain in the suffering parts, as if from an abscess.

Sopor day and night. — Early sleepiness in the evening, with disturbed sleep at night. — Late falling asleep. — Disgusting, dreadful or *anxious dreams*, with screeching during the sleep. — Animated dreams, full of reflexion and mental exertion, with pain in the head, as if it were bruised, after awaking.

Great chilliness and continual shivering, even in a warm room. — Chill with trembling and fever-shivering over the whole body, without thirst. — Shaking chills with tearing pains, ill humor, and inquietude every third day. — *Internal sensation of chill with external heat.* — *Heat in the face*, every afternoon, at 4 o'clock, attended with nausea and languor. — Sweat in the daytime, when sitting. — Night-sweats.

Hypochondria and melancholic *hystery*, sometimes after sexual debaucheries. — Unsociableness. — *Anxiety* and (in the evening) apprehensions. — Fear and mistrusting the future, with timidity. — Very easily displeased, contradicting, and choleric. — *Childish and awkward behaviour.* — Laughing at serious things and being serious at things laughable. — *Self-contradiction.* — *Wickedness and inhumanity.* — Irresistible inclination to maledictions.

The mind seems to be separated from the body. — *Weakness of memory and judgment.* — Thoughtlessness. — Inability to recollect.

Muddled head. — *Giddiness*, when walking, with an impression, as if all the objects were at a greater distance or in a wavering motion. — Vertigo, with apparent loss of eye-sight, also when stooping.

Headache, in the occiput, from great noise, and when making false steps. — Headache causing giddiness and obstupefaction, increased by touch. — The brain aches as if bruised. — Racking *pressure in the head from mental exertion.* — *Pressing headache, as if from a plug*, especially in the temples. — Constricting and *inward pressing* pain in the head. — *Rending pains*, particularly in the right side of the head, extending to the face and neck, immediately succeeded by buzzing in the left ear. — Mooting in the head, in the evening, disappearing when falling asleep.

Pain, as if *a plug were pressed upon the eye-balls.* — Contracted pupils. — *Weakness and dimness of sight.* — Myopia. — Nets and dark spots before the eyes. — The candle seems to flare, and surrounded by a halo. — The eyes very sensible to the light.

Spasmodic earache, with racking and stinging. — Pressing in the ears, as if from a plug. — Itching in the ears and discharge of matter from them. — Painful swelling of the external ear. — *Dull hearing.* — Buzzing and roaring in the ears.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Epistaxis. — *Anosmia.* — Continual stench before the nose, as if from pigeons-dung or from burning sponge.

Pale face, with hollow sunken eyes, surrounded by livid circles. — Pressure upon the facial bones. — Rough, herpetic skin about the mouth, with a crawling itching. — Burning about the chin.

Jerking or racking toothache, by taking something very warm into the mouth. — Straining or spasmodic drawing toothache, extending to the ear, especially in the evening towards 10 o'clock. — The gums swollen and very easily bleeding.

Offensive smell from the mouth, not observed by oneself. — Heaviness and swelling of the tongue, with obstructed speech. — White, rough tongue. — Conflux of water in the mouth.

Ageusia (loss of taste). — Fetid stench in the mouth. — Insipid taste of all food. — *Excessive thirst*, with obstruction of breath, when drinking. — Anorexia. — *Weakness of digestion*, with pressing fulness and distension in the stomach and abdomen; or sleepiness, aversion to labour and *hypochondriac humor after eating*.

Waterbrash in the evening, and vomiting, succeeded by sourness in the mouth. — Nausea in the morning.

Pressure in the stomach, chiefly *after eating*. — Pressure in the pit of the stomach, in the morning when awaking. — Clucking in the pit of the stomach and shaking in it at every step, after eating.

Pressure in the liver.

About the navel pains mostly pressing or stinging, increased by inspiration, cough and external pressure. — Hard abdomen. — Pinching flatulent colic, attended with *grumbling in the abdomen* and efforts to evacuate.

Tenesmus. — *Difficult discharge of the soft stool*, caused by inactivity of the rectum. — Discharge of blood with the stool. — Painful *hæmorrhoidal tumours*. — Itching on the anus. — Moisture out of the rectum.

Frequent small discharge of a water-clear urine. — Urinating at night. — Burning in the glans penis during and after urinating. — Turbid, clay-colored urine.

Involuntary erection in the daytime. — Seminal emissions. — Absence of enjoyment during the coitus. — Discharge of *prostatic fluid*, by natural, but difficult stool, and after urinating.

Leucorrhœa with itching and excoriation on the privy parts.

Obstruction of the nose and sensation of dryness in it. — Tedious catarrh and flow of mucus from the nose. — Vehement catarrh with catarrhal fever, accompanied with crampy tightness in the legs and the calves, with uneasiness about the heart.

Roughness and rawness in the throat, chiefly after eating.

Cough with crawling in the throat and obstruction of breath. — Cough after eating, with vomiting of what has been eaten. — Cough in the evening in bed, with congestion to the head. — *Concussive cough*, like hooping-cough, mostly from speaking — *or at night.* — Hacking cough with a purulent expectoration. — Hæmoptysis. — When coughing a stinging pain in the side of the front and head. — Yawning after the attacks of cough.

Short breath and asthmatic affection. — *Oppression of the chest*, which drives

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

one out of the room into the open air. — Rattling in the trachea, when lying on the side.

Pressure in the breast, as if from a plug. — *Stitches about the heart*, which extend sometimes to the small of the back. — Inquietude about the heart.

Pain in the back, in and between the shoulder-blades, tearing and stinging, or pressing. — Formication between the shoulder-blades. — Dull pressure upon the shoulders, *as if from a weight.* — Stiffness of the nape.

Weakness of the arms, attended with a stretching pain. — Tremor of the arm and hand. — Squeezing in the brachial muscles and bones, with weariness. — Stinging and heaviness in the fore-arm. — Racking *spasm in the wrist, metacarpus and the finger-joints.* — Sensation of dryness on the hands and fingers. — Clammy sweat of the palms of the hands. — Benumbness of the fingers.

The legs stiff, as if swathed, and visited by a painful disquietude. — *Vibration, jerking and drawing* in the thighs and *about the knee*, as if after an excessive fatigue from walking. — Dull pressure *in the thighs*, at measured intervals. — Disability about the knee. — Itching eruption about the knee, extending to the calves of the leg. — *Spasmodic* jerks and *pressure* in the legs, especially *in the calves.* — Painful tension in the calves, when walking and at night in bed, with wakefulness. — Burning on the legs and soles of the feet. — *Cold feet, even when walking*, and sometimes early in the morning. — The soles spasmodically contracted.

---

15. Angustura.

***Bonplandia Angustura.* Willd. *Galipea cusparia.* Hilar.**

Duration of effect: a few days.
Antidote: coffea tosta.

Predominant effects: Cutting, or *spasmodic*, or *pressing pains.* — *Lameness* of single limbs. — *Spasms in musculous parts.* — Knacking in the joints. — *Caries.*

Atony and a sensation, as if the marrow in the bones were curdled. — *Rigidity of all the muscles*, after sitting, in the evening, and *a tension therein, when walking.* — *Tetanus*, the attacks of which mostly produced *by touching*, or even the approach of others, or by swallowing of lukewarm water, or by noise, terminate with *blueness of the cheeks and lips*, laborious, snorting respiration, or groaning with closed eyes. — Shaking of the whole frame from startings along the spina, as if caused by electric shocks. — Opisthotonus.

Excessive *sleepiness in the evening*, with *sleeplessness before midnight.* — Disturbed dreamful sleep.

In the evening *raised temperature* of the whole body, especially of the *cheeks*, attended with *dizziness* or *pressing drawing* in one side of the forehead, with thirst.

Fearfulness and easily to be frightened. — *Want of self-confidence* and *pusillanimity.* — Ill humored, discontended and very easily displeased. — *Exaltation of mind*, particularly, when not employed with mental labour.

Abstraction of mind and a kind of dreaming while awake. — *Mental vivacity*, especially in the afternoon.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Dizzy and muddled, as if after intoxication. — Dizziness, with a kind of tension or contraction in the head and knocking in the forehead. — Giddiness, when walking in the open air, or across a running water.

Headache mostly pressing and with *heat in the face.* — The brain aching as if bruised. — *Spasmodic headache.* — Boring in the temples. — The pains commence mostly in the evening-twilight and continue till falling asleep.

Sensation of numbness in the temporal muscles, and *tension in them*, when opening the jaws. — Quivering between the eyebrows, when reading.

Pressure in the eyes and a sensation of being fatigued by a bright light. — Sensation of soreness and dryness inside the eyelids. — Redness, *heat and burning of the eyes* with suppurative cementing during night. — The *eyelids* from spasm *widely opened.* — Staring, protruded, motionless eyes. — Misty dimness, as if from opacity of the cornea. — Myopia.

Spasmodic pain in the ear. — Racking before and in the ears. — Sensation as if something were lying upon the ear, or sticking in it. — Heat on the ears. — *Dullness of hearing.*

The internal part of the nose aching, as if excoriated.

Blue countenance during convulsions. — *Tension of the facial muscles.* — *Spasmodic pain in the zygomatic bone* and *in the masseters*, increased by rest and decreased by moving the lower jaw. — Sensation of heat in the cheeks, without external warmth, in the evening. — *Trismus, with wide opening of the lips.*

Drawing toothache (in the molares). — Knocking in the hollow teeth.

The mouth and lips very dry, without thirst. — Viscid, filthy slime in the mouth, in the evening, with a continual inclination to drink. — White tongue with a sensation of roughness. — Burning on the tongue and continual pinching on the tip of it.

Taste bitter, especially after dinner and smoking tabacco. — *Longing for cold liquids* or *coffee.* — Strong appetite and insatiableness, with aversion to food. — Ineffectual eructation causes a sensation of fulness in the breast.

Vacant eructation after eating. — Bilious eructation.

Qualmishness, during dinner. — Faintness, when walking in the open air.

Pain in the stomach, as if a cutting soreness, when beginning to eat. — *Spasmodic pain in the pit of the stomach.* — Cutting pain in the pit of the stomach and the (right) hypochondrium, increased by moving the trunk.

Soreness in the right side of the abdomen. — *Spasmodic visceral pain.* — Pain in the lumbar region, from inside outwards cutting. — *Cutting pain in the hypogastrium*, especially after taking warm milk. — Stinging pain in the abdomen. — Vehement agitation and croaking in the bowels, with tendency to diarrhœa.

Frequent, thin, copious and feculent stools. — *Slimy diarrhœa with cutting visceral pain.* — Pressure and sensation of contraction in the anus, with swelling of the hæmorrhoidal tumours and burning pricking, accompanied with discharge of a soft stool.

Frequent urging to urinate, with a small discharge. — Frequent copious discharge, preceded by a pressure in the bladder and succeeded by strangury. — *Orange colored urine, which very soon becomes cloudy.*

Libidinous *itching on the genitals.*

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hoarseness, caused by much *slime in the trachea.* — *Low, subdued voice.*

Dry cough, from tickling at the head of the larynx. — Vehement deep cough with ejection of yellow slime.

Intermitting respiration. — Hiccoughing inspiration. — *Excessive oppression of the chest*, when walking quickly or ascending steps.

Cramp in the breast, as if from attacks of sudden cold. — Painful sensitiveness of the breast, when pressed upon. — *Cutting shocks or stitches* in the sides of the chest and in the sternum. — Shocks about the heart. — *Strong palpitation of the heart*, when stooping, whilst sitting, or in the evening in bed, when lying on the left side. — A feeling of painful contraction of the heart. — *In the muscles of the breast a pain as if beaten*, when moving the body or the arms.

Pain in the small of the back, as if beaten, especially at night and particularly towards 4 o'clock in the morning; disappearing after rising. — Painful *stiffness between the shoulder-blades and in the neck*, in the morning in bed and continuing till noon. — Quivering in the muscles of the neck upon the shoulder.

The arms weak and heavy, as if maimed, with stiffness in the elbow-joint. — Disabling weakness of the elbow-joints and hands. — *Spasmodic drawing in the fore-arms*, hands and fingers. — Cold fingers.

The thighs and legs as if beaten, heavy and weak, as if they would knack together in walking. — Wrenching *spasmodic pain in the hip-joints, legs and feet.* — Squeezing *drawing in all parts of the lower extremities.* — Painful jerking stitches in the thigh and on the edge of the os ilium. — Lameness in the foot-joints.

---

16. Antimonii sulphuretum.

Antimony. — Germ. Schwefelspiessglanz. Antimonium crudum.

Duration of effect: in acute cases not very long; in chronic cases about 60 days.
Antidotes: hydrargyrum, sulphuretum calcis.
After it, answers well: Pulsatilla.

Predominant effects: Rheumatic pains and *inflammations of the tendons.* — *Arthritic drawing* or stitching straining pains, mostly in the extremities. — *Gastric and bilious complaints.* — Exacerbation in the heat of the sun, after drinking wine, *after eating*, at night (and morning); remission at rest or in cool air.

Heaviness in all the limbs. — Weakness, when awaking at night. — *Emaciation.* — Troublesome corpulency (Polysarcia). — *Oedematous swelling of the whole body.* — Apoplexia.

Itching especially on the neck, breast, back and the limbs. — Eruptions, especially rising at night, or itching after becoming warm in bed, and preventing sleep. — Eruptions like miliaria and *nettle-rash.* — *Tumours and vesicles*, as if from stings of insects. — Eruptions like *chicken-pox*, pricking when touched. — Pimples, filled with matter, succeeded by yellowish and brown scabs. — Summer-freckles. — Maculæ hepaticæ. — *Fistulous ulcers.* — Corns and horny excrescences. — Discolored, crippled nails. — *White swelling.* — Red, hot tumefactions.

Great drowsiness in the daytime. — *Coma*, in the forenoon. — Frightful awaking, at night. — Peevish, irritating dreams.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Intermittent fever, with a predominant *gastric or bilious character*, with *qualmishness*, *nausea*, *vomiting*, eructation, furred tongue, *bitter taste in the mouth*, and *moderate thirst*. — Fever with diarrhœa, vomiting and a cutting pain in the bowels. — *Tertian fever*. — Warm perspiration in the morning, every other day.

Anxious meditations about his fate. — *Weariness of life;* with inclination to commit suicide by shooting or drowning. — Easily to be frightened. — Ill humour and peevishness. — The child will neither be looked at, nor touched. — Sentimental longing and amorous complexion. — Mental dullness and imbecility. — *Insanity.*

Sensation in the head, as after long labouring in cold. — Intoxication. — *Vertigo with nausea.*

Headache, after bathing in a river. — Stunning headache, after smoking tobacco. — Pain in the forehead, as if the skull would fly open. — Dull pain in the fore- and upper-part of the head, increased by ascending steps. — Rending in the head, alleviated by walking in the open air. — Boring outward in the forehead and the temples. — Painful *congestion to the head*, succeeded by epistaxis.

Pain on the os bregmatis, as if from swelling of the periosteum. — Troublesome itching on the head, with *falling out of the hair.*

Stinging in the eyes. — *Red eyelids.* — Arthritic *inflammation of the eyes*, with itching and cementing of the eyes by matter. — A moist spot on the external canthus. — *Eye-gum in the canthi.* — Dilatation of the orifice of the eyelids. — The eyes sensible to the daylight.

Stinging pains in the ears. — Redness, swelling and heat of the ear. — Mooting and whining tone in the ears. — *Deafness*, as if a small leaf were put upon the ear. — *Roaring in the ears.*

Eruptions on the nose. — *Soreness of the nostrils* and angles. — *Cracked*, scurfy *nostrils.*

Heat in the face, especially on the cheeks, with itching. — Red, burning, *purulent eruptions in the face*, with yellowish scabs. — Boils and vesicles in the face, as if stung by musketoes. — Honey-colored granules on the skin of the face. — Eruption, like chicken-pox in the face and on the nose. — Soreness of the chin. — *Galled, cracked corners of the mouth.* — Pimples on the upper-lip. — Dry lips.

Toothache in hollow teeth, with pricking, jerking and digging towards the head, renewed after every meal, increased by cold water, relieved in the open air. — Jerking toothache, in the evening in bed, and after eating. — Gnashing with the teeth, in slumbering when sitting. — *Bleeding of the teeth* and the gums, which gape.

Dry mouth. — Increase of saliva on the tongue and in the mouth. — *Salivation.* — White furred tongue. — Soreness of the edge of the tongue. — Vesicles upon the tongue.

Pain in the throat, as if from a plug. — Obstructed swallowing. — Dryness or roughness or much viscid slime in the throat.

Bitter taste. — *Thirst*, chiefly *at night.* — *Tedious anorexia.* — In the pit of the stomach, especially in the morning, a feeling of hunger and emptiness, which is not to be removed by eating.

Eructation with the taste of what has been eaten, or with itching. — Rising of watery fluid in the throat. — Hiccupping, when smoking tobacco.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Loathing, *nausea* and *inclination to vomit*, from a depraved stomach. — Nausea from drinking wine. — *Vomiting* of slime and bile. — Vomiting with diarrhœa and great anxiety.

Cramp in the stomach. — Burning spasmodic pain in the pit of the stomach, with despair and propensity to commit suicide by drowning. — Gastritis. — *Pain in the stomach, as if it were overfilled.* — Painful soreness in the region of the stomach, when touched.

Distension of the abdomen, with sensation of fulness, especially after eating. — *Vehement cutting visceral pains.* — Sensation of emptiness in the bowels, as if after an excessive diarrhœa. — Pain from swelling and induration in the inguinal region, when touched, or pressed upon. — *Great flatulency, with a rumbling* and *grumbling noise* in the bowels.

Difficult evacuation of hard fæces. — Sudden calls to evacuate, with a quick discharge of natural stool, with pressing. — Alternating diarrhœa and constipation of elderly persons. — Pappy stools. — *Diarrhœa with cutting pains and mostly watery discharge.* — Diarrhœa of confined women. — Continual *secretion of* a white yellowish *slime from the anus.* — Discharge of black blood from the anus. — Flowing or blind *piles* with pricking and burning. — Ardent itching and cracks in the anus. — Pressing (asunder) in the rectum and anus. — Burning furuncle on the perinæum.

Frequent urging to urinate, with a small discharge. — *Copious, frequent urinating with discharge of much slime, and burning in the urethra, attended with pains in the small of the back* (Hæmorrhoides vesicæ). — Involuntary discharge of urine, when coughing. — Gold-colored, thin, brown-red urine, sometimes with small red granules.

Excitation of the sexual passion and excessive lustfulness. — Involuntary seminal emissions.

Metrorrhagia. — Oaritis. — Sharp, corroding leucorrhœa.

Stoppage of the nose. — Great heat in the larynx, when exercising in the open air. — Great weakness of voice. — *Aphonia by overheating.*

Cough with burning in the chest. — Dry shaking morning-cough.

Suffocating oppression of the chest and choking rheum. — Deep, sighing respiration.

Stitches in the breast, when breathing deep as well, as when not.

A pain in the pectoralis major, as if kicked, when raising the arm, or pressing upon.

Spasmodic drawing in the muscles of the throat and the neck. — *Rheumatic pains in the neck.* — Miliary eruption on the neck, the shoulder-blades and behind the ears.

Rheumatic pains in the arms. — Reddish, itching blisters on the arm. — Red, hot swelling of the fore-arm, with a pricking tension. — Drawing in the fore-arms, fingers and finger-joints. — *Arthritic pain in the finger-joints.* — The skin under the finger-nails smarting, which impedes their growth.

Drawing in the lower extremities, particularly in the hip-joint. — Knots with a red areola, on the buttocks and legs. — Stinging pain in the knees and shinbones. — Painful stiffness of the knee, which prevents the stretching out the leg. — *White*

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

swelling on the knee. — Boil on the knee, after rubbing it. — Tenderness of the soles, when walking on stone-pavement. — *Swelling and redness of the heel*, with burning stings, increased by walking. — *Corns* on the soles and *great horny excrescences* therein, immediately behind the toes. — Pressing pain in the corns. — Burning in the ball of the big toe. — Horny excrescence under the nail of the big toe.

17. Antimonii (and potassæ) tartras.

Germ. *Brechweinstein. Tartarus emeticus.*

Duration of effect: in acute cases not very long, in chronic cases a few weeks.
Antidotes: Ipecacuanha, pulsatilla.
Used as antidote for: sepia.
After it, answers well: Ipecacuanha, barytæ carbonas.

Predominant effects: Rheumatic and arthritic *drawing and tearing in the extremities*, with a sensation, as if they were beaten. — Contraction of the limbs. — Twitching of single muscles. — *Convulsive startings; convulsions.* — Epileptic fits. — *Tremor of the limbs.* — Stitching in the varices. — *Exacerbation while sitting down* as well, as in sitting, or when rising from the seat. — *Gastric and bilious complaints.* — Inflammation of the interior organs.

Heaviness in all the limbs and great sluggishness. — Strong pulsation in the whole body. — *Excessive lassitude, weakness and debility.* — The child will always be carried to and fro. — *Attacks of fainting.* — Excessive tenderness of the whole body; the child will not be touched, without vehemently shrieking.

Itching in the skin. — Itching eruption of pimples and miliaria. — Scabious eruptions. — *Pustules, like small-pox, filled on the top with matter*, with a red areola, afterwards a scab, finally a scar. — Itching about the old ulcers.

Great drowsiness in the day, attended with frequent stretching and yawning. — *Inclination to sleep* with tendency to coma and *profound sleep.* — Unrefreshing sleep. — Late sleep. — Wakefulness at night. — *Slight sleep with many fanciful dreams.* — Much speaking during the sleep. — Shrieking during the sleep with staring eyes and trembling limbs. — *During the sleep, jerks* to and fro, tossing sometimes single limbs, at other times the whole body. — During the sleep lying on the back with the left hand under the head.

Chills, chilliness and coldness are predominant. — Chills with paleness of the face and trembling. — *Excessive heat of the whole body*, especially in the head and face, increased by the least motion. — *Pulse frequent*, full or weak. — *Intermitting fever without any thirst*, and with tendency to coma. — Rheumatic fever. — *Frequent copious sweats, after cold.* — Sweat on the affected parts. — Excessive night-sweats.

Fearfulness and inquietude, with palpitation of the heart and trembling. — Solicitude about futurity (in the evening). — *Despondency and despair.* — Propensity to commit suicide. — *Wild merriment* (only in the daytime).

Dizziness, dullness and *obstupefaction*, with drowsiness. — Attacks of giddiness with glittering before the eyes and reeling, when walking. — Dullness of all the senses.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Headache with palpitation of the heart and giddiness. — Heaviness in the head, especially in the occiput. — Hemicrania. — *Pressing*, *tightening headache*, *as if the brain were rolled in a ball*, often with stupefaction, even to the root of the nose; mostly in the *evening* and at *night*. — Drawing, racking and agitation in the head. — *Piercing headache*, sometimes extending to the eyes, with inclination to close them. — Boring in the forehead. — Beating in one half of the forehead.

Chronic trembling of the head.

The eyes fatigued and full of sleep, with an inclination to close them. — Soreness of the eyeball, when touched. — *Pressure upon the eyes.* — Pricking, burning and biting in the internal canthi, with redness of the conjunctiva. — Dim tearful eyes. — *Incipient amaurosis.* — Dimness, with *glittering before the eyes*, especially when rising from the seat.

Buzzing in the ears.

Countenance pale and emaciated. — Drawing dull pressure on the zygomatic bone. — Convulsive twitching of the muscles of the face. — Lips parched and peeling off. — Cracked lips.

Toothache, in the morning, very painful.

Collection of saliva in the mouth. — The tongue moist, clean or white furred. — Speechlessness.

The food tasteless. — Saltish taste in the mouth. — Desire for cold water. — Diminished appetite with great thirst. — *Strong appetite*, with loathing, after taking some food. — Bulimy, when walking in the open air. — *Great desire for acids* or fresh fruit (apples). — *Loathing of all kind of food*, especially of milk. — Each bit causes a painful feeling through the whole passage in the œsophagus.

Vacant eructation. — Hiccupping eructation. — Nocturnal *eructation*, *with a smell of rotten eggs.* — Rising of an acrid or saltish or sourish liquid. — Return of milk made use of.

Nausea, *continual*, *with tendency to vomit*, *anxiety*, pressure in the pit of the stomach and headache, relieved by passage of wind upward or downward. — Vehement *vomiturition*, attended with efflux of much saliva, sweat on the forehead and weakness in the legs. — *Vehement vomiting with great exertion;* pains in the stomach and abdomen; trembling and contraction of the body; chills and excessive drowsiness. — *Slimy vomiting* with slimy diarrhœa. — Sour vomiting of food.

The stomach very sensitive, each bit causes pain. — *Pain in the stomach, as if it were surcharged with food.* — Flabbiness and emptiness in the stomach. — *Pressure in the stomach and scrobiculus cordis.* — Violent throbbing and pulsation in the region of the stomach. — Stitches about the pit of the stomach.

Visceral pain with great inquietude of body and mind, and aversion to all labour. — Uneasiness in the epigastrium and hypogastrium, which compels to lying down and to stretching out the body. — Fulness and *pressure in the abdomen*, *as if from stones*, especially, *when sitting bent.* — Spasmodic pain in the abdomen with violent contraction of the eyelids and invincible inclination to sleep. — Pain in the abdomen, *as if cutting the bowels in pieces.* — Pulsation in the abdomen. — Flatulency with rumbling, grumbling and griping in the bowels.

Constipation, alternating with diarrhœa. — *Pappescent stools.* — Aqueous or yellow, light-brown or *pituitous diarrhœa*, sometimes preceded by cutting and

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

moving about in the bowels. — *Bloody evacuations.* — Involuntary discharge. — During stools, palpitation of the heart. — Violent burning tickling, extending from the rectum to the glans penis. — Stings in the rectum.

Very vehement painful urging to urinate, with tension in the perinæum, burning in the urethra and *small* discharge, which finally, accompanied by a violent pain in the bladder, becomes *bloody*. — Urging to urinate, at night, attended with great thirst and small discharge. — *Inflammatory red urine*, which deposits bloody red filaments, when remaining for some time. — Cloudy, acrid, *dark-brown urine*. — Pressure and tension over the bladder. — Stinging in the urethra and the lower part of the bladder.

Discharge of an aqueous bloody fluid from the vagina. — Efflorescence on the privy parts.

Vehement flowing catarrh, with frequent sneezing, ulcerous nostrils, chills and loss of taste and smell.

Catarrh with provocation to cough, and much *rattling slime in the breast*. — Hoarseness.

Cough from excessive tickling in the trachea. — The child coughs, when it gets angry. — *Attacks of coughing with suffocating obstruction of breath* (choking cough). — Cough with heat and moisture of the hands and sweat on the head, especially on the forehead. — *Cough with vomiting of food*, after eating. — *Rattling, hollow cough.* — *Cough with expectoration of slime*, sometimes *only at night*, especially after midnight.

Frequent *obstruction of breath, almost suffocating*, especially in the evening, or early in the morning in bed. — Short difficult respiration. — *Peripneumonia paralytica*. — Anxious *oppression of the chest*, with warmth rising up to the heart. — *Snoring and rattling in the breast, when breathing.*

The breast aches as if sore, at intervals, especially in the left side. — Rheumatic pain in the left side of the breast. — Burning in the breast even into the throat. — Pneumonia. — *Visible*, sometimes *anxious palpitation of the heart*. — Whirling and beating sensation about the heart, at night, remitting only, when sweat comes on. — Miliary eruption on the breast.

Pains in *the back* and *sacral region in sitting*, as if from fatigue. — Rheumatic pain in the back. — Weakness of the muscles of the neck, which prevents the head from keeping upright. — Miliary eruptions on the neck.

Knacking in the shoulder-joints with *tearing in the arms* towards the hands. — Excessive heaviness in the arms. — Twitching of the muscles of the arms and hands. — Miliary eruption on the arm. — Itching efflorescence on the upper-arms and wrists. — On the hands red spots resembling fleabites. — *Trembling hands;* cold hands; ice-cold tips of the fingers; dead, dry, hard tips of the fingers. — Dark-yellow spots on the fingers. — Contraction of the fingers.

Heaviness and rheumatic pains in the hips and lower extremities. — Painful weakness of the knee-joints, in the morning in bed. — Tension of the tendons in the bend of the knee and the back of the foot, when walking. — Spasm in the calves of the legs. — Cold feet. — The feet falling asleep, when ever sitting down.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

18. Aquilegia.

Aquilegia vulgaris. — Columbine.

Antidotes: camphora, ignatiæ faba.

General restlessness. — Spasmodic disorders in the breast, and other symptoms, especially in women *in the climacteric years.* — Complaints *originating in the uterus.* — Weakness of the eyes, with spasmodic twitching of the eyelids towards evening, particularly in hypochondriac persons.

Sleepiness in the daytime. — Nocturnal wakefulness. — Coma vigil with anxious and frightful dreams. — A sense of deadly sickness, without any hope of recovery. — No place is soft enough for the head to lie on.

Attacks of anxiety and fearfulness. — Dejection of mind, alternating with delight. — Very changeable, mostly peevish humor. — Great inclination to vexation, succeeded by whining. — Sadness and reservedness, says nothing, and when interrogated, speaks only a few words. — Indifference to all sensual pleasure. — Aversion to conversation.

Incapable of close reflection. — Forgetfulness.

Giddiness, when raising the eyes. — Dizziness. — Reeling, when walking, and chiefly when stooping. — Stupor. — Vacuity and dizziness of the head.

Dull pressing headache in the vertex. — Sensation of heaviness in the occiput. — Frequent pricking and chilliness over the whole head, in the morning. — Throbbing in the temples. — Sometimes a boring pain on a circumscribed spot in the suture of the frontal and parietal bone, as if caused by an obtuse instrument, decreasing in the afternoon, in the open air. — Pain through the whole head, as if caused by bruising, after dinner. — Shooting in the right temporal bone, drawing in the frontal sinus, caused by motion.

Burning heat and constant itching on the scalp. — Vellicating or pinching drawing in the scalp towards the neck, chiefly towards evening. — Excessive weakness of the head with anxious sensation of warmth on the occiput, as if sweat were exuding.

Dullness and dimness of sight. — Pressing tension in the right eyeball. — Pressure in the fundus of both orbits. — Cecutiency. — Indistinct vision, sometimes great irritation from light. — Very moveable, somewhat contracted pupils. — Scintillation, darkening, clouds or specks before the eyes. — Diplopia. — Excessively painful sensation in the eyes after reading in the evening. — Burning and pressure in the eyes, towards evening. — Redness of the conjunctiva with pricking and tickling. — Mild pressure between the lids of the right eye. — Frequent twinkling in the afternoon, similar to some one, who wishes to suppress sleep. — Cementing of the eyelids. — Sometimes effusion of tears. — Pricking itching in the left eyebrow, in the morning.

Drawing and crackling in the ears. — In the external ear a continual troublesome prickling and quivering, sometimes drawing or tension in the right tympanum, when exercising in the open air. — Vehement pressure in the internal part of both ears. — Buzzing and chirping before the ears. — When chewing, a painful

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

straining with squeezing towards the ears. — Intolerance of loud sounds, either from a bell or an instrument.

Dryness and tension in the nose, and soreness mostly towards evening. — Pricking in the left nostril. — Pseudosmia, as if Valeriana were in the vicinity, or as if hair were burnt, in the afternoon. — Mouldy smell, sometimes of rotten eggs, in the morning, when rising. — Increased sensation of warmth on the tip of the nose, sometimes burning. — Dull drawing and pressure in the root of the nose, and spasmodic tension in it, after dinner.

Pale, sallow, yellowish countenance. — Shrunk countenance, void of all vivacity. — Twitching in the face. — Distortion of the facial muscles. — Spasmodic stretching of the face towards the chin in the forenoon.

Dry lips. — Tension, quivering, burning of the lips, with difficulty to move them. — The cavity of the mouth and the fauces of a pale appearance.

Periodical racking toothache in the upper-jaw of the right side. — Shooting and drawing in the lower incisors. — Squeezing pain in the right side of the lower jaw, towards evening.

The tongue furred with much viscid slime. — Periodical burning in the tip of the tongue.

Sensation as if something adhered to the uvula and soft palate, after drinking cold liquids. — Pressure in the throat. — Spasmodic constriction of the muscles of the œsophagus and throat. — Pressing drawing in the œsophagus. — Frequent tickling in the epiglottis, terminating in dryness, which superinduces coughing. — Offensive odour out of the mouth.

Insipid, nauseous, mouldy, sometimes bitter taste, with scratching. — Anorexia. — Excessive loathing and aversion to meat. — Adipsia. — Desire for coffee.

Frequent insipid eructation. — Rising of a sour liquid from the stomach. — Waterbrash.

Flabbiness in the pit of the stomach. — Continual nausea and inclination to vomit. — Cramp in the œsophagus with unproductive vomiting. — Choking succeeded by vomiting of much viscid slime, a few hours after dinner, attended with gaping, giddiness and vertigo, and after which, many complaints are relieved. — Sensation of emptiness after vomiting.

In the stomach an uneasy sensation of fulness and heaviness. — Tedious pressing and clucking, sometimes vehement burning in the fundus of the stomach, in the afternoon. — Sometimes a sensation as if the stomach would be turned inside out. — Painful constriction of the stomach, considerably lessened by external pressure, in the evening. — Wringing in the pit of the stomach.

Painful tension and stretching in the liver. — Irregular pulsating throbbing in the posterior part of the liver. — Sensation of fulness; spasmodic grasping with a sensation of swelling in the liver, in the evening. — Burning pressure after sneezing and coughing, chiefly after meals.

The abdomen distended and inflated, and painful when touched, especially after eating. — Drawing about the navel and spasmodic retraction of it.

Griping and cutting with frequent burning in the bowels towards the small of the back. — Grasping in the right side of the hypogastrium, especially in the afternoon. — Frequent rumbling and grumbling. — Aggregated and obstructed flatulency, with small escape of wind. — Drawing griping towards the urinary bladder.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

—Shooting pain through the abdominal integuments. — Nocturnal pain in the abdomen with a sensation of approaching diarrhœa. — Sensation of heat over the whole abdomen, succeeded by pricking, occasionally by chilliness.

Frequent pressing and urging in the rectum, attended with stretching in the small of the back. — Constipation. — Discharge of hard fæces, with copious flatulency. — Excessive burning around the anus, which prevents sitting, succeeded by a papescent yellowish evacuation, mixed with mucus.

Copious and frequent, sometimes burning discharge of whitish urine, exhibiting a cloud.

Crawling on the glans penis. — Frequent erections. — Nocturnal pollutions, succeeded by a diminished secretion of urine and drawing in the testicles, the next day.

Miliary eruption, somewhat burning, on the perinæum and the right thigh.

Itching tension on the labia pudendi. — Vehement pressure and bearing down in the uterus and vagina, as if they would be pressed out, with shooting stinging through the vagina. — Painful griping and vellicating. — Moderate discharge of slime from the vagina.

The menses at the proper time, but very thin and in small quantity, attended with pressing, cutting or stinging pain in the hypogastrium and the small of the back. — Dull pressing in the right ovarium, mostly exacerbated in the afternoon. — Leucorrhœa.

Frequent efforts of sneezing. — Want of lymph in the nose. — Catarrhal affection. — Great propensity to catarrh, especially after exercise. — Checked catarrh. — Frequent hawking. — Flowing catarrh with soreness.

Rough hoarse voice after much talking or reading loud. — Difficult speaking.

Dry cough and soreness in the organs of respiration. — Frequent cough with copious expectoration of phlegm.

Short breath, when walking or ascending, increasing almost to breathlessness. —Frequent gaping with hiccupping. —Spasmodic grasping and constriction in the bronchia, and suffocating attacks, as if from sulphurous vapors.

Compression of the chest, at night, when at rest, gradually abating when rising and rubbing the breast. — Oppression on the chest with internal excessive heat, accompanied with cold shiverings from the neck to the small of the back. — Sensation of heaviness in the right side of the breast. — Sometimes jerks through the chest and the throat. — Heavy pressure on the xyphoid process and the abdomen.

Pinching, grasping and twitching in the muscles of the throat, towards evening. — Stiffness of the neck, after vexation. — Sensation of coldness in the small of the back. — Itching between the shoulders.

Drawing pain in the axillas. — Disability of the right arm. — Straining in the left elbow. — Burning heat in the balls of the hands, towards evening.

Drawing straining in the right thigh. — Stinging tearing in the left thighbone. —When walking the thighs knack together.

Pricking in the legs and numbness. — Burning heat in the soles of the feet, in the evening.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

19. Argentum.

Silver. — Germ. *Silber.*

Predominant effects: Squeezing, drawing and *tearing*, chiefly in the limbs and *in the bones.* — Pains as if beaten, especially in the sacral region and in the joints of the lower extremities. — The skin aches, as if *raw and fretted*, the same feeling occupies the internal organs. — The limbs asleep and clammy. — *Epileptic fits.* — *Complaints produced by misuse of mercury.* — Exacerbation every noon.

Burning itching on different spots of the skin. — Pustulous eruptions with a *burning pain as if sore.*

Anxious dreams.

Shiverings and chills, especially in the afternoon and at night. — Night-sweats.

Anxiety, which leads to quick walking. — *Ill humour and disinclination to speak.*

The head seems to be hollow and stupid. — Sensation as if there were smoke in the head. — Crawling and *stirring* in the head. — *Intoxication.* — *Vertigo, with obscuration of the eyes*, or with drowsiness and involuntary closing the eyes.

Sensation in the occiput, as if a strange body were in it drawing and pressing, with stiffness of the neck. — Stunning pressure in the sinciput. — Attacks of compressing pain in the brain with nausea and burning in the pit of the stomach, while reading and standing. — Piercing and racking headache.

External *pain on the scalp, as if sore*, from slight pressure. — *Pressure and rending in the bones of the skull.* — Painful twitching of muscles in the temples and the forehead. — A pimple on the temple, smarting like a sore.

Itching of the eyes, particularly in the corners. — The edges of the eyelids red and swollen.

Stinging and cutting pain in the ears extending deep into the brain. — Pungent *itching on the external ear*, inducing to scratch till bleeding. — Sensation, as if the ear were checked.

Epistaxis, after blowing the nose, or preceded by pricking and tickling in it. — Bloody purulent discharge from the nose.

Redness in the face. — Gnawing *pressure and tearing in the facial bones.* — Swelling of the upper-lip, immediately under the nose.

Toothache, as if from looseness of the teeth. — Painfulness of the gums, when touched. — Loose easily bleeding gums.

Dryness in the mouth. — Sensation of dryness on the moist tongue. — Confluence of much viscid saliva in the mouth, attended with shivering. — *Vesicles on the tongue, smarting as if sore.*

Pain in the throat, *as if from internal swelling of the œsophagus* with difficult swallowing. — Roughness and scratching in the œsophagus. — *Inflammation of the throat*, after *misuse of mercury*, attended with *rawness and sore smarting pain*, when swallowing and respiring. — Boring and mooting in the throat. — Much gray gelatinous slime in the fauces, easily to be hawked up.

Aversion to all kind of food, even when thinking of it, and being quickly satisfied. — *Strong appetite*, even when the stomach is full. — Gnawing hunger, not abated by eating.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Heartburn. — Hiccupping when smoking tobacco.

Continual qualmishness and flabbiness. — Choking vomiting of an acrid, offensive fluid, succeeded by scratching and burning in the œsophagus.

Pressure in the pit of the stomach. — Terrible pressing from the abdomen to the os pubis, immediately after commencing meals, exacerbated by inspiration, relieved by standing up. — *Painful pressing distension of the abdomen.* — Cutting visceral pain. — Contraction of the abdominal muscles, when walking. — Loud croaking and rumbling in the bowels.

Frequent urging to stool, with a small discharge of soft stool. — Dry, sandy evacuation. — Vomiting during evacuation. — After stool in the morning a contracting pain in the abdomen.

Frequent urging to urinate with copious discharge. — Diabetes.

Squeezing pain in the testicles. — *Involuntary seminal emissions.*

Stoppage of the nose, with biting in it. — *Vehement flowing catarrh*, with frequent sneezing.

Painful sensation of *rawness and soreness in the larynx*, when coughing. — When *stooping*, coughing and ascending steps *much slime arises in the trachea*, which with a single cough is thrown up. — Obstruction of the breast with slime.

Cough caused by a cutting pain in the trachea, with an aqueous ejection. — Attacks of a short stertorous cough, in the daytime, with easy discharge of a thickish white matter.

Pressure on the chest. — Pressing and stitching on the sternum and in the sides of the chest. — Cutting pain in the sides of the chest, when inspiring and bowing. — Spasm in the muscles of the thorax and on the ribs.

In the small of the back a drawing pain, or as if beaten. — Rending in the shoulders and shoulder-blades.

Tearing, cramping and tension in the arms and hands. — *Racking in the bones* and the joints of *the hands and fingers.*

Arthritis ischiatica, with a disabling pressing and stinging pain in the hip-joint, when walking. — Twitching in the muscles of the thighs. — Spasmodic cutting and racking in the knees and ankles. — Spasm in the calves, with smart in the muscles, as if they were too short, when descending steps. — Bruising pain and beating in the foot-joints. — *Rending in the bones* and joints of *the feet and toes.* — Numbness in the heel and tendo Achillis.

---

20. Arnica.

Arnica montana. — Leopard's bane. — Germ. Wohlverleih.

Duration of effect: about 30 days.

Antidotes: camphora, ipecacuanha.

Used as antidote for: poisoning with steam of coals; china, cicuta, ferrum, ignatia, ipecacuanha, senega.

It answers well after: aconitum (alternating), ipecacuanha, veratrum.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

It may successfully precede the following, viz.: aconitum, arsenicum, ipecacuanha, sulphuricum acidum, toxicodendron.

Vinum if used after it, causes exacerbation.

Predominant effects: Chronic rheumatisms with straining tearing pains. — Acute rheumatism with great sensibility. — Pains *as if beaten;* stinging or *crawling* or *disabling* pains, especially in the limbs and joints by being moved. — Arthritic complaints. — Ailments from *blows, falls, contusions; straining, spraining and dislocation.* — Wounds caused by a cut, by *stabbing* or by a gun-shot. — Compression, stinging and crawling in the injured parts. — The pain *increased from speaking, from blowing the nose, from every motion* and even from a *sound.* — Complaints produced by misuse of cinchona.

Agitation of the blood and congestion to the head with *burning* in the *superior parts of the body*, attended *with coldness of the inferior parts.* — Increased sensibility of the whole body, especially in the joints. — Heaviness and relaxation in all the limbs. — Tingling vibration in all the limbs, caused by concussion of the body or by treading on the ground. — Jerks through the whole body. — The child makes itself stiff, is visited by convulsions, and cannot hold his head up. — Faintness. — Wasting of the body. — *Apoplexia sanguinea*, also nervosa and serosa.

Furuncles. — *Stings of bees.* — Varices. — *Wounds, also caused by bites.* — Eruptions like miliaria or small pox. — Spots in the skin, suggilated, dark-red, blue and yellowish. — Hot, *hard, red-glistering swelling.*

Great drowsiness in the daytime, with incapacity to sleep. — *Very early* sleepiness in the evening. — Dreamful, unrefreshing sleep. — Coma vigil with delirium. — Picking with the fingers upon the bed-clothes or catching in the air. (Carphologia.) — *Anxious dreadful dreams.* — Startling and whimpering in sleep. — In awaking the recollection is hardly to be recovered.

Chills, mostly in the *evening*, like cold water pouring over the top of the head. — *Evening-fever.* — Morning-fever, with chills, succeeded by heat. — *Intermittent fever, with thirst;* yawning before the chill and much drinking; after the chill heat with thirst, but less drinking. — Very disagreeable *soreness in the periosteum of all the bones*, almost like a drawing in all the limbs, *as if an intermittent fever were approaching.* — Thirst, without external heat, with contracted pupils. — Quick pulse. — Milk-fever. — *Puerperal fever*, with a tertian type and aqueous diarrhæa. — Stupid nervous fever, even with a putrid character, in tropical climates. — Typhus-fever with unconsciousness, without deliria. — *Intermittent fever, after misuse of cinchona.*

Hypochondriac fearfulness. — Excessive inquietude and anxiety. — Despondency. — Increased irritability and sensibility of the mind. — Disposition to be easily frightened. — Obstinacy.

Thoughtlessness. — Mental abstraction, and a kind of dreams while awake. — Unconsciousness, alternating with screaming.

Dizziness with shooting pains. — *Whirling giddiness when raising up* or moving the head, or in walking. — Giddiness, with inclination to fall forward, during dinner. — Giddiness with nausea, when continually reading.

Arthritic paroxysms in the head. — Stunning or pressing *squeezing pain,*

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

particularly in the *forehead*, mostly *with heat* in the brain, and especially when walking, ascending steps, close thinking and reading or after eating. — Spasmodic contraction in the forehead, above the eyes, with a sensation, as if the brain were balled together on a lump, particularly near a warm stove. — Pain as if a nail was forced into the temples. — Racking and *piercing in the head*, as if from a knife, succeeded by an internal sensation of cold, so that the hair bristles on the head. — Crawling in the forehead and above the orbits. — *Congestion to the head and burning heat* in it, *whilst the body is cool, or naturally warm.* — Headache from a blow or other mechanical causes. — *Commotio cerebri.* — Weakness and heaviness of the head, with a difficulty to keep it erect. — Periodical headache.

Crawling, externally upon the vertex. — Tightness and immobility of the whole scalp.

Pain in the eyes, with a dull pressing upon the edge of the orbit and around the eyes. — *Crawling about the eyes.* — Soreness of the eyes and the edges of the lids, with a difficulty of being moved. — Burning in the eyes. — *Inflammation, caused by mechanical injuries.* — Reddened sclerotica. — *Swollen and suggilated eyelids.* — Eyes dull, glazy, *without lustre.* — Vehement flow of *burning tears.* — Half closed or protruded, or staring eyes, full of anguish. — Darkness before the eyes.

Pain, as if from a blow or bruise in the ears. — Racking in the ears. — *Shooting pains in and behind the ears.* — Piercing pain through the ears, when leaning on the head. — *Difficult hearing and roaring before the ears*, sometimes after mechanical injuries.

Pain in the nose as if from a push or blow and *pricking* on it. — Spasmodic pain on the root of the nose. — *Inflammation and swelling of the nose.* — Ulcerous nostrils. — *Epistaxis.*

Face pale, and shrunken or yellow and bloated. — *Redness* and burning of *one cheek only*, whilst the body is but moderately warm. — Twitching *throbbing* or *pricking shivering* in the cheeks. — *Heat in the face*, in the evening, with a cold nose. — Inflammatory pains in the face. — Hot, *red-shining hard swelling of the cheeks.* — Pimples in the face, especially below the eyes.

Swollen lips. — *Pricking in the lips.* — Ardent, dry and shrivelled lips. — *Cracked edges of the lips.* — Incipient palsy of the lower jaw. — Painful swelling of the submaxillary glands.

Toothache with hard tense *swelling of the cheeks.* — Racking in the (upper-molar-) teeth, when eating. — Looseness and elongation of the teeth. — *Pricking in the gums.*

Dry mouth with thirst. — Bloody saliva. — *Hæmoptysis.* — *Dry or white furred tongue.* — Sensation as if sore and biting upon the tongue. — Contraction on the palate, as if from astringents.

Pain in the throat as if from a hard body. — *Swallowing prevented* by a kind of nausea, as if food would not pass down. — Rattling when swallowing. — Stinging in the throat without swallowing. — *Burning in the throat* with fearfulness, as if from internal heat. — Oesophagitis. — Bitter slime in the throat.

Taste putrid, or slimy, or *bitter* (in the morning after awaking). — Thirst for water. — Inclination to drink, with aversion to all liquids. — Aversion to meat, broth, and smoking tobacco. — Desire for vinegar. — Excessive appetite in the

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

evening with sensation of fulness and colic-like pressure in the abdomen, immediately after eating. — After eating (supper) lamentable dissatisfaction.

Eructation bitter or *putrid*, vehement and vacant, or interrupted. — *Rising of a bitter slime* or saltish water. — *Nausea in the morning*, with inclination to vomit. — *Ineffectual vomiturition*, sometimes at night, with pressure in the pit of the stomach, as if from a lump. — *Vomiting of* coagulated *blood*. — *Vomiting* of milk and blood *after drinking*.

Pressure in the stomach, as if from a stone. — *Fulness in the stomach* and in the scrobiculus cordis, like satiety accompanied with loathing. — Evolution in the pit of the stomach and a sensation, as if there were something rolling itself together. — Griping, spasmodic raffing in the stomach. — *Stitches in the pit of the stomach with pressure extending to the back*, and *contraction on the chest*, increased by eating, drinking and touching.

Stitches in the spleen, when walking. — *Stitches under the left hypochondrium, so as to obstruct breath*. — Pressure in the region of the liver.

Abdominal pain of pregnant women, *after injury done by lifting improperly*. — *Hard distension of the abdomen*, with a cutting pain, as if sore, in the sides of the abdomen, alleviated by discharge of wind; every day from early in the morning till 2 o'clock P. M. — Sharp shocks transversely through the hypogastrium. — *Squeezing pain in the sides of the abdomen*. — Pain of flatulency. — Expulsion of wind, stinking like rotten eggs.

Ineffective urging to stool. — Constipation. — *Thin*, *papescent*, sourish smelling *stools*, after a frequent ineffective urging. — Frequent small discharge even of mucus. — *Aqueous diarrhœa*. — *Indigested stools*. — *Involuntary discharge of stool*, at night. — Bloody, purulent evacuations. — Hæmorrhoidal tumours. — Pressure in the rectum.

Retention of urine, with squeezing and pressing in the bladder. — Painful urging to urinate. — Efforts to discharge urine, with involuntary dropping of it. — Frequent discharge of watery urine. — *Brown urine with a lateritious sediment*. — *Hæmaturia*.

On the glans penis an itching red spot. — Inflammation of the glans. — *Blueish-red swelling of the penis and the scrotum*, with tension, soreness and pain as if bruised. — Hard, hot *swelling of the testicles* (caused by a blow) with painfulness when walking, standing, or touching it. — *Hydrocele*. — Stitches in the testicles and the spermatic cord, extending to the abdominal cavity, when at rest.

Menstruation too early. — Discharge of blood from the uterus during the intervals. — *Very painful and tedious afterpangs*.

Cough, mostly dry, caused by a crawling in the trachea, early in the morning, after rising. — Night-cough during sleep. — Cough of children after weeping and crying. — *Attacks of hooping-cough*, commencing with weeping. — Moist cough. — *Hæmoptysis* with *asthma*, agitation of the blood, palpitation of the heart, periodical heat, and increased ejection of a clear frothy blood, with coagulated lumps and slime. — *When coughing*, *stinging pain in the head* or pain in all the ribs, as if they were beaten.

Oppression of the chest. — Difficult *anxious* snuffing *breath*. — Stertorous noise in the trachea. — *Putrid smelling breath*.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Stitches in the breast with obstruction of breath and cough, exacerbated by every motion. — *Rheumatic stitches in the side.* — (*Bastard-pleurisy.*) — *Compression on the chest* and about the heart. — *Wrenching and bruising smart* in the pectoral and dorsal cartilages. — Painful stitches about the heart. — *Jerking heart-beating.* — Red perspiration on the breast. — *Soreness of the nipples.*

Pain in the arm, as if it were beaten, with crawling in it. — *Wrenching pain in the arm and hand-joints.* — Twitching in the arms. — Stinging in the axillæ. — Swollen veins on the hands, with a full strong pulse. — *Pain in the hands as if from a bruise,* and infirmity, when grasping. — Spasm in the fingers.

Legs and feet aching as if beaten. — Tension *drawing* and *weariness in the thighs,* increased by walking. — *Racking in the knee,* or *tension,* as if from shortening of the tendons, increased by walking. — Infirmity and knacking of the knee, with numbness of the feet. — *Rending in the foot-joints* and the heels. — Stinging in the foot-joint, when moving it. — *Crawling in the feet.* — *Erysipelatous inflammation* and *swelling of the feet,* with heat and racking pains. — Swelling of the foot-joint, with painfulness, when moved. — Dark-red, blue or yellowish skin of the foot. — *Hot, red shining swelling of the toes* and the adjoining parts. — *Podagra.*

---

21. Arseniosum acidum.

Arsenicum. — Germ. *Geff.* — *Arsenicum album.*

Duration of effect: about 40 days.

Antidotes: cinchona, graphites, ipecacuanha, nux vomica, sambucus, veratrum: *for poisoning with it:* oxyhydrate of iron or a solution of sulphuretum calcis (or copious drinking of rich milk) or carbonas potassæ shaken with sweet oil, or pap of soap.

Used as antidote for: carbo vegetabilis, cinchona, graphites, ipecacuanha, lachesis, veratrum and injury done by sea-bathing.

It answers well after: aconitum (in colics) arnica, belladonna (in typhus), cinchona, ipecacuanha, lachesis, veratrum.

It may successfully precede: cinchona, ipecacuanha, nux vomica, sulphur, veratrum.

Predominant effects: Paroxysms of pains with *anxiousness, coldness, inclination to lie down, and sudden extreme weakness.* — Pains, beginning with shivering. — Pains with *despair* and *furious impetuosity.* — *Nocturnal pains, perceptible even during sleep;* only endurable by *walking about.* — *Exacerbation* caused by *talking of others,* or when *lying on the diseased part,* or when sitting *after eating,* especially *after dinner,* or in the evening after lying down; *mitigation by external warmth,* or when standing and moving the body. — *Intermittent complaints* every day, or *periodical paroxysms* every three or four weeks. — *Attacks of rheumatic* rending *pains,* continuing six days, with intervals of four days. — *Burning pains in the internal and external parts.* — *Inflammation of internal organs* with vehement burning pains. — *Gastric, bilious* and hysteric complaints. — Dropsical swellings. — Scrophulous complaints.

Benummedness in the limbs, as if they were dead. — *Extreme weakness and atony.* — When lying, one feels strong and wishes to get up, but upon doing so

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

sinks together. — *Fainting fits.* — *Emaciation.* — *Tabidness* and *consumption.* — Jaundice. — Chlorosis. — The face and limbs bloated and œdematous, with a tumid belly and glandular swelling. — *Anasarca.* — Sporadic and *asiatic cholera.* — Obstinate cases of influenza. — *Trembling of the limbs.* — *Convulsions.* — Tonic spasms. — Paralysis.

Dry, parchment-like or *blue* and *cold skin.* — *Rashes* especially white. — *Sebious efflorescence.* — Varioloides. — Nettlerash. — Petechia. — *Blood-blisters* on the surface of the whole body, with putrid fever. — *Black gangrenous blisters.* — Purulent *herpes*, *with vehement burning pain.* — *Ichorous ulcers* with elevated margins or a thin scab. — *Gangrenous or carcinomatous* ulcers. — *Violent pain*, or loss of sensation *in the ulcers*, with pricking and *burning*, particularly, when the parts become cold. — Discoloured nails. — Warts. — Chilblains. — Varicous veins.

Tendency to coma in the evening. — *Nocturnal wakefulness with continual inquietude and tossing about.* — *Starting in single parts or in the whole body, when falling asleep*, or during sleep. — Coma vigil with frequent gnashing of the teeth and whimpering. — *Nocturnal restlessness, anxiety about the præcordia*, and vehement burning under the skin, as if hot water were running through the veins. — Frequent awaking, with difficulty to fall asleep again. — *Anxious dreams.* — Gliding down in the bed.

Universal coldness of the body, with defective pulse, and *clammy cold sweats.* — *Chill and shivering, without thirst*, mostly in the room, or *immediately after drinking.* — Paroxysms of pains, connected with shiverings. — *With the commencement of chills often appear other symptoms.* — Shiverings in the evening with stretching of the limbs and anxious restlessness. — Before the paroxysms, dizziness and great weakness. — During the paroxysms *buzzing in the ears.* — After the paroxysms pressing pain in the forehead. — Before the chills giddiness, fainting, headache with obstupefaction, stitches in the chest, drawing pain in the back and abdomen, vehement stretching, especially in the back, and yawning. — During the chills anxiousness, headache, stinging pains in the head and limbs, acute drawing in the head and the arms, coldness of the abdomen, oppression of the chest, asthmatic complaints, pressing in the pit of the stomach and small of the back, pains in the limbs and the back, yawning and stretching. — After the chills weariness and sleep. — During the heat: restlessness, deliria, inability to recollect, dullness and heaviness in the head, giddiness, headache, anxiousness, earth-colored bloated face, bitter taste in the mouth, white dry tongue, nausea, pressing pain in the liver, hard and painful region of the spleen, distension and fulness in the epigastrium, pressure and burning in the pit of the stomach, inflated hard abdomen, oppression at the chest, stitches in the sides, redness of the skin. — After the fever: pressing pain in the forehead and sleep with dreadful dreams. — *Intermittent fever*, quotidian, tertian, quartan, very often attended with *an indistinct appearance of chills and heat; characterized by restlessness and thirst*, or without thirst during the chills and heat. — Intermittent fever after misuse of cinchona. — Anticipating type. — Fever every morning or every evening. — Febris pituitosa. — Gastric and bilious fevers with vomiting, attended with internal heat, great thirst, cutting pains and diarrhœa. — Typhus putridus. — Typhus with total relaxation, hanging down of the lower jaw, or tendency to apoplexia nervosa. — Febris *putrida* or lenta and other emaciating fevers. — Puerperal fever. — *Universal ardor*,

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

at night *with burning in all the blood-vessels*, without thirst and perspiration. — *The sweat coming on*, after *the fever-paroxysms are entirely over.* — *Perspiration in the beginning of sleep.*

Excessive anxiety and restlessness, which compel to walk to and fro in the daytime, and *to leave the bed at night.* — Great anxiety in *the evening after lying down* or at 3 o'clock in the morning, when awaking. — Religious pensiveness. — *Disinclination to be alone.* — Fear of spectres and thieves. — *Excessive fear of death*, or propensity to commit suicide. — Excessive irritability of the mind. — *Debased state* of the mind, caused by the use of *ardent spirits.* — Ill humor and vexation upon trifles. — Inclination, to talk about the faults of others. — *Insanity.* — Stupidity and imbecility of mind.

Muddled and heavy head, in the house, relieved in the open air. — Dizziness with beating in the head, when rising. — Giddiness in the evening, with danger of falling, when closing the eyes.

Headache, alleviated by putting on cold water, but aggravated, when removing it. — Pressing stunning headache with heaviness in the forehead. — *Beating pain in the forehead* with vomiturition. — Arthritic paroxysms in the head.

External painfulness of the scalp, as if suggilated, especially when touched. — *Swelling of the head* and face. — *Scabs on the head.*

Inflammation of the eyes, with a vehement burning pain. — Arthritic, scrophulous and rheumatic inflammation of the eyes. — *Inflammation of the internal surface* of the eyelids, with inability to open the eyes. — Dim and yellow eyes. — Wild staring look. — Distortion of the eyes. — *Specks in the cornea.*

Buzzing in the ears with difficult hearing, as if they were stopped up.

Swelling of the nose. — Continual *burning in it.* — The cuticle of the nose furfuraceous peeling off. — Carcinoma on the nose.

The face yellow, earth-colored or livid. — Bloated or shrunken face, sunken eyes with livid circles, and pointed nose. — *Disfigured, death-like face.* — Drawing stinging, or *burning pain in the face.* — *Swelling of the face*, especially *below the eyelids.* — Copper-colored eruption in the face. — Herpes farinosus in the face and around the eyes. — *Crusta lactea.* — *Carcinoma in the face.*

Dry, blackish, cracked lips. — Eruption on the lips, on the edge of the red part of them. — *Carcinoma on the lower lip*, with a suety bottom and indurated puffed margins. — *Swelling of the submaxillary glands*, with pain as if squeezed or crushed.

Toothache at night, with pain in the cheeks, throbbing deep in the bone, extending to the ear and temples, increased *by lying on the affected side, relieved by warmth of a stove.* — Toothache, which makes one furious. — Looseness and a sensation of elongation of the teeth. — *The teeth gnash.* — The gums bleed.

Stomacace. — *Aphthæ in the mouth.* — Offensive smell of the mouth. — Brown or *black, parched, cracked tongue.* — Swelling and *gangrene of the tongue.* — Hasty speech.

Pain in the throat, as if from internal (sore burning) swelling, when swallowing. — Constriction in the œsophagus. — *Impeded swallowing*, as if from palsy. — *Burning pain in the œsophagus.* — Oesophagitis.

The food has no taste. — *Bitter taste, after eating* and drinking. — Saltish taste

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

— Languishing *for cold water.* — *Continual longing for liquids, although frequent,* but *inconsiderable drinking.* — *Desire for acids or whisky,* or coffee. — Loathing of food. — Every article of food causes a squeezing in the œsophagus, as if it stuck fast there.

Eructation after eating with pressure in the stomach and nausea. — Rising of an acrid humor.

Nausea, inducing to lay down, especially when exercising. — Continual nausea with vomiting and diarrhœa. — Vehement vomiturition. — Tedious *vomiting of whatever has been eaten.* — Vomiting, first of food, then of bile. — *When taking the smallest quantity of any fluid immediately a vomiting* of a porraceous matter and diarrhœa. — Vehement vomiting of water and slime. — Bloody and *black vomiting* (Hæmatemesis). — During vomiting, anxious pains in the region of the stomach.

Pressure in the stomach, after eating. — *Great painfulness and anxiety about the præcordia and the stomach.* — Spasmodic pains in the stomach. — *Burning in the stomach and the scorbiculus cordis.* — Gastritis. — Induration and *scirrhus of the stomach.* — Herpes in the scrobiculus cordis.

Induration of the liver. — Numbness from the left hypochondrium to the stomach.

Very violent pains in the abdomen, with great anxiety therein. — *Distended hard belly.* — *Cutting pains,* with coldness or internal heat and thirst, attended with vomiting, sensation of heaviness in the belly and diarrhœa. — *Racking in the abdomen.* — *Jerking visceral pains* at night. — Hysteric cramps in the abdomen. — *Excessive burning pains in the whole abdomen.* — Enteritis. — *Swollen indurated mesenteric glands.* — Soft swelling of the belly, painful when touched. — *Ascites.* — Painful swelling of the inguinal glands.

Efforts to stool, with griping in the belly and sensation of *a burning soreness in the anus.* — Slimy, watery, *porraceous, yellowish,* fetid, *putrid* and indigested diarrhœic stools, sometimes with worms. — *Burning evacuations with vehement colic.* — Bloody stools. — Involuntary stools. — *Blackish diarrhœa.* — Tenesmus during evacuation. — *Burning hæmorrhoidal tumours.* — *Burning pain in the rectum.* — Prolapsus ani.

Suppressed discharge of urine and paralysis of the bladder. — Difficult painful urinating. — Involuntary flow of urine. — Bloody *burning urine.* — Muddy urine with a slimy sediment.

Painful swelling of the genitals, almost gangrene. — Blueish red swollen cracked glans. — *Erysipelatous inflammation of the scrotum.*

Menstruation too early and too copious, with different pains and complaints. — Suppressed menses. — Excoriating acrid leucorrhœa. — Carcinoma uteri.

Excessive *flowing catarrh* of an acrid *burning lymph* with hoarseness and wakefulness. — Catarrh, with bleeding at the nose and pressure above the eyebrows. — Dryness and obstruction of the nose.

Trachitis. — *Pthisis trachealis with deficient secretion of slime.*

Cough with stricture of the breast and viscid mucus in the breast. — *Cough,* without expectoration, *especially after drinking.* — Periodical return of a dry evening-cough. — Cough as soon, as one comes in the open air. — Hooping-

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

cough. — *Hæmoptysis* at night, with burning heat over the whole body. — Acute *suppuration of the lungs.*

Short respiration, immediately after eating. — Sudden *stricture* of the breast, with want of breath, weakness and excessive fatigue when exercising. — Stricture of the breast with pressing pain in the pit of the stomach. — Oppression of the chest in cold open air, or when ascending an eminence. — *Suffocating attacks in the evening* after going to bed. — Asthma Milari.

Pressure on the chest, especially in the sternum. — *Constriction of the breast* on every motion, with want of breath. — Hysteric cramps in the breast. — Stitches in the sternum. — *Chilliness in the breast* and in the epigastrium, in the evening. — *Ardor in the breast.* — Pneumonia. — *Angina pectoris.* — *Hydrothorax.* — *Palpitation of the heart*, with great anxiety, especially *at night.* — Vehement, agitated heart-beating. — Carditis. — *Carcinoma of the breast.*

In the *back an excessive ardent pain*, highly increased by touching. — Rending or *drawing in the back* and between the shoulder-blades, with *inclination to lie* down. — Soft painless swelling on the throat and lower jaw.

Tearing in the arms and hands. — *Swelling of the arms*, with putrid smelling *black blisters* on it. — Racking from the elbow to the shoulder, at night; racking and stinging in the wrists. — Cramp and spasm in the fingers. — Hard swelling of the fingers with pain in their bones. — Discoloured nails. — Warts on the arms.

Cramp and spasm in the legs. — Tearing in the legs from the hips to the ankles, which requires a continual motion of the limbs. — *Arthritis ischiatica nervosa.* — Disabling weakness of the thigh. — The knee-joint aching as if beaten. — Shortening of the tendons of the bend of the-knee. — Cramps in the calves. — White swelling on the thighs. — Inveterate *ulcers on the thighs with burning and stinging.* — Hard shining, *ardent swelling of the foot*, with dark-blue *burning blisters* on the back of the foot. — Pain in the balls of the toes, as if galled, when walking.

---

22. Artemisia judaica.

Artemisia santonica. Dubl. — *Wormseed.* — Germ. *Zittwer, Cina.*

Duration of effect: 14—21 days.
Antidote: ipecacuanha?
Used as antidote for: cinchona.
It answers well after: arnica? hyoscyamus.

Predominant effects: Disabling drawing pain in the limbs. — Dull stinging squeezing and pressing or *spasmodic* rending, drawing and jerking, or burning stitches on different parts. — *Jerks with a sensation of lameness.* — Epileptic fits with consciousness (Eclampsia). — Painful sensitiveness of all the limbs when moved or touched. — The greater part of complaints arise when sitting, or at night. — *Verminal disorders.* — Incipient scrophulosis.

Frequent yawning, with trembling and shivering. — *Nocturnal wakefulness, with whining, crying and throwing about.*

Frequent shivering, with trembling, even near a warm stove. — *Intermitting*

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

fever, with vomiting of what has been eaten, and attended with *bulimia*. — Cold sweat on the forehead and hands. — Febris pituitosa and verminosa.

Inclination to weeping and lamentation. — The child whines, when touched. — Continual restlessness with longing for many things, which are disliked again. — Great anxiety and fearfulness, when walking in the open air.

Delirium.

Headache, alternating with pressure in the abdomen. — Stunning *pressure in the head, as if from a weight*, especially, when walking in the open air. — Drawing rending *headache, increased by reading and close thinking*. — Dull morning-headache with irritation of the eyes.

Pressure in the eyes from long close reading. — Spasmodic twitching in the muscles of the eyebrows. — *Dimness of sight*, when reading, *disappearing from rubbing and wiping*.

Spasmodic twitching in the external ear.

Epistaxis. — *Inclination to stir in the nose with the finger*. — Purulent discharge from the nose.

Paleness of the face with a diseased hue about the eyes. — Bloated *livid face, especially about the mouth*. — Spasmodic rending and jerking in the zygomatic bones.

Toothache from the air and cold liquids.

Inability to swallow, especially liquids.

Increased thirst. — Excessive hunger, soon after eating. — Voracity. — Bulimia. — The sucking infants dislike the (healthy) mother's milk.

Vomiting of slime and lumbricoides.

Uninterrupted *griping in the bowels*. — Painful wringing about the navel, which smarts when pressed upon. — Pains in the abdomen, as if preceding menstruation.

Papescent diarrhœa-like stools. — *Discharge of lumbricoides* and ascarides.

Frequent efforts to urinate with a copious discharge. — *Urinal incontinence in bed*. — The urine soon becoming cloudy.

Menses too early and too profuse. — Metrorrhagia.

Frequent sneezing, pressing out the temples, and as it were bursting the chest. — *Flowing catarrh*, with *burning in the interior of the nose.*

Much phlegm in the trachea, which requires a frequent hawking.

Cough, excited by deep inspiration. — Hoarse short coughing, in the evening. — *Dry spasmodic cough*, succeeded by want of breath, anxiety, pale face and moaning. — *Hooping-cough*, sometimes after measles. — Cough with sudden startings and unconsciousness.

Asthmatic affection and anxious oppression of breath, as if the sternum were too closely adjacent. — Short, often interrupted, or gasping respiration.

Spasmodic rooting in the breast, as if it would burst. — Twitching and boring stitches in the breast.

The small of the back smarting, as if beaten. — Drawing or jerking rending in the back.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Disabling drawing and rending in the arms. — *Spasmodic rending in the arms and hands.* — Contraction and jerking of the hands and fingers.

Disabling or *spasmodic rending* and drawing in the legs. — Spasmodic stretching of the legs.

23. Arum.

Arum maculatum. — Common arum. — Germ. Gefleckter Aron.

The gums easily bleeding.

Pain in the throat with difficult swallowing, as if from a *constriction of the œsophagus*, with pressing and a continual provocation to swallow.

Anxious pressure in the abdomen extending towards the breast and throat, attended with difficult swallowing and great inclination to it.

Clear, watery urine, smelling like burnt horn, and exhibiting a cloud, when remaining for some time.

Universal exhaustion. — *Invincible sleepiness after eating*, and a red face, during sleep.

24. Asarum.

Asarum europæum. — Asarabacca. — Germ. Haselwurz.

Antidotes: camphora; acetum.

Excessive sensibility of all the nerves. — Jerking rending and spasmodic drawing, especially in the extremities. — Great weakness, chiefly after dinner, with sluggishness and aversion to labour. — In the evening, weakness and tendency to vomit, inducing to lie down. — *Great lightness in all the limbs*, on walking, an impression as if floating in the air. — *Verminal complaints.* — Gastric and bilious complaints.

Sleepiness in the daytime. — Sleep in the evening prevented by an agitation of the blood. — Irritating troublesome dreams.

Prevalent coldness, chills and shivering.

Melancholic peevishness.

Dull straining or *pressing perturbation of the head*, with inability to any labour. — *Vanishing of thoughts.* — Giddiness as if from intoxication, when rising from the seat and walking about.

Headache, produced or increased *by close thinking.* — Stunning drawing or *pressure in the head*, especially in the temples, the forehead, and above the root of the nose. — Pressing outward or together in the sides of the head. — Attacks of *arthritic pain* in the left side of the head, every afternoon at 5 o'clock. — Pulsation and throbbing in the head, especially in the forehead, when bending.

Tightness of the scalp and soreness of it.

The eyes aching, as if they were pressed asunder, when reading. — Pulsating rending in the eyes. — Sensation of coldness in the canthi. — *Burning and sensation of dryness in the eyes.* — Eyes without lustre. — *Twitching of the eyelids.* — Obscuration of the eyes.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Painful earache, like a squeezing tension on the orifice of the auditory passage. — Heat in the external ear. — *Difficult hearing* (Dysecoia) as if from *stoppage* or *constriction of the auditory passage.*

Sensation of warmth and a burning stinging in the cheeks.

Sensation of coldness in the (upper-, fore-) teeth.

In the mouth and on the tongue pricking and burning. — Contraction in the mouth with *collection of much* cool watery *saliva.* — Much viscid slime in the mouth and throat.

Bitter taste of bread and tobacco. — Rising of much wind from the stomach and vacant eructation. — Hunger with a sensation of fulness in the stomach.

Nausea with loathing and shivering. — Tendency to vomit with pressure in the forehead and gathering of much water in the mouth. — *Vehement ineffectual vomiturition* with exacerbation of all complaints. — *Vomiting with great exertion* and pains in the stomach, epigastrium and the head, attended with excessive anxiety. — Vomiting with diarrhœa.

Pinching in the stomach. — Pressure on the region of the stomach and scrobiculus cordis. — Constriction of the region of the diaphragm.

Distention of the abdomen with sensation of fulness therein. — Cutting pain in the epigastrium. — *Painful colic*, especially with *vomiting*. — *Herniæ inguinales.*

Purging stools of a white viscid mucus, *with discharge of ascarides.* — Whitish-gray, ash-colored stools.

Urging to urinate, almost continually. — Pressure upon the bladder during and after urinating.

Abortus.

Cough from irritation in the larynx, with copious expectoration of phlegm.

Short breath from constriction of the larynx.

Pressure on the chest. — Constriction in the lungs. — *Stitches in the lungs*, when inspiring. — Twitching of the muscles about the clavicles.

The back aches as if beaten, with disability between and on the shoulder-blades. — *Spasm in the throat and neck.* — Cramp in the muscles of the throat, drawing the head aside.

The shoulder-joint aches as if wrenched, in moving the arm. — Disabling *drawing in the wrists and fingers.*

Dull pressing pain in the hip-joint and thigh, especially when stepping and walking. — *Spasm in the thighs.* — Drawing in the knee and tendons of the hollow of the knee. — Weakness of the legs and knees, with staggering in walking. — Twitching of muscles in the calves.

---

25. Assa fœtida.

Ferula Asa fœtida.* — *Assa fœtida.* — Germ. *Stink-Asant.

Duration of effect: about 50 days.
Antidotes: causticum, cinchona; electricitas.
Used as antidote for: hydrargyrum.
It answers well after: thuya, pulsatilla.
After it answers well: causticum, pulsatilla.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Predominant effects: Regularly intermitting, mostly spasmodic jerking, or *squeezing* or dull *stinging*, or rending *pains*, from *inside extending outward*, decreased *by touching* or *changed into others*, sometimes accompanied with sensation of torpidity. — Pains in the bends of the limbs. — The complaints appearing on sitting, decrease and disappear by exercise in the open air. — *Involuntary twitching and quivering of single muscles* or muscular fibres. — Hypochondriac and *hysteric complaints.* — *Bleeding* from different organs. — Gastric and bilious disorders. — *Scrophulous*, rhachitic complaints. — *Osteomalacia* and curvation of the bones. — Scraping and boring in the periosteum. — *Painful ostitis* (inflammation of the bones), sometimes after *misuse of mercury*, and inveterate syphilis. — *Caries.* — Deep-red hot tumefaction of single parts. — Glandular tumefactions.

Sensation of heaviness in the whole body. — The body, and the face bloated with a tumid belly. — *Chorea sancti Viti.*

External inflammations with tendency to suppuration. — Ulcers with hard, livid margins, very sensible to the touch. — *Thin, ichorous stinking pus.*

Great inclination to sleep. — Many dreams, mostly cheerful.

Sensation of heat in the face, without thirst, attended with anxiety and drowsiness after eating.

Hypochondriac and *hysteric restlessness and anxiety.* — Unsteadiness. — Ill humor and aversion to labor. — Great irritation, with indifference to all things.

Confusion and *turning in the head.* — Squeezing pressing dullness with difficult thinking. — Dullness of senses, without decrease of consciousness.

Pain in the head, disappearing *by touching*, or changing *into pains of an other kind.* — Stunning tension in the head. — Dull piercing or *pressing*, as if from a plug, from *inside* to *outside*, especially in the forehead, *the sides of the head* and *the temples.* — Constringing headache. — *Congestion to the head* and throbbing in it. — Spasmodic pain in the forehead, above the eyebrows.

Pain, as if there were sand in the eyes (ophthalmodynia arenosa) with sensation of coldness. — *Burning in the eyes* with compression of the lids, as if from sleepiness. — Unpleasant dryness in the eyes. — Quivering of the eyelids. — Obscuration of the eyes, when writing.

Earache with squeezing. — Dysecoia with *purulent discharge from the ear*, after misuse of mercury.

Pain in the nose, like pressing outward, especially in the wings. — Tightness with *numbness on the nasal-bones.* — Discharge of a greenish, fœtid, *purulent matter from the nose.*

Pain in the face, mostly straining, with *benumbedness in the facial*, especially in the zygomatic *bones.* — Pressing forward in the face. — *Dull squeezing on the chin.* — Spasmodic pain in the lower jaw. — Swelling of the lips with pricking.

Dry mouth with burning and soreness. — Sense of dryness in a moist mouth.

Pain in the throat, *as if from a rising body in the œsophagus*, with pressure therein. — Burning, *dryness* and soreness in the *œsophagus*, with straining, when swallowing. — Oesophagitis.

Taste mostly bitter, rancid or fatty. — Insipid taste with nausea, as if from a vitiated stomach, caused by gross food. — Aversion to beer, which has a slimy taste.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Eructation, of a garlic-like or acrid, rancid taste.

Pressure in the stomach with straining and *rising in the œsophagus*, after eating. —Contracting cramp in the stomach. —Sensation as if bruised, and *fulness in the region of the stomach.* — Burning in the stomach and about the diaphragm. — Gastritis. — Visible and sensible *pulsation in the pit of the stomach.*

Pain in the liver mostly pressing or stinging. — Piercing in the hypochonders, from inside outward, when breathing.

Abdominal pain with excessive uneasiness in the abdomen and troublesome apprehension. — Pressure and *shooting pain in the sides of the abdomen.* — Excessive distension of the abdomen. — *Heaviness in the abdomen*, with coldness, especially after drinking. — Stinging about the navel. — *Griping flatulent colic.*

Alvine obstruction with discharge of much fœtid wind. —Much urging to stool, with costiveness or tardy, difficult, indurated fæces. — Brown, pappy, yellowish, fœtid, *purging stools*, mostly with *pain in the bowels* and escape of much wind.

Pressing outward in the perinæum.

Urine brown, of an acrid, pungent smell. — *Spasm in the bladder, during and after urinating.*

Pressing towards the genitals, with pain in the testicles.

Menstruation too early and in too small a quantity. — Pressing, resembling pangs towards the uterus.

Hoarse hacking cough with asthmatic affection in the trachea.

Oppression of the chest, especially when lying down after dinner, with *accelerated respiration* and small pulse. — Spasmodic asthmatic sensation, as if the lungs could not be sufficiently extended.

Pressure on the breast with stinging, especially on lying down, with difficult hiccupping respiration. — *Pressing in the sternum.* — Stitches from the inside of the breast outward. — Pulsation and *throbbing in the breast.* — *Palpitation of the heart.*

Violent pain in the back. — Piercing pain in the lumbar muscles.

Frequent twitching of the muscles in the arms and hands. — Rigidity and numbness of the hands.

Arthritis ischiatica. — *Twitching of the muscles in the legs and feet.* — Rigidity and numbness of the feet. — Cold *swelling around the ankles.* — Painful *throbbing in the big toe.*

---

26. Aurum.

Gold.* — Germ. *Blattgold.* — *Aurum foliatum.

Duration of effect: about 40 days.

Antidotes: belladonna, cinchona, cuprum, hydrargyrum.

Used as antidote for: spigelia.

Predominant effects: Pain as if beaten with a *disabling rending*, chiefly in the extremities and particularly *in the joints*, exacerbated when uncovering the parts, and *in the morning*, *after awaking*, at rest; disappearing after rising. — Stinging

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

pain in the limbs attended with exceeding weakness. — *Nodous gout.* — Scrophulous complaints. — *Disorders and complaints caused by misuse of mercury.* — Inveterate syphilis. — *Ostitis* with nocturnal pain. — Caries. — *Dropsical tumefaction* of single organs or of the *whole body.* — Very acute and nice feeling, with *excessive susceptibility of every pain.* — Hypochondriac and *hysteric complaints* and *cramps* with alternating laughing and crying. — Gastric and bilious complaints. — Great *sensibility to cold*, or *great inclination to the open air*, even during unpleasant weather, the patient feeling well in it.

Rhagades. — Carcinomatous and *mercurial ulcers.*

Sleepiness, after dinner. — Night-sleep enduring only till 4 o'clock in the morning. — In the morning, after awaking, unrefreshed, tired and weak. — Restless sleep *with anxious dreams.* — Nocturnal delirium.

General febrile shivering, *in the evening in bed*, without thirst and not succeeded by heat. — *Coldness of the whole body*, attended *with blue nails*, insipid taste and inclination to vomit and sometimes succeeded by increased warmth. — Heat in the face with cold hands and feet. — Profuse, general perspiration in the morning.

Melancholy with *restlessness* and desire for death. — *Irresistible inclination to weep.* — Desire after relations, like home-sickness. — *Great anxiety*, *approaching suicide*, with spasmodic contraction in the abdomen. — Excessive hesitation. — *Despair about himself and others.* — Crabbed aversion to speak. — *Melancholic and quarrelsome.* — *Irritable* and *impetuous.* — Alternation of merriment, irritability and *dolefulness.*

Weak memory. — Imbecile power of thought.

Fatigue by mental labour. — Sudden insensible dullness.

The head aches, *as if beaten*, in the morning or in *mental exertions*, superinducing a confusion of ideas. — Pain in the head, as if air were passing through it, when it is not kept warm. — Rending headache. — Cleaving and throbbing on one side of the head. — Arthritic paroxysms in the head. — *Congestion to the head.* — Raging and roaring in the head, in hysteric persons.

Painfulness of the bones of the cranium, when lying down. — Nodes on the head. — The hair falling off.

Pain in the eyes, increased by touching, as if the eyeballs would be pressed inward. — *Tension in the eyes* with diminished power of sight. — Burning pain in the eyes with redness. — Ophthalmitis scrophulosa. — *Protruded eyes.* — *Specks on the cornea.* — *Amaurosis* from palsy of the optic nerves. — Horizontal hemiopsia. — *Scintillation and fire* before the eyes. (Photopsia.)

Earache, like a tension in the internal ear. — *Caries of the mastoid process.* — Fetid purulent discharge from the ears. — Difficult hearing, from the elongation of the tonsils, attended with difficult speaking. — *Buzzing in the ears.*

Pain in the nasal bone, when touched. — Pricking in the nose. — Red, inflammatory swelling of the nose. — *Caries in the nose.* — The cavity of the nose sore and covered with thick scabs. — Carcinoma of the nose. — Porraceous, fetid, purulent discharge from the nose. — The epidermis of the nose furfuraceous peeling off. — Exquisite sense of smelling. — Sweetish or putrid or whisky-like smell in the nose.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

The face bloated and shining, as if from sweat. — *Inflammation of the facial bones.* — *Tumefaction of the cheeks.* — Swelling of the frontal bone, the upper-jaw and nasal bones. — On the forehead and the nose a red desquamating eruption. — Drawing in the jaw with swelling of the cheeks. — *Straining pain in the upper-jaw.* — Pain in the submaxillary glands.

Toothache with heat of the head, from congestion to the head. — Looseness of the teeth. — Parulis with swelling of the cheek.

Offensive smell out of the mouth, putrid as if from stale cheese. — Boring pain in the palate. — *Caries in the palate.*

Taste, milky or sweet. — Aversion to food, especially to meat. — Excessive desire for coffee. — *Strong hunger and thirst.*

Pain in the stomach, as from hunger. — Excessive soreness in the pit of the stomach. — Swelling of the pit of the stomach and hypochonders with stinging pain, when touched.

Abdominal pains with uneasiness in the belly and efforts to stool. — Stretching pressure and fulness in the hypogastrium. — Distended abdomen. — Bony excrescence in the cavity of the pelvis. — *Inguinal herniæ,* especially in childern. — *Protruded inguinal herniæ.* — *Nocturnal flatulent colic* with griping, grumbling and rumbling in the hypogastrium. — Frequent expulsion of very fetid wind.

Copious alvine evacuations. — Nocturnal diarrhœa.

Suppressed discharge of urine. — *Painful retentio urinæ* with urging and pressure upon the bladder. — Frequent discharge of aqueous urine. — Muddy urine, like butter-milk, with much slimy sediment.

Excited sexual passion. — Excessive affection of the whole genital system. — *Nocturnal erections and pollutions.* — Discharge of the prostatic fluid from a lax penis. — *Swelling of the testicles* with squeezing pain when touched and rubbed. — *Induration of the testicles.*

Induration and *prolapsus uteri.*

Flowing or checked catarrh. — Obstruction of the nose.

Much phlegm in the trachea and in the breast, hawked up with difficulty in the morning.

Constriction of the breast, at night and when walking in the open air, requiring deep inspirations. — *Suffocating attacks with constringing oppression of the chest.*

Pain in the breast, as if from an obtuse plug below the ribs. — Continual pressure in the left side of the breast. — Dull cutting and stinging near the sternum. — *Excessive congestion to the breast* and vehement *palpitation of the heart.* — Tedious disorders of the heart.

Pain in the back, mostly pressing or rending and *so vehement,* that it prevents moving the limbs early in the morning.

Pressing pain in the upper- and fore-arms. — *Spasm* and *rending in the wrists* and metacarpal bones. — Disabling *rending* in the bones and *joints of the fingers.*

Ischias. — Rending in the thighs in the morning and evening. — Painful disability of the knees, as if they were underbound, attended with weakness and reeling. — Disabling drawing and *rending in the bones* and *joints of the toes.*

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

27. Badiaga.

(*A Russian alga.*)

Duration of effect: about 40 days.
After it answers well: Lachesis.

Scrophulous inflammation of the eyes, induration and suppuration of glands. — Disorders in manhood, after the scrophula has disappeared in puberty. (It is externally used in Russia as a popular remedy for the livid marks of blows and bruises, which it is said to take away in a few hours.)

NB. Symptoms of this remedy will be published by Hahnemann.

---

28. Barytæ carbonas.

Carbonate of barytes. — Germ. *Kohlensaure Schwererde.*

Duration of effect: about 50 days.
Antidote: camphora.
It answers well after: tartras antimonii, in paralysis of the lungs.
After it answers well: tartras antimonii, in affections of the breast of aged people.

Predominant effects: Pains in the joints and hollow bones. — Squeezing, or drawing with weakness, or *tension*, as if shortening of the tendons, in different parts. — Rheumatism with chilly shiverings. — *Nocturnal twitching in the muscles, sometimes all over the body.* — Jerking and starting of single limbs and of the whole body, in the daytime. — The complaints chiefly attack the left side, mostly originating in sitting and disappearing by exercise in the open air. — *Scrophulous complaints.* — Tumefaction and induration of glands.

Heaviness in the whole body. — Excessive affection and irritation of all the senses. — Great weakness and *infirmity*, which prevents standing. — *Inclination to lie down* or to sit. — *General mental, nervous and bodily weakness*, especially in *old men.* — *Emaciation* or bloatedness of the body and the face with tumid abdomen, *in children.* — *Apoplexy with paralysis*, in aged persons. — *Great liability to take cold*, especially inflammation of the throat from it.

Itching, crawling and *burning stitches on different parts.* — Nocturnal itching and unpleasant crawling over the whole body. — *Sore and oozing spots* on the skin. — Skin difficult to be healed. — *Warts.* — Panaritia.

Drowsiness in the daytime. — *Coma vigil* both day and night. — Restless sleep at night, with frequent awaking and anxious dreams. — Nocturnal agitation of the blood, excessive palpitation of the heart, a sensation as if sore in the heart, and great anxiety, with inability to lie on the left side.

Inclination to chilliness. — Chilly shivering with goose-skin and bristling of the hairs, or tension in the face. — Shivering originating in the pit of the stomach or in the face, succeeded by flushes of heat. — *Night-sweats.* — Hectic fever.

Inclination to weep. — *Avoiding company.* — Anxious solicitude about domestic affairs. — *Excessive apprehension* and *irresolution* with suspiciousness and want

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

of self-confidence. — Timidity and cowardice. — Reluctance to play, in children. — Sudden irritation about trifling things. — *Restless activity.*

Excessive forgetfulness. — Inattention of children while learning.

Giddiness with nausea and headache, from *stooping*.

Headache, mostly pressing and particularly in the forehead, *immediately above the eyes* and the root of the nose, or, with tension *in the occiput, towards the neck.* — *Stinging headache*, especially near a warm stove. — Mooting in the head, with a sensation, as if the brain were loose.

Tenderness of the scalp. — *Liability to take cold in the head.* — Itching and pricking on the scalp. — *Eruptions and dry scabs on the head.* — *Baldness.*

Pressure and *burning in the eyes*, especially when straining the sight. — *Inflammations of the balls and lids* of the eyes, with soreness, sensation of dryness and photophobia. — Swelling of the eyes in the morning. — *Suppurative cementing of the eyelids.* — Dimsightedness. — Flying webs and dark specks before the eyes. — Coruscation before the eyes in the dark. — Blinding of the eyes from light.

Itching on the ears. — Nocturnal throbbing in the ears when lain upon. — *Eruption on and behind the ears.* — Tumefaction of the parotides. — Dysecoia. — Tinkling and *buzzing before the ears.* — *Knacking* and *cracking in the ears, when swallowing*, sneezing and walking quickly.

Epistaxis, after blowing the nose. — Scabs under the nose. — Very delicate smell.

The face dark-red, with purple-red lips and strong agitation of the blood. — Sensation of swelling and *tightness in the face*, as if it were covered with spiders' web. — Inflammatory pain in the face with *straining tumefaction.* — *Eruption in the face.* — *Crusta lactea.* — Dry cracked lips. — When compressing the jaws, a severe pain in the joint. — *Swelling of the submaxillary glands.*

Toothache, only in the evening in bed, not in the daytime. — Drawing, throbbing and *jerking in the teeth*, extending to the ear and the temples. — Burning stings in carious teeth, when touched by warmth. — *Toothache before the menses*, or after taking cold, with pale-red *swelling of the gums* and the cheek. — Bleeding of teeth and the gums.

Dry mouth. — Increased collection of saliva. — Offensive smell out of the mouth. — Inflamed vesicles in the mouth and on the tongue. — Sore burning *cracks in the tongue.*

Pain in the throat, after taking cold, with swelling of the palate and the *tonsils*, which suppurate. — *Sensation as if a plug were in the throat.* — Choking and contracting in the throat. — Pricking and rasping *pain in the throat, when swallowing.*

Taste bitter or vitiated, *mostly in the morning*, with an excessively furred tongue. — *Sour taste*, chiefly before, not after eating. — Continual thirst. — *Diminished appetite* and sudden satiety, *the meals relishing.* — After dinner uneasiness, sluggishness and aversion to labour. — *Indigestion.*

Eructation after eating. — Much vacant and sour eructation. — Tedious nausea.

Stomach-ache, while fasting, *after eating*, and when touching the pit of the stomach. — Tenderness and pain in the pit of the stomach, with every step. — *Pressure*, heaviness and fulness *in the stomach* and the scrobiculus cordis, after a

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

small meal. — *Soreness in the region of the stomach*, with a sensation during eating, as if every bit were to be forced through sore spots. — Gastritis.

Pain in the abdomen, relieved by eructation and external warmth. — Painful inflation and distension of the abdomen. — Belly-ache with retraction of the navel. — Griping and *cutting in the abdomen*, with efforts to stool, as if diarrhœa would originate. — Accumulation of wind in the abdomen.

Stool difficult and clotty, or hard and insufficient. — *Frequent efforts to stool with an anxious smart in the lumbar region*, shivering over the thighs and succeeded by *soft* or *purging stool*. — *Sudden, hasty evacuations*, which scarcely can be retained. — Discharge of lumbrici. — *Hæmorrhoidal tumours* with stinging pain. — Itching, burning, *soreness and moisture on the anus*.

Urging to urinate, and *frequent copious urinating*. — *Sudden hasty urinal discharge*, which scarcely can be retained.

Diminished sexual passion and weak sexual power. — Falling asleep during cohabitation without emission of semen. — *Soreness and moisture between the scrotum and the thigh*.

Diminished sexual passion in women. — Menses too short and too small in quantity. — Leucorrhœa immediately preceding the menses. — Before the menses toothache with swelling of the gums, or pain in the *abdomen and heaviness* in the legs; during the menses abdominal pains.

Flowing catarrh with dry cough and hollow deep voice. — Copious discharge of thick mucus from the nose. — Uneasy dryness of the nose.

Hoarseness and *aphonia from* viscid *slime* in the larynx and *the breast*.

Dry cough in the evening. — *Night-cough* with furred tongue and chest surcharged with phlegm.

Asthmatic affection. — *Paralysis of the lungs*, and choking rheum.

Pains in the breast, which are relieved by eructation or external warmth. — Pressing fulness and heaviness in the breast, especially when ascending, connected with stitches, when breathing. — *Strong heart-beating*. — *Palpitation of the heart*, when lying on the left side, or renewed when thinking of it.

Pains in the back, worse when sitting, than when moving. — *Straining stiffness in the back*, worst in the evening, so that one can neither rise, nor bend backward. — Straining in the shoulder-blades, the neck, and the muscles of the throat, especially in rough, cold air. — Burning and *throbbing pulsation in the back*, especially after emotions of the mind. — *Stiffness of the nape*. — Stinging in the nape. — *Pains in the bones of the neck*. — Steatome in the neck, with burning in the depth. — *Glandulous swelling in the neck* and on the throat, as hard as a stone.

Swelling of the arms *with pain in the axillary glands*. — When raising the arm, pain in the deltoid-muscle. — Benumbness of the arms when lying upon. — Cold hands with livid spots. — Swollen veins and redness of the hands. — Parchment-like dryness of the hands. — Trembling of the hands, when writing. — Excessive crawling and prickling in the palm of the hands, with provocation to friction. — The skin of the back of the hands and tips of the fingers peeling off. — Numbness of the fingers. — Panaritia.

Pain in the hip-joint, as if it were wrenched or stiff. — *Tightness in the legs*, as if the tendons were too short. — *Drawing and rending in the legs*, as if in the

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

bones. — Itching on the thighs, at night. — Stinging pain in the joints of the knees. — Straining in the skin and the calf of the leg. — Spasm in the calves and toes, when stretching out the parts. — Restlessness and trembling in the legs and feet. — Pain in the foot-joints, as if sprained. — *Stinking foot-sweat.* — Ulcers on the feet. — Painful lymphatic swelling on the ball of the big toe. — Pain in the callous skin of the soles, when walking, as if corns. — *Corns* with a burning stinging and pinching.

---

29. Barytæ murias.

Muriate of barytes. — Germ. Kochsalzsaure Schwererde.

Atony, so excessive, that he cannot keep himself up. — Relaxation and decreasing of power, he can scarcely move a limb. — Syncope. — Inflexibility and insensibility, with periodical convulsions. — Universal disability. — Trembling limbs. — Convulsive trembling. — Twitching in the face, or single limbs, or all over the body. — Periodical convulsive attacks with concussions, throwing the body about. — Death with vomiting and convulsions.

Pricking in the skin. — On spots void of the cuticle, a burning and pricking. — Dermatitis. — Small scabby eruption on the head, neck, abdomen, and thighs. — Scrophulæ. — Increased excitation in inflamed suppurating glands, augmented secretion of pus, redness, and cicatrization. — Hæmorrhages.

Universal dry heat, day and night. — Redness and heat in the face. — Pulse frequent, full. — *Tertiana.* — Increased perspiration. — Cold sweat.

Vehement anxiety with cardialgia, nausea and vomiturition.

Vertigo, turning before the eyes. — The head affected and heavy. — Headache with vomiting.

Scabs; very purulent eruption on the scalp. — Scabious eruption on the head and throat. — Itching eruption in the neck.

The eyes motionless. — Catarrh of the eyes, ears and nose. — Deafness when vomiting. — Dilated pupils with staring and insensibility.

Drawing in the facial muscles. — Near the tip of the nose a sore node, minutely pricking.

Pricking, pulsating toothache, chiefly after sleeping, after midnight. — Loose teeth.

Swelling of the salivary glands and the palate. — Furred tongue. — The tongue and mouth dry. — Stench from the mouth, as if from mercury. — Putrid taste in the mouth, also of the food. — Loss of appetite. — Thirst. — Difficult swallowing.

Loathing. — *Inclination to vomit.* — Vomiturition. — Vomiting in the morning connected with anxiety. — Vomiting of a small quantity of nauseous matter.

Weak stomach. — Pressure and spasm in the stomach. — A sensation of warmth arising from the stomach to the breast and head. — *Burning* in the stomach with vomiting. — The membranes in the stomach blue-red with red spot in the muscular part. — *The fundus of the stomach inflamed with isolated ecchymoses.*

Tumefaction of the liver. — Wormsickness.

Burning pain in the abdomen.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

The fæces covered with slime, porraceous, and curdled. — Soft stool. — Tedious diarrhœa without visceral pain. — Enteritis and enterorrhagia.

Frequent urinating, involuntary and painful. — Diabetes. — White sediment in the urine. — (Gonorrhœa secundaria.) — (Swelling of the testicles.)

Frequent seminal emissions. — The menses excited. — Squeezing pain in the cavity of the pelvis.

Catarrh and heat. — In the upper part of the breast internal heat. — Oppression of the chest.

Asthma humidum. — Cough. — Accelerated heart-beating. — Palpitation of the heart. — When dead, the heart beats yet for a long while. — The ventricle of the heart filled with coagula.

Pain in the back. — In the arm a painless jerking, chiefly at night. — Cramp in the toes. — Straining in the thighs. — Tumefaction of the hands and feet. — (Dropsy after scarlet-fever.)

---

30. Belladonna.

Atropa Belladonna. — Deadly nightshade. — Germ. Tollkirsche.

Duration of effect: in acute cases a few days, in chronical cases about 60 days.

Antidotes: coffea, hyoscyamus, pulsatilla, sulphuretum calcis, vinum; in cases of poisoning coffea tosta.

Used as antidote for: aurum, cuprum, ferrum, hydrargyrum, platina, plumbum, sulphuretum calcis; — cinchona, conium, hyoscyamus, senega, stramonium, toxicodendron, valeriana; crotalus and Lachesis.

It answers well after: acidum arseniosum, acidum nitricum, hydrargyrum, sulphuretum calcis.

Acetum applied after it, frequently causes exacerbation.

Predominant effects: Rheumatic pains, pressing and rending, chiefly *in the extremities.* — Stinging in the limbs. — Pain in the joints and bones, as if beaten. — Bilious and *gastric complaints*, especially with a *sour taste of bread.* — Bad effects of fear or grief. — *Disorders from taking cold.* — Rhachitic and scrophulous complaints. — Jaundice. — Bad consequences from misuse of valeriana and mercury. — *Congestion of blood to different organs.* — *Inflammation of internal organs*, with inclination to suppuration, or with *nervous complaints.* — *Excessive irritability of all the senses.* — Hysteric attacks of a spasmodic kind. — *Convulsions and cramps* in single limbs and of the whole body. — *Convulsions of children*, caused by obstinacy. — Backward bending cramps. — *Tetanus.* — Convulsive fits with *stiffness of the whole body* and clinched thumbs. — *Epileptic convulsions.* — *Before* the attacks smiling, or sensation of numbness and formication in the shoulder-joint, or cutting pain in the abdomen, with determination to the head, and unconsciousness; *after* the attacks, oppression of the chest, as from a weight. — *The attacks returning from the least touch.* — *Apoplectic fits*, sometimes *nervous*, with *paralysis of single parts.*

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Restlessness, heaviness and coldness of the limbs. — *Trembling of the extremities* when walking. — Lassitude and tiredness, especially in the legs. — Faintness with agitation of the blood and congestion to the head. — *Corpulent and plethoric habit.* — Bloated body and face with a tumid abdomen, in children.

Uniform, *smooth*, shining *scarlet-redness of the skin*, with *dryness*, *heat*, itching, *burning* and *bloatedness* of the parts affected, especially on the face, neck, breast, abdomen and hands. — *Smooth*, *genuine scarlet-fever.* — Elevated, confluent scarlet-spots on the limbs. — *Scarlet-red purples over the whole body.* — Measles. — Vesicular eruption with scabs, whitish border, and œdematous swelling. — *Carbuncles.* — *Furuncles*, returning every spring. — Stings of bees. — Chilblains.

Sleepiness in the daytime with restless sleep at night. — *Coma vigil.* — *Sopor.* — The sleep prevented by anxiety or perturbed by anxious dreams. — Frightful phantasms, and jerks when closing the eyes. — *Fearful starting during sleep* with staring eyes. — Nocturnal *reveries and deliria* with restlessness and agonizing tossing about. — Nightmare.

Chilly shiverings on the shoulders and the back, with nausea. — Shaking chills with soreness and drawing in the back and the limbs. — Chills and coldness of single parts (of the extremities), while other parts (as the head) are affected with burning heat. — *Alternately chill and heat.* — *Evening-fever*, first shivering, then *heat with thirst, congestion to the head and pressure in the forehead.* — Night-fever. — Quotidian, double quotidian and tertian fever. — Shivering or vehement chill in the back, or in the pit of the stomach, or on the arms. — Small slow pulse. — Continual fever with exacerbation in the evening. — Universal *constant* internal and external *burning heat with restlessness.* — Quick, hard, tense pulse. — *Throbbing of the arteries.* — *Inflammatory*, catarrhal, rheumatic, pituitous, putrid, *puerperal*, milk- or *typhus-fever with unconsciousness*, or with *vehement deliria*, attended with screeching, raging, tossing of the extremities and flinging.

Sadness and *hypochondriac dejection.* — Crying, shrieking, and *fretful whining* of children. — *Anxiety and restlessness.* — *Timidity* and despondency. — *Distrustfulness.* — Complaining *fearfulness* and *inclination to run away.* — Easily to be frightened. — Disinclination to speak. — Aversion to labour and exercise. — *Excessive caprice.* — *Insanity* and *fury* with biting, spitting, flinging, bellowing and tearing things. — Impudence. — Hasty speaking, reaching about and grasping with the hands in the air.

Unconsciousness and obstupefaction. — *Senselessness and thoughtlessness.* — Confusion of mind after fright and grief. — *Insanity with ridiculous jests.* — *Fantastic illusions* with frightful visions. — *Delirium.* — Reveries. — Forgetfulness. — Inability to express himself properly.

Intoxication and *reeling*, especially after eating and drinking. — *Giddiness, with anxiety and unconscious falling* on the left side. — *Vertigo* with nausea, and glistering before the eyes, especially when stooping and rising.

Headache, every day, from 4 o'clock in the afternoon until 3 o'clock in the morning, exacerbated by warmth of the bed and lying down. — *Headache after taking cold in the head.* — *Stunning headache*, chiefly in *the forehead, with unconsciousness*, or with a sensation, as if the head would fly open. — *Periodical*

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

nervous headache. — Squeezing, sensation of distension and pressing asunder in the brain. — Rending and stinging in the head. — Jerking headache, when rapidly walking and ascending steps. — *Congestion to the head, with internal* and external *heat* of it, and with *distension and throbbing of the veins* in it. — *Phrenitis.* — *Hydrocephalus internus.* — Bubbling in the head, as from water. — The headache increases by moving the eyes, jarring, leaning on, or bending backward and by draft of air. — Pains in the head, which become relieved by leaning on or bending backward.

Sensation, as if the cranium were too thin. — Spasmodic pain in the scalp. — Profuse perspiration in the hairs. — Shaking of the head or bending backward of it. — *Mooting on the pillows with the backpart of the head.*

Pain in the orbits. — Vehement *pressure through the eyes* into the head. — Congestion of blood to the eyes with turgid veins in them. — *Heat in the eyes.* — Itching and burning of the eyelids. — *Red* mollified *conjunctiva.* — *Inflammation of the eyes* with swelling, redness and *eversion of the eyelids.* — Inflammation of the eyes from taking cold, in newborn infants as well, as in arthritic and scrophulous persons. — *Fungus medullaris in the eye.* — The sclerotis of a yellowish hue. — *Maculæ corneæ.* — Dim, weak, lustreless, or shining, red, sparkling eyes. — *Wild, unsteady look.* — Continual efflux of acrid burning tears. — Cohesion of the eyelids, and *bleeding*, when opening them. — The eyelids heavy and falling down as if palsied. — *Half open, protruded,* staring eyes. — *Distortion, spasm* and convulsion *of the eyes,* caused by light. — *Dilated pupils.* — Dimness of sight, as if mist before the eyes. — *Night-blindness* commencing with the evening twilight. — *Amaurosis* from paralysis of the optic nerves. — *Squinting.* — Diplopia. — Variegated radiance around the candle, and red colours on objects. — Photopsia. — *Shunning light.* — Light-hunger.

Spasm in the ears with boring and screwing. — Stinging in and behind the ears. — Rending and stinging from the parotides into the œsophagus. — Inflammatory *swelling of the parotides.* — Inflammation of the internal and external ears with a purulent discharge. — *Dysecoia from taking cold in the head.* — Tinkling, roaring and rustling in the ears.

The nose, when touched, aching as if bruised, with burning. — Pricking in the nose during night. — *Inflammatory swelling and redness of the internal and external nose.* — *Hæmorrhagia from the nose and the mouth.* — *Delicate sense of smelling.* — Diminished smelling. — Putrid stench from the nose.

Red face with burning heat. — *Blueish-red, bloated face.* — Pale sunken face with *distorted anxious features.* — Jaundiced colour of the face. — Changeable colour of the face, from blueish-red to pale. — Convulsive motions of the face and mouth, which is drawn obliquely towards the ear. — *Vehement cutting nervous pain in the face.* — Onesided swelling of the face. — *Erysipelas and erysipelatous swelling of the face.* — Condensation of the skin in the face. — Disagreeable itching and tickling upon the cheek-bone and on the side of the nose. — Crusta lactea.

Deep-red lips. — Parched dry lips. — *Swelling* and induration *of the lips.* — *Eruptions at the angles* of the mouth, painful to the touch. — *The mouth half open,* or spasmodically closed by *trismus.* — Rending in the jaws. — Stinging and straining in the joint of the jaw. — *Inflammation and swelling of the submaxillary glands.*

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Toothache from taking cold, chiefly with the female sex. — Toothache, which *increases to a violent degree* by touching, admission of air and *eating*. — Gnashing of the teeth. — Swelling of the gums, with stinging and burning.

Dryness of the mouth without thirst. — Sensation of dryness, whilst the mouth is moist and slimy. — *Salivation* with the fever-paroxysms. — Reddish *froth before the mouth.* — *Inflammatory swelling and redness of the interior of the mouth and soft palate.* — Hot, parched, cracked tongue. — *The tongue bright-red* on its edges, whilst the middle is covered with a white fur. — White, yellow or slimy furred tongue. — *Inflammatory swelling of the tongue.* — Heavy tongue with embarassed speech. — Stammering. — Nasal lisping speech. — *Speechlessness.*

Pain in the throat, as if from swelling or from a lump in the œsophagus, which requires hawking. — *Spasm in the œsophagus, with difficult*, painful, *obstructed swallowing* (dysphagia), whereby every liquid in its passage partly comes out through the nose. — *Sensation of constriction in the œsophagus.* — *Continual urging to swallow.* — *Stinging* and pressing in the *œsophagus* and the tonsils, *when swallowing* or speaking. — Excessive *dryness* and burning in the *œsophagus.* — *Inflammation of the throat* with swelling of the uvula and the velum palatinum. — *Inflammation, swelling and suppuration of the tonsils.* — Oesophagitis.

Ageusia. — Bitter or putrid or slimy taste in the mouth. — *Sour taste of bread.* — Excessive *burning* thirst with disinclination to liquids, or *with* continual *longing for drink, and inability to swallow.* — Tormenting hunger. — Anorexia. — *Tedious loathing of food.* — Aversion to milk, beer and acids.

Ineffectual inclination to eructate. — Vacant or putrid eructation. — Return of food with pressure in the stomach. — Hiccupping.

Nausea with aversion to food, and bitter taste. — Nausea and *vomiturition.* — *Vomiting of slime*, water, sour liquid or gall. — Vomiting with diarrhœa after taking a cold. — Hæmatemesis.

Pressure in the stomach after eating. — *Distension in the pit of the stomach* with pressing pain, when walking. — Tedious spasm in the stomach. — Oppression in the pit of the stomach. — Want of tone of the stomach.

Pain in the hypochondres. — Burning in the left hypochondrium and the pit of the stomach. — Hepatitis. — Nephritis with stinging burning pains in the lumbar region.

Abdominal pain, preventing all rest. — *Painful distention of the abdomen.* — Vehement *visceral pain*, below the navel, as if from *seizing and grasping* with the nails, increased by external pressure. — Hysteric colic. — Pain, as if raw and sore in the abdomen. — Mooting belly-ache. — Stinging in the left side of the abdomen when coughing, or sneezing, or when touched. — Stagnation of the blood (hæmostasia) in the abdomen. — Enteritis. — Stitches in the inguinal region. — Soreness of the abdominal teguments. — Itching on the abdomen. — *Flatulent colic*, with distention of the colon, relieved by *stooping forward and by external pressure.*

Obstruction of the abdomen. — Indurated, sparing stool. — Frequent small loose evacuations of slime. — *Involuntary stools.* — Discharge of lumbricoides.

Retention of urine. — Scanty, *turbid*, *dark*, or *fire-red urine.* — Frequent urging to urinate, especially in the afternoon and evening, with discharge of a pale yellow urine. — *Involuntary discharge of urine* while standing.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Diminished sexual passion. — *Involuntary seminal emissions at night* and prostatic fluid in the daytime, *with relaxed penis.* — Stinging in the testicles, which are drawn upward.

Vehement *pressure towards the genitals* in females, as if all would fall out. — *Spurious spasmodic labour.* — *Prolapsus and induration of the uterus.* — Congestion of blood to the uterus. — Inflammation of the labia majora and metritis. — Metrorrhagia after delivery. — Carcinoma uteri. — Nymphomania of women lying in. — *Puerperal fever.* — Too small lochia. — Too early and too profuse menses. — The menstrual discharge too pale. — During the menstruation abdominal pains. — Excessive dryness in the vagina. — *Discharge of blood during the intervals.* — *Metrorrhagia of a bright-red blood*, or with discharge of stinking lumps of blood; *with bearing down towards the genitals.*

Dryness of the nose. — Flowing catarrh at one side with stench before the nose, as if from herrings.

Excessive painfulness of the larynx, with anxious starting *when touching it*, or when breathing, speaking or coughing. — *Constriction of the throat.* — Catarrh with oppression on the chest. — Tracheitis.

Cough with asthmatic affection from congestion of blood to the breast or with jerking stitches in the ischiatic region, as if the uterus was about to be torn loose. — Cough with ejection of slime, after eating. — *Night-cough*, mostly *dry*, with rending in the breast, or with catarrh and stitches in the sternum, or with a snorting noise in scrophulous persons. — *Dry cough*, day and night, with tickling in the throat-pit, or with headache and redness of the face. — Dry *hacking cough.* — Dry *spasmodic cough* with vomiturition, especially *after midnight.* — Attacks of *hooping cough*, preceded by whining or pain in the stomach, or succeeded by sneezing. — Cough with expectoration of blood. — Croup. — Bellowing cough.

Irregular, short or long, or *short*, *quick anxious breathing*, with groaning. — *Suffocating fits, when swallowing*, or turning, or touching the throat. — Vehement exspiration.

Pressure on the chest with pain between the shoulder-blades and short breathing. — Straining in the breast. — Hysteric spasms in the breast. — Stitches in the breast with irritation to cough. — Restlessness with *throbbing in the breast.* — *Congestion of blood to the breast.* — Pneumonia. — Vehement *heart-beating*, reverberating in the head. — Pressure about the heart, with anxiety and tremulous movement of it. — Swelling and induration of the mammary glands in females. — Carcinoma of the breast. — *Galactorrhœa.* — *Milk-fever.*

Stiffness of the neck. — *Painful swelling and stiffness of the throat and neck.* — Painful *swelling of the glands of the throat.* — Tearing in the axilla's.

The arms as if benumbed and painful. — Disabling drawing pressure and tearing in the arms. — Inclination to stretch and turn the arms. — *Lameness and heaviness of the arms.* — *Scarlet-red swelling of the arms and hands.* — *Pressing rending pain*, quickly extending *from the shoulder* through the arm, especially at night, relieved by external pressure upon, produced by motion. — Painful *jerks*, spasms and convulsions *of the arms and hands.* — Tremor of the hands. — Rending pressure in the wrist and metacarpus. — Arthritic stiffness of the wrist. — Easily spraining the finger-joints.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Arthritis ischiatica, with *stinging*, or periodically exacerbated burning *pain*, extending from *the hip-joint* to the groin, worse *at night*, and *increased by the least touch.* — Stiffness in the hips; rising with difficulty, after sitting. — Luxatio spontanea. — *Rending in the legs*, particularly in the knees. — *Heaviness and lameness of the legs and feet.* — Knacking of the legs and feet, when walking. — Spasmodic tension of the sinews of the hollow of the knee. — White swelling on the thigh. — Oedema of the feet.

---

31. Berberis.

Berberis vulgaris. — Barberry. — Germ. Berberitze.

Predominant effects: Squeezing, straining, urging and pressing pains. — Rending, drawing, *especially shooting* pain. — *Sudden violent stitches*, producing starts. — *Burning stitches.* — Ardent pains, increased by friction. — Rasping and burning pain inside and outside of the body. — Scraping upon the bones. — Pains on isolated spots as if from a blow. — Pains as if from spraining or wrenching, with a sensation of swelling, increased after exertion, lifting, or stretching. — Lassitude, disability and soreness, increased by pressure; frequently connected with stiffness heaviness, vibration, benumbness and torpor, also with a sensation, as if swollen. — Transient sensation of warmth on different places. — Sensation of coldness on isolated spots, as if from cold metal, cold substances, or as if cold drops were sprinkled. — Bubbling as if from any thing alive, in the flesh and the skin here and there. — Varicous veins on many places. — Exacerbation in the afternoon, by motion and pressure.

Lassitude, every trifling exertion fatigues, even walking, standing or stooping. — Pain as if beaten particularly in the lower extremities. — Exhaustion so as to cause trembling, and knacking together of the knees. — *Faintness*, with giddiness or agitation of the blood, perspiration and heat of the upper half of the body, coldness and sallowness of the face, and oppression on the chest. — Anxiety when moving, standing for a while, when rising from the chair, or the bed.

In the skin much itching, biting, pricking and burning with minute stitches, sometimes with increascd sensation of warmth and with eruption. — Rasping and pricking in the skin, increased by friction and frequently succeded by a red spot. — Burning stitches. — Ugly red marble-like spots, as if after a contusion or like petechia, sometimes itching and burning, or with an elevation in the centre like nettlerash. — Specks resembling nettlerash and patches on the shoulders, arms and hands. — Efflorescence especially on the border of the hairy part of the head, on the upper part of the trunk, and the extremities. — Red, suppurating pimples, with a red areola, burning, itching, stinging, pricking, very sensible to the touch and passing into brown spots.

Sleepiness early in the evening. — Restless dreamful sleep, with frequent awaking, and congestion of blood to the head, or disturbed by anxious dreams and itching or burning. — Slumber with phantasma's. — During night awakened by violent thirst, profuse sweat, or itching burning stitches. — Difficult awaking in the morning, succeeded by pains in the head and back, exhaustion, and want of recollection.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Heat in the face, extending over the whole body, which is cool, without thirst. — Chills, extending from the face and arms to the back and breast, succeeded by excessive heat with anxiety and oppression on the chest, especially in the forenoon and evening. — Chills, especially before dinner, with ice-cold feet, dry viscous mouth, without thirst. — Shaking chills succeeded by heat. — Coldness of the body with heat in the face, commencing at 11 o'clock in the forenoon, at night heat and inclination to sweat. — In the morning chilliness with cold feet, pressing headache, as if a catarrh would arise, heat in the head; in the afternoon general warmth and inclination to perspire. — Chills in the back, extending to the hips, as if produced by an ice-cold wet handkerchief laid upon it, after 20 minutes, succeeded by warmth; after a second attack swelling of the tendo Achillis.— Heat in the hands and the head, in the afternoon. — Inclination to perspire with the least exercise, attended with anxiety, in the afternoon. — Thirst with dryness in the mouth. — Slow weak pulse.

Fretful humour with weariness of life. — Indifference and pensiveness with disinclination to speak, uninterested by outward affairs. — Anxious and fearful; terrific appearances in the twilight. — Mental labour, requiring close thinking, very difficult; the least interruption breaks the chain of thought. — Defective recollection and weak memory.

Vertigo, with danger of falling, when walking, stooping, struggling with the arms when rising; with dizziness, faintness, pressure in the forehead, succeeded by chills. — Intoxication, dizziness, vacuity, confusion, heaviness in the head, especially in the front, with pressure in the sinciput, attended with alternating chilliness and heat from morning till afternoon, succeeded by a nasal flux and sneezing, as if catarrh would arise, but which does not appear.

Heaviness in the head, when stooping, as if the brain would fall forward, with a sensation of bubbling on, as if all would prolapse from the forehead. — Fullness in the head with sensation as if the head were enlarged. — Pressing straining, bursting headache, especially in the sinciput, chiefly in the morning, increased by stooping, relieved in the open air; with weariness and exhaustion. — Rending in different parts, particularly in the temples and the occiput, arising from the neck or extending to it; from the edge of the orbit towards the nose or upwards to the forehead or into the orbits. — The pains attended with stitches. — Sudden stitches from the eyes to the forehead. — Mooting, wringing rending stitches above the forehead and temples. — Heat in the head, in the afternoon. — Perspiration on the head, when exerting. — Heat in the temples and cold cheeks.

In the skin of the head and face a tension as if it were bloated, or covered with a cap, or benumbed, with difficulty to move it. — Itching with burning and stitches on the scalp and face, more on the occiput, especially in the evening, and changing its place after scratching.

Heat and redness in the face. — Burning and itching on the cheeks. — Sensation of chilliness, succeeded by deep-red spots on the cheek, attended with heat extending over the face in the afternoon. — Sensation of coldness. — Cold shivering sweats. — The face pale, as if dirty, and sunken. — The cheeks and eyes surrounded by livid circles.

Painfulness of the eyes. — Tearing especially in the lids. — Sudden shooting,

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

arising from the forehead and temples, or extending to them. — Irritation in the eyes, as if from sand, heat and burning, with a cloudy appearance. — Dryness, biting and itching, especially in the lids, with redness, particularly of the rims of the lids, which are swollen, viscous, and secreting a white mucilago; more at the left side, commencing in the morning and increasing in the afternoon and evening, exacerbated in the open air and when moving the eyes, relieved at rest. — Dim sight, all objects looking dark, as if through a veil, running together, with itching around the eyes and in the face, preceded by incipient catarrh, succeeded by itching on the legs. — Inflammation of the lachrymal caruncles. — Dryness in the internal canthus.

Alternating heat and coldness on the external ear. — Tumour behind the ear of the size of a hazelnut. — Pimples before the ear. — Tearing, alternately in the ear and other parts of the body. — Outward piercing in the ear, as if with a sharp pointed instrument. — Drawing, pressure, urging with stitches. — Repeated stitches. — Throbbing and roaring in the ears.

From the left nostril a few drops of clear blood. — Tingling as if before sneezing. — Pricking in the point of the nose.

In the facial bones, and in the upper and lower jaw squeezing rending and stinging pain as if from a blow, extending to the temples.

Tearing in the left upper molares. — Piercing pain in the hollow teeth of the lower jaw. — The teeth as if too long, sensible to the touch, and to the air. — Sensation as if the teeth were being extracted. — Scraping gnawing pain in the teeth. — Suppurating ulcers above the incisors and molares. — Small painless pimples. — Dingy red edge of the gums. — Bleeding gums.

On the internal surface of the cheeks and lips red painful deeply suppurating pimples and watery pustules of the size of a pea. — Ugly blucish-red spots. — The under-lip on the internal surface blueish-red.

The lips dry, viscid, peeling off, with thin scabs. — Burning, itching, crawling and quivering in the lips.

The mouth and fauces dry and viscid, especially in the morning, with a white tongue and frothy saliva; relieved after eating. — Bitter, sometimes sour taste, in the morning or after eating. — Taste of blood. — Scratching burning as if from sand. — Scratching in the throat, which compels to hawking, especially in the morning. — Pain in the left tonsil, as if there a husk were sticking, particularly when speaking and swallowing; the interior of the throat red, the exterior very sensible to touch and motion. — The tongue smarts when touched, with stitches, large pimples and vesicles.

Increased appetite. — Pressure in the stomach, with stinging and burning, as if it would burst. — Nausea in the morning. — Eructation and gaping, abating the complaints and pains. — Rumbling in the bowels. — Whirling in the stomach and abdomen. — Visceral motions, like efforts to stool.

Compression and contraction in the sides of the abdomen, particularly in the left one. — Burning pain in or under the skin of the abdomen. — Wandering, tearing, stinging pain in the abdominal muscles.

Stinging and pressure in the right hypochondrium. — Stinging pain in the region of the gall bladder, increased by pressing upon. — Tearing, drawing, stinging and jerking in the left hypochondrium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Shooting pains in the epigastrium, particularly in the left side, increased by inspiration, motion or touching, attended with short breath and distention of the belly. — Periodical pressure from inside outwards, in the left side, near the navel. — Pain on a small spot in the left side. — Stinging burning, gnawing pain on a small spot before the kidneys, increased by pressing hardly upon, and moving frequently downwards or forwards.

Efforts to stool. — In the anus, pressure, and tenderness after evacuation, fulness, rasping and stinging, burning, itching, crawling and throbbing. — Soreness around the anus, with burning and tenderness in sitting. — Large hæmorrhoidal tumours with itching and burning.

Easy, soft, copious evacuation, like diarrhœa. — Small, indurated, intermitting stool, of a small size, like sheep's-dung.

In the inguinal region a pressing, squeezing tension, stinging and cutting, extending towards the thighs, or proceding from the hips to the inguina and thighs. — Turgid veins.

In the region of the bladder, when it is full or empty, a squeezing, pressing and contraction, when pressed upon, attended with burning in the urethra. — A cutting pain from the left kidney into the bladder and urethra. — Stitches, proceding from the kidneys to the bladder, urethra and the penis. — Vehement urging after urinating, particularly in the morning.

Cutting or burning in the urethra, when not urinating more vehement, and frequently more on one side. — Straining; during and after ejection of semen. — Stinging, crawling, itching and throbbing in the genitals. — All the pains increased by motion. — Augmented urinal discharge, clear, with a small slimy sediment, at the commencement and exacerbation of the complaints. — Pale yellow urine, with a small gelatinous, slimy sediment, or muddy, like clay-water. — Greenish turbid urine. — Lessened discharge, with a copious slimy sediment, when the complaints abate. — Copious slimy sediment with a white, gray, reddish furfuraceous sediment, and yellowish-red crystals. — Dark- or bright-yellow, or red urine with sediment. — The urine warmer, and attended with pain in the lumbar and renal region.

Stinging in the penis and the glans. — Rasping burning, particularly on the left side, also on the glans and the preputium. — Sensation of coldness in the preputium and the glans.

In the spermatic chord straining, burning, with stitching, drawing and pressure extending to the testicles. — Pulpous swelling of the seminal chord, with pains extending to the testicles and particularly the epididymis. — In the testicles a cutting stinging, straining, burning, crawling and pressing. — Drawing sometimes upwards. — Constringing pain in the testicles, with contraction and retraction of the scrotum. — The scrotum shrinking together with coldness, and pressing pain in the testicles. — Soreness especially on the left side. — Sensation of coldness. — Itching. — The pains in the external genitals increased by motion.

Weakness and insensibility of the masculine parts. — Depressed sexual passion. — Ejection too early and too short, in women too late and painful. — After coition weakness of the parts.

Burning, soreness and rasping in the vagina, particularly in its forepart, sometimes only on one side. — Stitches from inside outwards, with tenderness of the

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

vagina. — Mooting stinging from the perinæum deep into the female privy parts.

The menses at the proper time, but too small in quantity, too short; resembling somewhat the washings of flesh. — Menstruation scanty, abating the third day, or but in black drops, or filthy slime. — The menstruation attended in the first days with pressure towards the parts, stitches, rasping in the vagina, burning and soreness in the anus. — Pressure from the thighs to the calves and turgid varices. — During the menses pain in the back, pressure and tension in the upper-arm and shoulders, extending to the neck, vehement tearing through the whole body, particularly the left side, pain in the kidneys, stitches in the breast, vehement pressing headache; painful distended abdomen; exhaustion, faintness, shivering, very jaded countenance, irksomeness and weariness of life. — The menses succeeded by excessive lassitude, and vehement shooting headache.

Dry nose (succeeded by a chronic catarrh with a nidorous discharge). — The nose and eyes moist, with sneezing, as if catarrh were commencing. — Indication of catarrh, succeeded by violent ophthalmic complaints. — Flowing catarrh.

Sensation of rawness in the breast. — During flowing catarrh, oppression on the chest, particularly at night. — Hiccupping. — Gaping, and eructation.

Tearing in the breast, particularly in the left side, towards the shoulders and the back. — Drawing tearing occasioned by stretching the arm. — Stitches in the foreside and middle of the breast, particularly when deeply inspiring, attended with a dry hacking cough. — Stitches in the left side. — Cutting contraction in the forepart of the breast towards the abdomen, which compels to bending together. — Stitches in the clavicula. — Pressure behind the left nipple. — Stitches in the pectoral gland and its vicinity. — Squeezing stinging about the heart.

Tension in the neck. — Tearing in the throat upward, particularly in the left side, with stiffness.

Tearing between the shoulders; also between the shoulders and spina with oppression on the chest; in the point of the shoulder-blade, from the shoulders to the loins. — Drawing in the shoulders, stitches between the shoulders, particularly when breathing, below the left shoulder; from the back through the breast, interrupting respiration. — Vehement intense pains on the point and the outside of the shoulder-blade, towards the shoulder-joint and extending to the elbow, with a sensation as if beaten. — When raising the arm, obstruction of breath.

In the lumbar and renal region a pressing straining, shooting or bruising pain, extending to the thighs, with stiffness benumbness and sensation of warmth, which prevents raising the body and rising up. — Stitching or tearing in the renal region and adjoining parts, with benumbness and soreness, increased by hard external pressure. — Stitches affecting respiration. — Pains in the kidneys, increased by stooping, rising and sitting; and worse in lying than in standing.

In the back as if beaten, disabled and stiff. — Pressure, as if the bones would be pressed asunder, with heaviness, benumbness, vibration, and warmth, disappearing after expulsion of wind. — Pain in the back frequently in the morning, more when sitting or lying, than when walking. — Squeezing in the back with efforts to stool. — Tearing, pressing; burning and tension.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

In the shoulder-joint pains as if from straining, in motion, increased by pressing upon. — Sensation of heaviness in the axilla. — Stretching, tearing, stinging, throbbing pains.

In the upper-arm drawing, stinging, tearing on an isolated spot. — Sudden stitches, jerking tearing into the bones. — Pressure and heaviness in the arm, which sinks down. — Throbbing in the arm.

In the elbow-joint drawing tension, tearing, stinging, or burning. — Vehement pain in the sinew of the musculus biceps, after lifting something, extended upwards and downwards, when moving the arm. — Inflammatory pimples on the points of both elbows.

Pressing pains in the inner side of the fore-arm. — Tearing along the radius. — Tearing from the elbow-joint into the ulna and the hand, with heaviness and infirmity. — Stitches along the ulna. — Benumbness and disability on the external side of the arm, increased when the arm hangs down. — Lymphatic swelling of the flexores of the left fore-arm, with spots like petechia.

Pressure in the wrist, as if after spraining, or straining. — Tearing, vehement stitches towards the metacarpus. — Burning pains. — In the back of the hand a pressing mooting with vibration and sensation of heaviness. — Tearing along the metacarpal bones attended with burning. — Tearing on the back of the fingers, chiefly in the joints, frequently with stiffness, heaviness and swelling of the joints; increased by moving and touching. — Stitches extending to the points of the fingers. — Tearing in the points of the fingers. — Pain under the nails, with tenderness to the touch. — Vibrating pain. — Burning pains, increased by friction. — Burning stitches in the fingers. — Redness of the points and the back of the fingers, with itching, as after chilblains. — Small warts on the ball of the hand, and on the middle finger.

In the lower extremities, pain as if beaten with heaviness; he can scarcely rise from the seat. — Sensation as if sprained in the muscles and the bones. — Wasting of the lower extremities.

Drawing stretching pain in the thigh, as if it were too short. — Tearing, shooting pains. — Stitches from outside inward. — Throbbing in the thigh. — Sensation of ice-coldness on small spots.

Sensation in the knees as if palsied, weary and beaten, after walking, and when arising from the seat. — Swollen veins in the bend of the knee. — Tension in the bend of the knee, as if it were too short, drawing, burning, stinging, tearing, pressing, increased by stretching the leg. — Spasm in the knee, extending to the calf and the thigh, when firmly leaning upon. — Spasm with vibration and heaviness. — Stinging in the joint of the knee, particularly on the inner side, when walking.

Tearing stinging, spasm and tension in the calf of the leg, during and after motion, attended with vibration, heaviness, stiffness and benumbness. — In the shinbone straining pressure with vibration. — Tearing and stinging in the shin and the tendo Achillis. — Lymphatic swelling of the tendo Achillis of the left leg with an ugly red spot. — Pain when raising the foot, preventing flexion. — Itching and swelling, preceded by chill and heat.

In the foot-joint tearing upwards and downwards. — Rending and pricking on the fore-part of the foot-joint. — Stitches from inside outwards, when travelling

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN