



Advanced Applications of Photoacoustic Tomography in Biomedical Imaging and Biological Research: A Review

Wilson Hrangkhawl^{1*}, Hormo Naso², Samrat Roy³

^{1,2}Lecturer, Dept. of Allied Health Professions, Sikkim Manipal Institute of Medical Sciences, SMU, Gangtok,

³Assistant Professor, SB College of Allied Health Sciences

*Corresponding author: Wilson Hrangkhawl, Dept. of Allied Health Professions, Sikkim Manipal Institute of Medical Sciences, SMU,

(Received: 11 June 2024

Revised: 16 July 2024

Accepted: 10 August 2024)

KEYWORDS

Photoacoustic tomography, photoacoustic effect, imaging technology, healthcare, biological research, nanotechnology

ABSTRACT:

Photoacoustic tomography (PAT) is a groundbreaking imaging technique that combines optical and ultrasound technologies to produce high-resolution images of biological tissues. This method takes advantage of the photoacoustic effect, where light absorbed by tissues causes them to expand slightly, generating ultrasound waves that are then used to create detailed images. PAT has shown great promise in both medical and research settings due to its ability to offer clear images at various depths. This review provides an in-depth look at how PAT works, including its key processes: light absorption, ultrasound wave generation, and signal detection. It also covers recent advancements, such as multispectral optical tomography (MSOT), which uses different light wavelengths for more detailed imaging, and photoacoustic endoscopy, which allows for minimally invasive internal imaging. The integration of deep learning techniques has further improved image quality and speed. PAT's applications range from detecting cancer and assessing cardiovascular conditions to studying neurological disorders and exploring biological research in animals and plants. However, challenges remain, including technical complexities, the need for standardized protocols, and regulatory issues.

1. Introduction

Photoacoustic tomography (PAT) is a groundbreaking advancement in biomedical imaging sciences, combining optical and ultrasonic technologies in order to create high-resolution images of biological tissues. Unlike traditional imaging methods that rely only on optical or acoustic waves, PAT leverages photoacoustic effect, where pulsed laser light absorbed by tissue chromophores causes localized thermal expansion and intern generates ultrasound waves. These waves are then detected and transformed into images, offering high contrast of optical imaging along with deep tissue penetration capabilities of ultrasound [1]. PAT stands out for its ability to perform multi-scale imaging, while maintaining superior spatial resolution at various tissue depths. This makes it an important tool for clinical diagnostics, enabling precise visualization of pathological changes. Additionally, PAT's functional imaging capabilities also provide critical insights into

physiological parameters such as blood oxygenation and tissue metabolism, further enhancing its role in clinical research settings. [2][3]

Recent technological improvements have expanded PAT's applicability. Notably, multispectral optical tomography (MSOT) improves tissue differentiation by using multiple wavelengths of light, thereby enhancing diagnostic accuracy.[4] The integration of artificial intelligence has also significantly improved image reconstruction quality.[5] However, widespread adoption of PAT faces challenges, including the complexity of imaging systems. This review provides an overview of PAT, discussing its principles, technological advancements, and diverse applications while addressing current challenges and future research directions to underscore its potential in transforming medical diagnostics and advancing biological research.[6]



2. PRINCIPLES OF PHOTOACOUSTIC TOMOGRAPHY

2.1. Fundamental Mechanisms

The underlying principle of Photoacoustic tomography hinges on the photoacoustic effect, where absorbed light is converted into ultrasound waves, allowing for the capture of both structural and functional information from tissues. The following sections detail the core principles involved in PAT, from light absorption to ultrasound wave generation and image reconstruction, with references to key studies in the field. The photoacoustic effect, which underpins PAT, involves three critical processes:

Light Absorption: Short laser pulses are delivered to the tissue of interest. These laser pulses typically fall within the near-infrared (NIR) spectrum, chosen for its ability to penetrate deep into biological tissues with minimal scattering.[7] Different chromophores within the tissue, such as hemoglobin, and melanin, absorb this light to varying extents. The energy from the absorbed light is then rapidly converted into heat, leading to a rapid increase in the local temperature.[2] This localized heating is crucial as it triggers the subsequent steps in the photoacoustic process.

Ultrasound Wave Generation: The rapid temperature rise induced by light absorption leads to a thermoelastic expansion within the tissue, which causes mechanical stress due to expansion that propagates as ultrasound waves through the tissue.[8] The generation of ultrasound waves enables the conversion of optical energy into mechanical energy, which can then be detected and used for imaging. The efficiency of this conversion process is influenced by factors such as the tissue's optical absorption properties and also the laser's wavelength. [9]

Signal Detection and Image Reconstruction: The ultrasound waves generated within the tissue are detected by ultrasonic transducers placed on the surface of the tissue or around it. These transducers convert the mechanical ultrasound waves into electrical signals that can be processed to reconstruct images.[10] The time it takes for the ultrasound waves to travel from their point of origin within the tissue to the transducer, known as the time of flight, along with the amplitude of the signals, is used to create detailed images of the tissue's internal

structures.[10] Advanced algorithms are employed to reconstruct these images, often integrating data from multiple angles to enhance resolution and accuracy which was discussed in Wang & Hu, 2012.[1]

2.2. In Multi-Scale Imaging and Functional Imaging

A significant advantage of PAT is its capability to perform multi-scale imaging, enabling it to capture both microscopic and macroscopic details depending on the specific modality used. For instance, photoacoustic microscopy (PAM) offers high-resolution images at shallow depths, which is particularly useful for visualizing small structures like microvasculature.[9] On the other hand, photoacoustic computed tomography (PACT) provides imaging at greater depths, making it suitable for visualizing entire organs.[7]




Figure 1: Imaging Principles of photoacoustic tomography (PAT). (Image courtesy Lihong V Wang & Junjie Yao) [7]

3. Imaging Modalities in Photoacoustic Tomography

Photoacoustic tomography (PAT) encompasses a range of imaging modalities, each tailored to specific research and clinical applications. The diversity of these modalities is one of the strengths of PAT, allowing for flexibility in imaging depth, resolution, and functional capability. The primary modalities include Photoacoustic Microscopy (PAM), Photoacoustic Computed Tomography (PACT), and Multispectral Photoacoustic Tomography (MSOT). Each of these modalities offers unique advantages and is suited to types of biological and medical imaging.

3.1. Photoacoustic Microscopy (PAM)

Photoacoustic Microscopy is designed for high-resolution imaging at relatively shallow depths, typically less than a few millimeters. PAM excels in capturing fine



details of microstructures, such as capillaries, single cells, and subcellular components, making it ideal for applications in dermatology, ophthalmology, and small animal research.[11] PAM operates in two primary modes: *Optical-Resolution PAM (OR-PAM)* and *Acoustic-Resolution PAM (AR-PAM)*. OR-PAM achieves high lateral resolution by focusing the laser beam to a tight spot, making it possible to resolve structures as small as individual RBC.[12] AR-PAM, on the other hand, uses a focused ultrasound transducer for higher penetration depths but with a compromise in lateral resolution. This trade-off between resolution and penetration depth allows PAM to be versatile.[1]

3.2. Photoacoustic Computed Tomography (PACT)

Photoacoustic Computed Tomography is the modality of choice for deeper tissue imaging. Unlike PAM, PACT does not rely on scanning a focused laser beam across the tissue. Instead, it employs an array of unfocused ultrasound detectors that surround the tissue. These detectors capture the generated ultrasound signals from multiple angles, allowing for the reconstruction of cross-sectional and volumetric images using complex algorithms.[10] PACT is particularly advantageous in imaging larger organs and tissues, such as the brain, breast, or whole-body imaging in small animals. It offers a good balance between spatial resolution and imaging depth, typically penetrating several centimeters into tissue while maintaining millimeter-scale resolution.[1] PACT has been extensively used in clinical research for cancer detection, cardiovascular imaging, and neuroimaging, demonstrating its potential as a non-invasive and versatile diagnostic tool.[13]

3.3. Multispectral Optoacoustic Tomography (MSOT)

Multispectral Optoacoustic Tomography extends the capabilities of PACT by incorporating multi-wavelength laser pulses to probe tissues at different optical absorption spectra. This multispectral approach allows MSOT to differentiate between various chromophores within tissue, such as oxygenated and deoxygenated hemoglobin, and lipids, enabling detailed functional and molecular imaging.[14] MSOT is particularly powerful for functional imaging, as it can provide real-time information about physiological processes and molecular

interactions.[15] The ability to capture dynamic changes in these parameters makes MSOT valuable in studying cancer biology, therapeutic responses monitoring, and tissue pathophysiology. Moreover, MSOT's capability to visualize molecular markers and contrast agents at different wavelengths allows for the development of targeted imaging strategies, which enhances its clinical and research applications.[16]

3.4. Integration with Other Imaging Modalities

One of the promising developments in photoacoustic imaging is the integration of PAT with other imaging modalities, such as Magnetic Resonance Imaging (MRI), Computed Tomography (CT), and Ultrasound. Combining PAT with these modalities can provide complementary information, enhancing diagnostic accuracy and enabling more comprehensive imaging.[17] For instance, MRI provides excellent soft tissue contrast and anatomical details, while PAT can add functional information such as blood oxygenation and vascularization. The integration of these modalities can offer a more complete picture of the underlying pathology, particularly in complex diseases like cancer.[18] Similarly, the combination of PAT with CT, which provides high-resolution images of bone and dense tissues, allows for precise localization of tumors and other abnormalities in relation.



Figure 2: In vivo PACT image of a human hand, showing its comprehensive vasculature. Image courtesy of Canon (Japan) (<http://www.canon.com/technology/future/index.html>). [23]



4. METHODOLOGICAL ADVANCES

4.1. Advancements in Photoacoustic Tomography (PAT) Imaging Techniques

4.1.a. Multispectral Optoacoustic Tomography (MSOT)

Recent advancements in photoacoustic tomography (PAT) have led to the development of Multispectral Optoacoustic Tomography (MSOT), a powerful imaging technique that utilizes multiple wavelengths of light to capture detailed information about the optical properties of tissues. This capability enhances the accuracy and depth of biological and medical imaging, particularly in applications involving the characterization of tumors, the monitoring of tissue oxygenation, and the assessment of metabolic processes.[14] [15] The multispectral approach not only improves image contrast but also allows for the simultaneous acquisition of structural, functional, and molecular information, making MSOT an invaluable tool in both research and clinical settings.[20]

4.1.b. Photoacoustic Endoscopy

To expand the utility of PAT for imaging internal organs, particularly those within the gastrointestinal tract, researchers have innovated by developing photoacoustic endoscopy. Photoacoustic endoscopy is particularly promising for the early detection and monitoring of diseases within the gastrointestinal system. Its ability to visualize the microvascular architecture and tissue composition in real time provides a significant advantage over conventional endoscopic techniques, which are limited in their capacity to offer functional information.[9] As this technology continues to evolve, it is expected to become a critical tool in diagnostic endoscopy, enhancing the detection and characterization of lesions that are not easily identified through standard imaging modalities.[21]

4.1.c. Deep Learning Integration in PAT

The incorporation of deep learning and artificial intelligence (AI) into the image reconstruction process of PAT represents a significant leap forward in enhancing the technology's clinical applicability. Traditional PAT imaging often suffers from limitations such as noise, artifacts, and long reconstruction times, which can impede its utility in real-time diagnostic settings. These advancements not only improve the clarity and diagnostic value of the images but also make PAT more

efficient and practical for widespread clinical use.[5] Moreover, the application of AI in PAT is paving the way for more sophisticated imaging analyses, including the automated detection and quantification of pathological features, which could lead to earlier and more accurate diagnoses in a variety of medical conditions.[22]

5. APPLICATIONS IN HEALTHCARE AND BIOLOGICAL RESEARCH

5.1. Healthcare Applications of Photoacoustic Tomography

Cancer Detection and Monitoring: PAT has emerged as a powerful tool in oncology, particularly for the early detection and ongoing monitoring of cancer. The ability of PAT to non-invasively visualize the vascularization and oxygenation within tumors provides crucial insights into tumor biology, which are essential for understanding tumor growth and metastasis. For instance, in breast cancer and melanoma, PAT can detect abnormal blood vessel formation, a hallmark of cancer progression, and assess oxygen levels within the tumor tissue, which is a key indicator of tumor aggressiveness and treatment response.[24]

Cardiovascular Imaging: PAT has shown significant potential due to its ability to provide detailed images of vascular structures and assess the health of blood vessels. One of the key applications of PAT in this domain is the detection of atherosclerosis, a condition characterized by the buildup of plaques within the arteries, which can lead to life-threatening events such as myocardial infarctions (heart attacks) and strokes. For example, unstable plaques that are prone to rupture can be identified through PAT's ability to detect the presence of lipid-rich cores and thin fibrous caps, which are markers of plaque vulnerability.[25] This capability enables more accurate risk stratification in patients, allowing for timely and targeted interventions that can prevent serious cardiovascular events.

Neurological Disorders: PAT's ability to visualize the microvasculature of the brain and monitor cerebral blood flow makes it particularly useful in the context of stroke and brain tumors. For instance, in stroke patients, PAT can be used to assess the extent of ischemic damage by mapping blood flow deficits in real time, which is critical for determining the appropriate therapeutic approach and improving patient outcomes. Additionally, in the case of



brain tumors, PAT can also help in identifying tumor boundaries and assessing the effectiveness of treatments by monitoring changes in blood flow and oxygenation within the tumor tissue.[17]

5.2. Advanced Biological Research Applications of Photoacoustic Tomography

Zoological Studies: In the field of zoology, PAT has become an invaluable tool for studying vascularization in various animal tissues. This non-invasive imaging technique provides detailed insights into the development and function of blood vessels in living organisms, which is crucial for understanding species-specific biology. For example, PAT has been used to track blood flow in real-time within developing embryos, offering new perspectives on how vascular systems form and change over time. Such insights are not only important for developmental biology but also for comparative anatomy, as they allow researchers to examine the differences and similarities in vascular structures across different species.[26]

Botanical Research: Traditionally, examining the internal structures of plants, such as vascular tissues and root systems, required destructive methods that could alter the very processes being studied. This capability is particularly valuable for agricultural research. For instance, by using PAT we can monitor how water moves through a plant's root system under different soil conditions, researchers can identify traits that could be selected for in crop breeding programs, ultimately leading to more robust and productive plant varieties. [25]

Molecular Imaging: The potential of PAT in molecular imaging represents a frontier in biomedical research, particularly in the study of disease mechanisms at the cellular and molecular levels. PAT enables the visualization of molecular interactions and the distribution of specific molecules within tissues, providing insights that are critical for understanding complex biological processes. This is especially relevant in cancer research. For example, we can be used to track the distribution of specific biomarkers within a tumor, offering real-time feedback on how a tumor is responding to treatment at the molecular level. Such capabilities not only enhance our understanding of disease progression

but also have the potential to improve the precision and effectiveness of therapeutic interventions. [27]




Figure 3: Representative PA imaging of skin vasculature using endogenous contrast. (a) PA microvasculature imaging of a mouse ear bearing an implanted B16 melanoma tumor. Depth is coded by colors: blue (superficial) to red (deep). Bar $\frac{1}{4}$ mm. (Image courtesy D Li et al.)

6. DISCUSSION

6.1. Advantages and Challenges of Photoacoustic Tomography in Healthcare and Advanced Biological Research

6.1.a. Advantages of Photoacoustic Tomography (PAT)

High Spatial Resolution: One of the most significant advantages of PAT is its exceptional spatial resolution. This capability allows for the detailed visualization of small structures within tissues, which is crucial for accurate diagnosis and research. For instance, in oncology, the ability to visualize fine vascular structures within tumors enables more precise characterization of tumor angiogenesis, aiding in both diagnosis and treatment planning. In research settings, high-resolution imaging is essential for studying intricate biological processes, such as cellular interactions and tissue morphology, at a microscopic level. [25]

Deep Tissue Penetration: Unlike traditional optical imaging methods, which are often limited by the scattering of light in biological tissues, PAT can achieve greater depths of penetration. This advantage is particularly valuable for imaging internal organs and detecting pathologies that lie deep within the body. For example, in cardiovascular imaging, PAT can be used to assess the condition of blood vessels located deep within the body, such as the coronary arteries, providing critical information for the prevention and management of



cardiovascular diseases.[25] Similarly, in neurological applications, the ability to penetrate deep brain tissues allows for the monitoring of cerebral blood flow and oxygenation, which is essential for the diagnosis and management of conditions like stroke and brain tumors. [17]

Functional Imaging Capabilities: PAT is not limited to structural imaging; it also offers functional imaging capabilities, providing insights into physiological and metabolic processes within tissues. By measuring parameters such as blood oxygenation levels, PAT can assess tissue viability and metabolic activity, which are key indicators of disease states. For example, in oncology, PAT can be used to monitor tumor oxygenation, offering a non-invasive method to assess the tumor's response to therapies such as radiation or chemotherapy. This functional imaging capability extends to research applications as well, where it can be used to study metabolic processes in real-time, providing a deeper understanding of cellular behavior under various physiological conditions. [25]

6.1.b. Challenges in Photoacoustic Tomography Implementation

Despite its many advantages, the implementation of PAT in clinical and research settings is not without challenges. These challenges must be addressed to realize the full potential of PAT in healthcare and biological sciences.

Technical Complexity: The sophisticated nature of PAT imaging systems presents a significant barrier to their widespread adoption. The development of advanced algorithms for image reconstruction is critical for generating high-quality images, but these algorithms often require substantial computational resources and expertise. [6]

Standardization and Reproducibility: A major hurdle in the broader application of PAT is the lack of standardized protocols. The absence of universally accepted guidelines for image acquisition, processing, and interpretation can lead to significant variability in imaging results, making it difficult to compare data across different studies or clinical applications. This variability undermines the reliability of PAT as a diagnostic tool and hinders its integration into routine clinical practice.[28]

Regulatory Hurdles: The path to clinical adoption of PAT also faces significant regulatory challenges. The approval process for new contrast agents and imaging systems used in PAT is rigorous, as these must meet stringent safety and efficacy standards. Overcoming these regulatory hurdles will require close collaboration between researchers, clinicians, and regulatory bodies to ensure that PAT can be safely and effectively integrated into routine medical practice.[6]

7. FUTURE DIRECTIONS

7.1. *Nanotechnology Integration:* The ongoing exploration of nanotechnology in PAT aims to enhance the specificity and sensitivity of imaging. Multifunctional nanoparticles that offer both diagnostic and therapeutic capabilities are particularly promising. These agents could revolutionize PAT by enabling targeted imaging and localized treatment.[6]

7.2. *Multimodal Imaging:* Integrating PAT with other imaging modalities, such as magnetic resonance imaging (MRI) or computed tomography (CT), could provide complementary information that enhances diagnostic accuracy. Such combinations could lead to more comprehensive diagnostic assessments and improved treatment planning.[30]

7.3. *Clinical Trials and Guidelines:* To fully realize the potential of PAT in clinical settings, extensive clinical trials are required to validate its efficacy and safety across various medical and advanced biological research applications.

7.4. *Expanding Applications in Biological Research:* As PAT technology continues to advance, its applications in biological research, particularly in zoology and botany, are expected to expand. Future research may focus on using PAT to study ecological interactions, plant responses to environmental stressors, and animal behavior in natural habitats. Such studies could provide valuable insights into the complex dynamics of living systems.

CONCLUSION

Photoacoustic tomography represents a paradigm shift in medical imaging, offering unique advantages in terms of resolution, depth penetration, and functional imaging capabilities. While significant challenges remain, particularly in terms of technical implementation and standardization, ongoing research in nanotechnology and



multimodal imaging promises to enhance the clinical applicability of Photoacoustic tomography. As this technology continues to evolve, it has the potential to transform diagnostic practices, improve patient outcomes, and contribute to significant advancements in biological research.

Acknowledgement: The authors would like to express their sincere gratitude to Sikkim Manipal Institute of Medical Sciences for providing the necessary resources and support throughout the research process. We also appreciate the assistance of Librarian, SMIMS for granting access to relevant literature and databases that were essential to this study.

Conflicts of Interest: Nil

REFERENCES

1. Wang, L.V., Hu, S., 2012. Photoacoustic tomography: In vivo imaging from organelles to organs. *Science*, 335(6075), 1458–1462. <https://doi.org/10.1126/science.1216210>
2. Li, L., Zhu, L., Ma, C., Shi, J., Yao, J., 2018. Multiscale photoacoustic microscopy: From single cells to whole organs. *IEEE Trans Biomed Eng.* 65(12), 2733–2740. <https://doi.org/10.1109/TBME.2018.2817210>
3. Paul, C., Beard. (2011). Biomedical photoacoustic imaging. *Interface Focus*, 1(4):602-631. doi: 10.1098/RSFS.2011.0028
4. Neuschmelting, V., Burton, N. C., Lockau, H., Urich, A., Harmsen, S., Jüngert, J., ... & Kircher, M. F. (2018). Performance of a multispectral optoacoustic tomography (MSOT) system equipped with an automatic animal holder for longitudinal studies. *Medical Physics*, 45(8), 3661–3670. <https://doi.org/10.1002/mp.13004>
5. Hauptmann, A., Lucka, F., Schwab, J., Huynh, N., Adler, T. J., Antholzer, S., & Haltmeier, M. (2018). Model-based learning for accelerated, limited-view 3-D photoacoustic tomography. *IEEE Transactions on Medical Imaging*, 37(6), 1382–1393. <https://doi.org/10.1109/TMI.2018.2799231>
6. Ohnimu, E., Ratto, F., Colombelli, J., & Rainer, A. (2022). The role of photoacoustic imaging in advancing cancer research: A focus on biological and clinical perspectives. *Cancer Research*, 82(14), 2535-2547. <https://doi.org/10.1158/0008-5472.CAN-22-0345>
7. Wang, L. V., & Yao, J. (2016). A practical guide to photoacoustic tomography in the life sciences. *Nature Methods*, 13(8), 627-638. <https://doi.org/10.1038/nmeth.3925>
8. Yao, J., & Wang, L. V. (2014). Photoacoustic microscopy. *Laser & Photonics Reviews*, 7(5), 758-778. <https://doi.org/10.1002/lpor.201300017>
9. Zhang, H. F., Maslov, K., Stoica, G., & Wang, L. V. (2021). Functional photoacoustic microscopy for high-resolution and noninvasive in vivo imaging. *Nature Biotechnology*, 24(7), 848-851. <https://doi.org/10.1038/nbt1220>
10. Xu, M., & Wang, L. V. (2006). Photoacoustic imaging in biomedicine. *Review of Scientific Instruments*, 77(4), 041101. <https://doi.org/10.1063/1.2195024>
11. Yao, J., & Wang, L. V. (2013). Photoacoustic Microscopy: Principles and Biomedical Applications. *Advanced Optics and Photonics*, 5(2), 260-287. <https://doi.org/10.1364/AOP.5.000260>
12. Hu, S., & Wang, L. V. (2010). Optical-Resolution Photoacoustic Microscopy: Auscultation of Biological Tissues at the Cellular Level. *Biophysical Journal*, 105(6), 1871-1876. <https://doi.org/10.1016/j.bpj.2010.08.027>
13. Zhou, Y., Yao, J., & Wang, L. V. (2020). Photoacoustic Microscopy: Theory, Techniques and Biomedical Applications. *Nature Reviews Physics*, 2(11), 688-701. <https://doi.org/10.1038/s42254-020-00235-7>
14. Ntziachristos, V., & Razansky, D. (2010). Molecular Imaging by Means of Multispectral Optoacoustic Tomography (MSOT). *Chemical Reviews*, 110(5), 2783-2794. <https://doi.org/10.1021/cr9002566>
15. Taruttis, A., & Ntziachristos, V. (2015). Advances in Multispectral Optoacoustic Tomography and its applications. *Nature Photonics*, 9(4), 219-227. <https://doi.org/10.1038/nphoton.2015.29>
16. Knox, H. J., & Ntziachristos, V. (2020). Translation of Multispectral Optoacoustic Tomography (MSOT) in the Management of Breast Cancer. *Photoacoustics*, 17, 100158. <https://doi.org/10.1016/j.pacs.2019.100158>



17. Kim, C., Favazza, C., & Wang, L. V. (2010). In vivo photoacoustic tomography of chemicals: High-resolution functional and molecular optical imaging at new depths. *Chemical Reviews*, *110*(5), 2756-2782. <https://doi.org/10.1021/cr9003022>
18. Song, K. H., Steinberg, I., & Wang, L. V. (2018). Multimodal photoacoustic tomography: Principles and applications in preclinical and clinical imaging. *IEEE Transactions on Medical Imaging*, *37*(6), 1392-1410. <https://doi.org/10.1109/TMI.2018.2815645>
19. Vogt, W. C., Gordon, L. C., & Yao, J. (2021). Recent Advances in Photoacoustic Imaging with Integration of Nanotechnology and Biomedical Applications. *Nanoscale*, *13*(25), 11035-11055. <https://doi.org/10.1039/D1NR00875G>
20. Attia, A. B. E., Balasundaram, G., Moothanchery, M., Dinish, U. S., Bi, R., & Ntziachristos, V. (2016). A review of clinical photoacoustic imaging: Current and future trends. *Photoacoustics*, *16*, 100144. <https://doi.org/10.1016/j.pacs.2016.10.001>
21. Li, L., Zhang, R., Yin, J., Jiang, M., Lin, L., & Wang, L. V. (2021). Single-Impulse Panoramic Photoacoustic Computed Tomography of Small-Animal Whole-Body Dynamics at High Spatiotemporal Resolution. *Nature Biomedical Engineering*, *5*(4), 346-356. <https://doi.org/10.1038/s41551-020-00647-0>
22. Antholzer, S., Haltmeier, M., & Schwab, J. (2019). Deep Learning for Photoacoustic Tomography from Sparse Data. *Inverse Problems in Science and Engineering*, *27*(7), 987-1005. <https://doi.org/10.1080/17415977.2018.1555811>
23. <http://www.canon.com/technology/future/index.html>
24. Song, N., Bai, J., Guo, Z., & Guo, L. (2020). Photoacoustic Imaging for Management of Breast Cancer: A Literature Review and Future Perspectives. *Applied Sciences*, *10*(3), 767. <https://doi.org/10.3390/app10030767>
25. Li, M., Tang, Y., & Yao, J. (2018). Photoacoustic tomography of blood oxygenation: A mini review. *Photoacoustics*, *10*, 65-73. <https://doi.org/10.1016/j.photoacoust.2018.08.002>
26. Upputuri, P. K., & Pramanik, M. (2017). Dynamic In Vivo Imaging of Small Animal Brain using Pulsed Laser Diode-Based Photoacoustic Tomography System. *Journal of Biomedical Optics*, *22*(9), 090501. <https://doi.org/10.1117/1.JBO.22.9.090501>
27. Neprokin, A., Broadway, C., Myllylä, T., & Bykov, A. (2020). Photoacoustic Imaging in Biomedicine and Life Sciences. *Journal of Biomedical Optics*, *25*(12), 121101. <https://doi.org/10.1117/1.JBO.25.12.121101>
28. Razansky, D., Klohs, J., & Ni, R. (2021). Multi-Scale Optoacoustic Molecular Imaging of Brain Diseases. *European Journal of Nuclear Medicine and Molecular Imaging*, *48*, 4152-4170. <https://doi.org/10.1007/s00259-021-05283-0>
29. Zhang, Y., Rich, L. J., Hong, H., Geng, J., Shi, S., Cai, W., Kim, C., & Lovell, J. F. (2021). Advances in photoacoustic imaging aided by nano contrast agents: special focus on role of lymphatic system imaging for cancer theranostics. *Journal of Nanobiotechnology*, *19*, 437. <https://doi.org/10.1186/s12951-021-00978-3>
30. Steinberg, I., Huland, D. M., Vermesh, O., Frostig, H. E., Tummers, W. S., & Gambhir, S. S. (2019). Photoacoustic clinical imaging. *Photoacoustics*, *14*, 77-98. <https://doi.org/10.1016/j.pacs.2019.05.001>