



## Smiles in the Digital Age: The CAD/CAM Revolution in Orthodontics

Risheb Nagill<sup>1</sup>, Yoshita Tyagi<sup>2</sup>, Namrata Dogra<sup>3</sup>, Tarun Kumar<sup>4</sup>

<sup>1</sup> PG Student, Department of Orthodontics, Faculty of Dental Sciences, SGT University, India

<sup>2</sup> PG Student, Department of Orthodontics, Faculty of Dental Sciences, SGT University, India

<sup>3</sup> Professor, Department of Orthodontics, Faculty of Dental Sciences, SGT University, India

<sup>4</sup> Professor & Head, Department of Orthodontics, Faculty of Dental Sciences, SGT University, India

(Received: 16 March 2025

Revised: 20 April 2025

Accepted: 22 May 2025)

### KEYWORDS

CAD/CAM  
Technology,  
3D Printing  
,Cone-Beam  
Computed  
Tomography  
(CBCT),  
,Intraoral  
Scanners

### ABSTRACT:

The integration of digital technologies such as Cone-Beam Computed Tomography (CBCT), Computer-Aided Design and Manufacturing (CAD/CAM), and 3D printing has revolutionized orthodontics, enhancing diagnosis, treatment planning, and appliance fabrication. These innovations enable precise 3D imaging, virtual treatment simulations, and the creation of customized orthodontic devices, which improve both treatment outcomes and patient communication. Digital tools, including advanced imaging methods and virtual patient modelling, allow for more accurate diagnosis and personalized care. CAD/CAM technology has streamlined the manufacturing of appliances, reducing errors and production time while ensuring better fit and functionality. Furthermore, digital workflows facilitate remote patient monitoring and teleorthodontics, enhancing convenience and treatment efficiency. Despite these advancements, challenges such as high initial costs, the need for specialized training, and data security concerns remain. However, the potential of digital orthodontics to improve treatment precision and patient satisfaction continues to drive its adoption in clinical practice. This paper explores the impact of CAD/CAM technology, 3D imaging, and digital workflows on orthodontic diagnosis, treatment planning, and appliance fabrication.

### 1. Introduction

Orthodontic diagnosis, treatment planning, and the creation of customized orthodontic devices are the main applications for CAD/CAM technology. New treatment approaches have been introduced in contemporary orthodontic procedures as a result of the development of sophisticated technologies.

Cone-beam computed tomography (CBCT) is acknowledged as the first reverse engineering (RE) scanning system used in the craniofacial complex in modern dentistry. In this context, the craniomaxillofacial region's 3D reconstruction via CBCT is essential for both orthodontic intervention diagnosis and planning[1]. The orthodontic clinical workflow has been completely transformed by the integration of RE systems, CAD-CAM, and 3D printing. This has improved diagnosis, improved patient-provider communication, supported digital treatment plans, and made it possible to produce simplified and customized equipment [2].(FIGURE 1)

With their remarkable precision and integration of facial and intraoral data, 3D systems enable accurate diagnosis without diminishing the importance of cephalometric analysis. Digital and RE technologies are essential resources for personalizing orthodontic care. The

capacity to build a virtual patient is a significant step toward a more customized approach to diagnosis and treatment[3] (FIGURE 1)




Figure 1:-Chronological Phases in model generation Process from import to printing.

### 2. Diagnosis

To determine the condition of the case before to treatment and to document the treatment process, orthodontic records require a diagnostic report that is supported by study models, radiographs, and pictures. It is significantly simpler to make an accurate diagnosis when using issue-oriented dental records [4].

Both function and aesthetics are evolving goals of orthodontic treatment. In private practice, the development of digital technologies has led to the



establishment of an improved three-dimensional (3D) diagnosis and treatment planning method. In orthodontics, 3D imaging enables predictive diagnosis and treatment planning, as well as post-treatment assessment of dentoskeletal connections and facial aesthetics. Orthodontists can also create customized archwires for research and medical-legal purposes using 3D models [5].

With the development of digital imaging and 3D modelling, orthodontic diagnostics have changed to allow for more accurate treatment planning and improved patient communication.

## 2.1 Imaging Methods

**Cone beam CT (CBCT):** Produces three-dimensional pictures of the jaws, teeth, and surrounding tissues. helpful for planning surgeries utilizing DICOM data and 3D reconstructions, as well as for assessing implant placements [6].

**Digital Cephalometry:** For simpler analysis and storage, digital pictures are being used in place of conventional film-based cephalometry [7]. **DICOM:** Enables the sharing, archiving, and 3D viewing of malocclusions at different phases of treatment [8,9].

## 2.2. Models for Digital Study

Developed with non-destructive imaging techniques (X-rays, lasers). **OrthoCad:** Makes it simpler to view and share patient files by integrating virtual models with them. **GeoDigm:** Provides color-coded bite maps for occlusal examination and interactive 3D editing[10].

## 2.3. Innovations in Radiography

**Radiovisiography:** Provides low-radiation, instant digital imaging. **Tuned Aperture CT (TACT):** This technique visualizes hard tissues by capturing several X-ray projections. **Multi-Detector CT:** Improves soft tissue visibility and generates high-resolution, rapid 3D pictures with little motion artifacts[11].

## 2.4. Advanced Tools

**Sure Smile:** Uses bespoke appliances and 3D imagery to improve communication and accuracy.

**Scanners in Orthodontics [12]. T-Scans:** Analyse occlusion and detect interferences [13].

**3D Facial Scanners:** Capture facial anatomy and assess growth, symmetry, and craniofacial anomalies [10].

**Stereophotogrammetry:** Uses stereo cameras for detailed 3D facial measurements [14].

## 2.5. 3D and Virtual Technologies

**Virtual Orthodontic Patient:** enables thorough treatment planning by combining 3D and 4D images. **3D printing:** Produces tangible appliances or prototypes from digital models[15].

## 2.6. Additional Technology

**Intraoral Scanners:** Save time and money by providing rapid, lifelike digital models[16]. **Laser Scanning:** This non-invasive method captures facial structure and soft tissue in great detail. **MRI:** Assesses the craniofacial structure, especially for airway and TMJ analysis[17]. **Digital Models:** Offer adaptable digital substitutes for plaster models[18,19].

## 3 Treatment Planning

### 3.1 Planning Orthodontic Treatments with Digitalization

Treatment planning has been transformed by the use of digital technology in orthodontics, becoming more accurate, effective, and patient-focused. Software for creating 3D digital models, modelling orthodontic treatments, and carrying out thorough analysis and treatment planning are the three primary types of orthodontic software currently in use, each with a specific function. To get the best outcomes, clinicians may use one or all of these technologies in a digital workflow, depending on how complicated the case is [20].

Modern dental scanners with machine learning and artificial intelligence (AI) improve the capacity to recognize colors and textures precisely, speeding up the creation of digital files. software for treatment simulation has become indispensable because it provides visual assistance that enhance patient communication. These technologies support fixed appliance-based therapy as well as clear aligner therapy and require little data input [21]. Particularly benefiting from AI advancements, cephalometric analysis now offers far higher accuracy and efficiency than manual techniques. Numerous orthodontic tasks, such as skeletal age assessment, temporomandibular joint (TMJ) evaluation, extraction



decision-making, and orthognathic planning, are now supported by AI technologies [22].

### 3.2 Skeletal Anchorage and Digital Planning

Skeletal anchoring systems, which are being utilized more and more to control intricate orthodontic biomechanics, depend heavily on digital planning for proper placement. Clinicians can evaluate both quantitative and qualitative elements of bone structure, soft tissue interactions, and anatomical restrictions using virtual planning for miniscrew insertions and full digital orthodontic setups.

For the following reasons, digitally guided surgical planning is highly recommended:

- (1) control of miniscrew parallelism and inclination to enable accurate appliance placement and prevent anatomical undercuts.
- (2) control of insertion depth to prevent bone trauma.
- (3) precise evaluation of the spatial relationship between miniscrews and neighbouring structures such as the nasal bone and cortical plate. These benefits have a major positive impact on treatment results and patient safety [23].

### 3.3 Aligners and Fixed Appliances in Treatment Planning

The conventional method of treating orthodontic issues has changed due to digital technology. Clinicians are urged to use a proactive planning approach with clear aligners, in which the entire biomechanical strategy is created prior to starting treatment. Determining the kind and timing of attachments and auxiliaries is part of this. Additionally, by altering the frequency of aligner modifications, the rate of tooth movement can be tailored to the patient's bone physiology. In adult patients with impacted teeth or periodontal issues, when regulated force application is essential, this is extremely helpful [24].

On the other hand, biomechanical decisions in fixed appliance therapy have traditionally been more reactive, relying on clinical observations following appliance activation. Clinicians can now accurately plan ahead thanks to digital setups, which makes fixed appliance therapy a more methodical and cooperative procedure. Digital workflows' common platform encourages

interdisciplinary collaboration by enabling several experts to participate in customized treatment planning [25].

### 3.4 Fabrication of Appliances and CAD-CAM Technology

The improvement of the appliance manufacturing process is another significant benefit of digitalization in orthodontics. The precision, efficiency, and repeatability of appliance manufacture have significantly increased thanks to CAD-CAM (Computer-Aided Design and Manufacturing) technology, even if many of these procedures could previously be finished using analog methods[26]. The margin of error is reduced by decreasing hand craftsmanship and substituting computer-guided processes, which leads to more precise appliances and better therapeutic results [27].

### 3.5 Teleorthodontics and Digital Monitoring Devices

By facilitating continuous comparisons between intended and actual tooth motions, digital systems offer a substantial advantage in tracking the course of treatment. Teleorthodontic solutions that enable remote patient monitoring further improve this capability. While maintaining necessary clinical appointments for treatments including extractions, bracket installation, and stripping, teleorthodontics lessens the need for frequent in-person visits. The Dental Monitoring system (DentalMind, Paris, France) [28]. The first "Software as a Service" platform created especially for orthodontic treatment, is a noteworthy development in this field. Clinical research has shown that, without sacrificing treatment efficacy, patients who use digital monitoring systems need fewer appointments than those in traditional monitoring groups. This enhances patient convenience while also increasing practitioner efficiency [29,30,31].

### 3.6 Treatment Planning with Temporary Anchorage Devices (TADs)

Temporary anchoring devices (TADs), which provide dependable skeletal attachment that improves biomechanical control, have emerged as a key component of contemporary orthodontic therapy. Cone beam computed tomography (CBCT) scan data can be used to realistically arrange TAD implantation within a computerized process. The creation of 3D-printed surgical guides enables the conversion of these digital



blueprints into clinically feasible results by combining computer-aided design and computer-aided manufacturing (CAD/CAM) [32]. A simplified "one-visit protocol" that allows for the insertion of TADs and related appliances, like maxillary expanders, in a single session is made possible by this technology [33,34]. In addition to ensuring accurate placement, the surgical guides—usually resin-based splints made with biocompatible 3D printing materials—also improve patient comfort and procedural efficiency. Transfer guides greatly improve placement accuracy while lowering the possibility of anatomical interference and deviation [35] [Table 1]

Step	Description	Output/Tool Used
1. Virtual Model Creation	Import patient data	Modeling files (STL, OBJ) and/or DICOM files (for CT scans)
2. Treatment Plan Fabrication	3D printing of surgical guides	Physical surgical guides (resin or metal)
3. Final Model Refinement	Milling of final guides	High-precision guides
4. Final Model Verification	Use of physical models	Physical models for clinical verification
5. CAD Modeling	Design of appliances in software	Digital models and data for production
6. Appliance Fabrication	Manufacturing of appliances	Physical appliances (resin or metal)

Table: 1 Methodology of TAD placement

### 3.7 Digital Treatment Planning for Andresen and Sleep Apnea Removable Appliances

The manufacturing of useful appliances such as sleep apnea devices and the Andresen monoblock has been revolutionized by digital technologies. Dental casts are first scanned using a portable laser to create a 3D point cloud, which is subsequently transformed into an STL file. A phantom interface is a virtual environment that uses CAD software to provide haptic interaction while modeling. Labial tubes for wires and strong intermaxillary edges are two examples of the precise anatomical elements that go into the construction of the Andresen monoblock. The labial bow is precisely placed into guiding jigs, which are designed for wire tagging. The entire appliance is then digitally integrated onto a 3D cast, guaranteeing excellent accuracy, personalized design, and a shorter manufacture time [36,37,38,39,].

#### 4. Appliance Fabrication Digitalization

By combining 3D printing and cutting-edge CAD/CAM technology, digitalization has completely changed the manufacturing of orthodontic appliances. Dental devices are now far more accurate, efficient, and customizable thanks to these advancements, which also enable fully digital workflows from diagnostic and treatment

planning to the manufacturing of the finished appliance. The simulation of treatment outcomes is made possible by software like CAD (Computer-Aided Design), which improves patient comprehension and communication while providing doctors with an accurate picture of the anticipated outcomes [40]. After designs are complete, they are transformed into machine-readable instructions for 3D printing or milling by CAM (Computer-Aided Manufacturing) software. Then, to guarantee a precise fit and optimum performance, appliances are either printed using biocompatible resins or carved from blocks of ceramic or metal. These procedures provide easier adjustments, enhance fit, and drastically cut down on production time[41].

#### CAD/CAM DEVICE MAKING

By supporting the long-term availability of original ideas and increasing production precision, CAD/CAM technology improves usability and reliability in the dental manufacturing industry. With appliances made in-office or by digital laboratory professionals utilizing specialized software [27]and 3D printers or milling machines, these systems constitute the last stage of a digital workflow [31].

#### 4.1 Indirect Bonding

The purpose of indirect bonding trays is to increase the precision of bracket installation, particularly on uneven lingual or labial tooth surfaces. Using this technique, brackets are aligned according to the functional, occlusal, and aesthetic requirements of each patient [42]. [TABLE 2]

Factor	Description
1. FA Data on the FACD Axis	Assessment of facial axis (FA) data in relation to the facial axis of the clinical crown (FAC) for bracket alignment.
2. Tooth Displacement	Evaluation of the extent and direction of individual tooth movement from the ideal position.
3. Possible Overcorrection	Consideration of overcorrection potential in three planes: axial (rotation), sagittal (antroposterior), and vertical (intrusion/extrusion).

Table : 2 Factors Determining The Placement Of Bracket Placements

#### 4.2 Occlusal Splints

Prototyped occlusal splints are used to treat obstructive sleep apnea syndrome (OSAS) and TMJ issues [43]. Better seating and less undercut interference are ensured by the offset placement approach, which creates space between the splint and the tooth surface [44]. Compared to analogue approaches, CAD software can produce



appliances more consistently and efficiently by automatically offsetting models or splints [45].

### 4.3 Surgical Splints

Orthognathic surgery planning begins with the creation of surgical splints. 3D virtual planning is made possible by modern software, which reproduces the skull and dentition in high resolution for precise splint manufacture [46]. Compared to conventional techniques, these splints, which are made by milling or prototyping, provide better fit and precision [47].

#### 4.4 Clear Aligners

One of the most notable developments in digital orthodontics is the use of clear aligners. Variable thickness and exact spatial control throughout the dental arch are made possible by direct 3D printing from digital designs. Consistent tooth movement and colour stability are made possible by innovative materials such as Ghost PU Aligner sheets, which provide increased flexibility and strength [48]. Leading brand Invisalign has improved force application and provided software integration for better treatment planning, including CBCT data and mixed dentition cases, with the introduction of SmartTrack and SmartForce technology [49].

#### 4.5 Customized Orthodontic Appliances

Metal appliances can be directly fabricated from CAD designs using powdered cobalt-chromium alloys thanks to sophisticated techniques like laser melting [50]. Custom bands or pads that adhere to the lingual, buccal, or occlusal surfaces without interproximal extension are among the examples. These parts are made to closely fit the structure of the tooth, reducing gingival interference while preserving strength and resistance to bonding [50,51].

#### 4.6 3D Printable Resin Materials

In orthodontic 3D printing, resin-based materials are being utilized more and more for intraoral and laboratory applications. These materials must have the proper tensile strength and stiffness—compressive resistance for splints, rigidity for surgical guides, and flexibility for bonding trays. For its clinical use, mechanical performance and biocompatibility are essential factors [52].

#### 4.7 LINGUAL ORTHODONTICS

In lingual orthodontics, CAM software is used to manufacture brackets and wires from blocks of titanium, stainless steel, or gold. Because the components are carefully shaped to each patient's anatomy, this procedure guarantees an ideal fit and great treatment efficiency [53].

#### 4.8 ARCHWIRE FABRICATION

In 2019, LightForce Orthodontics unveiled the first brace system made using 3D printing. These systems improve clinical control and comfort by providing configurable features including bite turbos, colour, and slot size. Because of its capacity to be customized, this method represents a major breakthrough in providing individualized and efficient care [54].

#### 4.9 DIGITAL FIXED APPLIANCES

Lingual arches, trans-palatal arches, sectional space holders, and other anchorage structures are examples of digital fixed appliances. Digital technologies can be used to tailor them to improve patient comfort and efficacy. For instance, Herbst and Forsus appliances are made to treat mandibular discrepancies, whereas tongue spurs are used to treat tongue-thrusting behaviours. Digital bands reduce gingival discomfort by perfectly fitting to tooth surfaces, doing away with the need for separating elastics [55]. By precisely fitting the patient's anatomy through CAD/CAM design, the Digital Titanium Herbst (DTi Herbst) device enhances comfort and may reduce treatment duration. Better treatment results are also achieved by the digital design of other devices, such as digital tongue educators for lingual muscle training and Michigan splints for TMJ therapy [56].

### 5. Challenges & Limitations:

Significant upfront costs for training, hardware, and digital software. Staff and orthodontists have a steep learning curve. Verification is necessary due to the possibility of mistakes in 3D printing, CAD/CAM design, and digital impressions. Integration of workflows may necessitate adjustments to procedures and result in short-term inefficiencies. Issues with digital platform compatibility might make it more difficult to share and



collaborate on data. Training on access control, encryption, and data protection is necessary due to cybersecurity concerns.

Practitioners need to keep abreast of changing legal requirements and norms. A focus on patient education is essential for trust and informed consent [57].

## 6. Conclusion:

The integration of CAD/CAM technology, digital imaging, and 3D printing has revolutionized orthodontics, from precise diagnosis and efficient treatment planning to the customized fabrication of appliances. These digital innovations enhance clinical accuracy, streamline workflows, and support personalized patient care. While challenges such as high initial investment, learning curves, and cybersecurity concerns exist, the benefits of improved outcomes, better patient communication, and reduced treatment time are substantial. With continued advancements and responsible implementation, digital orthodontics holds immense potential to shape the future of orthodontic care—making it more efficient, accurate, and patient-centred than ever before.

## 7. References

1. D'Apuzzo, Nicola. (2006). Overview of 3D surface digitization technologies in Europe. *Proc. SPIE*. 6056.
2. D'Ettore G, Farronato M, Candida E, Quinzi V, Grippaudo C. (2022) .A comparison between stereophotogrammetry and smartphone structured light technology for three-dimensional face scanning. *Angle Orthod.* 1;92(3):358-363.
3. Teerakanok S, Charoemratrote C, Chanmanee P.(2022) The Accuracy of Lateral Cephalogram in Representing the Anterior Maxillary Dentoalveolar Position. *Diagnostics (Basel)*. Jul 30;12(8):1840.
4. Taneva E, Kusnoto B, Evans CA.( 2014): 3D scanning, imaging, and printing in orthodontics . *Issues in Contemporary Orthodontics*. Bourzgui F (ed): IntechOpen, London, UK; . 10.5772/60010.
5. Hajeer MY, Millett DT, Ayoub AF, Siebert JP.(2004). Applications of 3D imaging in orthodontics: part I. *J Orthod.*;31(1):62-70.
6. Jeon JH.(2019). Digital technology in orthognathic surgery: virtual surgical planning and digital transfer. *J Korean Assoc Oral Maxillofac Surg.* t;45(5):231-232..
7. Liu JK, Chen YT, Cheng KS.(2000). Accuracy of computerized automatic identification of cephalometric landmarks. *Am J Orthod Dentofacial Orthop.*;118(5):535-40.
8. McClure SR, Sadowsky PL, Ferreira A, Jacobson A.(2005). Reliability of digital versus conventional cephalometric radiology: a comparative evaluation of landmark identification error. *Semin Orthod.*, 11:98-110. 10.1053
9. Joffe L. OrthoCAD(2004).: digital models for a digital era. *J Orthod.*;31(4):344-7
10. Ronsivalle, V., Ruiz, F., Lo Giudice, A., Carli, E., Venezia, P., Isola, G., Leonardi, R., & Mummolo, S. (2023). From Reverse Engineering Software to CAD-CAM Systems: How Digital Environment Has Influenced the Clinical Applications in Modern Dentistry and Orthodontics. *Applied Sciences*, 13(8), 4986.
11. Ilić DV, Stojanović LS.(2012). Application of radiovisiography (digital radiology) in dental clinical practice. *Vojnosanit Pregl*;69(1):81-4.
12. Sachdeva RC.( 2001) SureSmile technology in a patient--centered orthodontic practice. *J Clin Orthod.*;35(4):245-53.
13. Zhurov A, Richmond S, Kau CH, Toma AR (2010): Averaging facial images. Three-Dimensional Imaging for Orthodontics and Maxillofacial Surgery. Kau C, Richmond S (ed): Wiley-Blackwell, Hoboken, NJ;.
14. Taneva E, Kusnoto B, Evans CA(2014): 3D scanning, imaging, and printing in orthodontics . *Issues in Contemporary Orthodontics*. Bourzgui F (ed): IntechOpen, London, UK;
15. Hajeer MY, Millett DT, Ayoub AF, Siebert JP(2004). Applications of 3D imaging in orthodontics: part II. *J Orthod.*;31(2):154-62.
16. Lee SJ, Kim SW, Lee JJ, Cheong CW(2020). Comparison of Intraoral and Extraoral Digital



- Scanners: Evaluation of Surface Topography and Precision. *Dent J (Basel)*. 20;8(2):52.
17. Erten O, Yılmaz BN(2018). Three-Dimensional Imaging in Orthodontics. *Turk J Orthod. Sep*;31(3):86-94.
  18. Alassiry A(2021): Digital orthodontics- a contemporary view of futuristic practice . *Int J Adv Res.*, 30:723-32.
  19. Khaled K, Fayed M(2023): Digital orthodontics: an overview. *MSA Dental Journal.*, 2:49-53.
  20. Kumar G, Jyothikiran H, Nair N, et al(2024).: Contemporary digital software applications in orthodontics: a review . *Int J Sci Res Arch.*, 11:288-301.
  21. Liu J, Zhang C, Shan Z(2023). Application of Artificial Intelligence in Orthodontics: Current State and Future Perspectives. *Healthcare (Basel)*. Oct 18;11(20):2760.
  22. Kazimierczak N, Kazimierczak W, Serafin Z, Nowicki P, Nożewski J, Janiszewska-Olszowska J(2024). AI in Orthodontics: Revolutionizing Diagnostics and Treatment Planning-A Comprehensive Review. *J Clin Med*. Jan 7;13(2):344.
  23. Nucera R, Lo Giudice A, Bellocchio AM, Spinuzza P, Caprioglio A, Perillo L, Matarese G, Cordasco G(2017). Bone and cortical bone thickness of mandibular buccal shelf for mini-screw insertion in adults. *Angle Orthod. Sep*;87(5):745-751.
  24. Gkantidis N, Christou P, Topouzelis N(2010). The orthodontic-periodontic interrelationship in integrated treatment challenges: a systematic review. *J Oral Rehabil*. May 1;37(5):377-90.
  25. Graf, S.; Hansa, I(2019). Clinical guidelines to integrate temporary anchorage devices for bone-borne orthodontic appliances in the digital workflow. *APOS Trends Orthod.*, 9, 182–189.
  26. Hajeer, M.Y.; Millett, D.T.; Ayoub, A.F.; Siebert, J.P(2004). Current Products and Practices. *J. Orthod.*, 31, 62–70.
  27. Rathore, N.; Jain, P(2014). Reverse Engineering Applications in Manufacturing Industries: An Overview; DAAAM International: Vienna, Austria,; pp. 567–576.
  28. Moylan HB, Carrico CK, Lindauer SJ, Tüfekçi E(2019). Accuracy of a smartphone-based orthodontic treatment-monitoring application: A pilot study. *Angle Orthod. Sep*;89(5):727-733.
  29. Hansa I, Semaan SJ, Vaid NR(2020). Clinical outcomes and patient perspectives of Dental Monitoring® GoLive® with Invisalign®-a retrospective cohort study. *Prog Orthod* Jun 15;21(1):16.
  30. Pithon MM, Baião FCS, Sant Anna LIDA, Paranhos LR, Cople Maia L(2019). Assessment of the effectiveness of invisible aligners compared with conventional appliance in aesthetic and functional orthodontic treatment: A systematic review. *J Investig Clin Dent*. Nov;10(4):e12455
  31. Malik OH, McMullin A, Waring DT(2013). Invisible orthodontics part 1: invisalign. *Dent Update*. Apr;40(3):203-4, 207-10, 213-5
  32. Ludwig B, Venugopal A, Wiechmann D, Nanda R(2022). Boneborne rapid palatal expansion-the virtual way. *J Clin Orthod*. Apr;55(4):239-243.
  33. Nojima LI, Nojima MDCG, Cunha ACD, Guss NO, Sant'Anna EF(2018). Mini-implant selection protocol applied to MARPE. *Dental Press J Orthod*. Sep-Oct;23(5):93-101.
  34. Pozzan L, Migliorati M, Dinelli L, Riatti R, Torelli L, Di Lenarda R, Contardo L(2022). Accuracy of the digital workflow for guided insertion of orthodontic palatal TADs: a step-by-step 3D analysis. *Prog Orthod*. Aug 15;23(1):27.
  35. Li-Rodríguez JK, Díaz-Durany M, Romeo-Rubio M, Paz Salido M, Pradés G(2022). Accuracy of a guided implant system with milled surgical templates. *J Oral Sci* Apr 1;64(2):145-150.
  36. Stevens B, Yang Y, Mohandas A, Stucker B, Nguyen KT(2008). A review of materials, fabrication methods, and strategies used to enhance bone regeneration in engineered bone tissues. *J Biomed Mater Res B Appl Biomater*. May;85(2):573-82.
  37. Sun Y, Lü P, Wang Y(2009). Study on CAD&RP for removable complete denture.



- Comput Methods Programs Biomed. Mar;93(3):266-72.
38. Williams RJ, Bibb R, Eggbeer D(2008). CAD/CAM-fabricated removable partial-denture alloy frameworks. *Pract Proced Aesthet Dent*. Jul;20(6):349-51.
39. Faber J, Berto PM, Quaresma M(2006). Rapid prototyping as a tool for diagnosis and treatment planning for maxillary canine impaction. *Am J Orthod Dentofacial Orthop*. Apr;129(4):583-9.
40. Panayi NC, Efstathiou S, Christopoulou I, et al.(2024): Digital orthodontics: present and future. *Am J Orthod Dentofacial Orthop*., 4:14-25.
41. Abduo J, Lyons K, Bennamoun M(2014). Trends in computer-aided manufacturing in prosthodontics: a review of the available streams. *Int J Dent*.;2014:783948
42. Tartaglia GM, Mapelli A, Maspero C, Santaniello T, Serafin M, Farronato M, Caprioglio A(2021). Direct 3D Printing of Clear Orthodontic Aligners: Current State and Future Possibilities. *Materials (Basel)*. Apr 5;14(7):1799.
43. Gateno J, Xia J, Teichgraeber JF, Rosen A, Hultgren B, Vadnais T(2003). The precision of computer-generated surgical splints. *J Oral Maxillofac Surg*. Jul;61(7):814-7.
44. Olthoff LW, van der Glas HW, van der Bilt A(2007). Influence of occlusal vertical dimension on the masticatory performance during chewing with maxillary splints. *J Oral Rehabil*. Aug;34(8):560-5.
45. Robertson C, Herbison P, Harkness M(2003). Dental and occlusal changes during mandibular advancement splint therapy in sleep disordered patients. *Eur J Orthod*. Aug;25(4):371-6.
46. Ye N, Wu T, Dong T, Yuan L, Fang B, Xia L(2019). Precision of 3D-printed splints with different dental model offsets. *Am J Orthod Dentofacial Orthop*. May;155(5):733-738.
47. Swennen GR, Mommaerts MY, Abeloos J, De Clercq C, Lamoral P, Neyt N, Casselman J, Schutyser F(2009). A cone-beam CT based technique to augment the 3D virtual skull model with a detailed dental surface. *Int J Oral Maxillofac Surg*. Jan;38(1):48-57.
48. Bichu YM, Alwafi A, Liu X, Andrews J, Ludwig B, Bichu AY, Zou B(2022). Advances in orthodontic clear aligner materials. *Bioact Mater*. Oct 20;22:384-403.
49. Kau CH, Soh J, Christou T, Mangal A(2023). Orthodontic Aligners: Current Perspectives for the Modern Orthodontic Office. *Medicina (Kaunas)*. Oct 5;59(10):1773.
50. Papageorgiou SN, Polychronis G, Panayi N, Zinelis S, Eliades T(2022). New aesthetic in-house 3D-printed brackets: proof of concept and fundamental mechanical properties. *Prog Orthod*. Feb 21;23(1):6.
51. Tsolakis IA, Gizani S, Panayi N, Antonopoulos G, Tsolakis AI(2022). Three-Dimensional Printing Technology in Orthodontics for Dental Models: A Systematic Review. *Children (Basel)*. Jul 23;9(8):1106.
52. Wuerschling SN, Hickel R, Edelhoff D, Kollmuss M(2022). Initial biocompatibility of novel resins for 3D printed fixed dental prostheses. *Dent Mater*. Oct;38(10):1587-1597.
53. Gimenez C(2011): Digital technologies and CAD/CAM systems applied to lingual orthodontics: the future is already a reality. *Dental Press J Orthod*., 16:22-7.
54. Panayi NC(2023). In-office Customized Brackets: Aligning with the Future. *Turk J Orthod*. Jun 22;36(2):143-148.
55. Ghislanzoni LH, Negrini S.(2020) Digital Lab Appliances: The Time Has Come. *J Clin Orthod*. Sep;54(9):562-569.
56. Farronato G, Santamaria G, Cressoni P, Falzone D, Colombo M(2011). The digital-titanium Herbst. *J Clin Orthod*. May;45(5):263-7.
57. Pandey R, Kamble R, Kanani H(2024). Revolutionizing Smiles: Advancing Orthodontics Through Digital Innovation. *Cureus*. Jul 8;16(7): e64086.