



# Twak Sharir in Ayurveda: A Comparative Evaluation with Modern Dermatological and Histological Perspectives

Dr. Dezi Kumari<sup>1</sup>, Dr. S. S. Gupta<sup>2</sup>, Dr. Piyush Raj<sup>3</sup>, Dr. Sommya Kumari<sup>4\*</sup>, Dr. Mukesh Kumar<sup>5</sup>, Dr. Aswin Suresh<sup>5</sup>

<sup>1</sup> AMO Government of Bihar.

<sup>2</sup> Professor & Head of Department of Rachana Sharir, Govt. Ayurvedic College & Hospital, Patna, Bihar.

<sup>3</sup> Consultant Physician, Internal medicine, Sadar Hospital, Sitamarhi, Bihar.

<sup>4</sup> Senior Resident, Department of Dentistry, AIIMS Deoghar, Jharkhand, India.

<sup>5</sup> Associate Professor, Department of Dentistry, AIIMS Deoghar, Jharkhand, India.

## Corresponding Author:

Dr. Sommya Kumari, Senior Resident, Department of Dentistry, AIIMS Deoghar, Jharkhand, India.

(Received: 16 June 2025

Revised: 20 July 2025

Accepted: 04 August 2025)

## KEYWORDS

Twak Sharir,  
Ayurveda,  
Skin Anatomy,  
Integrative Approach,

## ABSTRACT:

*Twak* (skin) is one of the essential anatomical and functional entities discussed in *Rachana Sharir* of Ayurveda. Ancient seers have elaborated the multi-layered structure of *Twak* in terms of its origin (*Utpatti*), types (*Saptadhatuja Twak*), location, and physiological relevance. In modern biomedical science, the skin is the largest organ of the body and is extensively studied in terms of its histology, function, and pathology. This article attempts to bridge the traditional Ayurvedic descriptions of *Twak Sharir* with the contemporary understanding of dermatology and histology, highlighting parallels, complementarities, and unique insights.

## 1. Introduction

Ayurveda, the ancient Indian system of medicine, offers an in-depth perspective of the human body through *Sharir Rachana* (anatomy) and *Sharir Kriya* (physiology). Among its intricate classifications, *Twak Sharir*—the anatomical and physiological description of the skin—holds significant importance as a diagnostic and prognostic tool in various diseases. The *Twak* is also a *Dnyanendriya* (sensory organ) and plays a vital role in maintaining the body's interface with the external environment.

In modern science, skin is understood as a dynamic organ comprising three major layers—epidermis, dermis, and hypodermis—with a multitude of cells, glands, and associated structures that play roles in protection, sensation, thermoregulation, and immune response [1]. This comparative analysis of *Twak Sharir* with contemporary dermatological and histological views

aims to explore correlations, validate Ayurveda insights, and propose integrative models for future interdisciplinary research.

## Concept of Twak in Ayurveda

### Definition and Significance

In Ayurveda, *Twak* is more than a physical covering. It is the seat of touch sensation (*Sparshanendriya*) and reflects internal health. As per *Acharya Sushruta*: "*Twak hi sparshanendriyasthana bhavati*" — (*Sushruta Samhita*, Sharir Sthana 4/4) [2]

It reflects the health of internal systems such as *Rasa*, *Rakta*, and *Dhatu*, and is considered an important site for the manifestation of diseases like *Kushtha* (skin disorders), *Pama*, *Shwitra*, etc.

### Embryological Origin (*Twak Utpatti*)



Ayurveda attributes the origin of *Twak* to *Rasa Dhatu* and *Rakta Dhatu*, indicating its close relationship with the circulatory and lymphatic systems [3]. The *Sushruta Samhita* states that the *Twak* develops from the *Saptadhatus* (seven body tissues), each contributing to one of its seven layers. "*Rasa Rakta Mamsa Meda Asthi Majja Shukrani twak saptadhatu sambhuta*" — (*Sushruta Samhita*, Sharir Sthana 4/6) [2]

### Layers of Twak in Ayurveda

Acharya Sushruta describes **seven layers** of *Twak*, each associated with specific physiological functions and pathological conditions.

Ayurvedic Layer	Approximate Modern Equivalent	Associated Disease
Avabhasini	Stratum corneum / superficial epidermis	Kushta, Daruna
Lohita	Stratum spinosum	Charmadala
Shweta	Stratum basale / dermo-epidermal junction	Ajagallika
Tamra	Papillary dermis	Kilasa
Vedini	Reticular dermis	Kushtha (Painful)
Rohini	Subcutaneous layer / adipose tissue	Granthi
Mamsadhara	Fascia over muscles	Bhagandara

These layers reflect a composite understanding of skin as a multi-tiered entity involved in nourishment, protection, and sensory perception [4].

### Development and Origin

*Twak* is considered the *Upadhatu* (secondary tissue product) of *Mamsa Dhatu* (muscle tissue) and its origin is traced to the process of embryonic tissue differentiation [6].

Ayurvedic view: *Twak* arises as a byproduct during the formation of *dhatu*s, especially *Mamsa*.

Modern view: Skin develops embryologically from ectoderm (epidermis) and mesoderm (dermis and subcutis), with regional and structural complexity.

### Histological Structure of Skin in Modern Anatomy

The modern understanding of skin divides it into three principal layers:

#### 1. Epidermis

Composed of keratinized stratified squamous epithelium.

Layers: stratum basale, stratum spinosum, stratum granulosum, stratum lucidum (palms/soles), and stratum corneum.

Functions: Protection, barrier formation, vitamin D synthesis [5].

#### 2. Dermis

Contains fibroblasts, collagen fibers, elastic tissue, blood vessels, lymphatics, and nerve endings.

Subdivided into papillary and reticular layers.

Functions: Thermoregulation, sensation, immunity.

#### 3. Hypodermis (Subcutaneous Layer)

Consists of adipose tissue and connective tissue.

Functions: Fat storage, insulation, cushioning of internal organs [6].

This structure is functionally comparable to the Ayurvedic layers of *Twak* and their respective roles.

### Twak as a Sense Organ (Sparshanendriya)

In Ayurveda, *Twak* is the site of the tactile sensory organ and is governed by *Vata Dosha*, particularly *Vyana Vata*, and *Manas* (mind). The modern nervous system corresponds to this through:

Mechanoreceptors: Merkel cells, Meissner's corpuscles  
Thermoreceptors

Nociceptors (pain receptors)

This aligns with the Ayurvedic principle that *Sparshanendriya* perceives *Ruksha*, *Snigdha*, *Ushna*, and *Sheeta* guna (qualities), through which the body interacts with external stimuli [7].

### Comparative Pathological Insights

Ayurveda classifies skin diseases under the umbrella of *Kushta*, *Shwitra*, *Pama*, *Charmadala*, etc., each with detailed etiology and doshic imbalances.

Modern dermatology classifies skin diseases into:

Infectious (bacterial, viral, fungal)

Inflammatory (eczema, psoriasis)



Autoimmune (vitiligo, pemphigus)  
Neoplastic (skin cancers)

### Shwitra vs. Vitiligo

**Ayurveda:** *Shwitra* involves vitiation of *Tridosha*, especially *Pitta*, with loss of skin color due to *Rakta dushti*.

**Modern:** Vitiligo is an autoimmune disorder where melanocytes are destroyed.

Ayurvedic interventions like *Shodhana*, *Shamana*, and *Raktamokshana* have shown effectiveness, and modern studies have corroborated the anti-inflammatory and immunomodulatory effects of herbs like *Bakuchi* (*Psoralea corylifolia*) [8].

### Physiological Functions: Ayurveda vs. Modern Science

Function	Ayurvedic View	Modern View
Protection	Maintains balance of <i>Doshas</i> , barrier to environmental insult	Barrier to pathogens, UV rays, mechanical damage
Sensation	Site of <i>Sparshanendriya</i>	Sensory nerve endings
Excretion	Through <i>Sweda Vaha Srotas</i> (sweat ducts)	Sweat glands for thermoregulation
Immunity	<i>Ojas</i> preservation, <i>Rakta</i> purification	Langerhans cells, immune surveillance
Temperature regulation	Governed by <i>Vata</i> and <i>Pitta</i> through <i>Sweda</i>	Vasodilation, sweat evaporation [9]

### Twak and Diagnostic Correlation

Skin in Ayurveda is considered a mirror of internal health. Disorders of *Rasa* and *Rakta* dhatus, *Agni*, and *Ama* accumulation are reflected in skin quality, color, and integrity.

Modern clinical dermatology also uses skin as a window to systemic diseases:

Jaundice (yellowing)

Cyanosis (bluish tint)

Petechiae (blood disorders)

Skin tags and insulin resistance [10]

### Twak and Cosmetic Ayurveda (Varnya and Twachya Dravyas)

Ayurveda has a well-established tradition of dermatocosmetics. Herbs classified as *Varnya* (improve complexion) include:

Chandana (*Santalum album*)

Manjishtha (*Rubia cordifolia*)

Yashtimadhu (*Glycyrrhiza glabra*)

These have antioxidant, anti-inflammatory, and antimicrobial effects validated in modern pharmacological studies [11].

### Histopathological Correlation of Twak Layers

Ayurveda's seven layers may be understood as follows:

**Avabhasini:** Keratinized layer (stratum corneum)

**Lohita:** Epidermal layers with blood supply indirectly

**Shweta:** Basal cells and melanocytes

**Tamra:** Papillary dermis

**Vedini:** Pain receptors in reticular dermis

**Rohini:** Healing layer with fibroblasts

**Mamsadhara:** Fascia overlying muscle, reflecting structural depth

This correlation suggests that ancient seers had observational knowledge of micro-anatomy.

### Role of Twak in Ayurvedic Therapeutics

Skin is both a diagnostic tool and therapeutic gateway in Ayurveda:

*Abhyanga* (oil massage)

*Lepa* (herbal applications)

*Parisheka* (pouring decoctions)

*Swedana* (sudation therapy)



These techniques act through transdermal absorption and local circulation enhancement, paralleling modern transdermal drug delivery systems [12].

## Twak and Systemic Health: The Dhatu Connection

In Ayurveda, Twak reflects the rasa, rakta, and mamsa dhatus' health (fluid, blood, and muscle), and is influenced by digestive/metabolic power (Agni).

Many Twak Rogas (skin diseases) like Kushta (leprosy), Shwitra (vitiligo) are considered rooted in dhatu / kosta (internal) imbalances.

Modern dermatology also recognizes systemic contributors to skin disease: autoimmune conditions, metabolic disorders (diabetes, thyroid), and nutritional deficiencies.

Blockquote: "Many skin manifestations are reflections of internal dhatu dushti or even Agni dushti."

## Burns (Dagdh) Management- Ayurvedic Approach

Twak is classified for burn severity into Dagdhavastha (stages of burning).

Therapeutics: Seka (pouring medicated liquids), Lepana (external application of herbal pastes), Ghrita (ghee / butter for soothing and healing), Rakta Shodhana (blood purification).

Emphasizes prevention of Dosha aggravation, promotion of tissue regeneration, and scar minimization.

## Discussion

The Ayurvedic concept of *Twak* provides a multidimensional view integrating anatomy, physiology, pathology, and therapeutics. Its division into seven layers and correlation with *Dhatus* suggests a unique tissue-level understanding. Modern histology validates several of these aspects with objective evidence, including the layered structure, vascular and neural supply, immune components, and disease manifestations.

Emerging interdisciplinary studies show promising potential in merging Ayurvedic skin therapeutics with modern dermatological protocols. Herbal preparations for skin conditions are increasingly studied for their


efficacy, with outcomes supporting Ayurvedic claims [13].

## Conclusion

The comparative evaluation of *Twak Sharir* and modern dermatological and histological science reveals significant overlaps and complementary insights. While Ayurveda views the skin through functional, structural, and systemic lenses, modern science confirms these through histopathology, immunology, and physiology. Integrating these perspectives can enrich diagnostic, therapeutic, and cosmetic applications. A holistic view of skin as both a barrier and a bio-reflective surface can foster innovation in integrative dermatology.

## References:

1. McGrath JA, Eady RAJ, Pope FM. Anatomy and organization of human skin. In: Burns T, et al. Rook's Textbook of Dermatology. 8th ed. Wiley-Blackwell; 2010. p. 3.1–3.52.
2. Sushruta. *Sushruta Samhita*, Sharir Sthana, Chapter 4. In: Shastri A, editor. Reprint ed. Varanasi: Chaukhambha Sanskrit Sansthan; 2012. p. 52–56.
3. Tripathi B. *Charaka Samhita*, Sharir Sthana. Varanasi: Chaukhambha Surbharti Prakashan; 2011.
4. Sharma PV. *Rachana Shariram*. 3rd ed. Varanasi: Chaukhambha Bharati Academy; 2005.
5. Ross MH, Pawlina W. *Histology: A Text and Atlas*. 7th ed. Philadelphia: Wolters Kluwer; 2015.
6. Tortora GJ, Derrickson B. *Principles of Anatomy and Physiology*. 15th ed. Wiley; 2017.
7. Singh RH. *Foundations of Ayurveda: Integrated Understanding of Twak and Indriya*. J Ayurveda Integr Med. 2010;1(1):1–7.
8. Dash B, Junius M. *A Handbook of Ayurveda*. New Delhi: Concept Publishing Company; 1983.
9. Guyton AC, Hall JE. *Textbook of Medical Physiology*. 13th ed. Elsevier; 2016.
10. Habif TP. *Clinical Dermatology: A Color Guide to Diagnosis and Therapy*. 6th ed. Elsevier; 2015.
11. Mukherjee PK, Maity N, Nema NK, Sarkar BK. Bioactive compounds from natural resources in cosmetic science: Current trends and future prospects. J Ethnopharmacol. 2011;134(2):291–304.



- 
12. Bhowmik D, et al. Recent advances in transdermal drug delivery system. *Int J PharmTech Res.* 2012;4(1):68–77.
  13. Madhu K, Anjana A. A clinical study on the efficacy of Bakuchi Taila in Shwitra (vitiligo). *AYU.* 2013;34(3):302–306.