

# Enhancing Patient Outcomes: The Role of Pharmacists in OTC Drug Selection and Counseling

**Dima Fahd Al-Dosari<sup>1</sup>, Dana Fahd Al-Dosari<sup>2</sup>, Haifa Salem Mohammed Al-Massifri<sup>3</sup>, Eman Ali Alrajhi<sup>4</sup>, Turki Rafea Saleh Al-amri<sup>5</sup>, Radhi Hamid Alenazi<sup>6</sup>, Abdullah Hassan alruwaite<sup>7</sup>, Fahad mohammed alsaleh<sup>8</sup>, Fahd Mohammed Al-Qurashi<sup>9</sup>, Alian Eid Alian Al-Ruwaili<sup>10</sup>, Noura Saleh Al-Jumaiah<sup>11</sup>, Ayed Muneef Ayed Alshahrani<sup>12</sup>, Abdulilah Shaya Samah Al-Sharari<sup>13</sup>, Saleh fahad alfahad<sup>14</sup>, Waleed Suliman Almosa<sup>15</sup>**

1. *Pharmacy, Ministry Diwan, Riyadh, Saudi Arabia*
2. *Pharmacy, Prince Mohammed bin Abdulaziz Hospital, Riyadh, Saudi Arabia*
3. *Bachelor of Pharmacy, Al-Dariyah Hospital, Riyadh, Saudi Arabia*
4. *PHARMACIST, ALYAMAMAH HOSPITAL, Riyadh, Saudi Arabia*
5. *Medical Licensing Administration, Riyadh Health, Riyadh, Saudi Arabia*
6. *Pharmacy Technician, Women, Childbirth and Children in Arar City, Northern Borders - Arar, Saudi Arabia*
7. *Pharmacy technician, Office of the Ministry of Medical Supply, Riyadh, Saudi Arabia*
8. *Pharmacy Technician, Ministry of Health, Riyadh, Saudi Arabia*
9. *Pharmacy, Ministry of Health Branch, Riyadh, Saudi Arabia*
10. *Pharmacy Technician, King Abdulaziz Specialist Hospital, Sakaka Al-Jawf, Saudi Arabia*
11. *Pharmacy, Al-Yamamah Hospital, Riyadh, Saudi Arabia*
12. *Pharmacy, Aseer Health Cluster - Wadi Bin Hashbal Sector, Aseer, Saudi Arabia*
13. *Pharmacy Technician, King Abdulaziz Specialist Hospital in Sakaka Al-Jouf, Saudi Arabia*
14. *Pharmacist, Prince Nasser bin saad Al-sudeiry hospital in al Ghat Governorate, Riyadh, Saudi Arabia*
15. *Pharmacist, Prince Mohammed Bin Abdulaziz Hospital, Riyadh, Saudi Arabia*

## Abstract

The role of pharmacists in enhancing patient outcomes through over-the-counter (OTC) drug selection and counseling is increasingly recognized as essential in contemporary healthcare. As accessible healthcare providers, pharmacists possess the expertise necessary to guide patients in the appropriate use of OTC medications, which are widely utilized for self-management of common health

conditions. This article explores the critical contributions of pharmacists in ensuring the safe and effective use of OTC products, emphasizing their role in patient education, individualized counseling, and the prevention of medication-related issues. OTC medications serve as a first line of defense against various ailments, allowing patients to address minor health concerns without the need for a prescription. However, the convenience of OTC availability can lead to misuse or inappropriate selection, potentially resulting in adverse health outcomes. Pharmacists are uniquely positioned to mitigate these risks by providing tailored recommendations based on a thorough assessment of individual patient needs, medical histories, and current medication regimens.

Through effective counseling, pharmacists empower patients with knowledge about proper dosing, potential side effects, and drug interactions, thereby enhancing their confidence in self-care. Additionally, pharmacists play a vital role in addressing the needs of special populations, including children, the elderly, and pregnant women, who may face unique challenges when selecting OTC products. By leveraging their expertise and utilizing technology, such as telepharmacy and electronic health records, pharmacists can further enhance patient engagement and ensure comprehensive care. In conclusion, the involvement of pharmacists in OTC drug selection and counseling is crucial for optimizing health outcomes. Their ability to educate and guide patients fosters safer medication practices and promotes effective self-management. As the healthcare landscape continues to evolve, the significance of pharmacists in supporting patient health through responsible OTC medication use will undoubtedly grow, highlighting the need for ongoing collaboration among healthcare professionals.

## **Introduction**

The landscape of healthcare is continuously evolving, with an increasing emphasis on patient-centered care. This shift reflects a broader understanding of health that prioritizes not just the treatment of diseases but also the overall well-being of individuals. In this context, pharmacists have emerged as essential healthcare professionals, playing a pivotal role in ensuring optimal health outcomes for patients. Their accessibility, expertise, and commitment to patient care position them uniquely to influence the selection and use of over-the-counter (OTC) medications [1].

OTC drugs, which are available without a prescription, account for a significant portion of the medication market and are frequently utilized by patients for self-management of various health conditions. These medications encompass a wide range of therapeutic categories, including analgesics, antihistamines, antacids, and topical treatments. The convenience of purchasing OTC medications empowers patients to take charge of their health, allowing them to address minor ailments and manage symptoms without the need for a doctor's visit. However, the effectiveness of these medications is heavily dependent on appropriate selection, proper usage, and patient understanding [2].

Dima Fahd Al-Dosari<sup>1</sup>, Dana Fahd Al-Dosari<sup>2</sup>, Haifa Salem Mohammed Al-Massifri<sup>3</sup>, Eman Ali Alrajhi<sup>4</sup>, Turki Rafea Saleh Al-amri<sup>5</sup>, Radhi Hamid Alenazi<sup>6</sup>, Abdullah Hassan alruwaite<sup>7</sup>, Fahad mohammed alsaleh<sup>8</sup>, Fahd Mohammed Al-Qurashi<sup>9</sup>, Alian Eid Alian Al-Ruwaili<sup>10</sup>, Noura Saleh Al-Jumaiah<sup>11</sup>, Ayed Muneef Ayed Alshahrani<sup>12</sup>, Abdulilah Shaya Samah Al-Sharari<sup>13</sup>, Saleh fahad alfahad<sup>14</sup>, Waleed Suliman Almosa<sup>15</sup>

Despite the ease of access, the potential for misuse or overuse of OTC medications poses significant health risks. Patients may not fully understand the implications of their choices, leading to adverse drug interactions, ineffective treatment, or even harmful side effects. This is where pharmacists play a crucial role. With their extensive training in pharmacology, therapeutics, and patient care, pharmacists are equipped to guide patients through the myriad of available OTC options. Their expertise allows them to provide tailored recommendations based on individual patient needs, medical histories, and concurrent medications [3].

This article explores the critical role of pharmacists in OTC drug selection and counseling, highlighting how their expertise can enhance patient outcomes. It examines the importance of OTC medications in healthcare, the necessity of effective patient education and counseling, the unique considerations for special populations, and the integration of technology in pharmacy practice. By understanding the multifaceted contributions of pharmacists, we can appreciate their essential role in promoting safe and effective self-care through OTC medications [4]. **The Importance of OTC Medications**

OTC medications serve as a first line of defense for many common ailments, ranging from allergies and headaches to digestive issues and pain relief. The convenience of purchasing these medications without a prescription empowers patients to take charge of their health. However, this accessibility can also lead to misuse or overuse, resulting in potential health risks. Pharmacists, with their extensive training in pharmacology and therapeutics, are essential in guiding patients through the myriad of available OTC options. Their knowledge allows them to provide tailored recommendations based on individual patient needs, medical histories, and concurrent medications [5].

The OTC drug market is vast and diverse, encompassing a wide range of therapeutic categories, including analgesics, antihistamines, antacids, and topical treatments. This diversity necessitates a comprehensive understanding of the pharmacodynamics and pharmacokinetics of these medications. Pharmacists are trained to evaluate the safety and efficacy of OTC products, ensuring that patients receive the most appropriate treatment for their conditions. By providing evidence-based recommendations, pharmacists can help patients avoid adverse drug interactions, reduce the risk of side effects, and improve overall health outcomes [6].

Moreover, the role of OTC medications in public health cannot be understated. They not only alleviate symptoms but also prevent the escalation of minor health issues into more serious conditions that may require prescription medications or hospitalization. For instance, patients who self-manage mild allergies with antihistamines can avoid complications that might arise from untreated symptoms. Thus, the pharmacist's role in ensuring the safe and effective use of OTC medications is critical in promoting overall public health [7].

## **Patient Education and Counseling**

Effective patient education and counseling are fundamental components of a pharmacist's role in OTC drug selection. When patients seek advice on OTC medications, they often have questions about the appropriate use, potential side effects, and interactions with other medications. Pharmacists are equipped to address these concerns, providing clear and concise information that empowers patients to make informed decisions [8].

One of the primary responsibilities of pharmacists is to assess the suitability of an OTC medication for a particular patient. This assessment involves evaluating the patient's medical history, current medications, and specific symptoms. Pharmacists must also consider any contraindications or precautions associated with the chosen medication. For instance, certain OTC pain relievers may not be suitable for patients with specific health conditions, such as gastrointestinal disorders or kidney issues. By conducting thorough assessments, pharmacists can recommend safe and effective treatments that align with the patient's health status [9].

In addition to providing recommendations, pharmacists play a crucial role in educating patients about the proper use of OTC medications. This includes guidance on dosage, frequency, and duration of use. Many patients may not fully understand how to take their medications correctly, leading to suboptimal outcomes. Pharmacists can clarify these instructions and emphasize the importance of adhering to the recommended guidelines. Furthermore, they can inform patients about potential side effects and what to do if they experience any adverse reactions [10].

Counseling is also an opportunity for pharmacists to encourage patients to seek further medical attention when necessary. While OTC medications can be effective for managing mild to moderate symptoms, certain conditions may require professional evaluation and treatment. Pharmacists can help patients recognize when their symptoms warrant a consultation with a physician or other healthcare provider. This collaborative approach ensures that patients receive comprehensive care and supports their overall health and wellbeing [11].

Pharmacists can also utilize teach-back methods, where they ask patients to repeat the information provided to ensure understanding. This technique not only reinforces the information but also helps identify any gaps in the patient's knowledge. By fostering an open dialogue, pharmacists can create a supportive environment that encourages patients to ask questions and express concerns about their health [12].

## **Addressing Special Populations**

Pharmacists must also consider the unique needs of special populations when providing OTC drug counseling. Certain groups, such as children, the elderly, pregnant women, and individuals with chronic illnesses, may have distinct considerations regarding medication use. For example, pediatric patients require careful dosing adjustments based on weight and age, and some OTC medications may not be suitable for young children. Pharmacists

Dima Fahd Al-Dosari<sup>1</sup>, Dana Fahd Al-Dosari<sup>2</sup>, Haifa Salem Mohammed Al-Massifri<sup>3</sup>, Eman Ali Alrajhi<sup>4</sup>, Turki Rafea Saleh Al-amri<sup>5</sup>, Radhi Hamid Alenazi<sup>6</sup>, Abdullah Hassan alruwaite<sup>7</sup>, Fahad mohammed alsaleh<sup>8</sup>, Fahd Mohammed Al-Qurashi<sup>9</sup>, Alian Eid Alian Al-Ruwaili<sup>10</sup>, Noura Saleh Al-Jumaiah<sup>11</sup>, Ayed Muneef Ayed Alshahrani<sup>12</sup>, Abdulilah Shaya Samah Al-Sharari<sup>13</sup>, Saleh fahad alfahad<sup>14</sup>, Waleed Suliman Almosa<sup>15</sup> can guide parents in selecting appropriate products and provide information on safe dosing practices [13].

In the elderly population, polypharmacy is a common concern, as many older adults take multiple medications for various health conditions. Pharmacists can help identify potential drug interactions and recommend OTC medications that are less likely to exacerbate existing health issues. Additionally, pharmacists can educate older patients about age-related changes in pharmacokinetics and pharmacodynamics, which may affect how their bodies respond to medications. This understanding is crucial, as older adults may metabolize drugs differently, leading to increased sensitivity to certain OTC products [14].

Pregnant and breastfeeding women also face unique challenges when it comes to OTC drug selection. Pharmacists can provide valuable guidance on the safety of specific medications during pregnancy and lactation, helping these patients make informed choices that prioritize both their health and the health of their infants. For instance, certain medications may pose risks during pregnancy, while others may be safe to use [1]. By understanding the complexities of medication use in special populations, pharmacists can enhance patient outcomes and ensure safe and effective therapy.

Furthermore, individuals with chronic illnesses often require careful consideration when selecting OTC medications. Pharmacists can assist these patients in navigating the complexities of their conditions and the potential impact of OTC drugs on their overall treatment plans. For example, a patient with diabetes may need to avoid certain cold medications that can raise blood sugar levels. By providing tailored advice, pharmacists can help patients manage their chronic conditions more effectively while utilizing OTC options [16].

### **The Role of Technology in OTC Counseling**

The integration of technology into pharmacy practice has transformed the way pharmacists provide OTC counseling. Digital tools, such as mobile applications and online resources, can enhance patient education and facilitate informed decision-making. Pharmacists can leverage these technologies to provide patients with access to reliable information about OTC medications, including dosage guidelines, potential side effects, and interactions with other drugs. These resources can empower patients to take an active role in their health management [17].

Telepharmacy has also emerged as a valuable tool, allowing pharmacists to reach patients who may not have easy access to a pharmacy. Through virtual consultations, pharmacists can assess patient needs, provide recommendations, and offer counseling on OTC medications from the comfort of the patient's home. This approach not only increases accessibility but also fosters a more personalized experience, as pharmacists can engage in meaningful discussions with patients about their health concerns [12].

Moreover, electronic health records (EHRs) enable pharmacists to track patient medication histories and identify potential issues related to OTC drug use. By having

access to a patient's complete medication profile, pharmacists can make more informed recommendations and ensure that OTC products do not interfere with prescribed therapies. This integration of technology enhances the pharmacist's ability to provide comprehensive care and improve patient outcomes [18].

In addition, the use of artificial intelligence (AI) and machine learning in pharmacy practice is on the rise. These technologies can assist pharmacists in analyzing patient data to identify trends and predict potential health issues. For example, AI algorithms can help pharmacists determine which OTC medications are most likely to be effective for specific patient populations based on historical data. This capability allows for more personalized and effective counseling, ultimately leading to better patient outcomes [10].

### **Challenges and barriers**

Pharmacists play a vital role in the over-the-counter (OTC) medication landscape, yet they face numerous challenges and barriers that can hinder their ability to effectively serve patients. One significant challenge is the increasing complexity of the OTC market, which has expanded dramatically in recent years. With a vast array of products available, pharmacists must stay updated on the latest formulations, indications, and potential interactions, which can be overwhelming. This complexity is compounded by the rapid introduction of new products and changing guidelines, making it difficult for pharmacists to maintain comprehensive knowledge and provide accurate recommendations [19].

Another barrier is the perception of pharmacists' roles among patients and other healthcare professionals. Many individuals view pharmacists primarily as dispensers of medication rather than as knowledgeable healthcare providers who can offer valuable advice on OTC products. This perception can limit patient engagement and lead to underutilization of pharmacists' expertise in medication counseling. Additionally, some healthcare providers may not recognize pharmacists as integral members of the healthcare team, which can result in a lack of collaboration and communication regarding patient care [20].

Regulatory and reimbursement issues also pose challenges for pharmacists in the OTC landscape. In some regions, pharmacists may face restrictions on their ability to provide certain services related to OTC medications, such as counseling or patient assessments. Furthermore, the reimbursement models for pharmacists' services can be inadequate, making it difficult for them to justify the time spent on patient counseling. This financial strain can discourage pharmacists from fully engaging in OTC medication counseling, ultimately impacting patient outcomes [21].

Moreover, the rise of online pharmacies and direct-to-consumer advertising has changed the way patients access OTC medications, leading to a shift in patient behavior. Many patients now turn to the internet for information about OTC products, which can sometimes result in misinformation or inappropriate self-medication. This trend underscores the need for pharmacists to actively engage with patients and provide accurate, evidence-based information to counteract the potential risks associated with self-diagnosis and self-treatment [22].

Dima Fahd Al-Dosari<sup>1</sup>, Dana Fahd Al-Dosari<sup>2</sup>, Haifa Salem Mohammed Al-Massifri<sup>3</sup>, Eman Ali Alrajhi<sup>4</sup>, Turki Rafea Saleh Al-amri<sup>5</sup>, Radhi Hamid Alenazi<sup>6</sup>, Abdullah Hassan alruwaite<sup>7</sup>, Fahad mohammed alsaleh<sup>8</sup>, Fahd Mohammed Al-Qurashi<sup>9</sup>, Alian Eid Alian Al-Ruwaili<sup>10</sup>, Noura Saleh Al-Jumaiah<sup>11</sup>, Ayed Muneef Ayed Alshahrani<sup>12</sup>, AbdulIlah Shaya Samah Al-Sharari<sup>13</sup>, Saleh fahad alfahad<sup>14</sup>, Waleed Suliman Almosa<sup>15</sup>

In conclusion, while pharmacists are essential players in the OTC medication landscape, they encounter various challenges and barriers that can limit their effectiveness. Addressing these issues requires a multifaceted approach, including enhancing public awareness of pharmacists' roles, improving collaboration within the healthcare team, and advocating for regulatory and reimbursement reforms that support pharmacists' contributions to patient care [23]. By overcoming these challenges, pharmacists can continue to play a crucial role in promoting safe and effective use of OTC medications. Pharmacists also face challenges related to education and training in the OTC medication landscape. While pharmacists receive extensive training in prescription medications, the focus on OTC products may not be as comprehensive. This gap in education can lead to a lack of confidence among pharmacists when recommending OTC options, particularly for complex cases or when dealing with patients who have multiple health conditions. Continuous professional development and targeted training programs are essential to equip pharmacists with the necessary skills and knowledge to navigate the evolving OTC market effectively [24].

## Conclusion

The role of pharmacists in OTC drug selection and counseling is vital in enhancing patient outcomes. Their expertise in pharmacology, patient assessment, and education equips them to guide patients in making informed decisions about their health. By addressing the unique needs of diverse populations and leveraging technology, pharmacists can optimize the use of OTC medications and contribute to improved health outcomes. As the healthcare landscape continues to evolve, the importance of pharmacists in promoting safe and effective self-care through OTC drug counseling will only grow, underscoring the need for ongoing education and collaboration among healthcare professionals.

## References:

1. Wilkinson et al. "Impacting Readmission Rates and Patient Satisfaction: Results of a Discharge Pharmacist Pilot Program" *Hospital pharmacy* (2011) doi:10.1310/hpj4611876
2. Deeks et al. "What can pharmacists do in general practice? A pilot trial" (2018) doi:10.31128/ajgp-03-18-4520
3. Brown et al. "Identification of Errors in Pediatric Prescriptions and Interventions to Prevent Errors: A Survey of Community Pharmacists" *The journal of pediatric pharmacology and therapeutics* (2019) doi:10.5863/1551-6776-24.4.304
4. Alexander et al. "ReCAP: Pharmacists' Impact in Hematopoietic Stem-Cell Transplantation: Economic and Humanistic Outcomes" *Journal of oncology practice* (2016) doi:10.1200/jop.2015.008797
5. Sansgiry et al. "Abuse of over-the-counter medicines: a pharmacist's perspective" *Integrated pharmacy research and practice* (2016) doi:10.2147/iprp.s103494

6. Corrêa et al. "Immunosuppressive serum levels in allogeneic hematopoietic stem cell transplantation: pharmaceutical care contribution" *Pharmacy practice* (2016) doi:10.18549/pharmpract.2016.02.683
7. Cocohoba et al. "Pharmacist counseling in a cohort of women with HIV and women at risk for HIV" *Patient preference and adherence* (2012) doi:10.2147/ppa.s30797
8. Perrot et al. "Self-medication in pain management: The state of the art of pharmacists' role for optimal Over-The-Counter analgesic use" *European journal of pain* (2019) doi:10.1002/ejp.1459
9. Wilbur et al. "Patient perceptions of pharmacist roles in guiding self-medication of over-the-counter therapy in Qatar" *Patient preference and adherence* (2010) doi:10.2147/ppa.s9530
10. Ravichandran and Basavareddy "Perception of pharmacists regarding over-the-counter medication: A survey" *Indian journal of pharmacology* (2016) doi:10.4103/02537613.194857
11. Shakya et al. "The Practice of OTC Dispensing by Community Pharmacist in Nepal" *Journal of advanced academic research* (2021) doi:10.3126/jaar.v8i1.38422
12. Moreau et al. "Assessing the Effect of Pharmacist Care on Diabetes-Related Outcomes in a Rural Outpatient Clinic: A Retrospective Case-Control Study" *Annals of pharmacotherapy* (2017) doi:10.1177/1060028016685731
13. Sudeshika et al. "Evaluating the potential outcomes of pharmacist-led activities in the Australian general practice setting: a prospective observational study" *International journal of clinical pharmacy* (2023) doi:10.1007/s11096-023-01604-x
14. Faruquee and Guirguis "A scoping review of research on the prescribing practice of Canadian pharmacists" *Canadian pharmacists journal / revue des pharmaciens du canada* (2015) doi:10.1177/1715163515608399
15. Qin et al. "The impact of the clinical pharmacist-led interventions in China: A systematic review and Meta-Analysis" *International journal of clinical pharmacy* (2020) doi:10.1007/s11096-020-00972-y
16. Sanchez et al. "Revisiting Project Re-Engineered Discharge (RED): The Impact of a Pharmacist Telephone Intervention on Hospital Readmission Rates" *Pharmacotherapy the journal of human pharmacology and drug therapy* (2015) doi:10.1002/phar.1630
17. Ahmed et al. "The Effect of Pharmacist Services on Patient Health Outcomes in a Low Middle-income Country: a Systematic Review" (2021) doi:10.21203/rs.3.rs-591217/v1
18. Blizzard et al. "Evaluation of Pharmacist Impact Within an Interdisciplinary Inpatient Heart Failure Consult Service" *Annals of pharmacotherapy* (2019) doi:10.1177/1060028019842656
19. Hale et al. "Impact of a Pharmacist-Managed Heart Failure Postdischarge (Bridge) Clinic for Veterans" *Annals of pharmacotherapy* (2017) doi:10.1177/1060028017698974

Dima Fahd Al-Dosari<sup>1</sup>, Dana Fahd Al-Dosari<sup>2</sup>, Haifa Salem Mohammed Al-Massifri<sup>3</sup>, Eman Ali Alrajhi<sup>4</sup>, Turki Rafea Saleh Al-amri<sup>5</sup>, Radhi Hamid Alenazi<sup>6</sup>, Abdullah Hassan alruwaite<sup>7</sup>, Fahad mohammed alsaleh<sup>8</sup>, Fahd Mohammed Al-Qurashi<sup>9</sup>, Alian Eid Alian Al-Ruwaili<sup>10</sup>, Noura Saleh Al-Jumaiah<sup>11</sup>, Ayed Muneef Ayed Alshahrani<sup>12</sup>, AbdulIlah Shaya Samah Al-Sharari<sup>13</sup>, Saleh fahad alfahad<sup>14</sup>, Waleed Suliman Almosa<sup>15</sup>

20. Boren et al. "Team-Based Medicine: Incorporating a Clinical Pharmacist into Pain and Opioid Practice Management" *Pm&r* (2019) doi:10.1002/pmrj.12127
21. Werremeyer et al. "Impact of pharmacists on outcomes for patients with psychiatric or neurologic disorders" *Mental health clinician* (2020) doi:10.9740/mhc.2020.11.358
22. Hatah et al. "A systematic review and meta-analysis of pharmacist-led fee-for-services medication review" *British journal of clinical pharmacology* (2013) doi:10.1111/bcp.12140
23. Julaeha et al. "Metabolic Syndrome Risk Associated with Atypical Antipsychotic Medication: A Case Report" *Journal of drug delivery and therapeutics* (2021) doi:10.22270/jddt.v11i1.4680
24. Nkansah et al. "Effect of outpatient pharmacists' non-dispensing roles on patient outcomes and prescribing patterns" *Cochrane database of systematic reviews* (2010) doi:10.1002/14651858.cd000336.pub2