

# Comprehensive Diabetes Management Team: Expertise in Nursing, Family Medicine, Pharmacy, and Laboratory Services

**Abdulrahman Hamed Saad Alqarni<sup>1</sup>, Ahmed Mohammed Hussain Alzahrani<sup>2</sup>,  
Hawthan Ali Abdulmohsen Alzahrani<sup>3</sup>, Ali Mishkhas Hasan Alzahrani<sup>4</sup>, Mastour Ali  
Mastour Alzahrani<sup>5</sup>, Rayed Khamis Gurom Alzahrani<sup>6</sup>, Sultan Ahmed Saeed  
Alzahrani<sup>7</sup>, Wafi Abdullah Ahmed Alzahrani<sup>8</sup>, Faisal Fahad Masaud Alomari<sup>9</sup>,  
Shaikha Abdullah Ateyah Al-Zahrani<sup>10</sup>**

1. Nursing Department, Sabt Al Alaya General Hospital, Sabt Al Alaya, Saudi Arabia
2. Nursing Department, Qilwah 1 Primary Health Care, Ministry of Health ,Qilwah, Saudi Arabia
3. Family Medicine Senior Registrar, Qilwah 1 Primary Health Care Center, Ministry Of Health, Qilwah Saudi Arabia
4. General Practitioner, Qilwah 1 Primary Health Care Center,Ministry of Health, Qilwah , Saudi Arabia
5. Nursing Department, Qilwah 1 Primary Health Care, Ministry of health, Qilwah, Saudi Arabia
6. Pharmacy Department, Qilwah 1 Primary Health Care, Ministry of health, Qilwah, Saudi Arabia
7. Nursing Department, Qilwah1 Primary Health Care, Ministry of health, Qilwah, Saudi Arabia
8. Medical laboratories Department. Qilwah 2 Primary Health Care. Ministry of Health. Qilwah, Saudi Arabia
9. Family medicine physician, Command and control center, Branch of The Ministry of Health in Riyadh Region, Riyadh,Saudi Arabia
10. Nursing Department,Qilwah 1 primary Health care,ministry of health,Qilwah,saudi Arabia

## Abstract:

Diabetes mellitus is a serious health issue that is spreading quickly throughout the world. Type 2 diabetes mellitus is difficult to control; patients must make significant efforts to take care of themselves as well as receive ongoing medical attention from medical specialists. When managing patients with diabetes, it is best to use a cooperative, integrated team approach where pharmacists can play a key role. It has been demonstrated that pharmacist-led care initiatives assist diabetic patients in reaching their treatment objectives and enhancing their results. Therefore, the purpose of this narrative review is to discuss and provide an overview of the efficacy of pharmacist interventions in the treatment of patients with diabetes. The analysis includes all randomized controlled trials that assessed the effectiveness of pharmacist-based therapies for diabetic patients compared to standard care. Among the secondary outcomes were blood glucose level, blood pressure (BP), lipid profile, body mass index (BMI), 10-year coronary heart disease (CHD) risk, medication adherence, health-related quality of life (HRQOL), and economic outcomes. The primary outcomes were both short-term and long-term measurements like glycated hemoglobin (HbA1c). Education about diabetes and its consequences, medication adherence, lifestyle, and self-management skills were all part of pharmacist-led self-management programs. Very few studies even looked at what patients needed from a customized strategy. A statistically significant improvement in HbA1C, blood pressure, lipid profile, health-related quality of life, and CHD risk was observed in those who got the pharmacist's care. These findings highlight the significance that pharmacists provide to patient care. To manage diabetes patients in a variety of settings around the globe, this study thus advocates the participation of pharmacists as members of healthcare teams.

## Overview of diabetes as a chronic condition:

A chronic metabolic disease called diabetes mellitus is typified by persistently high blood sugar levels brought on by either insufficient insulin synthesis or inefficient insulin use. Millions of people worldwide suffer from this illness, which can cause several consequences that have a major negative influence on one's health and quality of life. Examining the various forms, complications, and underlying mechanisms of diabetes is necessary to comprehend it[1].

## Types of Diabetes:

**Type 1 Diabetes (T1DM):** An autoimmune disease that causes the pancreas to stop producing insulin, frequently necessitating lifelong insulin treatment [2].

**Type 2 Diabetes (T2DM):** It is the most common type and is associated with lifestyle factors and obesity. It is characterized by insulin resistance and relative insulin insufficiency [2,3].

**Gestational Diabetes:** occurs throughout pregnancy and may result in postpartum type 2 diabetes[2].

### **Complications of Diabetes:**

**Microvascular Complications:** include retinopathy, nephropathy, and neuropathy, all of which can result in serious health problems such as renal failure and blindness [3].

**Macrovascular Complications:** include cardiac conditions that raise the risk of heart attacks and strokes [1,3].

**Nonvascular Complications:** According to recent research, metabolic dysregulation and chronic inflammation can potentially result in consequences like cancer and bone disorders[1].

Diabetes is still a major worldwide health concern with increasing prevalence and related morbidity, despite improvements in treatment. Nonetheless, others contend that early detection and lifestyle changes can successfully reduce these risks.

### **Significance of coordinated care from various healthcare providers:**

For better patient outcomes, better experiences, and efficient cost management, coordinated care between many healthcare providers is crucial. By facilitating prompt and complementary service delivery, this strategy guarantees that patients receive the right care without needless delays or fragmentation. There are several important factors that help explain the importance of coordinated care.

#### **Improved Patient Outcomes:**

Better health outcomes have been associated with coordinated care, especially for patients with complex requirements, such as those with chronic illnesses [10].

Research indicates that more care coordination is associated with lower healthcare costs and utilization [11].

#### **Enhanced Patient Experience:**

Care coordination reduces misunderstandings and improves communication between clinicians, so patients have better experiences[11].

It has been demonstrated that using technology, like telemedicine, enhances patient satisfaction and coordination[9].

#### **Efficient Resource Management:**

Coordinated care ensures that resources are used efficiently and streamlines procedures by eliminating redundancy[12].

The COVID-19 pandemic brought to light the necessity of astute coordination to effectively traverse healthcare systems[9].

Even while coordinated care has many advantages, complete integration across healthcare systems is still difficult to achieve. Many companies have trouble putting good coordination techniques into practice, which can prevent them from reaching their full potential[10].

### **Goals of comprehensive diabetes management (e.g., blood sugar control, prevention of complications):**

The objectives of comprehensive diabetes management include preventing complications and achieving efficient blood sugar control, both of which are essential for bettering patient outcomes. To accomplish these goals, a multimodal strategy that incorporates medicine, lifestyle changes, and patient education is necessary.

#### **Blood Sugar Control:**

Since blood glucose directly affects the risk of complications, maintaining ideal blood glucose levels is essential to managing diabetes[19].

More recent glucose-lowering medications, like GLP-1 agonists and SGLT2 inhibitors, have demonstrated notable effectiveness in lowering blood sugar and lowering the risks of cardiovascular disease and renal disease[18].

#### **Prevention of Complications:**

Multidisciplinary teams that offer integrated care and education are emphasized by comprehensive care models such as DiabetIMSS and CADIMSS, which are essential for reducing chronic problems[19].

Dietary and physical activity changes are essential for reducing consequences like cardiovascular disease and diabetic retinopathy[20].

Despite the effectiveness of comprehensive diabetes treatment, there are still obstacles to ensuring that all patients meet their goals, underscoring the necessity of continuous assistance and creative care models to close these gaps[28].

### **Roles of nurses, family physicians, pharmacists, and laboratory staff:**

Global healthcare systems have placed a greater emphasis in recent years on offering patient-centered treatment that is easily accessible, comprehensive, and sensitive to each patient's needs. Nursing and family medicine plays a key role in this strategy, with nurses frequently acting as patients' first point of contact and family medicine professionals providing continuity of care. A potential approach to meeting patients' complicated requirements, particularly those who have long-term care demands or chronic diseases, is the merging of family medicine and nursing. Interdisciplinary cooperation between nurses and family medicine professionals has been demonstrated to improve patient satisfaction, care coordination, and health outcomes as primary care practices change[27].The justification for integrating family medicine and nursing is straightforward: a more thorough approach to patient care is made

possible by combining the skills of both fields. Nurses offer a patient-centered approach with a heavy emphasis on preventive and health education, while family medicine practitioners contribute diagnostic competence and continuity of treatment. Addressing today's healthcare issues, like managing chronic diseases, which contribute significantly to healthcare costs and necessitate integrated, long-term care strategies, requires this synergy [15]. The Patient-Centered Medical Home (PCMH) is one of the most well-known collaborative models that have been developed to support this integration. To deliver patient-centered care, nurses, family doctors, and other medical professionals collaborate as part of the PCMH model's team-based approach. By emphasizing preventive interventions and simplifying the administration of care, this strategy has been demonstrated to increase patient satisfaction, decrease hospital admissions, and improve outcomes [16]. Another strategy that makes use of nursing and family medicine cooperation is community-based integration, which is especially useful in underprivileged areas. To successfully address social determinants of health and improve healthcare accessibility, nurses and family physicians can collaborate in community health settings to deliver more approachable and culturally sensitive treatment [27]. Despite the well-established advantages of combining family medicine and nursing, there are still many obstacles to overcome. Collaboration is frequently hampered by structural obstacles such as strict institutional hierarchies, ambiguous role definitions, and a lack of multidisciplinary training. The efficacy of collaborative care, for example, may be constrained by the absence of standardized procedures for interdisciplinary communication and information exchange [30]. Another prevalent problem is role confusion, which can result in inefficiencies and possible confrontations when nurses and family doctors have overlapping tasks. The purpose of this review is to assess the efficiency of different integration models, look at the state of multidisciplinary collaboration between family medicine and nursing, and pinpoint methods for getting over implementation obstacles. This article offers insights into best practices for interdisciplinary approaches to patient-centered care by examining the most recent research. To promote productive teamwork in primary care settings, it also highlights the necessity of structural, educational, and policy-based assistance. In conclusion, healthcare systems seeking to deliver comprehensive, patient-centered care have a way forward with the merger of nursing and family medicine. This review aims to advance knowledge about how to successfully and sustainably implement collaborative care by thoroughly examining interdisciplinary models.

#### **Benefits of Integration in Patient-Centered Care:**

Numerous advantages result from combining nursing and family medicine within a patient-centered care framework. These advantages include better patient outcomes, more effective use of resources, increased access to treatment, and a more comprehensive approach to healthcare. With the use of new research and illustrations from current transdisciplinary models, this section thoroughly explores these advantages.

**Improved Results for Patients:** Improving patient outcomes is one of the main benefits of combining family medicine and nursing. Interdisciplinary teams have been shown to improve preventative care, manage chronic illnesses more successfully, and lower hospital readmission rates. For example, when family medicine physicians and nurses collaborate in a collaborative paradigm, patients with chronic illnesses such as diabetes and hypertension have improved disease control [25]. Effective management of long-term conditions requires ongoing monitoring, prompt interventions, and thorough follow-up, all of which are ensured by this cooperative approach.

**Effective Use of Resources:** Utilizing healthcare resources more effectively is another benefit of combining family medicine with nursing. Interdisciplinary teams can expedite procedures and cut down on repetition in care delivery by assigning roles to different people. To free up family medicine practitioners to concentrate on diagnosis and treatment planning, nurses frequently do routine monitoring, patient education, and early evaluations. In addition to lowering healthcare expenses and patient wait times, this division of labor enables providers to visit more patients. Research suggests that the Patient-Centered Medical Home (PCMH) model, which prioritizes this kind of cooperation, can lower hospital stays and ED visits, leading to substantial cost savings.

**Better Access to Care:** In many healthcare systems, family medicine and nursing integration improve access to care, especially in rural and underserved areas. By providing services in non-traditional locations including workplaces, community centers, and schools, family medicine and nursing teams can reach groups that might not otherwise have easy access to healthcare. This is made possible by community-based integration models. This paradigm reduces health disparities by improving early intervention and preventive treatment, especially for at-risk populations [22].

**Holistic Patient Management:** A successful merger of family medicine and nursing is characterized by a holistic approach to patient care. Family medicine practitioners' diagnostic and treatment-focused approach is enhanced by the patient-centered viewpoint that nurses provide, which emphasizes health education, lifestyle change, and emotional support. The social determinants of health, which have a substantial influence on patient outcomes and include lifestyle, mental health, and socioeconomic issues, are particularly well-served by this holistic approach. Patients gain from all-encompassing management that attends to their social, psychological, and physical needs through integrated care [23].

**Improved Patient Engagement and Satisfaction:** By creating a more accommodating and responsive care environment, interdisciplinary teamwork

improves patient satisfaction. Research indicates that because of the continuity, accessibility, and individualized treatment they receive, patients who receive care from an integrated team report higher levels of satisfaction [27]. To make patients feel empowered and more involved in their healthcare decisions, nurses are essential in patient education and self-management support.

Better long-term health outcomes and greater adherence to treatment regimens are linked to this degree of engagement. There are several advantages to combining family medicine with nursing in a patient-centered approach, which improves the effectiveness and quality of care. The importance of interdisciplinary teamwork becomes even more clear as healthcare systems deal with growing demands, especially for preventative care and the management of chronic diseases. Healthcare systems can better address the varied requirements of patients by utilizing the complementary capabilities of family medicine and nursing, which will provide a more efficient and long-lasting model of primary care solutions for Successful Integration Targeted approaches that take into account organizational, technological, policy, and educational aspects are necessary for the successful integration of nursing and family medicine. By putting these tactics into practice, one can increase communication, decrease role confusion, strengthen teamwork, and foster a climate that is conducive to interdisciplinary collaboration in patient-centered care. Training and Education: Multidisciplinary training and education are crucial for promoting successful integration. Mutual understanding and respect for the roles that nursing and family medicine play in patient care can be fostered via programs that bring students together for cooperative learning activities like case studies, simulations, and workshops. These learning opportunities improve communication abilities and equip medical professionals to collaborate effectively in practical situations. Professionals who are already in practice are further supported by continuing education programs on interdisciplinary collaboration, such as team-based care and patient-centered communication [23]. Clear Role Definition and Scope of Practice: To avoid duplication, reduce misunderstandings, and boost productivity, it is essential to clearly define the roles and scopes of practice for both family doctors and nurses. An organized yet adaptable care environment is facilitated by clear instructions outlining each professional's duties within transdisciplinary models. To define duties and expectations, collaborative care agreements, team charters, and workflow standards can be created. A common feeling of accountability and respect for the knowledge of each professional can also be established by including family doctors and nurses in care planning and decision-making procedures [24]. Policy Support and Structural Changes: The long-term integration of family medicine and nursing depends on organizational policies that encourage interdisciplinary interaction. Policies should encourage team-based care, facilitate variable scopes of practice, and encourage shared responsibility. Integration can also be facilitated by structural adjustments like shared patient panels and co-location of services, which places family medicine practitioners and nurses in the same physical location. To promote teamwork, reimbursement mechanisms should also be modified to reward interdisciplinary care rather than just individual output [22]. Leadership and Team Culture: Successful integration depends on a solid, encouraging team culture. By encouraging candid communication, respect for one another, and a patient-centered approach, leaders in healthcare organizations—including practice managers and senior clinicians—play a crucial part in developing a collaborative culture. Regular interdisciplinary meetings, shared decision-making procedures, and team-building exercises can all improve cooperation and foster confidence. To foster a cohesive team atmosphere, leaders should actively encourage a culture in which each team member's opinions are respected [18]. Use of Integrated Health Information Technology (IT) Systems: Integrated health IT systems facilitate smooth communication and information exchange between team members, making them crucial for successful interdisciplinary collaboration. Nurses and family medicine professionals can access and update patient data in real-time through shared electronic health records (EHRs), improving the continuity of treatment and reducing errors. Additionally, particularly in underserved and rural locations, telemedicine and digital communication platforms can enhance access to treatment and enable remote consultations. Simplifying workflows and guaranteeing that all team members have access to crucial patient data can be achieved by implementing standardized documentation practices inside these systems [15]. Promoting and Encouraging Multidisciplinary Research: Finding optimal practices, recording results, and supplying data for ongoing progress are all made possible by funding interdisciplinary research in family medicine and nursing integration.

Research on multidisciplinary models should be supported by healthcare organizations and academic institutions, as should studies that assess how integration affects provider satisfaction, cost-effectiveness, and patient outcomes. Healthcare systems can improve their integration strategies and advance laws and procedures that optimize the advantages of team-based care by developing a strong body of evidence [14]. By putting these tactics into practice, a setting that supports the effective integration of family medicine and nursing can be established, resulting in more unified and patient-centered care. Foundational abilities are developed through education and a clear definition of roles, while technology, leadership, and policy support improve practical integration. When combined, these tactics create the framework for a healthcare system that optimizes the advantages of both specialties, which eventually

helps both patients and healthcare professionals. Case Studies with Real-World Illustrations An understanding of how interdisciplinary collaboration enhances patient-centered care can be gained from case studies of integrated nursing and family medical practices. These illustrations illustrate several integration approaches, showcasing excellent practices and typical difficulties in practical contexts. Case Study: Coordinated Chronic Illness Care in a Primary Care Facility. In Ontario, Canada, a primary care clinic used a collaborative care model to help patients with long-term illnesses like diabetes and high blood pressure. A social worker, a pharmacist, nurses, and family doctors were on the team. Family doctors were able to concentrate on diagnoses and complex care requirements because nurses administered routine assessments, coordinated treatment plans, educated patients, and did frequent follow-ups. Key Outcomes Decreased Hospital Readmissions: Over 12 months, the clinic saw a 20% drop in hospital readmissions as a result of patients receiving proactive, ongoing care. Practice and Prospects for the Future There are important ramifications for improving patient outcomes, strengthening patient-centered care, and tackling contemporary healthcare issues when nursing and family medicine are combined. Healthcare systems can manage patients more holistically by encouraging interdisciplinary teamwork, especially for those with complex, long-term, or preventative care needs. In addition to outlining potential options for developing collaborative models in primary care, this part examines the practical implications of integration. Challenges for Practice Improved Primary Care Delivery: By utilizing the distinct advantages of both fields, the integration of family medicine and nursing enhances primary care delivery. While nurses oversee routine follow-ups, patient education, and preventive care, family doctors can concentrate on diagnosis and treatment. This paradigm meets the increasing demand for primary care services by optimizing resources, allowing healthcare providers to effectively treat a larger number of patients [13]. Increased Attention to Holistic and Preventive Care: To manage chronic illnesses and enhance patient outcomes, integrated care models—such as the Patient-Centered Medical Home (PCMH)—emphasize preventive treatment and address the socioeconomic determinants of health. With their emphasis on patient-centered care, nurses are essential in educating patients and encouraging self-management, which eventually gives them the confidence to take charge of their health [4]. Assistance for Underserved and High-Risk Populations: Community-based integration has demonstrated potential in expanding underserved and rural populations' access to care. Providing accessible, culturally sensitive healthcare, family medicine, and nursing teams operating in community health centers or through outreach initiatives can help to improve outcomes for vulnerable populations and lessen health disparities [6]. Increased Patient Satisfaction and Engagement: Patients express greater levels of satisfaction and engagement when they receive care from a team that works together. To help patients feel respected and educated, nurses are essential in patient education, communication, and support. The importance of combining nursing and family medicine is further supported by the correlation between increased patient engagement and greater treatment plan adherence as well as better overall health outcomes. Upcoming Instructions Growing Multidisciplinary Education Initiatives: Future initiatives should concentrate on growing multidisciplinary training programs for family medicine and nursing to facilitate successful integration. Healthcare professionals can be prepared to operate in integrated environments through collaborative educational initiatives and cross-training, which promotes respect and understanding throughout professions. For healthcare professionals who are currently in practice, interdisciplinary continuing education programs can improve teamwork. Creating and Assessing Novel Integration Frameworks: New integration models require more investigation and assessment, especially in different healthcare environments. Future research should examine how well various integration models work in terms of provider satisfaction, cost-effectiveness, and patient outcomes. For instance, novel collaboration models based on telemedicine may provide fresh approaches to combining family medicine with nursing, particularly for patients in isolated or rural locations. Financial and Policy Assistance for Multidisciplinary Care: For integrated care models to be supported and maintained, policy reforms are necessary. Policies should encourage reimbursement mechanisms that promote teamwork over individual output to encourage interdisciplinary treatment. The creation of best practices for integration and the adoption of collaborative care models by healthcare institutions can both be facilitated by funding for multidisciplinary research and pilot projects. Leveraging Technology for Smooth Integration: Supporting interdisciplinary collaboration will be greatly aided by the deployment of integrated health IT systems, such as telemedicine platforms and shared electronic health records (EHRs). Future advancements in health IT should concentrate on developing intuitive systems that enable team members to communicate and share information in real-time. In integrated models, improved data analytics may also be utilized to track patient outcomes and maximize care delivery. Resolving Labor Shortages via Integration: By using available resources, merging nursing and family medicine might help ease the strain of manpower shortages in many healthcare systems. Healthcare providers can increase patient access to care and lessen the burden on individual providers by strategically deploying interdisciplinary teams. Primary care could be revolutionized by combining nursing and family medicine, which would increase patient responsiveness and enhance healthcare results. A key component of providing high-quality, long-lasting care will be interdisciplinary collaboration as healthcare systems change to

accommodate growing demand. To improve and broaden these integrated care models and guarantee that healthcare providers can provide thorough, patient-centered care in a variety of healthcare settings, further research, legislative backing, and technological advancements will be essential. Pharmacists are essential in managing diabetes, especially when it comes to patient education and medication treatment management (MTM). Their participation improves patient adherence to treatment plans and optimizes medication regimens, which eventually improves the health of diabetics. The unique contributions made by pharmacists in this field are described in depth in the sections that follow.

#### **Role in Medication Therapy Management (MTM):**

To guarantee that patients receive the best treatments possible, pharmacists evaluate and optimize prescription regimens [9].

To manage complicated diabetes regimens, they provide medication evaluations and consultations, identifying possible drug interactions and side effects [28].

Research shows that pharmacist-led treatments can effectively reduce HbA1c levels, proving MTM's efficacy in the treatment of diabetes [26].

#### **Patient Education on Diabetes Medications:**

Pharmacists help patients understand their treatment options and proper utilization of diabetes drugs, such as insulin and GLP-1 agonists [26].

They conduct counseling sessions to increase patients' understanding of lifestyle changes and medication adherence, both of which are essential for managing diabetes effectively [32].

Initiatives such as the Pharmacy Integrated Community Care (PICC) program have demonstrated that pharmacist-led, structured education can improve patients' comprehension and condition management [26].

Although the importance of pharmacists in diabetes treatment is becoming more widely acknowledged, some contend that many healthcare settings continue to underutilize their inclusion in diabetes management teams. This disparity emphasizes the need for more study and lobbying to make the most of pharmacists' knowledge in enhancing diabetes outcomes.

HbA1C, blood pressure, lipid profile, health-related quality of life, and CHD risk all showed statistically significant improvements in those who received pharmacist treatment, highlighting the importance of pharmacists in patient care.

#### **Laboratory Services in Diabetes Management:**

The diagnosis and treatment of diabetes mellitus depend heavily on laboratory tests, which offer vital information for efficient patient care. To diagnose diabetes and track glycemic control, the guidelines stress the use of several laboratory tests, such as glucose and hemoglobin A1c (HbA1c) readings. Important facets of laboratory services for diabetes treatment are described in the sections that follow.

##### **Diagnostic Tests:**

**Glucose Testing:** Elevated venous plasma glucose levels are the main basis for diagnosis.

**HbA1c Measurement:** This test helps with diagnosis and monitoring by reflecting average blood glucose levels during the previous two to three months [32].

##### **Monitoring and Management:**

**Self-Monitoring:** For real-time data, patients frequently employ continuous glucose monitoring (CGM) devices and blood glucose meters [32,33].

**Expanded Testing:** To assist individualized treatment regimens, laboratories are recommended to provide testing for urine albumin, autoantibodies, and ketones [32].

##### **Quality and Standardization:**

**Standardized Procedures:** The ADA standards emphasize the necessity of using uniform testing procedures to guarantee accurate results from various labs [33].

Although laboratory services are essential for managing diabetes, there is a continuous discussion about the clinical use of specific tests; some are seen to be unnecessary or lack enough evidence to be used regularly [32]. Significant improvements in patient outcomes have been demonstrated when diabetes is managed using a multidisciplinary team (MDT) strategy that includes nursing, family medicine, pharmacy, and laboratory services. By improving team member communication, this collaborative paradigm improves patient adherence and diabetic self-management. The main features of this strategy are described in the sections that follow.

##### **Role of Multidisciplinary Teams:**

Diabetes educators, dietitians, and pharmacists are among the varied professionals that make up MDTs, and they work together to solve the challenges of managing diabetes [20].

Research indicates that these teams enhance patient outcomes and experiences; for example, some programs have shown a 26% drop in HbA1c levels [27].

### **Coordination and Communication**

Coordinated care improves patient education and treatment adherence, and it requires effective team communication[29].

Better information flow and decision-making can be facilitated by frequent meetings and shared electronic health records.

### **Impact on Patient Outcomes**

Research shows that patients receiving MDT care have better experiences and are better able to manage their health[20].

By integrating laboratory services, diabetes management can be further optimized by making rapid treatment adjustments based on real-time data [27].

Notwithstanding the advantages of the MDT approach, obstacles such as a lack of resources and disparities in team member skills may make it difficult to apply, especially in underprivileged areas [30]. Maximizing the promise of interdisciplinary diabetic care requires addressing these issues.

### **Conclusion:**

Numerous advantages that improve patient outcomes and healthcare efficiency are provided by a comprehensive diabetes management team. These teams offer comprehensive care that tackles the complex nature of diabetes management by bringing together a range of medical specialists. The main benefits of this strategy are described in the sections that follow.

### **Improved Patient Outcomes**

**Enhanced Adherence:** Through individualized care and education, multidisciplinary teams increase patient adherence to treatment programs, which results in more positive long-term lifestyle changes [25].

**Significant Health Improvements:** Hemoglobin A1C levels have significantly decreased in programs that use interdisciplinary teams, suggesting improved glycemic control [26].

### **Economic Benefits**

**Cost-Effectiveness:** Studies have demonstrated the economic benefits of implementing multidisciplinary teams, showing higher quality-adjusted life years (QALY) and cost savings when compared to traditional treatment [20].

**Resource Optimization:** By avoiding diabetes-related problems, comprehensive care models can lessen the overall strain on healthcare systems [24].

### **Holistic Approach**

**Biopsychosocial Model:** To improve patient cognition and acceptance of their illness, this model places a strong emphasis on treating psychological and social issues in addition to medical care [24].

**Coordinated Care:** To ensure comprehensive management of diabetes, teams help different professionals coordinate their care [18].

Even if a complete diabetes management team has many advantages, there are still obstacles to overcome to guarantee regular patient participation and access to this kind of multidisciplinary care, especially for underprivileged populations. A forward-thinking strategy for dealing with the complexity of contemporary healthcare is the integration of nursing and family medicine. Interdisciplinary care models optimize resource use, improve chronic illness management, and promote patient-centered care by fusing the strengths of both professions. Healthcare teams can offer comprehensive, preventive, and easily accessible care that addresses the needs of a variety of patient populations, including those in underprivileged communities, by working together in a variety of models, including the Patient-Centered Medical Home (PCMH), community-based programs, and telehealth. The advantages of integration are obvious: better patient outcomes, more effectiveness, and happier patients. But to reap these advantages, obstacles like role ambiguity, structural constraints, and communication difficulties must be removed. Achieving successful integration requires tactics like interdisciplinary education, encouraging policies, teamwork-promoting leadership, and cutting-edge health IT systems. In the future, these collaborative techniques will be advanced through the creation of new integration models, additional research on best practices, and legislation that encourages interdisciplinary care. Healthcare systems can get closer to providing comprehensive, long-lasting, patient-centered care that improves health outcomes and better serves the interests of both patients and providers by embracing the merger of nursing and family medicine.

### **References:**

1. Vlachos, B. *et al.* (2024) 'Overview on chronic complications of diabetes mellitus', *Chronic Complications of Diabetes Mellitus*, pp. 1–10. doi:10.1016/b978-0-323-88426-6.00009-9.
2. Y, Mukhtar, A, M, Galalain, U.M., Yunusa. (2020). 3. A modern overview on diabetes mellitus: a chronic endocrine disorder. doi: 10.47672/EJB.409

3. Martinez, L. and Zahra, T. (2022) 'Chronic complications of diabetes', *EMJ Diabetes* [Preprint]. doi:10.33590/emjdiabet/21-00180.
4. Sameer, A., Banday, M. and Nissar, S. (2020) 'Pathophysiology of diabetes: An overview', *Avicenna Journal of Medicine*, 10(4), p. 174. doi:10.4103/ajm.ajm\_53\_20.
5. Hacker, K. (2024) 'The burden of chronic disease', *Mayo Clinic Proceedings: Innovations, Quality & Outcomes*, 8(1), pp. 112–119. doi:10.1016/j.mayocpiqo.2023.08.005.
6. Silva, J.A. *et al.* (2018) 'Diagnosis of diabetes mellitus and living with a chronic condition: Participatory study', *BMC Public Health*, 18(1). doi:10.1186/s12889-018-5637-9.
7. Sonia, T.A. and Sharma, C.P. (2014) 'Diabetes mellitus – an overview', *Oral Delivery of Insulin*, pp. 1–57. doi:10.1533/9781908818683.1.
8. Johansen, T.L. (2022) 'Mellem nærhedogspecialisering', *Academic Quarter | Akademiskkvarter*, (24), pp. 180–196. doi:10.54337/academicquarter.vi24.7259.
9. Vrijhoef, H.J. (2022) 'The future of coordination is Smart Coordination', *International Journal of Care Coordination*, 25(1), pp. 3–4. doi:10.1177/20534345221075661.
10. Poku, M.K., Kagan, C.M. and Yehia, B. (2019) 'Moving from care coordination to care integration', *Journal of General Internal Medicine*, 34(9), pp. 1906–1909. doi:10.1007/s11606-019-05029-z.
11. Mohr, D.C. *et al.* (2019) 'Organizational coordination and patient experiences of Specialty Care Integration', *Journal of General Internal Medicine*, 34(S1), pp. 30–36. doi:10.1007/s11606-019-04973-0.
12. Oberska, J. *et al.* (2021) 'Role and responsibilities of a medical coordinator in the light of Polish legislation and foreign experiences', *Medycyna Ogólna i Nauki o Zdrowiu*, 27(2), pp. 87–91. doi:10.26444/monz/138311.
13. Hershey, D.S. and Given, B.A. (2020) 'Improving care coordination for comorbidity and cancer', *Cancer Nursing*, 43(1), pp. 86–87. doi:10.1097/ncc.0000000000000780.
14. Jain, P., Agarwal, A. and Behara, R. (2017) 'Care coordination: A systematic review and a new perspective', *2017 IEEE 17th International Conference on Bioinformatics and Bioengineering (BIBE)*, pp. 531–536. doi:10.1109/bibe.2017.00007.
15. Mezuk, B. *et al.* (2022) 'Care coordination, health outcomes, and healthcare utilization among adults with multimorbidity', *Innovation in Aging*, 6(Supplement\_1), pp. 22–22. doi:10.1093/geroni/igac059.082.
16. Josi, R. and Bianchi, M. (2019) 'Advanced Practice Nurses, Registered Nurses and medical practice Assistants in New Care Models in swiss primary care: A focused ethnography of their professional roles', *BMJ Open*, 9(12). doi:10.1136/bmjopen-2019-033929.
17. Templer, S., Abdo, S. and Wong, T. (2024) 'Preventing diabetes complications', *Internal Medicine Journal*, 54(8), pp. 1264–1274. doi:10.1111/imj.16455.
18. Ascencio-Montiel, I. de, *et al.* (2022) 'A multimodal strategy to reduce the risk of hospitalization/death in ambulatory patients with COVID-19', *Archives of Medical Research*, 53(3), pp. 323–328. doi:10.1016/j.arcmed.2022.01.002.
19. Srivastava, S.P. *et al.* (2024) 'Managing diabetic complications with alternative therapeutic strategies', *Current Diabetes Reviews*, 20(5). doi:10.2174/1573399820666230907112430.
20. Moon, M.K. (2021) 'Principles of diabetes care and lifestyle modification', *Stroke Revisited*, pp. 83–107. doi:10.1007/978-981-16-5123-6\_8.
21. Alshareef, M. (2020) 'Comprehensive diabetes management- what does it mean?', *International Journal of Medicine and Public Health*, 10(2), pp. 51–53. doi:10.5530/ijmedph.2020.2.11.
22. Reyes-García, R. *et al.* (2019) 'A comprehensive approach to type 2 diabetes mellitus – a recommendation document', *Endocrinología, Diabetes y Nutrición (English ed.)*, 66(7), pp. 443–458. doi:10.1016/j.endien.2018.10.013.
23. Kim, S.-K. (2019) 'Comprehensive management in patients with type 2 diabetes mellitus', *The Journal of Korean Diabetes*, 20(3), p. 170. doi:10.4093/jkd.2019.20.3.170.
24. Desai, A. *et al.* (2020) 'Comprehensive diabetes care: The goa model', *Indian Journal of Ophthalmology*, 68(13), p. 88. doi:10.4103/ijo.ijo\_2003\_19.
25. Davies, C. (2024) 'The role of specialist pharmacists in diabetes care', *Journal of Prescribing Practice*, 6(4), pp. 158–164. doi:10.12968/jppr.2024.6.4.158.
26. Ahmad, K. *et al.* (2024) 'Effectiveness of a pharmacist-led, Community Group-based education program in Enhancing Diabetes Management: A multicentrerandomized control trial', *Contemporary Clinical Trials Communications*, 38, p. 101280. doi:10.1016/j.conctc.2024.101280.
27. S. Lokhande, S. *et al.* (2023) 'Role of pharmacist in prevention and management of Diabetics', *Asian Journal of Pharmaceutical Research*, pp. 95–98. doi:10.52711/2231-5691.2023.00019.

28. Hassan, F. *et al.* (2023) 'The intervention strategies and service model for pharmacist-led diabetes management: A scoping review', *BMC Health Services Research*, 23(1). doi:10.1186/s12913-022-08977-1.
29. Orabone, A.W., Do, V. and Cohen, E. (2022) 'Pharmacist-managed diabetes programs: Improving treatment adherence and patient outcomes', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, Volume 15, pp. 1911–1923. doi:10.2147/dms0.s342936.
30. Syafira, M., Rahardjo, S.S. and Murti, B. (2022) 'Meta-analysis the effect of pharmaceutical care on blood glucose level in type 2 diabetes mellitus patients', *Journal of Health Policy and Management*, 7(2), pp. 112–124. doi:10.26911/thejpm.2022.07.02.03.
31. Inasu, S.T. and Kumudavalli, M. (2020) 'Pharmacist-led interventions on improving outcomes in patients with diabetes mellitus: Evidence from the literature', *Journal of Drug Delivery and Therapeutics*, 10(4), pp. 49–58. doi:10.22270/jddt.v10i4.4195.
32. Sacks, D.B. *et al.* (2023) 'Executive summary: Guidelines and recommendations for laboratory analysis in the diagnosis and management of diabetes mellitus', *Clinical Chemistry*, 69(8), pp. 777–784. doi:10.1093/clinchem/hvad079.
33. Tiwari, D. and Aw, T.C. (2024) 'The 2024 american diabetes association guidelines on standards of medical care in diabetes: Key Takeaways for laboratory', *Exploration of Endocrine and Metabolic Diseases*, pp. 158–166. doi:10.37349/eemd.2024.00013.