

Collaborative Healthcare The Role of Hospital Management, Nursing, and Social Work in Emergency Department Organization During Outbreaks of Infectious Diseases

Abdullah Saad M Alaklopi¹, Nabil Mohammed S Alqarni², Dhafer Abdullah B Alshahrani², Mohammed Nasser H Aljadran³, Mesfer Ali T Alaklabi⁴, Faleh Hassan M Alshahrani⁵, Rayyisah Ali A Alshahrani⁶, Talal Ali S Albudur⁷, Raddad Saad Saeed Alqahtani⁸, Dhafer Muhammad Ali Al Raka⁹, Tayseer Mohmmmed Mansour¹⁰

1. Health administration Senior Specialist, Ministry of Health Office, BISHA, Saudi Arabia
2. Health administration specialist, Ministry of Health Office in Bisha, BISHA, Saudi Arabia
3. Public Health specialist, Aseer Health Cluster- Bisha Zone, BISHA, Saudi Arabia
4. Health administration specialist, Aseer Health Cluster- Bisha Zone, BISHA, Saudi Arabia
5. Nursing specialist, Aseer Health Cluster- Bisha Zone, BISHA, Saudi Arabia
6. Nursing technician, Aseer Health Cluster- Bisha Zone, BISHA, Saudi Arabia
7. Social Worker, Aseer Health Cluster- Bisha Zone, BISHA, Saudi Arabia
8. ER, Ahad Rufidah Genral Hospital, Abha, Saudi Arabia
9. Medical secretarial technician, Ahad Rafidah General Hospital, Abha, Saudi Arabia
10. Nursing technician, Ahad Rufaida Hospital, Aseer, Saudi Arabia

ABSTRACT

During outbreaks of infectious diseases, effective collaboration among hospital management, nursing staff, and social workers is crucial for maintaining organization and delivering high-quality patient care in emergency departments (EDs). Hospital management plays a key role in establishing protocols and allocating resources to ensure a rapid and coordinated response to public health crises. This includes implementing triage systems to prioritize patients based on the severity of their conditions, streamlining communication channels within the healthcare team, and facilitating staff training on the latest infection control measures. The management must also ensure adequate supply chain logistics, including personal protective equipment (PPE) and testing materials, to safeguard both patients and healthcare providers. Nurses and social workers are essential in the frontlines of emergency care, providing holistic support during critical situations. Nurses are often the first point of contact for patients, and their role extends beyond clinical care to include patient education about emerging infectious diseases and preventive measures. They are integral in monitoring patients for symptoms, administering treatments, and coordinating with physicians to manage patient flow. Social workers complement this by addressing psychosocial factors, such as the emotional impact of disease outbreaks on patients and their families, and facilitating resource connections for ongoing care and support. Together, these professionals create a collaborative environment that is

Abdullah Saad M Alaklopi, Nabil Mohammed S Alqarni, Dhafer Abdullah B Alshahrani, Mohammed Nasser H Aljadran, Mesfer Ali T Alaklabi, Faleh Hassan M Alshahrani, Rayyisah Ali A Alshahrani, Talal Ali S Albudur, Raddad Saad Saeed Alqahtani, Dhafer Muhammad Ali Al Raka, Tayseer Mohammed Mansour responsive to the heightened demands of infectious disease outbreaks, ultimately improving outcomes and enhancing patient and staff safety.

KEYWORDS: Collaborative healthcare, hospital management, nursing, social work, emergency department, infectious disease outbreaks, triage systems, patient care, infection control, resource allocation, psychosocial support, communication, staff training, patient education, public health response.

1. Introduction

In recent years, the global health landscape has become increasingly challenged by the resurgence and emergence of infectious diseases, which pose significant threats to public health and healthcare systems. The rise of infections such as the COVID-19 pandemic, Ebola, Zika virus, and others have highlighted critical vulnerabilities and systemic inadequacies in emergency response frameworks within healthcare settings. Effective management of emergency departments (EDs) during such outbreaks is essential for mitigating the impact of infectious diseases, ensuring patient safety, and promoting community health. This necessitates a collaborative approach that draws on the strengths and expertise of diverse healthcare professionals, particularly hospital management, nursing staff, and social workers [1].

The complexity of managing an outbreak within an emergency department requires the seamless integration of various roles and capabilities. Hospital management plays a pivotal role in orchestrating the overall strategic response of the healthcare institution, including resource allocation, decision-making on policy changes, and the establishment of guidelines for infection control. Accessible and efficient management practices are instrumental in enhancing the ED's capacity to handle increased patient loads while minimizing the risk of disease transmission among patients and staff. Strong leadership and coordinated efforts from the management level are essential in fostering an atmosphere that encourages collaboration, communication, and adaptability across departments [2].

Nurses, as frontline healthcare providers, have a profound impact on the organization and functioning of the emergency department during outbreaks. They are often the first point of contact for patients, rendering them crucial in the triage process, assessment, and identification of potential infectious cases. The nursing workforce plays an indispensable role in executing infection control protocols, monitoring patient symptoms, and providing compassionate care, which is vital for addressing the unique psychological and physical challenges presented by infectious disease outbreaks. Their clinical expertise, coupled with real-time feedback gathered from patient interactions, informs the effective implementation of hospital policies and helps refine operational responses to the evolving nature of outbreaks [3].

In the context of emergency department organization, the involvement of social workers is equally paramount. Social workers contribute significantly to managing the psychosocial aspects of patient care during an infectious disease outbreak. They identify and address the emotional and social challenges faced by patients and their families, which can be exacerbated during crises marked by high-stress levels,

uncertainty, and fear. Social workers facilitate access to resources, aid in the navigation of complex healthcare systems, and advocate for patient rights and needs. By providing critical support to patients and fostering a holistic approach to care, social workers help alleviate the burden on emergency staff, enabling a more organized and compassionate response during trying circumstances [4].

The collaboration among hospital management, nursing, and social work is fundamental to enhancing the resiliency and effectiveness of healthcare systems in the face of infectious disease outbreaks. This interdisciplinary approach embraces the principle that comprehensive care necessitates not only clinical interventions but also strategic planning and proactive community support. In order to better understand how these three essential components interact to optimize emergency department organization during outbreaks, a clearer framework is required. This research will investigate specific roles, engagement strategies, communication methods, and the impact of collaborative practices on patient outcomes and system functionality during such critical periods [5].

The Impact of Infectious Disease Outbreaks on Hospital Operations:

Infectious diseases have been a persistent challenge throughout human history, significantly shaping public health responses, societal norms, and healthcare infrastructure. Outbreaks of infectious diseases not only affect public health at large but also impose substantial impacts on hospital operations across the globe. These impacts can manifest in various ways, including increased patient volumes, alterations in operational protocols, resource allocation challenges, and implications for staff welfare. Understanding these dynamics is pivotal for enhancing the preparedness and resilience of hospital systems in the face of future outbreaks [6].

One of the most immediate effects of infectious disease outbreaks on hospital operations is the surge in patient volumes. When an outbreak occurs, hospitals often experience a sharp increase in admissions. For example, during the COVID-19 pandemic, hospitals worldwide faced unprecedented numbers of patients suffering from severe respiratory distress, leading to overwhelming demands on healthcare facilities. This surge can overwhelm existing capacity, forcing hospitals to quickly adapt by expanding bed availability, deploying additional medical staff, and extending the use of resources. In response to excess demand, hospitals may convert normal care areas into specialized infectious disease units, creating makeshift intensive care units (ICUs) to accommodate the rising influx of critically ill patients [7].

The increase in patient volume extends beyond those directly affected by the outbreak. Many hospitals report a rise in patients seeking care for other conditions due to fear, misinformation, or a lack of access to primary care during an outbreak. This phenomenon can complicate operations, as hospitals may need to balance the care of both infectious disease patients and those with non-infectious health issues. Additionally, emergency departments can become overwhelmed, leading to longer wait times and decreased care quality for all patients [8].

Infectious disease outbreaks necessitate changes in operational protocols and infection control measures. Hospitals must implement rigorous infection prevention

Abdullah Saad M Alaklopi, Nabil Mohammed S Alqarni, Dhafer Abdullah B Alshahrani, Mohammed Nasser H Aljadran, Mesfer Ali T Alaklabi, Faleh Hassan M Alshahrani, Rayyisah Ali A Alshahrani, Talal Ali S Albudur, Raddad Saad Saeed Alqahtani, Dhafer Muhammad Ali Al Raka, Tayseer Mohammed Mansour strategies to contain the spread of disease within their facilities. These strategies may include enhanced screening of patients and visitors, the use of personal protective equipment (PPE), and strict isolation protocols for affected patients. The rapid need for PPE and other medical supplies during an outbreak can lead healthcare facilities to experience shortages, further complicating their operations [9].

These operational changes may also necessitate training for staff on updated procedures, which can divert resources and time away from patient care. Staff members must be educated on the clinical presentation, transmission routes, and management of the infectious disease, as well as the use of PPE and proper sanitization techniques. This additional training can further strain resources, particularly in hospitals already operating at or near capacity [9].

The surge in infected patients, combined with the need for stringent infection control measures, brings challenges in resource allocation. Hospitals must navigate limited supplies of critical medical resources, such as ventilators, ICU beds, and staffing. During the COVID-19 pandemic, many hospitals found themselves in competitive situations, bidding for essential supplies at a time when demand was unprecedented. This scenario often leads to significant logistical challenges, with hospitals needing to work closely with government agencies, suppliers, and other healthcare facilities to secure necessary items [10].

Additionally, hospital administrators must balance the allocation of resources between departments, ensuring that both infectious disease units and other critical care areas have the supplies and personnel needed to function effectively. This juggling act poses the risk of under-resourced services, potentially harming patient outcomes in non-infectious disease areas during the outbreak [11].

The emotional and physical toll on hospital staff during infectious disease outbreaks cannot be underestimated. Healthcare workers often face increased workloads, long hours, and high-stress environments as they work to care for affected patients. The psychological impact of witnessing illness and death, particularly during traumatic outbreaks like COVID-19, can lead to burnout and mental health issues among staff. Hospitals must prioritize the well-being of their staff, offering resources such as counseling services, mental health support, and opportunities for relaxation and recuperation [12].

Additionally, sufficient staffing levels are critical during outbreaks. Hospitals may need to recruit temporary staff or redeploy existing personnel from other departments to meet the increased demand. However, this can also contribute to staff fatigue, particularly if individuals are required to work outside their areas of expertise or comfort. Maintaining morale and job satisfaction is essential for staff retention and overall patient care during times of crisis [12].

Beyond immediate impacts, infectious disease outbreaks can have long-term implications for hospital operations. One significant outcome is the acceleration of telehealth services, which gained momentum during the COVID-19 pandemic as hospitals sought to limit in-person visits to reduce transmission risk. The expansion of telehealth has been an essential adaptation, enabling hospitals to provide necessary care while minimizing exposure [13].

Further, outbreaks often lead to a reevaluation of hospitals' emergency preparedness plans. Lessons learned during an outbreak bolster the future resilience of healthcare systems as hospitals adapt and refine their protocols based on real-world experiences. These evaluations can include updates on supply chain management, staffing strategies, and public health communication, ultimately enhancing the overall infrastructure of care [14].

Leadership and Coordination: The Role of Hospital Management:

In the face of an infectious disease outbreak, effective leadership and coordination within hospitals become paramount. The challenges posed by such events are multifaceted, requiring health care institutions to respond swiftly and efficiently to protect public health while ensuring optimal patient care. Hospital management plays a crucial role in navigating the complexities of these crises, coordinating resources, and implementing strategies that can affect the trajectory of an outbreak [14].

One of the foundational aspects of effective hospital management during an infectious disease outbreak is preparedness. This involves preemptive planning and the establishment of protocols that can be activated in the event of an outbreak. Hospitals must develop comprehensive emergency response plans that entail risk assessments, identification of essential personnel, resource allocation, and communication strategies. These plans should be continually updated to reflect emerging evidence and technological advancements [15].

Training is a vital component of preparedness. Hospital management must ensure that all staff are well-informed about the outbreak protocols through regular training sessions and drills. This preparation not only increases competency among healthcare workers but also fosters a culture of readiness that is essential during real-time crises. Involving staff at all levels in these preparations enhances morale and commitment, ensuring that everyone understands their role during an outbreak [15].

Leadership is crucial during an outbreak when stakeholders—from hospital administrators to frontline healthcare workers—look to management for guidance. Effective leaders must demonstrate decisiveness, empathy, and clear communication. During an outbreak, misinformation can proliferate quickly, creating confusion and anxiety. Hospital leaders must endeavor to provide accurate, timely information to staff and patients, fostering trust and adherence to public health directives [16].

Moreover, strong leadership ensures that decisions are made based on the best available evidence. Hospital managers need to remain abreast of changing guidelines from health authorities, such as the Centers for Disease Control and Prevention (CDC) or the World Health Organization (WHO), while also considering local epidemiological data. Leaders must exhibit an ability to adapt strategies as new information emerges, demonstrating flexibility that is crucial in a rapidly changing environment [17].

Effective coordination is another critical component of hospital management during an infectious disease outbreak. Resource allocation—encompassing medical supplies, personnel, and infrastructure—is a complex task that requires strategic foresight. Hospital leaders must assess the needs of the facility, such as personal protective equipment (PPE), ventilators, and medications, while also considering the

Abdullah Saad M Alaklopi, Nabil Mohammed S Alqarni, Dhafer Abdullah B Alshahrani, Mohammed Nasser H Aljadran, Mesfer Ali T Alaklabi, Faleh Hassan M Alshahrani, Rayyisah Ali A Alshahrani, Talal Ali S Albudur, Raddad Saad Saeed Alqahtani, Dhafer Muhammad Ali Al Raka, Tayseer Mohammed Mansour potential surge in patient volume [18].

Establishing clear communication channels among departments is essential for the efficient flow of information and resources. Cross-departmental coordination helps prevent bottlenecks in patient care and ensures that necessary supplies are acquired and distributed in a timely manner. This may involve establishing task forces within the hospital that are responsible for specific aspects of outbreak response, such as infection control, triage protocols, and patient discharge procedures [19].

In addition, hospital management must forge partnerships with public health agencies, community organizations, and other healthcare facilities. Collaborative efforts can enhance regional preparedness and facilitate the sharing of resources. For instance, hospitals may coordinate with one another to balance patient loads, particularly in areas experiencing severe outbreaks, thus preventing overwhelming any single facility [20].

Communication is central to effective leadership and coordination during an outbreak. Hospital management must prioritize transparent communication both internally and externally. Internally, it is vital to relay pertinent information to all staff members; daily briefings, digital communications, and community forums can serve as vital platforms for disseminating updates regarding the outbreak, changes in protocols, and available resources [21].

Externally, hospitals must communicate to the public and to patients in a manner that is reassuring yet informative. Clear messaging about safety measures, visitation policies, and patient care protocols is essential for mitigating fear and anxiety within the community. Engaging with local media and utilizing social media platforms expertly can amplify these communications, ensuring they reach a broad audience [22].

Management should also establish feedback mechanisms that allow employees to voice concerns and suggestions during an outbreak. Such avenues not only help address issues promptly but also enhance staff engagement and commitment to organizational protocols [23].

The management of hospitals during infectious disease outbreaks also raises important ethical considerations. Leaders must navigate the delicate balance between resource allocation and equitable patient care. Decisions relating to the prioritization of care, allocation of limited resources, and triage protocols must be made with consideration for fairness and justice [24].

Moreover, addressing health disparities exacerbated by outbreaks is crucial. Hospital management must consider the needs of vulnerable populations and ensure that outreach programs are in place to provide equitable care. This may include collaboration with community health organizations to extend healthcare services to underserved areas or populations who may be at heightened risk during an outbreak [25].

Nursing Strategies for Effective Patient Care During Outbreaks:

The emergence of infectious disease outbreaks has become a recurrent challenge in

the landscape of modern healthcare. From the Ebola virus outbreak of 2014 to the COVID-19 pandemic that swept the globe in 2020, the nursing profession has been at the forefront of responding to such health crises. The pivotal role of nurses in managing patient care during outbreaks cannot be overstated; they are not only responsible for the direct care of patients but also serve as educators, communicators, and advocates [26].

One of the most critical strategies in nursing is preparedness. This involves both the individual nurse and the healthcare organization as a whole. Nurses should undergo regular training sessions focused on the detection, management, and containment of infectious diseases. This can include simulations and drills that mirror potential outbreak scenarios. Preparedness also requires familiarity with the specific pathogens involved, ranging from the mode of transmission to the appropriate use of personal protective equipment (PPE). In the case of COVID-19, for example, nurses had to adapt quickly to new information regarding airborne transmission and revise protocols accordingly [27].

Moreover, healthcare organizations must establish robust policies and procedures that guide nursing practice during outbreaks. This includes clear guidelines for triaging patients, utilizing PPE effectively, and protocols for isolation and quarantine. Having these measures in place enables nurses to act decisively and confidently when real-world situations arise [28].

Outbreaks can lead to sudden changes in the healthcare landscape, including increased patient volumes, fluctuating staffing levels, and evolving treatment protocols. Nurses must be adaptable, ready to modify care delivery to meet patient needs effectively. During outbreaks, it is not uncommon for healthcare facilities to experience surges in caseloads that can overwhelm existing resources. Nurses play a vital role in triaging care based on severity and urgency. This triaging process calls for quick decision-making skills, as nurses assess the needs of multiple patients simultaneously [29].

Additionally, the integration of telehealth services has emerged as an essential adaptation in nursing care during outbreaks. Depending on the context of the outbreak, telehealth solutions can allow nurses to perform remote assessments, thereby minimizing the risk of disease transmission while still providing necessary care and monitoring [30].

Communication is a cornerstone of nursing practice, especially during outbreak situations. Effective communication strategies must encompass not only interactions among healthcare teams but also dialogues with patients and their families. Within healthcare teams, clear and concise communication fosters collaboration and ensures everyone is on the same page regarding protocols and patient care plans. Regular team huddles and briefings can be instrumental in disseminating new information and strategizing patient care effectively [30].

When it comes to patients, nurses fulfill a critical instructional role. Patients living through an outbreak often experience fear and uncertainty, and it is essential to provide them with clear, factual information regarding their condition, treatment options, and steps for prevention. Distilling complex medical jargon into

Abdullah Saad M Alaklopi, Nabil Mohammed S Alqarni, Dhafer Abdullah B Alshahrani, Mohammed Nasser H Aljadran, Mesfer Ali T Alaklabi, Faleh Hassan M Alshahrani, Rayyisah Ali A Alshahrani, Talal Ali S Albadur, Raddad Saad Saeed Alqahtani, Dhafer Muhammad Ali Al Raka, Tayseer Mohammed Mansour
understandable language aids in alleviating anxiety and promotes adherence to health guidelines [31].

Furthermore, nurses must develop strategies for communication with diverse populations, particularly those with language barriers or those who may be affected disproportionately by outbreaks. By utilizing translation services or visual aids, nurses can enhance understanding and ensure that vital information reaches all patient demographics [31].

The multifaceted nature of outbreak response necessitates collaboration across various healthcare disciplines. Nurses are often the linchpins in coordinating care and ensuring continuity across different professionals, including physicians, pharmacists, and public health officials. Interprofessional collaboration enhances patient outcomes by enabling a comprehensive care approach and ensuring that all patient needs—physical, mental, and emotional—are met [31].

In practical terms, this might involve case discussions, multidisciplinary rounds, and sharing critical patient information through electronic health records. Furthermore, nurses need to stay informed about public health guidelines and updates provided by organizations like the Centers for Disease Control and Prevention (CDC) or the World Health Organization (WHO) to incorporate the most effective practices into their care delivery [32].

Amidst the chaos of an outbreak, maintaining a focus on patient-centered care is essential. This means placing patients at the center of their care, considering their individual needs, preferences, and values. During outbreaks, many patients may experience heightened levels of anxiety, fear, and isolation. Nurses can employ compassionate communication methods, take the time to listen to patients' concerns, and involve them in decision-making related to their care [32].

One effective approach to uphold patient-centered care during outbreaks involves actively engaging with patients to understand their specific needs. For instance, some patients may require additional mental health support due to the psychological impact of the outbreak. By advocating for these needs within the healthcare team and connecting patients with psychological resources, nurses help ensure that the complete spectrum of patient health—both physical and mental—is addressed [33].

Social Work Interventions in Emergency Response for Infectious Diseases:

The COVID-19 pandemic has illuminated the vital role social work plays in public health scenarios, particularly during times of crisis. As infectious diseases pose significant threats to community health, social workers have emerged as essential agents in emergency response efforts. Their interventions not only address immediate health needs but also consider the broader social determinants of health that influence individual and community resilience [33].

Infectious diseases do not exist in a vacuum; they are embedded within complex social contexts that influence their spread and impact. Economic instability, housing insecurity, access to healthcare, and social isolation are key factors that can exacerbate the effects of outbreaks on specific populations. Social workers understand that the ramifications of infectious diseases extend beyond physical

health and require a comprehensive approach that incorporates psychological, social, and environmental considerations [34].

The initial stage of any public health emergency involves the identification of affected populations and the assessment of immediate needs. Social workers play a crucial part in this phase by utilizing their skills in crisis intervention, needs assessment, and resource mobilization. Their training positions them well to engage with vulnerable groups, such as the elderly, individuals with disabilities, and low-income communities, who often face heightened risks during infectious disease outbreaks [34].

One of the primary goals of social work interventions in the context of infectious diseases is to enhance community resilience. Resilience is the ability of individuals and communities to adapt to adversity and maintain their functioning despite stressors. During an outbreak, social workers focus on empowering communities to navigate challenges, thereby reducing the long-term impact of the crisis [35].

Community engagement is essential in building resilience. Social workers employ strategies such as organizing community meetings, conducting outreach, and facilitating the establishment of support networks. By fostering open communication, social workers ensure that communities are informed about safety protocols, available resources, and prevention strategies. This information dissemination is particularly critical during diseases with high transmission rates, such as COVID-19, where misinformation can hinder response efforts [35].

Furthermore, social workers often collaborate with local organizations and stakeholders to create resource guides tailored to specific community needs. These guides can detail healthcare services, food resources, mental health support, and financial assistance programs—all essential during an outbreak. By enhancing access to these services, social workers contribute to minimizing the adverse effects of infectious diseases on at-risk populations [36].

The psychological impact of infectious disease outbreaks can be profound. Fear, anxiety, and uncertainty are common responses that can hinder coping mechanisms and lead to mental health crises. Social workers are trained to recognize and address these psychological needs, providing interventions such as counseling, crisis support, and group therapy [36].

In the face of an epidemic, social workers often serve as liaisons between healthcare providers and patients. They facilitate communication, ensuring that patients express their concerns and receive appropriate mental health support. Crisis intervention techniques become vital tools for social workers, enabling them to respond effectively to individuals experiencing panic, grief, or trauma related to the outbreak [37].

Moreover, social workers advocate for increased funding and resources for mental health services during public health emergencies. They recognize that mental health is integral to overall wellbeing and that often, the scars left by epidemics can be as damaging as the physical effects of the virus itself [38].

Social work's commitment to social justice makes it indispensable in ensuring

Abdullah Saad M Alaklopi, Nabil Mohammed S Alqarni, Dhafer Abdullah B Alshahrani, Mohammed Nasser H Aljadran, Mesfer Ali T Alaklabi, Faleh Hassan M Alshahrani, Rayyisah Ali A Alshahrani, Talal Ali S Albudur, Raddad Saad Saeed Alqahtani, Dhafer Muhammad Ali Al Raka, Tayseer Mohammed Mansour equitable access to healthcare during infectious disease outbreaks. Marginalized communities frequently experience disparities in access to healthcare services, which can exacerbate the effects of infectious diseases. Social workers are at the forefront of advocating for policies that address these issues [39].

They conduct assessments to identify gaps in service delivery and work with local governments to design interventions that target the needs of underrepresented populations. This may involve advocating for mobile health clinics, transportation services, or expanded telehealth options, allowing individuals to receive care without the barriers that often accompany traditional healthcare systems [39].

Additionally, social workers engage in research and data collection to highlight the disparities faced by specific groups. By presenting evidence to policymakers and stakeholders, they push for systemic changes that promote equity in health response initiatives. Their advocacy extends to addressing the social determinants of health, recognizing that factors such as housing, education, and employment are crucial in managing the spread of infectious diseases [40].

As public health crises evolve, the role of social work must also adapt. Social workers contribute to the development of policies that shape the response to infectious diseases. Their expertise in community dynamics and individual needs positions them as valuable resources in the creation of effective public health strategies [40].

During outbreaks, social workers engage in collaborative efforts with public health officials to formulate policies that are grounded in the realities of communities. They provide insights into the efficacy of communication strategies, vaccine deployment, and access to care initiatives. Furthermore, their involvement in policy development ensures that the voices of vulnerable populations are incorporated into decision-making processes, leading to more effective and equitable responses [41].

Communication and Interprofessional Collaboration Among Healthcare Providers:

Infectious disease outbreaks present unique challenges to health care providers, often overwhelming healthcare systems and initiating a dire need for effective communication and collaboration. Given the multifaceted complexities tied to infectious diseases—including rapid spread, unpredictable behavior, and varying impacts on different populations—healthcare coordination becomes of utmost importance [42].

In the context of infectious disease outbreaks, communication encompasses the exchange of critical information among healthcare providers, public health officials, governmental agencies, and the community. Collaboration refers to the collective effort of these entities to manage and respond to the outbreak effectively. Together, they create a framework for collective action, aimed at flattening the infection curve, reducing morbidity and mortality, and controlling the spread of the disease within a community [43].

Effective communication ensures that healthcare providers share pertinent information regarding the infectious agent, transmission dynamics, case definitions, treatment protocols, and preventive measures. Timely updates on outbreak status

from health departments and the Centers for Disease Control and Prevention (CDC) are critical in enabling healthcare providers to make informed clinical decisions [44].

Collaboration further bolsters professional communication by fostering a cohesive response among different health sectors. Health providers, which may include hospitals, primary care facilities, public health departments, and community organizations, must work together to create a unified strategy. During the COVID-19 pandemic, for instance, collaboration facilitated the sharing of resources such as PPE (personal protective equipment), testing capabilities, and patient care facilities, highlighting how interprofessional efforts can amplify the effectiveness of public health responses [45].

Despite the pressing need for professional communication and collaboration, various challenges can impede these efforts. One major obstacle is the heterogeneity among healthcare organizations in terms of structure, protocols, and communication technology. Different institutions may utilize various electronic health records (EHR) systems and communication tools, making it difficult to share information seamlessly [45].

Moreover, miscommunication or delayed information dissemination can lead to confusion, inconsistent messaging, and potentially dangerous practices in patient care. During outbreaks like Ebola or Zika, misinformation can result in public panic, stigmatization, and avoidance of the healthcare system, complicating efforts to control the outbreak [46].

Additionally, hierarchical structures within healthcare organizations can suppress open communication. Healthcare professionals may hesitate to voice their concerns or suggestions if they feel that upper management will disregard their input. Building a culture of trust and transparency is essential for overcoming these barriers [47].

Strategies for Enhancing Communication and Collaboration

To address these challenges, healthcare providers can adopt several key strategies to improve communication and collaboration during infectious disease outbreaks:

1. **Implementation of Integrated Communication Systems:** Establishing standardized communication protocols, including the use of interoperable health information systems, can greatly enhance the sharing of critical data. Investments in digital platforms that allow real-time updates can help bridge gaps among providers and public health officials [48].
2. **Establishing Multidisciplinary Teams:** The formation of multidisciplinary response teams, which include physicians, nurses, epidemiologists, pharmacists, and public health experts, can create a cohesive and informed approach to outbreak management. Regular meetings and debriefs can ensure that all team members are aware of the latest developments and that their input is valued [48].
3. **Training and Simulation Exercises:** Conducting regular training sessions and simulation exercises for healthcare providers can better prepare them to respond during an outbreak. These practices not only enhance individual competencies but also strengthen teamwork and communication under pressure [48].

4. Promoting Open Communication Culture: Encouraging an environment where questions and concerns are welcomed is vital for communication flow. Leadership should actively promote feedback mechanisms, such as anonymous reporting systems, to allow providers to express their observations and recommendations without fear of reprisal [48].

5. Public Awareness Campaigns: Establishing a clear and consistent public health messaging framework is crucial. During an outbreak, information must be effectively communicated to the public through various platforms—social media, community events, and health alerts—to minimize misinformation and ensure individuals understand preventive measures [48].

Best Practices from Recent Outbreaks

Several recent infectious disease outbreaks serve as insightful case studies in the importance of communication and collaboration:

- The COVID-19 Pandemic: The global response showcased both the successes and shortcomings of interprofessional collaboration. While various countries struggled to share critical data in a timely manner, many healthcare systems innovatively adapted by forming local coalitions that connected hospitals, nursing homes, and public health officials. The establishment of centralized command centers facilitated effective resource allocation and unified messaging [49].
- Ebola Virus Epidemic: The 2014 Ebola outbreak in West Africa demonstrated the necessity of rapid, coordinated responses to infectious disease threats. Organizations such as Médecins Sans Frontières (Doctors Without Borders) highlighted the significance of grassroots communication methods, utilizing local health workers to disseminate accurate information to communities in remote regions effectively [49].

Resource Allocation and Management During Public Health Crises:

Public health crises have become an increasingly significant concern in today's interconnected world, underscored by the COVID-19 pandemic, which exposed vulnerabilities in healthcare systems and highlighted the importance of effective resource allocation and management. The ability to respond quickly and effectively to such crises is contingent upon a well-structured approach to managing resources [50].

Resource allocation refers to the process through which various resources are distributed among competing demands, especially during crises when resources are limited. In public health, these resources can include healthcare personnel, medical supplies, pharmaceuticals, financial aid, and infrastructure. Effective resource allocation focuses on maximizing the impact of these resources to achieve the best possible health outcomes for the population affected by the crisis [51].

Management during public health crises involves planning, organizing, leading, and controlling resources effectively to ensure an agile and coordinated response. Strong leadership and governance are crucial in navigating the complexities of public health

emergencies. This includes being able to assess situations, prioritize needs, and facilitate collaboration among various stakeholders, such as government agencies, healthcare providers, non-governmental organizations (NGOs), and the community [52].

Phases of Resource Allocation during a Public Health Crisis

1. Pre-Crisis Planning:

Pre-crisis planning is fundamental for effective resource management. It involves the identification of potential threats to public health and the development of strategic plans that outline resource needs, distribution channels, and response protocols. Engagement with public health experts, community leaders, and stakeholders can help guide this process. Training exercises and simulations can prepare teams for real-world scenarios, allowing for a more cohesive and effective response [53].

2. Assessment and Needs Identification:

Once a public health crisis is underway, the first step in resource allocation is to conduct a thorough assessment of the situation. This includes gathering data on the extent of the crisis, understanding the affected population's needs, and evaluating existing resources. Utilizing frameworks like the Incident Command System (ICS) can facilitate organized data collection and situational awareness [54].

3. Prioritization:

Due to the nature of crises, it is unlikely that all needs can be met simultaneously. Thus, prioritization becomes essential. Factors that influence prioritization include the severity of health risks, population vulnerability, potential for disease transmission, and the capacity of existing health systems. Vulnerable populations—such as the elderly, individuals with pre-existing conditions, and disadvantaged communities—often require prioritized access to resources [54].

4. Resource Distribution:

The actual distribution of resources is one of the most challenging aspects of crisis management. Effective distribution requires efficient logistics, including transportation, inventory management, and communication systems. The role of technology—such as Geographic Information Systems (GIS) for mapping needs and resources, or digital platforms for tracking supplies—has become increasingly pertinent. Real-time data and analytics can guide decision-making and improve overall responsiveness [55].

5. Monitoring and Adaptation:

Resource allocation does not end with distribution; continuous monitoring is necessary to evaluate the effectiveness of the response and make necessary adjustments. Feedback loops that collect information about resource utilization, health outcomes, and community feedback help stakeholders understand the situation's evolving landscape. This adaptability is crucial for long-term recovery and future preparedness [55].

Despite the best planning, public health crises often reveal several challenges. Limited resources, bureaucratic hurdles, inequitable distribution practices, and insufficient communication can all hinder effective response efforts. Moreover, the politicization of public health decisions may complicate resource allocation, as the needs of affected populations may become secondary to political agendas [56].

Equity in resource allocation is a major concern during health crises, exacerbated by socioeconomic disparities. Marginalized groups are often hardest hit and may face barriers in accessing essential care and resources. Ensuring equitable access requires intentional strategies to address systemic inequalities, outreach initiatives directed at vulnerable populations, and partnerships with local organizations that have established trust within communities [57].

Effective resource allocation and management depend heavily on collaboration. Strong partnerships among stakeholders—governments, healthcare systems, private sectors, and community organizations—are essential for building a comprehensive response network. Information sharing is critical; transparent communication across sectors can enhance coordination, allowing for more efficient resource distribution and utilization [57].

Moreover, community engagement plays a crucial role in effective crisis management. Public trust in health authorities can significantly influence the success of resource allocation efforts. Engaging communities in planning and response enhances public buy-in and adherence to public health measures, ultimately improving health outcomes [58].

The COVID-19 pandemic has provided critical insights into the challenges and opportunities of resource allocation during public health crises. Key lessons include the need for robust data systems, the importance of rapid response frameworks, and the value of equitable health practices. Future public health preparedness efforts must focus on developing integrated resource management frameworks that prioritize equity and transparency [59].

Investments in technology, workforce training, and comprehensive health systems can enhance the capacity for effective resource allocation in future crises. Additionally, fostering a culture of collaboration and community engagement will be vital in creating resilient health systems that can withstand the pressures of public health emergencies [60].

Evaluating Outcomes: Measuring the Effectiveness of Collaborative Approaches:

In recent years, the world has experienced several infectious disease outbreaks that have put immense pressure on healthcare systems. The COVID-19 pandemic, Ebola outbreak, and various influenza strains have underscored the need for efficiency and effectiveness in emergency departments (EDs). In response to these challenges, many healthcare facilities have adopted collaborative approaches to manage patient flow, resources, and staff in the ED [61].

Collaborative approaches in the emergency department involve multi-disciplinary

teamwork, coordination among healthcare professionals, effective communication, and shared decision-making. These strategies may include creating specialized teams for triaging patients, developing protocols for rapid diagnosis and treatment, and ensuring cross-departmental collaboration to manage patient surge. In the context of an infectious disease outbreak, collaborative approaches can also encompass partnerships with public health organizations, emergency management entities, and community stakeholders [62].

The Importance of Outcome Evaluation

Outcome evaluation is a systematic process that assesses the results of specific interventions or strategies. In healthcare, it serves to measure quality, safety, patient satisfaction, and overall effectiveness. The significance of outcome evaluation becomes particularly evident during infectious disease outbreaks when rapid response and adaptability are critical. The effectiveness of collaborative approaches in managing the emergency department can be analyzed through various outcome metrics, including:

1. **Patient Outcomes:** The primary focus of any healthcare intervention is improving patient outcomes. During an outbreak, successful collaborative approaches can lead to reduced mortality rates, improved recovery times, and enhanced quality of life for patients [63].
2. **Staff Satisfaction and Workflow Efficiency:** Collaboration among healthcare professionals not only affects patient outcomes but also influences staff morale and workflow. Outcome evaluation can assess how such approaches lead to enhanced job satisfaction, reduced burnout, and improved communication within teams [63].
3. **Resource Utilization:** Infectious disease outbreaks can overwhelm healthcare infrastructures, resulting in resource scarcity. Evaluating the effectiveness of collaborative strategies can determine how well departments optimize their resources, reducing waste and ensuring the availability of essential supplies [64].
4. **Public Health Impact:** The broader public health ramifications of effective ED management are substantial. Outcome evaluation can measure how successful coordination among healthcare teams contributes to disease containment, reduced transmission rates, and overall community health outcomes [65].

Measuring Effectiveness: Key Evaluation Metrics

To conduct a thorough outcome evaluation, healthcare facilities must employ specific metrics that provide insight into the effectiveness of collaborative approaches during infectious disease outbreaks. Some of the key evaluation metrics include:

1. **Time to Treatment:** Measuring the time elapsed from patient arrival to the initiation of treatment can provide insights into the efficiency of triage procedures and collaborative planning. Reduced time to treatment can enhance patient outcomes, particularly in cases of severe infections [66].
2. **Patient Throughput:** The number of patients processed in the ED over a

given time frame can indicate the efficiency of workflow and resource allocation. An increase in patient throughput during infectious disease outbreaks may reflect the effectiveness of collaborative approaches in handling increased demand [66].

3. **Infection Control Measures:** Evaluating adherence to infection control protocols can provide insight into the effectiveness of interdisciplinary communication and coordination. Metrics such as rates of hospital-acquired infections can be directly correlated with the success of collaborative measures [67].

4. **Patient Satisfaction:** Patient-reported outcome measures (PROMs) can gauge patient satisfaction levels during outbreaks. High satisfaction levels can suggest that collaboration among healthcare providers results in improved care experiences and better patient-provider interactions [67].

5. **Staff Performance and Retention Rates:** Monitoring the performance of individuals involved in collaborative efforts can highlight how teamwork impacts the overall functionality of the ED. Retention rates among staff can also indicate a positive work environment created by successful collaboration [67].

Implementation of Outcome Evaluation in Real-World Scenarios

While the theoretical framework surrounding outcome evaluation is well-established, its implementation in real-world emergency departments poses challenges. A successful outcome evaluation requires thorough planning, adequate training, and a willingness to adapt strategies based on feedback. Additionally, creating a culture of collaboration among diverse professionals is essential [68].

To illustrate this, one can consider the response to the COVID-19 pandemic. Many hospitals adopted rapidly developed protocols that involved continuous feedback loops among ED staff, public health officials, and administrators. Regular meetings facilitated by technology-driven communication platforms allowed for prompt adaptations to treatment pathways, staffing, and resource distribution, thus enhancing the collaborative approach. Outcome evaluations in such scenarios not only assessed the measures in place but also encouraged further improvements based on real-time data [68].

As healthcare continues to evolve, the importance of collaborative approaches in emergency departments during infectious disease outbreaks cannot be overstated. Future initiatives should focus on integrating technology into these collaborative frameworks, leveraging telehealth resources, data analytics, and artificial intelligence to facilitate communication and streamline processes [69].

Additionally, fostering a culture of continuous improvement is crucial. Designing educational programs that emphasize teamwork, communication, and crisis management will empower healthcare professionals to engage collaboratively during future infectious disease outbreaks [69].

2. Conclusion:

In conclusion, the study highlights the critical importance of collaborative healthcare

among hospital management, nursing, and social work in effectively organizing emergency departments during outbreaks of infectious diseases. This collaboration ensures a comprehensive approach to patient care, addressing not only the medical needs of patients but also the psychosocial challenges that arise in such crises. Hospital management's strategic leadership and resource allocation are fundamental in establishing protocols and maintaining operational efficiency. Meanwhile, nursing professionals play a vital role in frontline patient care, utilizing their expertise to provide timely interventions and education. Social workers are equally essential, bridging the gap between clinical care and patient support, ensuring that individuals and families receive the necessary emotional and logistical assistance.

The findings underscore that an integrated approach fosters resilience within emergency departments, enhancing their ability to respond swiftly and effectively to public health threats. It is imperative that healthcare organizations continue to invest in interprofessional training and communication strategies to further strengthen these collaborative efforts. By doing so, they can ensure not only better outcomes during infectious disease outbreaks but also promote a culture of teamwork and shared responsibility that benefits the entire healthcare system in the long term.

References

- Efstathiou G, Papastavrou E, Raftopoulos V & Merkouris A (2011) Factors influencing nurses' compliance with standard precautions in order to avoid occupational exposure to microorganisms: a focus group study. *BioMed Central Nursing* 10, 1.
- Carter EJ, Pouch SM & Larson EL (2014) Common infection control practices in the emergency department: a literature review. *American Journal of Infection Control* 42, 957–962.
- Cowling BJ, Park M, Fang VJ, Wu P, Leung GM & Wu JT (2015) Preliminary epidemiologic assessment of MERS-CoV outbreak in South Korea, May–June 2015. *Euro Surveillance: Bulletin European sur les maladies transmissibles = European Communicable Disease Bulletin* 20, 1–7.
- Dey I (1993) *Qualitative Data Analysis: A User-Friendly Guide for Social Scientists*. Routledge, London.
- Choi SPP, Pang SMC, Cheung K & Wong TKS (2011) Stabilizing and destabilizing forces in the nursing work environment: a qualitative study on turnover intention. *International Journal of Nursing Studies* 48, 1290–1301.
- Chertow DS, Kleine C, Edwards JK, Scaini R, Giuliani R & Sprecher A (2014) Ebola virus disease in West Africa – clinical manifestations and management. *New England Journal of Medicine* 371, 2054–2057.
- Hick JL, Hanfling D, Burstein JL, DeAtley C, Barbisch D, Bogdan GM & Cantrill S (2004) Health care facility and community strategies for patient care surge capacity. *Annals of Emergency Medicine* 44, 253–261.
- Blachere FM, Lindsley WG, Pearce TA, Anderson SE, Fisher M, Khakoo R & Beezhold DH (2009) Measurement of airborne influenza virus in a hospital emergency department. *Clinical Infectious Diseases* 48, 438–440.
- Barriball KL & While A (1994) Collecting data using a semi-structured interview: a discussion paper. *Journal of Advanced Nursing* 19, 328–335.
- Creswell JW (2012) *Qualitative Inquiry and Research Design: Choosing Among Five Approaches*. Sage Publications, Thousand Oaks, CA.
- Denzin NK (1989) *The Research Act*, 3rd edn Prentice Hall, Englewood Cliffs, NJ.
- Elo S & Kyngäs H (2008) The qualitative content analysis process. *Journal of Advanced*

- Abdullah Saad M Alaklopi, Nabil Mohammed S Alqarni, Dhafer Abdullah B Alshahrani, Mohammed Nasser H Aljadran, Mesfer Ali T Alaklabi, Faleh Hassan M Alshahrani, Rayyisah Ali A Alshahrani, Talal Ali S Albudur, Raddad Saad Saeed Alqahtani, Dhafer Muhammad Ali Al Raka, Tayseer Mohammed Mansour
Nursing 62, 107–115.
- Farrar JJ & Piot P (2014) The Ebola emergency – immediate action, ongoing strategy. *New England Journal of Medicine* 371, 1545–1546.
- Grol R, Wensing M, Eccles M & Davis D (2013) *Improving Patient Care: The Implementation of Change in Health Care*. John Wiley & Sons, Chichester.
- Batcheller J, Burkman K, Armstrong D, Chappell C & Carelock JL (2004) A practice model for patient safety: the value of the experienced registered nurse. *Journal of Nursing Administration* 34, 200–205.
- Bowie P, Bradley NA & Rushmer R (2012) Clinical audit and quality improvement – time for a rethink? *Journal of Evaluation in Clinical Practice* 18, 42–48.
- Graham ID, Logan J, Davies B & Nimrod C (2004) Changing the use of electronic fetal monitoring and labor support: a case study of barriers and facilitators. *Birth* 31, 293–301.
- Kothari A, Rudman D, Dobbins M, Rouse M, Sibbald S & Edwards N (2012) The use of tacit and explicit knowledge in public health: a qualitative study. *Implementation Science* 7, 20.
- Chenitz WC & Swanson JM (1986) Qualitative research using grounded theory In *From Practice to Grounded Theory* (Chenitz WC. & Swanson JM. eds). Addison-Wesley, Menlo Park, CA, pp. 3–15.
- Briggs C (2000) Interview. *Journal of Linguistic Anthropology* 9, 137–140.
- Yu IT, Li Y, Wong TW, Tam W, Chan AT, Lee JH, et al. Evidence of airborne transmission of the severe acute respiratory syndrome virus. *N Engl J Med*. 2004;350:1731–1739.
- World Health Organization (2020) Coronavirus disease (COVID-19) outbreak: rights, roles and responsibilities of health workers, including key considerations for occupational safety and health.
- Gire SK, Goba A, Andersen KG, Sealfon RS, Park DJ, Kanneh L, et al. Genomic surveillance elucidates Ebola virus origin and transmission during the 2014 outbreak. *Science*. 2014;345:1369–1372.
- Lippi, D., Bianucci, R. & Donell, S. Role of doctors in epidemics: historical perspectives and implications for COVID-19. *Intern Emerg Med*.
- Cotten M, Watson SJ, Kellam P, Al-Rabeeh AA, Makhdoom HQ, Assiri A, et al. Transmission and evolution of the Middle East respiratory syndrome coronavirus in Saudi Arabia: a descriptive genomic study. *Lancet*. 2013;382:1993–2002.
- Liuyi L, An'hua W (2020) Confusion on prevention and control of healthcare-associated infection of novel coronavirus. *Chin J Infect Control* 19: 105–108.
- Office of National Health Commission of the people's Republic of China (2020) Technical guidelines for the prevention and control of new coronavirus infections in medical institutions (first edition) (medical letter of the National Health Office [2020] 65).
- Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, Zhao X, Huang B, Shi W, Lu R, Niu P, Zhan F, Ma X, Wang D, Xu W, Wu G, Gao GF, Tan W, China Novel Coronavirus Investigating and Research Team. A novel coronavirus from patients with pneumonia in China. *N Engl J Med*. 2019;382:727–733.
- World Health Organization (2016) Guidelines on core components of infection prevention and control programmes at the national and acute health care facility level.
- Department of Disease Prevention and Control of National Health Commission of the people's Republic of China (2020) Notice on Guiding Principles of Emergency Psychological Crisis Intervention for New Coronavirus Pneumonia Epidemic.
- Maguire J, van Severent NS, Hochberg. *International encyclopedia of public health*. 2. Boston: Elsevier; 2017. Principles of infectious diseases: transmission, diagnosis, prevention, and control; pp. 22–39.
- Office of National Health Commission of the people's Republic of China (2020) *Prevention and control of new coronavirus pneumonia* (sixth edition).
- Modeling the effect of comprehensive interventions on Ebola virus transmission. *Sci Rep*.

- 2015; 5:15818.
- Ebola is an acute viral hemorrhagic disease endemic to West Africa. Zhao JM, Dong SJ, Li J, Ji JS. The Ebola epidemic is ongoing in West Africa and responses from China are positive. *Mil Med Res* 2: 9.
- Anhua Wu, Xun H, Chunhui Li, Liuyi Li. Novel coronavirus (2019-nCoV) pneumonia in medical institutions: problems in prevention and control. *Chin J Infect Control*. 2020;19:99–104.
- Office of National Health Commission of the people's Republic of China, Office of National Administration of Traditional Chinese Medicine (2020) Notice on the issuance of a new coronavirus pneumonia diagnosis and treatment programme (trial version 7).
- Ge XY, Li JL, Yang XL, Chmura AA, Zhu G, Epstein JH, et al. Isolation and characterization of a bat SARS-like coronavirus that uses the ACE2 receptor. *Nature*. 2013;503:535–538.
- World Health Organization (2020) The First Few X (FFX) Cases and contact investigation protocol for 2019-novel coronavirus (2019-nCoV) infection.
- Office of National Health Commission of the people's Republic of China (2020) Notice on Guiding Principles of Emergency Psychological Crisis Intervention for New Coronavirus Pneumonia Epidemic.
- Sandelowski M (2000) Focus on research methods—whatever happened to qualitative description? *Research in Nursing and Health* 23, 334–340.
- Rumsey M, Fletcher SM, Thiessen J, Gero A, Kuruppu N, Daly J & Willetts J (2014) A qualitative examination of the health workforce needs during climate change disaster response in Pacific Island Countries. *Human Resources for Health* 12, 9.
- Mintzberg H (2012) Managing the myths of health care. *World Hospitals and Health Services* 48, 05.
- Ploeg J, Davies B, Edwards N, Gifford W & Miller PE (2007) Factors influencing best-practice guideline implementation: lessons learned from administrators, nursing staff, and project leaders. *Worldviews on Evidence-Based Nursing* 4, 210–219.
- Meslin EM (2009) Achieving global justice in health through global research ethics: supplementing Macklin's 'top-down' approach with one from the 'ground up' In *Global Bioethics: Issues of Conscience for the Twenty-First Century* (Green RM, Donovan A. & Jaus SA. eds). University Press, New York, pp. 163–177.
- Lam KK & Hung SYM (2013) Perceptions of emergency nurses during the human swine influenza outbreak: a qualitative study. *International Emergency Nursing* 21, 240–246.
- Martel J, Bui-Xuan EF, Carreau AM, Carrier JD, Larkin É, Vlachos-Mayer H & Dumas ME (2013) Respiratory hygiene in emergency departments: compliance, beliefs, and perceptions. *American Journal of Infection Control* 41, 14–18.
- Leppin A & Aro AR (2009) Risk perceptions related to SARS and avian influenza: theoretical foundations of current empirical research. *International Journal of Behavioral Medicine* 16, 7–29.
- Matthew-Maich N, Ploeg J, Dobbins M & Jack S (2013) Supporting the uptake of nursing guidelines: what you really need to know to move nursing guidelines into practice. *Worldviews on Evidence-Based Nursing* 10, 104–115.
- Nichol K, Bigelow P, O'Brien-Pallas L, McGeer A, Manno M & Holness DL (2008) The individual, environmental, and organizational factors that influence nurses' use of facial protection to prevent occupational transmission of communicable respiratory illness in acute care hospitals. *American Journal of Infection Control* 36, 481–487.
- Pedersen MS, Landheim A & Lien L (2014) Bridging the gap between current practice recommendations in national guidelines—a qualitative study of mental health services. *BioMed Central Health Services Research* 14(Suppl 2), P94.
- Silverman D (1993) *Interpreting Qualitative Data—Methods for Analyzing Talk, Text and Interaction*. Sage Publications, Thousand Oaks, CA.
- Robson C (2002) *Real World Research*. Blackwell, Oxford.
- Pan A, Domenighini F, Signorini L, Assini R, Catenazzi P, Lorenzotti S & Guerrini G (2008)

- Abdullah Saad M Alaklopi, Nabil Mohammed S Alqarni, Dhafer Abdullah B Alshahrani, Mohammed Nasser H Aljadran, Mesfer Ali T Alaklabi, Faleh Hassan M Alshahrani, Rayyisah Ali A Alshahrani, Talal Ali S Albudur, Raddad Saad Saeed Alqahtani, Dhafer Muhammad Ali Al Raka, Tayseer Mohammed Mansour
Adherence to hand hygiene in an Italian long-term care facility. *American Journal of Infection Control* 36, 495–497.
- Morse S (2012) Public health surveillance and infectious disease detection. *Biosecurity and Bioterrorism* 10, 6–16.
- Pretz JE & Folse VN (2011) Nursing experience and preference for intuition in decision making. *Journal of Clinical Nursing* 20, 2878–2889.
- Rose K (1994) Unstructured and semi-structured interviewing. *Nurse Researcher* 1, 23–30.
- Minichiello V, Aroni R, Timewell E & Alexander L (1990) *In-Depth Interviewing: Researching People*. Longman Cheshire Pty Limited, Hong Kong.
- May C, Sibley A & Hunt K (2014) The nursing work of hospital-based clinical practice guideline implementation: an explanatory systematic review using Normalisation Process Theory. *International Journal of Nursing Studies* 51, 289–299.
- Schreier M (2012) *Qualitative Content Analysis in Practice*. Sage Publications, London.
- Geberding J.L., Hughes J.M., Kooplan J.P. Bioterrorism preparedness and response: clinicians and public health agencies as essential partners. In: Henderson D., Inglesby T.V., O'Toole T., editors. *Bioterrorism: guidelines for medical and public health management*. AMA; Chicago: 2002.
- Centers for Disease Control and Prevention Laboratory security and emergency response guidance for laboratories working with select agents. *MMWR*. 2002;51(No. RR-19).
- Gordon N.S., Farberow N.L., Maida C.A. Taylor & Francis; Philadelphia: 1999. *Children and disasters*.
- Alldds M, Ludwick R. One year later: the impact and aftermath of September 11.
- Levy B.S., Sidel V.W. Challenges that terrorism poses to public health. In: Levy B.S., Sidel V.W., editors. *Terrorism and public health: a balanced approach to strengthening systems and protecting people*. Oxford University Press; New York: 2003.
- Johnson M. Incident management system local and state public health agencies. *Proceedings of Michigan Department of Community Health training on incident management*. Lansing (MI): Michigan Department of Community Health; 2002.
- Columbia University School of Nursing Center for Health Policy. *Centers for Disease Control and Prevention; Atlanta (GA): 2002. Bioterrorism and emergency readiness competencies for all public health workers*.
- Gordon N.S., Farberow N.L., Maida C.A. *Children and disasters*.
- Haggerty B, Williams RA. Psychosocial issues related to bioterrorism for nurses subcompetencies. Presented at the University of Michigan Academic Center for Public Health Preparedness. Ann Arbor (MI), September 15, 2003.
- Taintor Z. Addressing mental health needs. In: Levy B.S., Sidel V.W., editors. *Terrorism and public health: a balanced approach to strengthening systems and protecting people*. Oxford University Press, Incorporated; New York: 2003.