

Third cumulative index for *Koedoe*: volumes 35/2–44/1

Compiled by J.C. Rautenbach

Previous indexes can be found in *Koedoe* 25 (1982) and *Koedoe* 35/1 (1992).

J.C. Rautenbach, South African National Parks, P.O. Box 787, Pretoria, 0001 Republic of South Africa.

Index to *Koedoe*: volumes 35/2 – 44/1

Authors	85	Mammalia	104
Subjects	98	Archaeology and History	105
Botany	98	Bibliography	106
Ecology and behaviour	100	Climate	106
Wildlife conservation & techniques ...	100	Geology and Pedology	106
Zoology	102	Environmental impact on rivers & water quality	106
Invertebrata	102	Check list	107
Pisces	103	Issues in conservation	107
Amphibia	103	Maps	108
Reptilia	103	Social Science	108
Aves	104	Parks	108

Authors

- ACKERMAN, D.J., A.J. REINECKE and H.J. ELS.
1996a. A scanning electron microscopic study of impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 39(2): 91-104.
- ACKERMAN, D.J., A.J. REINECKE and H.J. ELS.
1996b. Transmission electron microscopic study of impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 39(2): 105-120.
- ACKERMAN, D.J., A.J. REINECKE and H.J. ELS.
1997a. Transmission electron microscopic observations of flagellum abnormalities in impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 40(1): 1-13.
- ACKERMAN, D.J., A.J. REINECKE and H.J. ELS.
1997b. Transmission electron microscopic observations of acrosome and head abnormalities in impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 40(1):15-30.
- ANDERSON, M.D. and J.H. KOEN. 1993. Body measurements of mountain reedbeek *Redunca fulvorufula fulvorufula* from Rolfontein Nature Reserve, South Africa. *Koedoe* 36(1): 99-101.
- ARCHER, FIONA
see WEBLEY, LITA, FIONA ARCHER and J. BRINK. 1993.
- AVENANT, N.L. 1997. Mammals recorded in the QwaQwa National Park (1994-1995). *Koedoe* 40(1): 31-40.
- AVENANT-OLDEWAGE, ANNEMARIÉ. 1994. A new species of *Argulus* from Lake Kosi Bay, South Africa and distribution records of the genus. *Koedoe* 37(2): 89-96.
- AVENANT-OLDEWAGE, A.see
MARX, H.M. and A. AVENANT-OLDEWAGE. 1998.
- AVENANT-OLDEWAGE, ANNEMARIÉ and ELMINE KNIGHT. 1994. A diagnostic species compendium of the genus *Chonopeltis* Thiele, 1900 (Crustacea: Branchiura) with notes on its geographical distribution. *Koedoe* 37(1): 41-56.
- AVENANT-OLDEWAGE, ANNEMARIÉ and HAZEL MARX. 2000. Manganese, nickel and strontium bioaccumulation in the tissues of the African sharptooth catfish, *Clarias gariepinus*

- from the Olifants River, Kruger National Park. *Koedoe* 43(2): 17-33.
- BANCROFT, C.M., H. BEZUIDENHOUT and J.G. NEL. 1998. Use of veld condition assessment to set objectives and targets for an ISO 14001 environmental management system for Vaalbos National Park. *Koedoe* 41(2): 1-12.
- BEGG, K.S. see
KEMP, A.C., K.S. BEGG, G.A. BENN and P. CHADWICK. 1997.
- BENN, G.A. see
KEMP, A.C., K.S. BEGG, G.A. BENN and P. CHADWICK. 1997.
- BEZUIDENHOUT, H. 1994. An ecological study of the major vegetation communities of the Vaalbos National Park, Northern Cape. 1. The Thandroogeveld section. *Koedoe* 37(2): 19-44.
- BEZUIDENHOUT, H. 1995. An ecological study of the major vegetation communities of the Vaalbos National Park, Northern Cape. 2. The Graspan-Holpan section. *Koedoe* 38(2): 65-83.
- BEZUIDENHOUT, H. 1996. The major vegetation communities of the Augrabies Falls National Park, Northern Cape. 1. The southern section. *Koedoe* 39(2): 7-24.
- BEZUIDENHOUT, H. and CHRISTINE L. JARDINE. 2001. A reconnaissance botanical survey of the Lower Orange River (Blouputs to Onseepkans) in the Northern Cape, South Africa. *Koedoe* 44(1): 1-8.
- BEZUIDENHOUT, H., G.J. BREDEKAMP and G.K. THERON. 1994. Phytosociological classes of the western Transvaal grassland, South Africa. *Koedoe* 37(1): 1-18.
- BEZUIDENHOUT, H., H.C. BIGGS and G.J. BREDEKAMP. 1996. A process supported by the utility BBPC for analysing Braun-Blanquet data on a personal computer. *Koedoe* 39(1): 107-112.
- BEZUIDENHOUT, H. see
BANCROFT, C.M., H. BEZUIDENHOUT and J.G. NEL. 1998.
- BEZUIDENHOUT, H. see
BREDEKAMP, G.J. and H. BEZUIDENHOUT. 1995.
- BEZUIDENHOUT, H. see
BREDEKAMP, G.J., H. BEZUIDENHOUT, H. JOUBERT and C. NAUDE. 1994.
- BEZUIDENHOUT, H. see
BROWN, L.R. and H. BEZUIDENHOUT. 2000.
- BEZUIDENHOUT, H. see
DE KLERK, J., L.R. BROWN, H. BEZUIDENHOUT and G. CASTLEY. 2001.
- BEZUIDENHOUT, H. see
VAN ROOYEN, N. and H. BEZUIDENHOUT. 1997.
- BEZUIDENHOUT, H. see
ZIETSMAN, P.C. and H. BEZUIDENHOUT. 1999.
- BHIMA, R. and J. DU P. BOTHMA. 1997. Age structure of elephants in Liwonde National Park, Malawi. *Koedoe* 40(2): 1-8.
- BHIMA, R. and C.O. DUDLEY. 1997. The influence of the Shire River on Liwonde National Park, Malawi, with special reference to elephant movements. *Koedoe* 40(2): 9-18.
- BIGGS, H.C. and A.L.F. POTGIETER. 1999. Overview of the fire management policy of the Kruger National Park. *Koedoe* 42(1): 101-110.
- BIGGS, H.C. see
BEZUIDENHOUT, H., H.C. BIGGS and G.J. BREDEKAMP. 1996.
- BIGGS, H.C. see
ENSLIN, B.W., A.L.F. POTGIETER, H.C. BIGGS and R. BIGGS. 2000.
- BIGGS, H.C. see
MEYER, V.W., L.E.O. BRAACK and H.C. BIGGS. 2000.
- BIGGS, H. see
NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999.
- BIGGS, H.C. see
SOLOMON, M., N. ZAMBATIS, H.C. BIGGS and N. MARÉ. 1999.
- BIGGS, H.C. see
TROLLOPE, W.S.W., L.A. TROLLOPE, H.C. BIGGS, D. PIENAAR and A.L.F. POTGIETER. 1998.
- BIGGS, H.C. see
VAN WILGEN, B.W., H.C. BIGGS and A.L.F. POTGIETER. 1998.
- BIGGS, H.C. see
WHYTE, I.J., H.C. BIGGS, A. GAYLARD and L.E.O. BRAACK. 1999.
- BIGGS, H.C. see
ZAMBATIS, N. and H.C. BIGGS. 1995.
- BIGGS, R. see
ENSLIN, B.W., A.L.F. POTGIETER, H.C. BIGGS and R. BIGGS. 2000.
- BINGHAM, M.G. see
CAULDWELL, A.E., U.ZIEGER, M.G. BINGHAM and G.J. BREDEKAMP. 1998.
- BOTHA, ANNELIZE and J. HEYNS. 1992. Further records and descriptions of nematodes from rivers in the Kruger National Park (orders Enoplida, Chromadorida, Monhysterida, Mononchida and Araeolaimida). *Koedoe* 35(2): 11-25.
- BOTHA, ANNELIZE and J. HEYNS. 1993a. New records of Tylenchida, Araeolaimida and Enoplida from the Kruger National Park, with an addendum to the check list of nematode species in the park. *Koedoe* 36(1): 61-65.
- BOTHA, ANNELIZE and J. HEYNS. 1993b. Species of the genera *Oxydirus*, *Dorylaimellus* (*Axodorylaimellus*), *Laimydorus* and *Rhabdolaimus* from rivers in the Kruger National Park (Nematoda: Dorylaimida and Araeolaimida). *Koedoe* 36(1): 49-60.
- BOTHA, J. DU P. and E.A.N. LE RICHE. 1993. Disturbance bias when tracking Kalahari leopard.

- ards *Panthera pardus* by spoor. *Koedoe* 36(2): 109-112.
- BOTHMA J. du P. and E.A.N. LE RICHE. 1994. Range use by an adult male caracal in the southern Kalahari. *Koedoe* 37(2): 105-108.
- BOTHMA J. du P., N. VAN ROOYEN and E.A.N. LE RICHE. 1997. Multivariate analysis of the hunting tactics of Kalahari leopards. *Koedoe* 40(1): 41-56.
- BOTHMA, J. DU P., S. VAN HOVEN and E.A.N. LE RICHE. 1993. GPS-corrected and GIS-based remapping of the Kalahari Gemsbok National Park and the adjacent area in Botswana. *Koedoe* 36(2): 105-108.
- BOTHMA, J. DU P. see
BHIMA, R. and J. DU P. BOTHMA. 1997.
- BOTHMA, J. DU P. see
ELS, H. and J. DU P. BOTHMA. 2000.
- BOTHMA, J. DU P. see
PIENAAR, D. J., J. DU P. BOTHMA and G. K. THERON. 1993.
- BOTHMA, J. DU P. see
THRASH, I., G.K. THERON and J. DU P. BOTHMA. 1993.
- BRAACK, L.E.O. 1995. Seasonal activity of savanna termites during and after severe drought. *Koedoe* 38(1): 73-82.
- BRAACK, L.E.O. see
HORAK, I.G., V. DE VOS and L.E.O. BRAACK. 1995.
- BRAACK, L.E.O. see
MEYER, V.W., L.E.O. BRAACK and H.C. BIGGS. 2000.
- BRAACK, L. see
NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999.
- BRAACK, L.E.O. see
SPICKETT, A.M., I.G. HORAK, HELOISE HEYNE and L.E.O. BRAACK. 1995.
- BRAACK, L.E.O. see
WHYTE, I.J., H.C. BIGGS, A. GAYLARD and L.E.O. BRAACK. 1999.
- BRADLEY, S. see
SCHOLES, R.J., N. GUREJA, M. GIAN-NECCHINNI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- BRANCH, W.R. and G.V. HAAGNER. 1992. New reptile records from three southern national parks. *Koedoe* 35(2): 59-60.
- BREDEKAMP, G.J., H. BEZUIDENHOUT, H. JOUBERT and C. NAUDE. 1994. The vegetation of the Boskop Dam Nature Reserve, Potchefstroom. *Koedoe* 37(1): 19-33.
- BREDEKAMP, G.J. and H. BEZUIDENHOUT. 1995. A proposed procedure for the analysis of large phytosociological data sets in the classification of South African grasslands. *Koedoe* 38(1): 33-39.
- BREDEKAMP, G.J. and M.S. DEUTSCHLÄNDER. 1994. The *Themeda triandrae* - *Setaria incarsatae*, a new association from gabbro in the Manyeleti Game Reserve, Gazankulu, South Africa. *Koedoe* 37(2): 45-58.
- BREDEKAMP, G.J. and M.S. DEUTSCHLÄNDER. 1995. New azonal syntaxa from the hills and river banks of the Manyeleti Game Reserve, Northern Transvaal Province, South Africa. *Koedoe* 38(1): 41-58.
- BREDEKAMP, G.J. see
BEZUIDENHOUT, H., H.C. BIGGS and G.J. BREDEKAMP. 1996.
- BREDEKAMP, G.J. see
BEZUIDENHOUT, H., G.J. BREDEKAMP and G.K. THERON. 1994.
- BREDEKAMP, G.J. see
BROWN, L.R., G.J. BREDEKAMP and N. VAN ROOYEN. 1995.
- BREDEKAMP, G.J. see
BROWN, L.R., G.J. BREDEKAMP and N. VAN ROOYEN. 1996.
- BREDEKAMP, G.J. see
BROWN, L.R. and G.J. BREDEKAMP. 1994.
- BREDEKAMP, G.J. see
CAULDWELL, A.E., U.ZIEGER, M.G. BINGHAM and G.J. BREDEKAMP. 1998.
- BREDEKAMP, G.J. see
CILLIERS, S.S., E. VAN WYK and G.J. BREDEKAMP. 1999.
- BREDEKAMP, G.J. see
DEUTSCHLÄNDER, M.S. and G.J. BREDEKAMP. 1999.
- BREDEKAMP, G.J. see
DU PLESSIS, W.P., G.J. BREDEKAMP and W.S.W. TROLLOPE. 1998a.
- BREDEKAMP, G.J. see
DU PLESSIS, W.P., G.J. BREDEKAMP and W.S.W. TROLLOPE. 1998b.
- BREDEKAMP, G.J. see
ECKHARDT, H.C., N. VAN ROOYEN and G.J. BREDEKAMP. 1996.
- BREDEKAMP, G.J. see
ECKHARDT, H.C., N. VAN ROOYEN and G.J. BREDEKAMP. 1997.
- BREDEKAMP, G.J. see
MATTHEWS, W.S. G.J. BREDEKAMP and N. VAN ROOYEN. 1994.
- BREDEKAMP, G.J. see
SMIT, C.M., G.J. BREDEKAMP, N. VAN ROOYEN, A.E. VAN WYK and J.M. COMBRINCK. 1997.
- BREEBAART, L. and M. DEUTSCHLÄNDER. 1997. The vegetation types and management units of Goedverwacht farm in the mixed bushveld of the Northern Province, South Africa. *Koedoe* 40(2): 19-35.
- BREYTENBACH, G.J. see
SONNEKUS, I.P. and G.J. BREYTENBACH. 2000.

- BREYTENBACH, G.J. see
SONNEKUS, I.P. and G.J. BREYTENBACH. 2001a.
- BREYTENBACH, G.J. see
SONNEKUS, I.P. and G.J. BREYTENBACH. 2001b.
- BRINK, J. see
WEBLEY, LITA, FIONA ARCHER and J. BRINK. 1993.
- BRITS, J., M.W. VAN ROOYEN and N. VAN ROOYEN. 2000. Technique to study the impact of large herbivores on woody vegetation within piospheres. *Koedoe* 43(2): 47-56.
- BROCKETT, B.H. see
PARR, C.L. and B.H. BROCKETT. 1999.
- BRONNER, G.N. 1992. Notes on the early post-natal development of a giant golden mole *Chrysoxalax trevelyani* (Günther, 1875) born in captivity (Mammalia: Insectivora; Chrysochloridae). *Koedoe* 35(2): 57-58.
- BRONNER, G.N. see
RAUTENBACH, I.L., G.N. BRONNER, and D.A. SCHLITZER. 1993.
- BROWN, L.R. and H. BEZUIDENHOUT. 2000. The phytosociology of the De Rust section of the Mountain Zebra National Park, Eastern Cape. *Koedoe* 43(1): 1-18.
- BROWN, L.R. and G.J. BREDEKAMP. 1994. The phytosociology of the southern section of Borakalalo Nature Reserve, South Africa. *Koedoe* 37(2): 59-72.
- BROWN, L.R., G.J. BREDEKAMP and N. VAN ROOYEN. 1995. The phytosociology of the western section of Borakalalo Nature Reserve. *Koedoe* 38(2): 49-64.
- BROWN, L.R., G.J. BREDEKAMP and N. VAN ROOYEN. 1996. The phytosociology of the northern section of the Borakalalo Nature Reserve. *Koedoe* 39(1): 9-24.
- BROWN, M.A. see
CHAPPELL, C.A. and M.A. BROWN. 1993.
- BROWN, L.R. see
DE KLERK, J., L.R. BROWN, H. BEZUIDENHOUT and G. CASTLEY. 2001.
- BROUWER, P.D. see
WOOD, A.D., S.L. BROUWER, P.D. COWLEY and T.D. HARRISON. 2000.
- BUERMANN, Y., H.H. DU PREEZ, G.J. STEYN, J.T. HARMSE and A. DEACON. 1995. Suspended silt concentrations in the lower Olifants River (Mpumalanga) and the impact of silt releases from the Phalaborwa Barrage on water quality and fish survival. *Koedoe* 38(2): 11-34.
- BUXTON, C.D. see
MANN, B.Q. and C.D. BUXTON. 1992.
- CARINUS, T.V.Z. see
HANEKOM, N., J.B. MANN-LANG, B.Q. MANN and T.V.Z. CARINUS. 1997.
- CARRUTHERS, JANE. 1993. 'Police boys' and poachers: Africans, wildlife protection and national parks, the Transvaal 1902 to 1950. *Koedoe* 36(2): 11-22.
- CASEY, N.H. see
WRENCH, J.M., H.H. MEISSNER, C.C. GRANT and N.H. CASEY. 1996.
- CASTLEY, G. see
DE KLERK, J., L.R. BROWN, H. BEZUIDENHOUT and G. CASTLEY. 2001.
- CAULDWELL, A.E., U.ZIEGER, M.G. BINGHAM and G.J. BREDEKAMP. 1998. Classification of the natural vegetation of Mtendere Game Ranch in the Chibombo District of the Central Province, Zambia. *Koedoe* 41(2): 13-26.
- CHADWICK, P. see
KEMP, A.C., K.S. BEGG, G.A. BENN and P. CHADWICK. 1997.
- CHAPPELL, C.A. and M.A. BROWN. 1993. The use of remote sensing in quantifying rates of soil erosion. *Koedoe* 36(1): 1-14.
- CILLIERS, S.S., E. VAN WYK and G.J. BREDEKAMP. 1999. Urban nature conservation: vegetation of natural areas in the Potchefstroom municipal area, North West Province, South Africa. *Koedoe* 42(1): 1-30.
- COCKCROFT, V.G. see
KARZMARSKI, L., V.G. COCKCROFT, A. MCLACHLAN and P.E.D. WINTER.
- COMBRINCK, J.M. see
SMIT, C.M., G.J. BREDEKAMP, N. VAN ROOYEN, A.E. VAN WYK and J.M. COMBRINCK. 1997.
- CORDES, I.G. and P. LE F.N. MOUTON. 1996. The conservation status of the Saldanha-Langebaan lizard fauna. *Koedoe* 39(1): 71-84.
- COWLEY, P.D. see
WOOD, A.D., S.L. BROUWER, P.D. COWLEY and T.D. HARRISON. 2000.
- DANNHAUSER, C.S. see
PRETORIUS, QUARTA, B.P. PRETORIUS and C.S. DANNHAUSER. 1996.
- DAVIDSON, N. see
SCHOLES, R.J., N. GUREJA, M. GIANNECCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- DEACON, A. see
BUERMANN, Y., H.H. DU PREEZ, G.J. STEYN, J.T. HARMSE and A. DEACON. 1995.
- DEACON, A. see
SEYMORE, T., H.H. DU PREEZ, J.H.J. VAN VUREN, A. DEACON and G. STRYDOM. 1994.
- DE JAGER, MARIE see
DIPPENAAR-SCHOEMAN, ANNA S., ASTRI LEROY, MARIE DE JAGER and ANNETTE VAN DEN BERG. 1999.
- DE KLERK, J., L.R. BROWN, H. BEZUIDENHOUT and G. CASTLEY. 2001. The estimation of herbage yields under fire and grazing treat-

- ments in the Mountain Zebra National Park. *Koedoe* 44(1): 9–15.
- DE KOCK, K.N. and C.T. WOLMARANS. 1998. A re-evaluation of the occurrence of freshwater molluscs in the Kruger National Park. *Koedoe* 41(1): 1-8
- DERRY, J.F. see
THRASH, I. and DERRY, J.F. 1999.
- DE SWARDT, D.H. and D.J. VAN NIEKERK. 1996. An annotated check list of the birds of Qwaqwa National Park. *Koedoe* 39(1): 89-106.
- DEUTSCHLÄNDER, M.S. and G.J. BRE-DENKAMP. 1999. Importance of vegetation analysis in the conservation management of the endangered butterfly *Aloeides dentatis dentatis* (Swierstra) (Lepidoptera, Lycaenidae). *Koedoe* 42(2): 1–12
- DEUTSCHLÄNDER, M.S. see
BRE-DENKAMP, G.J. and M.S. DEUTSCH-LÄNDER. 1994.
- DEUTSCHLÄNDER, M. see
BRE-DENKAMP, G.J. and M.S. DEUTSCH-LÄNDER. 1995.
- DEUTSCHLÄNDER, M. see
BREEBAART, L. and M. DEUTSCHLÄNDER. 1997.
- DE VOS, V. see
HORAK, I.G., V. DE VOS and L.E.O. BRAACK. 1995.
- DIPPENAAR-SCHOEMAN, ANNA S., ASTRI LEROY, MARIE DE JAGER and ANNETTE VAN DEN BERG. 1999. A check list of the spider fauna of the Karoo National Park, South Africa (Arachnida: Araneae). *Koedoe* 42(1): 31-42.
- DIPPENAAR-SCHOEMAN, A.S. and M.S. HAR-VEY. 2000. A check list of the pseudoscorpions of South Africa (Arachnida: Pseudoscorpiones). *Koedoe* 43(2): 89–102.
- DOVIE, D. see
SCHOLES, R.J., N. GUREJA, M. GIAN-NECCHINNI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- DUDLEY, C.O. 1997. The candelabra tree (*Euphorbia ingens*): a source of water for black rhinoceros in Liwonde National Park, Malawi. *Koedoe* 40(1): 57-62.
- DUDLEY, C.O. see
BHIMA, R. and C.O. DUDLEY. 1997.
- DU PLESSIS, W.P. 1997. Refinements to the burning strategy in the Etosha National Park, Namibia. *Koedoe* 40(1):63-76.
- DU PLESSIS, W.P., G.J. BRE-DENKAMP and W.S.W. TROLLOPE. 1998a. Response of herbaceous species to a degradation gradient in the western region of Etosha National Park, Namibia. *Koedoe* 41(1): 9-18.
- DU PLESSIS, W.P., G.J. BRE-DENKAMP and W.S.W. TROLLOPE. 1998b. Development of a technique for assessing veld condition in Etosha National Park, Namibia, using key herbaceous species. *Koedoe* 41(1): 19-30.
- DU PREEZ, H.H., M. VAN DER MERWE and J.H.J. VAN VUREN. 1997. Bio-accumulation of selected metals in African sharp-toothed catfish *Clarias gariepinus* from the lower Olifants River, Mpumalanga, South Africa. *Koedoe* 40(1): 77-90.
- DU PREEZ, H.H. see
BUERMANN, Y., H.H. DU PREEZ, G.J. STEYN, J.T. HARMSE and A. DEACON. 1995.
- DU PREEZ, H.H. see
GAGIANO, C.L., G.J. STEYN and H.H. DU PREEZ.
- DU PREEZ, H.H. see
SEYMORE, T., H.H. DU PREEZ, J.H.J. VAN VUREN, A. DEACON and G. STRYDOM. 1994.
- DU PREEZ, H.H. see
SMIT, L., H.H. DU PREEZ and G.J. STEYN. 1998.
- DU PREEZ, H.H. see
VAN DER MERWE, MARINDA, J.H.J. VAN VUREN and H.H. DU PREEZ. 1993.
- DU PREEZ, H.H. see
WEPENER, V. N. EULER, J.H.J. VAN VUREN, H.H. DU PREEZ and ASTRI KöHLER. 1992.
- DU PREEZ, H.H. see
WEPENER, V., J.H.J. VAN VUREN & H.H. DU PREEZ. 1999.
- ECKHARDT, H.C., N. VAN ROOYEN and G.J. BRE-DENKAMP. 1996. The plant communities and species richness of the *Alepidea longifolia*-*Monocymbium ceresiiforme* High-altitude Grassland of northern KwaZulu-Natal. *Koedoe* 39(2): 53-68.
- ECKHARDT, H.C., N. VAN ROOYEN and G.J. BRE-DENKAMP. 1997. Plant communities of the forests, woodlands and thickets in northern KwaZulu-Natal. *Koedoe* 40(1): 91-112.
- ELS, H. and J. DU P. BOTHMA. 2000. Developing partnerships in a paradigm shift to achieve conservation reality in South Africa. *Koedoe* 43(1): 19-26.
- ELS, L.M. and G.I.H. KERLEY. 1996. Biotic and abiotic correlates of small mammal community structure in the Groendal Wilderness Area, Eastern Cape, South Africa. *Koedoe* 39(2): 121.
- ELS, H.J. see
ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1996a.
- ELS, H.J. see
ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1996b.
- ELS, H.J. see
ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1997a.
- ELS, H.J. see
ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1997b.

- EMSLIE, R.H., see
REILLY, B.K. and R.H. EMSLIE. 1998.
- ENGELBRECHT, W.G. and P.T. VAN DER WALT. 1993. Notes on the economic use of the Kruger National Park. *Koedoe* 36(2): 113-119.
- ENGLISH, R.A., M. STALMANS, M.G.L. MILLS and A. VAN WYK. 1993. Helicopter-assisted boma capture of African wild dogs *Lycan pictus*. *Koedoe* 36(1): 103-106.
- ENSLIN, B.W., A.L.F. POTGIETER, H.C. BIGGS and R. BIGGS. 2000. Long term effects of fire frequency and season on the woody vegetation dynamics of the *Sclerocarya birrea*/*Acacia nigrescens* savanna of the Kruger National Park. *Koedoe* 43(1): 27-37.
- ESSOP, M.F., A.J. HALL-MARTIN and E.H. HARLEY. 1996. Mitochondrial DNA analysis of two southern African elephant populations. *Koedoe* 39(1): 85-88.
- EULER, N. see
WEPENER, V. N. EULER, J.H.J. VAN VUREN, H.H. DU PREEZ and ASTRI KöHLER. 1992.
- FENTON, M. BROCK. 1992. Pelage patterns and cypsis in roosting bats: *Taphozous mauritanus* and *Epomophorus* species. *Koedoe* 35(2): 49-55.
- FERGUSON, N.S. see
SWANEPOEL, D.G.J., N.S. FERGUSON and M.R. PERRIN. 2000.
- FITZPATRICK, M.J. 1994. Range extension of *Ceratogyrus sanderi* Strand, 1906 (Araneae: Theraphosidae). *Koedoe* 37(1): 121-122.
- FOURIE, J. 1994. Comments on national parks and future relations with neighbouring communities. *Koedoe* 37(1): 123-136.
- FOX-CROFT, L.C. and J.H. HOFFMANN. 2000. Dispersal of *Dactylopius opuntiae* Cockerell (Homoptera: Dactylopiidae), a biological control agent of *Opuntia stricta* (Haworth.) Haworth. (Cactaceae) in the Kruger National Park. *Koedoe* 43(2): 1-5.
- FREEMAN, A. see
SCHOLES, R.J., N. GUREJA, M. GIAN-NECCHINNI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- GAGIANO, C.L., G.J. STEYN and H.H. DU PREEZ. 1996. Tooth replacement of tigerfish *Hydrocynus vittatus* from the Kruger National Park. *Koedoe* 39(1): 117-122.
- GAYLARD, A. see
WHYTE, I.J., H.C. BIGGS, A. GAYLARD and L.E.O. BRAACK. 1999.
- GIANNECCHINNI, M. see
SCHOLES, R.J., N. GUREJA, M. GIAN-NECCHINNI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- GRANT, C.C., H.H. MEISSNER and W.A. SCHULTHEISS. 1995. The nutritive value of veld as indicated by faecal phosphorous and nitrogen and its relation to the condition and movement of prominent ruminants during the 1992-1993 drought in the Kruger National Park. *Koedoe* 38(1): 17-31.
- GRANT, C.C. and J.L. VAN DER WALT. 2000. Towards an adaptive management approach for the conservation of rare antelope in the Kruger National Park—outcome of a workshop held in May 2000. *Koedoe* 43(2): 103-112.
- GRANT, C.C. see
WRENCH, J.M., H.H. MEISSNER, C.C. GRANT and N.H. CASEY. 1996.
- GRANT, C.C. see
WRENCH, J.M., H.H. MEISSNER and C.C. GRANT. 1997.
- GRUBB, P. 1999. Types and type localities of ungulates named from southern Africa. *Koedoe* 42(2): 13-45.
- GUREJA, N. see
SCHOLES, R.J., N. GUREJA, M. GIAN-NECCHINNI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- HAAGNER, G.V. see
BRANCH, W.R. and G.V. HAAGNER. 1992.
- HALL-MARTIN, A.J. see
ESSOP, M.F., A.J. HALL-MARTIN and E.H. HARLEY. 1996.
- HARLEY, E.H. see
ESSOP, M.F., A.J. HALL-MARTIN and E.H. HARLEY. 1996.
- HARMSE, J.T. see
BUERMANN, Y., H.H. DU PREEZ, G.J. STEYN, J.T. HARMSE and A. DEACON. 1995.
- HARRISON, T.D. see
WOOD, A.D., S.L. BROUWER, P.D. COWLEY and T.D. HARRISON. 2000.
- HARVEY, N.S. see
DIPPENAAR-SCHOEMAN, A.S. and M.S. HARVEY. 2000.
- HANEKOM, N., J.B. MANN-LANG, B.Q. MANN and T.V.Z. CARINUS. 1997. Shore-angling catches in the Tsitsikamma National Park, 1989-1995. *Koedoe* 40(2): 37-56.
- HANEKOM, N. see
NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999.
- HERITAGE, G.L. and A.W. VAN NIEKERK. 1995. Drought conditions and sediment transport in the Sabie Rivier. *Koedoe* 38(2): 1-9.
- HERITAGE, G.L. and B.P. MOON. 2000. The contemporary geomorphology of the Sabie River in the Kruger National Park. *Koedoe* 43(1): 39-55.

- HERITAGE, G.L., B.P. MOON, G.P. JEWITT, A.R.G. LARGE and M. ROUNTREE. 2001. The February 2000 floods on the Sabie River, South Africa: an examination of their magnitude and frequency. *Koedoe* 44(1):37-44.
- HERITAGE, G.L. see
MOON, B.P. and G.L. HERITAGE. 2001
- HEYNE, HELOISE see
SPICKETT, A.M., I.G. HORAK, HELOISE HEYNE and L.E.O. BRAACK. 1995.
- HEYNS, J. 1994. Description of *Longidoroides wiesae* spec. nov. from the Kruger National Park (Nematoda: Dorylaimida). *Koedoe* 37(2): 97-104.
- HEYNS, J. 2000. The genus *Discolaimus* in Southern Africa. I. Introduction and redescription of *D. krugeri* Furstenberg & Heyns, 1966 (Nematoda: Dorylaimida). *Koedoe* 43(2): 7-15.
- HEYNS, J. and ANTOINETTE SWART. 1998. *Longidorus jagerae* sp.n., another longidorid species with globular inclusions in the preectum (Nematoda: Longidoridae). *Koedoe* 41(1): 31-36.
- HEYNS, J. see
BOTHMA, ANNELIZE and J. HEYNS. 1992
- HEYNS, J. see
BOTHMA, ANNELIZE and J. HEYNS. 1993a.
- HEYNS, J. see
BOTHMA, ANNELIZE and J. HEYNS. 1993b.
- HISCOCKS, Kay. 1999. The impact of an increasing elephant population on the woody vegetation in southern Sabi Sand Wildtuin, South Africa. *Koedoe* 42(2): 47-55.
- HOFFMAN, M.T. 1993. Major P.J. Pretorius and the decimation of the Addo elephant herd in 1919-1920: important reassessments. *Koedoe* 36(2): 23-44.
- HOFFMANN, J.H. see
FOXCROFT, L.C. and J.H. HOFFMANN. 2000.
- HOFFMANN, J.H. see
LOTTER, W.D. and J.H. HOFFMANN. 1998.
- HORAK, I.G., V. DE VOS and L.E.O. BRAACK. 1995. Arthropod burdens of impalas in the Skukuza region during two droughts in the Kruger National Park. 1995. *Koedoe* 38(1): 65-71.
- HORAK, I.G. see
SPICKETT, A.M., I.G. HORAK, HELOISE HEYNE and L.E.O. BRAACK. 1995.
- JARDINE, CHRISTINE L. see
BEZUIDENHOUT, H. and CHRISTINE L. JARDINE. 2001.
- JEWITT, G.P. see
HERITAGE, G.L., B.P. MOON, G.P. JEWITT, A.R.G. LARGE and M. ROUNTREE. 2001.
- JORDAAN, J.W. see
SCHMIDT, A.G. and J.W. JORDAAN. 1999.
- JOUBERT, H. see
BREDENKAMP, G.J., H. BEZUIDENHOUT, H. JOUBERT and C. NAUDE. 1994.
- KAPPEN, LUDGER see
WESSELS, DIRK and LUDGER KAPPEN. 1993.
- KARCZMARSKI, L., V.G. COCKCROFT, A. MCLACHLAN and P.E.D. WINTER. 1998. Recommendations for the conservation and management of humpback dolphins *Sousa chinensis* in the Algoa Bay region, South Africa. *Koedoe* 41(2): 121-129.
- KEMP, A.C., K.S. BEGG, G.A. BENN and P. CHADWICK. 1997. A visual assessment of vegetation structure for the Kruger National Park. *Koedoe* 40(2): 117-121.
- KERLEY, G.I.H. see
ELS, L.M. and G.I.H. KERLEY. 1996.
- KERLEY, G.I.H. see
LANDMAN, M. and G.I.H. KERLEY. 2001.
- KERLEY, G.I.H. see
PALEY, R.G.T. and G.I.H. KERLEY. 1998.
- KNIGHT, ELMINE see
AVENANT-OLDEWAGE, ANNEMARIÉ and ELMINE KNIGHT. 1994.
- KNIGHT, M. see
NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999.
- KOEN, J.H. see
ANDERSON, M.D. and J.H. KOEN. 1993.
- KÖHLER, ASTRIS see
WEPENER, V. N. EULER, J.H.J. VAN VUREN, H.H. DU PREEZ and ASTRIS KÖHLER. 1992.
- KOK, O.B. see
VRAHIMIS, S. and O.B. KOK. 1994.
- KUNTZSCH, V. and J.A.J. NEL. 1992. Diet of bat-eared foxes *Otocyon megalotis* in the Karoo. *Koedoe* 35(2): 37-48.
- KYLE, R. 2000. Some notes on the occurrence and conservation status of *Manis temminckii*, the pangolin, in Maputaland, Kwazulu/Natal. *Koedoe* 43(1): 97-100.
- LANDMAN, M. and G.I.H. KERLEY. 2001. Dietary shifts: do grazers become browsers in the Thicket Biome? *Koedoe* 44(1): 31-36.
- LARGE, A.R.G. see
HERITAGE, G.L., B.P. MOON, G.P. JEWITT, A.R.G. LARGE and M. ROUNTREE. 2001.
- LE RICHE, E.A.N. see
BOTHMA, J. DU P. and E.A.N. LE RICHE. 1993.
- LE RICHE, E.A.N. see
BOTHMA J. du P. and E.A.N. LE RICHE. 1994.
- LE RICHE, E.A.N. see
BOTHMA, J. DU P., S. VAN HOVEN and E.A.N. LE RICHE. 1993.
- LE RICHE, E.A.N. see
BOTHMA J. du P., N. VAN ROOYEN and E.A.N. LE RICHE. 1997.
- LEROY, ASTRIS see
DIPPENAAR-SCHOEMAN, ANNA S., ASTRIS LEROY, MARIE DE JAGER and ANNETTE VAN DEN BERG. 1999.

- LOADER, J.A. 1994. National Parks and social involvement - an argument. *Koedoe* 37(1): 137-148.
- LOTTER, W.D. and J.H. HOFFMANN. 1998. An integrated management plan for the control of *Opuntia stricta* (cactaceae) in the Kruger National Park, South Africa. *Koedoe* 41(1): 63-68.
- LOTTER, W.D., L. THATCHER, L. ROSSOUW and C.F. REINHARDT. 1999. The influence of baboon predation and time in water on germination and early establishment of *Opuntia stricta* (Australian pest pear) in the Kruger National Park. *Koedoe* 42(1): 43-50.
- LUUS-POWELL, WILMIEN and ANNEMARIÉ AVENANT-OLDEWAGE. 1996. Surface morphology of *Chonopeltis victori* Avenant-Oldewage, 1991, and aspects of the histomorphology. *Koedoe* 39(1): 55-70.
- MACGREGOR, M. see
NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999.
- MANN, B.Q. and C.D. BUXTON. 1992. Diets of *Diplodus sargus capensis* and *D. cervinus hottentotus* (Pisces: Sparidae) on the Tsitsikamma coast, South Africa. *Koedoe* 35(2): 27-36.
- MANN, B.Q. see
HANEKOM, N., J.B. MANN-LANG, B.Q. MANN and T.V.Z. CARINUS. 1997.
- MANN-LANG, J.B. see
HANEKOM, N., J.B. MANN-LANG, B.Q. MANN and T.V.Z. CARINUS. 1997.
- MARÉ, N. see
SOLOMON, M., N. ZAMBATIS, H.C. BIGGS and N. MARÉ. 1999.
- MARX, H.M. and A. AVENANT-OLDEWAGE. 1998. A further investigation into the bioaccumulation of lead and zinc in the organs and tissues of the African sharp-toothed catfish, *Clarias gariepinus* from two localities in the Olifants River, Kruger National Park. *Koedoe* 41(2): 27-43.
- MARX, HAZEL see
AVENANT-OLDEWAGE, ANNEMARIÉ and HAZEL MARX. 2000.
- MATTHEWS, W.S. G.J. BREDEKAMP and N. VAN ROOYEN. 1994. The phytosociology and syntaxonomy of relatively low-altitude areas in the North-eastern Mountain Sourveld, in the eastern Transvaal escarpment region. *Koedoe* 37(2): 73-88.
- MCLACHLAN, A. see
KARCZMARSKI, L., V.G. COCKCROFT, A. MCLACHLAN and P.E.D. WINTER.
- MCLOUGHLIN, C. see
SCHOLES, R.J., N. GUREJA, M. GIANNECCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- MEISSNER, H.H. see
GRANT, C.C., H.H. MEISSNER and W.A. SCHULTHEISS. 1995.
- MEISSNER, H.H. see
WRENCH, J.M., H.H. MEISSNER, C.C. GRANT and N.H. CASEY. 1996.
- MEISSNER, H.H. see
WRENCH, J.M., H.H. MEISSNER and C.C. GRANT. 1997.
- MEYER, V.W., L.E.O. BRAACK and H.C. BIGGS. 2000. Distribution and density of *Cubiternes Wasmann* (Isoptera: Termitidae) mounds in the northern Kruger National Park. *Koedoe* 43(1): 57-65.
- MILLS, M.G.I. 1995. Notes on wild dog *Lycan pictus* and lion *Panthera leo* population trends during a drought in the Kruger National Park. *Koedoe* 38(1): 95-99.
- MILLS, M.G.L. see
ENGLISH, R.A., M. STALMANS, M.G.L. MILLS and A. VAN WYK. 1993.
- MOLL, EUGENE. 2001. Comments on the article *Technology for alignment of participants in nature conservation: a case study at the Southern African Wildlife College* by I.P. Sonnekus and G.J. Breytenbach—*Koedoe* 43/2 (2000). *Koedoe* 44(1): 125-127.
- MONADJEM, A. 1998. Distributional patterns and conservation status of mammals of Swaziland, southern Africa. *Koedoe* 41(2): 45-59.
- MOON, B.P. and G.L. HERITAGE. 2001. The contemporary geomorphology of the Letaba River in the Kruger National Park. *Koedoe* 44(1): 45-55.
- MOON, B.P. see
HERITAGE, G.L. and B.P. MOON. 2000.
- MOON, B.P. see
HERITAGE, G.L., B.P. MOON, G.P. JEWITT, A.R.G. LARGE and M. ROUNTREE. 2001.
- MOUTON, P. LE F.N. and J.H. VAN WYK. 1993. Reptile fauna of the Katse Dam catchment area and a biogeographical assessment of species composition in the Lesotho Highlands. *Koedoe* 36(1): 67-78.
- MWIMA, H.K. 2001. A brief history of Kafue National Park, Zambia. *Koedoe* 44(1): 57-72.
- NAUDE, C. see
BREDEKAMP, G.J., H. BEZUIDENHOUT, H. JOUBERT and C. NAUDE. 1994.
- NDALA, S. see
SCHOLES, R.J., N. GUREJA, M. GIANNECCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- NEL, J.G. see
BANCROFT, C.M., H. BEZUIDENHOUT and J.G. NEL. 1998.
- NEL, J.A.J. see
KUNTZSCH, V. and J.A.J. NEL. 1992.
- NEWBERY, CHRISTIA H. 1999. A key to the Soricidae, Macroscelididae, Gliridae and Muridae of

- Gauteng, North West Province, Mpumalanga and the Northern Province, South Africa. *Koedoe* 42(1): 51-55.
- NOVELLIE, P.A. 1994. Monitoring the condition of mountain zebra habitat in the Mountain Zebra National Park. *Koedoe* 37(1): 35-39.
- NOVELLIE, P.A. and M. KNIGHT. 1994. Repatriation and translocation of ungulates into South African national parks: an assessment of past attempts. *Koedoe* 37(1): 115-119.
- NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999. Peripheral development: position paper for the Directorate of the South African National Parks. *Koedoe* 42(2): 113-116.
- NOVELLIE, P. and A. WINKLER. 1993. A simple index of habitat suitability for Cape mountain zebras. *Koedoe* 36(2): 53-59.
- OLIVIER, P.A.S. and J.P. VAN NIEKERK. 1995. New morphological information on the parasitic copepod *Lernanthropus sarbae* Kensley & Grindley, 1973 (Copepoda: Lernanthropidae) from Lake St. Lucia, South Africa, using scanning electron microscopy. *Koedoe* 38(2): 99-104.
- OLIVIER, P.A.S. and P.D. THERON. 1997. The genus *Eupodes* Koch, 1835 (Acari: Prostigmata: Eupodidae) from southern African soil and vegetation. Part 1. Characterisation of the genus, designation of the type species and descriptions of three new species. *Koedoe* 40(2): 57-73.
- OSBORN, R. see SAMWAYS, M.J., R. OSBORN and I. VAN HEERDEN. 1996.
- OWEN-SMITH, N. see WINKLER, A. and N. OWEN-SMITH. 1995.
- PALEY, R.G.T. and G.I.H. KERLEY. 1998. The winter diet of elephant in Eastern Cape Subtropical Thicket, Addo Elephant National Park. *Koedoe* 41(1): 37-46.
- PALMER, A.R. see RUBIN, FRANCINE and A.R. PALMER. 1996.
- PARR, C.L. and B.H. BROCKETT. 1999. Patch-mosaic burning: a new paradigm for savanna fire management in protected areas? *Koedoe* 42(2): 117-130.
- PELSER, ANTON J. see VAN VOLLENHOVEN, ANTON C., ANTON J. PELSERS & JAN W. VAN DEN BOS. 1998.
- PENZHORN, B.L. and N.J. VAN DER MERWE. 1993. Testis size and spermatogenesis of tsessebes from Nylsvley Nature Reserve, Transvaal. *Koedoe* 36(1): 95-98.
- PERRIN, M.R. see SWANEPOEL, D.G.J., N.S. FERGUSON and M.R. PERRIN. 2000.
- PIENAAR, D. J., J. DU P. BOTHMA and G. K. THERON. 1993. Landscape preference of the white rhinoceros in the central and northern Kruger National Park. *Koedoe* 36(1): 79-86.
- PIENAAR, D. see TROLLOPE, W.S.W., L.A. TROLLOPE, H.C. BIGGS, D. PIENAAR and A.L.F. POTGIETER. 1998.
- PIGGOTT, K. see SCHOLES, R.J., N. GUREJA, M. GIAN-NECCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- PLUG, C. and I. PLUG. 1997. Pups on Moon Rock, Au-grabies Falls National Park. *Koedoe* 40(2): 75-84.
- PLUG, I. 1993. The macrofaunal remains of wild animals from Abbot's Cave and Lame Sheep Shelter, Seacow Valley, Cape. *Koedoe* 36(1): 15-26.
- PLUG, I. see PLUG, C. and I. PLUG. 1997.
- POTGIETER, A.L.F. see BIGGS, H.C. and A.L.F. POTGIETER. 1999.
- POTGIETER, A.L.F. see ENSLIN, B.W., A.L.F. POTGIETER, H.C. BIGGS and R. BIGGS. 2000.
- POTGIETER, A.L.F. see TROLLOPE, W.S.W., L.A. TROLLOPE, H.C. BIGGS, D. PIENAAR and A.L.F. POTGIETER. 1998.
- POTGIETER, A.L.F. see VAN WILGEN, B.W., H.C. BIGGS and A.L.F. POTGIETER. 1998.
- PRETORIUS, B.P. see PRETORIUS, QUARTA, B.P. PRETORIUS and C.S. DANNHAUSER. 1996.
- PRETORIUS, QUARTA, B.P. PRETORIUS and C.S. DANNHAUSER. 1996. The reproductive behaviour of the suni *Neotragus moschatus zuluensis* in captivity. *Koedoe* 39(1): 123-126.
- RANDALL, R. see NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999.
- RASA, O.A.E. 1994. Behavioural adaptations to moisture as an environmental constraint in a nocturnal burrow-inhabiting Kalahari detritivore *Parastizopus armaticeps* Peringuey (Coleoptera: Tenebrionidae). *Koedoe* 37(1): 57-66.
- RASMUSSEN, G.S.A. 1996. Predation on bat-eared foxes *Otocyon megalotis* by Cape hunting dogs *Lycan pictus*. *Koedoe* 39(1): 127-134.
- RAUBENHEIMER, E.J. 1999. Morphological aspect and composition of African elephant (*Loxodonta africana*) ivory. *Koedoe* 42(2): 57-64.
- RAUBENHEIMER, E.J. 2000. Development of the tusk and tusklessness in the African elephant (*Loxodonta africana*). *Koedoe* 43(2): 57-64.
- RAUTENBACH, I.L., G.N. BRONNER, and D.A. SCHLITTER. 1993. Karyotypic data and atten-

- dant systematic implications for the bats of southern Africa. *Koedoe* 36(2): 87-104.
- REILLY, B.K. and R.H. EMSLIE. 1998. Power and precision of replicated helicopter surveys in mixed bushveld. *Koedoe* 41(1): 47-56.
- REINECKE, A.J. see
ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1996a.
- REINECKE, A.J. see
ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1996b.
- REINECKE, A.J. see
ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1997a.
- REINECKE, A.J. see
ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1997b.
- REINHARDT, C.F. 2000. Weed management practices in natural ecosystems: a critical overview. *Koedoe* 43(1): 67-74.
- REINHARDT, C.F. see
LOTTER, W.D., L. THATCHER, L. ROSSOUW and C.F. REINHARDT. 1999.
- RÖSCH, HELGA. 2001. The identification and description of the management units of the Goe-gap Nature Reserve. *Koedoe* 44(1): 17-30.
- ROSSOUW, L. see
LOTTER, W.D., L. THATCHER, L. ROSSOUW and C.F. REINHARDT. 1999.
- ROUNTREE, M. see
HERITAGE, G.L., B.P. MOON, G.P. JEWITT, A.R.G. LARGE and M. ROUNTREE. 2001.
- RUBIN, FRANCINE and A.R. PALMER. 1996. The physical environment and major plant communities of the Karoo National Park, South Africa. *Koedoe* 39(2): 25-52.
- RUSSELL, I.A. 1996. Water quality in the Knysna estuary. *Koedoe* 39(1): 1-8.
- RUSSELL, I.A. 1997. Spatial variation in the structure of fish assemblages in the Vaalbos National Park. *Koedoe* 40(1): 113-123.
- RUSSELL, I.A. 1999a. Changes in the water quality of the Wilderness and Swartvlei lake systems, South Africa. *Koedoe* 42(1): 57-72.
- RUSSELL, I.A. 1999b. Freshwater fish of the Wilderness National Park. *Koedoe* 42(1): 73-78.
- RUSSELL, I. see
NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999.
- SAMWAYS, M.J., R. OSBORN and I. VAN HEERDEN. 1996. Distribution of benthic invertebrates at different depths in a shallow reservoir in the KwaZulu-Natal Midlands. *Koedoe* 39(2): 69-76.
- SCHLITZER, D.A. see
RAUTENBACH, I.L., G.N. BRONNER, and D.A. SCHLITZER. 1993.
- SCHMIDT, A.G. and J.W. JORDAAN. 1999. An approach to assessing the financial viability of bush clearing on game ranches in savanna regions. *Koedoe* 42(2): 65-72.
- SCHMIDT, A.G., G.K. THERON and W. VAN HOVEN. 1995. A comparison of some methods used to estimate the grazing capacity of a game ranch in Northern Province, South Africa. *Koedoe* 38(2): 123-128.
- SCHOLES, R.J., N. GUREJA, M. GIANNACCCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001. The environment and vegetation of the flux measurement site near Skukuza, Kruger National Park. *Koedoe* 44(1): 73-83.
- SCHOLES, R.J. see
SHACKLETON, C.M. and R.J. SCHOLES. 2000.
- SCHULTHEISS, W.A. see
GRANT, C.C., H.H. MEISSNER and W.A. SCHULTHEISS. 1995.
- SEYMORE, T., H.H. DU PREEZ, J.H.J. VAN VUREN, A. DEACON and G. STRYDOM. 1994. Variations in selected water quality variables and metal concentrations in the sediment of the lower Olifants and Selati rivers, South Africa. *Koedoe* 37(2): 1-18.
- SHACKLETON, C.M. and R.J. SCHOLES. 2000. Impact of fire frequency on woody community structure and soil nutrients in the Kruger National Park. *Koedoe* 43(1): 75-81.
- SLOTOW, R. and G. VAN DYK. 2001. Role of delinquent young "orphan" male elephants in high mortality of white rhinoceros in Pilanesberg National Park, South Africa. *Koedoe* 44(1): 85-94.
- SMART, R. see
SCHOLES, R.J., N. GUREJA, M. GIANNACCCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- SMIT, C.M., G.J. BREDEKAMP, N. VAN ROOYEN, A.E. VAN WYK and J.M. COMBRINCK. 1997. Vegetation of the Witbank Nature Reserve and its importance for conservation of threatened Rocky Highveld Grassland. *Koedoe* 40(2): 85-104.
- SMIT, L., H.H. DU PREEZ and G.J. STEYN. 1998. Influence of natural silt on the survival of *Oreochromis mossambicus* yolk sac larvae. *Koedoe* 41(1): 57-62.
- SOLOMON, M., N. ZAMBATIS, H.C. BIGGS and N. MARÉ. 1999. Comparison of classifications commonly used as templates for management, scientific and GIS work in the Kruger National Park. *Koedoe* 42(2): 131-142.
- SONNEKUS, I.P. and G.J. BREYTENBACH. 2000. Technology for alignment of participants in nature conservation: a case study at the Southern African Wildlife College. *Koedoe* 43(2): 65-88.

- SONNEKUS, I.P. and G.J. BREYTENBACH. 2001a. Conservation business: sustaining Africa's future. *Koedoe* 44(1): 105-124.
- SONNEKUS, I.P. and G. J. BREYTENBACH. 2001b. Reply to the comments from the Southern African Wildlife College (SAWC). *Koedoe* 44(1): 128.
- SPICKETT, A.M., I.G. HORAK, HELOISE HEYNE and L.E.O. BRAACK. 1995. The effect of severe drought on the abundance of ticks on vegetation and on scrub hares in the Kruger National Park. 1995. *Koedoe* 38(1): 59-64.
- STALMANS, M. see ENGLISH, R.A., M. STALMANS, M.G.L. MILLS and A. VAN WYK. 1993.
- STALMANS, M. see STEYN, A. and M. STALMANS. 2001.
- STEYN, A. and M. STALMANS. 2001. Selective habitat utilisation and impact on vegetation by African elephant within a heterogeneous landscape. *Koedoe* 44(1): 95-103.
- STEYN, G.J. see BUERMANN, Y., H.H. DU PREEZ, G.J. STEYN, J.T. HARMSE and A. DEACON. 1995.
- STEYN, G.J. see GAGIANO, C.L., G.J. STEYN and H.H. DU PREEZ.
- STEYN, G.J. see SMIT, L., H.H. DU PREEZ and G.J. STEYN. 1998.
- STRYDOM, G. see SEYMORE, T., H.H. DU PREEZ, J.H.J. VAN VUREN, A. DEACON and G. STRYDOM. 1994.
- SWANEPOEL, D. G. J. 1996. Identification of the Nile crocodile *Crocodylus niloticus* by the use of natural tail marks. *Koedoe* 39(1): 113-116.
- SWANEPOEL, D.G.J., N.S. FERGUSON and M.R. PERRIN. 2000. Nesting ecology of Nile crocodiles (*Crocodylus niloticus*) in the Olifants River, Kruger National Park. *Koedoe* 43(2): 35-46.
- SWART, ANTOINETTE, see HEYNS, J. and ANTOINETTE SWART. 1998.
- THATCHER, L. see LOTTER, W.D., L. THATCHER, L. ROSSOUW and C.F. REINHARDT. 1999.
- THERON, G.K. see BEZUIDENHOUT, H., G.J. BREDEKAMP and G.K. THERON. 1994.
- THERON, G.K. see PIENAAR, D. J., J. DU P. BOTHMA and G. K. THERON. 1993.
- THERON, G.K. see SCHMIDT, A.G., G.K. THERON and W. VAN HOVEN. 1995.
- THERON, G.K. see THRASH, I., G.K. THERON and J. DU P. BOTHMA. 1993.
- THERON, P.D. see OLIVIER, P.A.S. and P.D. THERON. 1997.
- THRASH, I. 1998. Association of three succulent plant species with woody canopy in the mixed bushveld, South Africa. *Koedoe* 41(2): 95-101.
- THRASH, I. and J.F. DERRY. 1999. The nature and modelling of piospheres: a review. *Koedoe* 42(2): 73-94.
- THRASH, I., G.K. THERON and J. DU P. BOTHMA. 1993. Herbivore dung deposit counts around drinking troughs in the Kruger National Park. *Koedoe* 36(1): 87-94.
- TROLLOPE, L.A. see TROLLOPE, W.S.W., L.A. TROLLOPE, H.C. BIGGS, D. PIENAAR and A.L.F. POTGIETER. 1998.
- TROLLOPE, W.S.W. 1993. Fire regime of the Kruger National Park for the period 1980 - 1992. *Koedoe* 36(2): 45-52.
- TROLLOPE, W.S.W., L.A. TROLLOPE, H.C. BIGGS, D. PIENAAR and A.L.F. POTGIETER. 1998. Long term changes in the woody vegetation of the Kruger National Park, with special reference to the effects of elephants and fire. *Koedoe* 41(2): 103-112.
- TROLLOPE, W.S.W. see DU PLESSIS, W.P., G.J. BREDEKAMP and W.S.W. TROLLOPE. 1998a.
- TROLLOPE, W.S.W. see DU PLESSIS, W.P., G.J. BREDEKAMP and W.S.W. TROLLOPE. 1998b.
- VAN DEN BERG, ESTHER. 1993. A first list of plant-parasitic nematodes from the Wilderness National Park, with a description of *Ogma sekwawum* spec. nov. *Koedoe* 36(2): 61-76.
- VAN DEN BERG, ESTHER. 1996. A first list of plant-parasitic nematodes from the Tsitsikamma National Park, with descriptions of two new species of the subfamily Criconematinæ. *Koedoe* 39(1): 43-54.
- VAN DEN BERG, A. and A.S. DIPPENAAR-SCHOEMAN, 1994. A revision of the Afrotropical species of the genus *Tibellus* Simon (Araneae: Philodromidae). *Koedoe* 37(1): 67-114.
- VAN DEN BERG, ANNETTE see DIPPENAAR-SCHOEMAN, ANNA S., ASTRI LEROY, MARIE DE JAGER and ANNETTE VAN DEN BERG. 1999.
- VAN DEN BOS, JAN W. see VAN VOLLENHOVEN, ANTON C., ANTON J. PELSER & JAN W. VAN DEN BOS. 1998.
- VAN DER MERWE, MARINDA, J.H.J. VAN VUREN and H.H. DU PREEZ. 1993. Lethal copper concentration levels for *Clarias gariepinus* (Burchell, 1822) a preliminary study. *Koedoe* 36(2): 77-86.
- VAN DER MERWE, M. see DU PREEZ, H.H., M. VAN DER MERWE and J.H.J. VAN VUREN. 1997.
- VAN DER VELDE, K. see SCHOLES, R.J., N. GUREJA, M. GIAN-NECCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN,

- K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- VAN DER WAAL, B.C.W. 1998. Survival strategies of sharp-toothed catfish *Clarias gariepinus* in desiccating pans in the northern Kruger National Park. *Koedoe* 41(2): 131-138.
- VAN DER WALT, P.T. see ENGELBRECHT, W.G. and P.T. VAN DER WALT. 1993.
- VAN DER WALT, J.L. see GRANT, C.C. and J.L. VAN DER WALT. 2000.
- VAN DIJK, D.E. 1996. Anuran fauna of the Lesotho Highlands in the Khatse Dam catchment area and Jordane River region. *Koedoe* 39(2): 77-90.
- VAN DYK, G. see SLOTOW, R. and G. VAN DYK. 2001.
- VAN HEERDEN, I. see SAMWAYS, M.J., R. OSBORN and I. VAN HEERDEN. 1996.
- VAN HOVEN, S. see BOTHMA, J. DU P., S. VAN HOVEN and E.A.N. LE RICHE. 1993.
- VAN HOVEN, W. see SCHMIDT, A.G., G.K. THERON and W. VAN HOVEN. 1995.
- VAN NIEKERK, A.W. see HERITAGE, G.L. and A.W. VAN NIEKERK. 1995.
- VAN NIEKERK, J.P. see OLIVIER, P.A.S. and J.P. VAN NIEKERK. 1995.
- VAN ROOYEN, N. and H. BEZUIDENHOUT. 1997. New records of flowering plants and ferns from the Kalahari Gemsbok National Park. *Koedoe* 40(2): 105-116.
- VAN ROOYEN, N. see BOTHMA J. du P., N. VAN ROOYEN and E.A.N. LE RICHE. 1997.
- VAN ROOYEN, N. see BRITS, J. M.W. VAN ROOYEN and N. VAN ROOYEN. 2000.
- VAN ROOYEN, N. see BROWN, L.R., G.J. BREDENKAMP and N. VAN ROOYEN. 1995.
- VAN ROOYEN, N. see BROWN, L.R., G.J. BREDENKAMP and N. VAN ROOYEN. 1996.
- VAN ROOYEN, N. see ECKHARDT, H.C., N. VAN ROOYEN and G.J. BREDENKAMP. 1996.
- VAN ROOYEN, N. see ECKHARDT, H.C., N. VAN ROOYEN and G.J. BREDENKAMP. 1997.
- VAN ROOYEN, N. see MATTHEWS, W.S. G.J. BREDENKAMP and N. VAN ROOYEN. 1994.
- VAN ROOYEN, N. see SMIT, C.M., G.J. BREDENKAMP, N. VAN ROOYEN, A.E. VAN WYK and J.M. COMBRINCK. 1997.
- VAN VOLLENHOVEN, ANTON C., ANTON J. PELSER & JAN W. VAN DEN BOS. 1998. A historical-archaeological investigation of an Anglo-Boer War British outpost in the Kruger National Park. *Koedoe* 41(2): 113-120.
- VAN VUREN, J.H.J. see DU PREEZ, H.H., M. VAN DER MERWE and J.H.J. VAN VUREN. 1997.
- VAN VUREN, J.H.J. see VAN DER MERWE, MARINDA, J.H.J. VAN VUREN and H.H. DU PREEZ. 1993.
- VAN VUREN, J.H.J. see SEYMORE, T., H.H. DU PREEZ, J.H.J. VAN VUREN, A. DEACON and G. STRYDOM. 1994.
- VAN VUREN, J.H.J. see WEPENER, V. N. EULER, J.H.J. VAN VUREN, H.H. DU PREEZ and ASTRI KöHLER. 1992.
- VAN VUREN, J.H.J. see WEPENER, V., J.H.J. VAN VUREN & H.H. DU PREEZ. 1999.
- VAN WILGEN, B.W., H.C. BIGGS and A.L.F. POTGIETER. 1998. Fire management and research in the Kruger National Park, with suggestions on the detection of thresholds of potential concern. *Koedoe* 41(1): 69-87.
- VAN WYK, E. see CILLIERS, S.S., E. VAN WYK and G.J. BREDENKAMP. 1999.
- VAN WYK, A. see ENGLISH, R.A., M. STALMANS, M.G.L. MILLS and A. VAN WYK. 1993.
- VAN WYK, J.H. see MOUTON, P. LE F.N. and J.H. VAN WYK. 1993.
- VAN WYK, A.E. see SMIT, C.M., G.J. BREDENKAMP, N. VAN ROOYEN, A.E. VAN WYK and J.M. COMBRINCK. 1997.
- VENTER, F. see NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999.
- VENTER, D. see WESSELS, D., D. VENTER, W. WESSELS and L. WESSELS. 1995.
- VILJOEN, A.J. 1995. The influence of the 1991/92 drought on the woody vegetation of the Kruger National Park. *Koedoe* 38(2): 85-97.
- VILJOEN, P.C. 1995. Changes in number and distribution of hippopotamus (*Hippopotamus amphibius*) in the Sabie River, Kruger National Park, during the 1992 drought. *Koedoe* 38(2): 115-121.
- VILJOEN, P.C. and P.F. RETIEF. 1994. The use of the Global Positioning System for real-time data collecting during ecological aerial surveys in the Kruger National Park, South Africa. *Koedoe* 37(1): 149-157.
- VISSER, N., W. VAN HOVEN and G.K. THERON. 1996. The vegetation and identification of management units of the Honnet Nature Reserve,

- Northern Province, South Africa. *Koedoe* 39(1): 25-42.
- VRAHIMIS, S. and O.B. KOK. 1994. Notes on the diurnal activity of early post-natal black wildebeest calves. *Koedoe* 37(2): 109-113.
- WATSON, L.H. 1999. Eland browsing of *Grewia occidentalis* in semi-arid shrubland: the influence of bush clumps. *Koedoe* 42(1): 79-84.
- WEBLEY, LITA, FIONA ARCHER and J. BRINK. 1993. Die Toon: a Late Holocene site in the Richtersveld National Park, northern Cape. *Koedoe* 36(2): 1-9.
- WEPENER, V., J.H.J. VAN VUREN & H.H. DU PREEZ. 1999. The implementation of an aquatic toxicity index as a water quality monitoring tool in the Olifants River (Kruger National Park). *Koedoe* 42(1): 85-96.
- WESSELS, DIRK and LUDGER KAPPEN. 1993. Photosynthetic performance of rock-colonising lichens in the Mountain Zebra National Park, South Africa. *Koedoe* 36(1): 27-48.
- WESSELS, D., D. VENTER, W. WESSELS and L. WESSELS. 1995. Experimental strain analysis of Clarens Sandstone colonised by endolithic lichens. *Koedoe* 38(2): 35-47.
- WESSELS, L. see
WESSELS, D., D. VENTER, W. WESSELS and L. WESSELS. 1995.
- WESSELS, W. see
WESSELS, D., D. VENTER, W. WESSELS and L. WESSELS. 1995.
- WEPENER, V, N. EULER, J.H.J. VAN VUREN, H.H. DU PREEZ and ASTRI KÖHLER. 1992. The development of an aquatic toxicity index as a tool in the operational management of water quality in the Olifants River (Kruger National Park). *Koedoe* 35(2): 1-9.
- WHYTE, I.J., H.C. BIGGS, A. GAYLARD and L.E.O. BRAACK. 1999. A new policy for the management of the Kruger National Park's elephant population. *Koedoe* 42(1): 111-132.
- WILSON, B. see
SCHOLES, R.J., N. GUREJA, M. GIAN-NECCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001.
- WINKLER, A. and N. OWEN-SMITH. 1995. Habitat utilisation by Cape mountain zebras in the Mountain Zebra National Park. *Koedoe* 38(1): 83-93.
- WINKLER, A. see
NOVELLIE, P. and A. WINKLER. 1993.
- WINTER, P.E.D. see
KARCZMARSKI, L., V.G. COCKCROFT, A. MCLACHLAN and P.E.D. WINTER.
- WOLMARANS, C.T. see
DE KOCK, K.N. and C.T. WOLMARANS. 1998.
- WOOD, A.D., S.L. BROUWER, P.D. COWLEY and T.D. HARRISON. 2000. An updated check list of the ichthyofaunal species assemblage of the Tsitsikamma National Park, South Africa. *Koedoe* 43(1): 83-95.
- WOOD, A.M. 1999. A demographic model to predict future growth of the Addo elephant population. *Koedoe* 42(1): 79-100.
- WRENCH, J.M., H.H. MEISSNER, C.C. GRANT and N.H. CASEY. 1996. Environmental factors that affect the concentration of P and N in faecal samples collected for the determination of nutritional status. *Koedoe* 39(2): 1-6.
- WRENCH, J.M., H.H. MEISSNER and C.C. GRANT. 1997. Assessing diet quality of African ungulates from faecal analyses: the effect of forage quality, intake and herbivore species. *Koedoe* 40(1): 125-136.
- ZAMBATIS, N and H.C. BIGGS. 1995. Rainfall and temperatures during the 1991/92 drought in the Kruger National Park. *Koedoe* 38(1): 1-16.
- ZAMBATIS, N. see
SOLOMON, M., N. ZAMBATIS, H.C. BIGGS and N. MARÉ. 1999.
- ZIEGER, U. see
CAULDWELL, A.E., U.ZIEGER, M.G. BINGHAM and G.J. BREDENKAMP. 1998.
- ZIETSMAN, P.C. and H. BEZUIDENHOUT. 1999. Flowering plant biodiversity of Au-grabies Falls National Park: a comparison between Au-grabies Falls National Park, Kalahari Gemsbok National Park, Vaalbos National Park and Goegap Nature Reserve. *Koedoe* 42(2): 95-112.

Subjects

Botany

- BANCROFT, C.M., H. BEZUIDENHOUT and J.G. NEL. 1998. Use of veld condition assessment to set objectives and targets for an ISO 14001 environmental management system for Vaalbos National Park. *Koedoe* 41(2): 1-12.
- BEZUIDENHOUT, H. 1994. An ecological study of the major vegetation communities of the Vaalbos National Park, Northern Cape. 1. The Than-Droogeveld section. *Koedoe* 37(2): 19-44.
- BEZUIDENHOUT, H. 1995. An ecological study of the major vegetation communities of the Vaalbos National Park, Northern Cape. 2. The Graspan-Holpan section. *Koedoe* 38(2): 65-83.
- BEZUIDENHOUT, H. 1996. The major vegetation communities of the Augrabies Falls National Park, Northern Cape. 1. The southern section. *Koedoe* 39(2): 7-24.
- BEZUIDENHOUT, H. and CHRISTINE L. JARDINE. 2001. A reconnaissance botanical survey of the Lower Orange River (Blouputs to Onseepkans) in the Northern Cape, South Africa. *Koedoe* 44(1): 1-8.
- BEZUIDENHOUT, H., G.J. BREDEKAMP and G.K. THERON. 1994. Phytosociological classes of the western Transvaal grassland, South Africa. *Koedoe* 37(1): 1-18.
- BEZUIDENHOUT, H., H.C. BIGGS and G.J. BREDEKAMP. 1996. A process supported by the utility BBPC for analysing Braun-Blanquet data on a personal computer. *Koedoe* 39(1): 107-112.
- BREDEKAMP, G.J. and H. BEZUIDENHOUT. 1995. A proposed procedure for the analysis of large phytosociological data sets in the classification of South African grasslands. *Koedoe* 38(1): 33-39.
- BREDEKAMP, G.J., H. BEZUIDENHOUT, H. JOUBERT and C. NAUDE. 1994. The vegetation of the Boskop Dam Nature Reserve, Potchefstroom. *Koedoe* 37(1): 19-33.
- BREDEKAMP, G.J. and M.S. DEUTSCHLÄNDER. 1994. The *Themeda triandrae* - *Setaria incrasatae*, a new association from gabbro in the Manyeleti Game Reserve, Gazankulu, South Africa. *Koedoe* 37(2): 45-58.
- BREDEKAMP, G.J. and M.S. DEUTSCHLÄNDER. 1995. New azonal syntaxa from the hills and river banks of the Manyeleti Game Reserve, Northern Transvaal Province, South Africa. *Koedoe* 38(1): 41-58.
- BREEBAART, L. and M. DEUTSCHLÄNDER. 1997. The vegetation types and management units of Goedverwacht farm in the mixed bushveld of the Northern Province, South Africa. *Koedoe* 40(2): 19-35.
- BRITS, J. M.W. VAN ROOYEN and N. VAN ROOYEN. 2000. Technique to study the impact of large herbivores on woody vegetation within piospheres. *Koedoe* 43(2): 47-56.
- BROWN, L.R. and H. BEZUIDENHOUT. 2000. The phytosociology of the De Rust section of the Mountain Zebra National Park, Eastern Cape. *Koedoe* 43(1): 1-18.
- BROWN, L.R. and G.J. BREDEKAMP. 1994. The phytosociology of the southern section of Borakalalo Nature Reserve, South Africa. *Koedoe* 37(2): 59-72.
- BROWN, L.R., G.J. BREDEKAMP and N. VAN ROOYEN. 1995. The phytosociology of the western section of Borakalalo Nature Reserve. *Koedoe* 38(2): 49-64.
- BROWN, L.R., G.J. BREDEKAMP and N. VAN ROOYEN. 1996. The phytosociology of the northern section of the Borakalalo Nature Reserve. *Koedoe* 39(1): 9-24.
- CAULDWELL, A.E., U.ZIEGER, M.G. BINGHAM and G.J. BREDEKAMP. 1998. Classification of the natural vegetation of Mtendere Game Ranch in the Chibombo District of the Central Province, Zambia. *Koedoe* 41(2): 13-26.
- CILLIERS, S.S., E. VAN WYK and G.J. BREDEKAMP. 1999. Urban nature conservation: vegetation of natural areas in the Potchefstroom municipal area, North West Province, South Africa. *Koedoe* 42(1): 1-30.
- DE KLERK, J., L.R. BROWN, H. BEZUIDENHOUT and G. CASTLEY. 2001. The estimation of herbage yields under fire and grazing treatments in the Mountain Zebra National Park. *Koedoe* 44(1): 9-15.
- DUDLEY, C.O. 1997. The candelabra tree (*Euphorbia ingens*): a source of water for black rhinoceros in Liwonde National Park, Malawi. *Koedoe* 40(1): 57-62.
- DU PLESSIS, W.P. 1997. Refinements to the burning strategy in the Etosha National Park, Namibia. *Koedoe* 40(1): 63-76.
- DU PLESSIS, W.P., G.J. BREDEKAMP and W.S.W. TROLLOPE. 1998a. Response of herbaceous species to a degradation gradient in the western region of Etosha National Park, Namibia. *Koedoe* 41(1): 9-18.
- DU PLESSIS, W.P., G.J. BREDEKAMP and W.S.W. TROLLOPE. 1998b. Development of a technique for assessing veld condition in Etosha National Park, Namibia, using key herbaceous species. *Koedoe* 41(1): 19-30.
- ECKHARDT, H.C., N. VAN ROOYEN and G.J. BREDEKAMP. 1996. The plant communities and species richness of the *Alepidea longifolia*-*Monocymbium cerasiiforme* High-altitude Grassland of northern KwaZulu-Natal. *Koedoe* 39(2): 53-68.
- ECKHARDT, H.C., N. VAN ROOYEN and G.J. BREDEKAMP. 1997. Plant communities of the

- forests, woodlands and thickets in northern KwZulu-Natal. *Koedoe* 40(1): 91-112.
- ENSLIN, B.W., A.L.F. POTGIETER, H.C. BIGGS and R. BIGGS. 2000. Long term effects of fire frequency and season on the woody vegetation dynamics of the *Sclerocarya birrea/Acacia nigrescens* savanna of the Kruger National Park. *Koedoe* 43(1): 27-37.
- FOXCROFT, L.C. and J.H. HOFFMANN. 2000. Dispersal of *Dactylopius opuntiae* Cockerell (Homoptera: Dactylopiidae), a biological control agent of *Opuntia stricta* (Haworth.) Haworth. (Cactaceae) in the Kruger National Park. *Koedoe* 43(2): 1-5.
- HISCOCKS, Kay. 1999. The impact of an increasing elephant population on the woody vegetation in southern Sabi Sand Wildtuin, South Africa. *Koedoe* 42(2): 47-55.
- KEMP, A.C., K.S. BEGG, G.A. BENN and P. CHADWICK. 1997. A visual assessment of vegetation structure for the Kruger National Park. *Koedoe* 40(2): 117-121.
- LANDMAN, M. and G.I.H. KERLEY. 2001. Dietary shifts: do grazers become browsers in the Thicket Biome? *Koedoe* 44(1): 31-36.
- LOTTER, W.D. and J.H. HOFFMANN. 1998. An integrated management plan for the control of *Opuntia stricta* (cactaceae) in the Kruger National Park, South Africa. *Koedoe* 41(1): 63-68.
- LOTTER, W.D., L. THATCHER, L. ROSSOUW and C.F. REINHARDT. 1999. The influence of baboon predation and time in water on germination and early establishment of *Opuntia stricta* (Australian pest pear) in the Kruger National Park. *Koedoe* 42(1): 43-50.
- MATTHEWS, W.S. G.J. BREDEKAMP and N. VAN ROOYEN. 1994. The phytosociology and syntaxonomy of relatively low-altitude areas in the North-eastern Mountain Sourveld, in the eastern Transvaal escarpment region. *Koedoe* 37(2): 73-88.
- PALEY, R.G.T. and G.I.H. KERLEY. 1998. The winter diet of elephant in Eastern Cape Subtropical Thicket, Addo Elephant National Park. *Koedoe* 41(1): 37-46.
- PIENAAR, D. J., J. DU P. BOTHMA and G. K. THERON. 1993. Landscape preference of the white rhinoceros in the central and northern Kruger National Park. *Koedoe* 36(1): 79-86.
- REINHARDT, C.F. 2000. Weed management practices in natural ecosystems: a critical overview. *Koedoe* 43(1): 67-74.
- RÖSCH, HELGA. 2001. The identification and description of the management units of the Goe-gap Nature Reserve. *Koedoe* 44(1): 17-30.
- RUBIN, FRANCINE and A.R. PALMER. 1996. The physical environment and major plant communities of the Karoo National Park, South Africa. *Koedoe* 39(2): 25-52.
- SCHMIDT, A.G., G.K. THERON and W. VAN HOVEN. 1995. A comparison of some methods used to estimate the grazing capacity of a game ranch in Northern Province, South Africa. *Koedoe* 38(2): 123-128.
- SCHOLES, R.J., N. GUREJA, M. GIANNECCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001. The environment and vegetation of the flux measurement site near Skukuza, Kruger National Park. *Koedoe* 44(1): 73-83.
- SHACKLETON, C.M. and R.J. SCHOLES. 2000. Impact of fire frequency on woody community structure and soil nutrients in the Kruger National Park. *Koedoe* 43(1): 75-81.
- SMIT, C.M., G.J. BREDEKAMP, N. VAN ROOYEN, A.E. VAN WYK and J.M. COMBRINCK. 1997. Vegetation of the Witbank Nature Reserve and its importance for conservation of threatened Rocky Highveld Grassland. *Koedoe* 40(2): 85-104.
- STEYN, A. and M. STALMANS. 2001. Selective habitat utilisation and impact on vegetation by African elephant within a heterogeneous landscape. *Koedoe* 44(1): 95-103.
- THRASH, I. 1998. Association of three succulent plant species with woody canopy in the mixed bushveld, South Africa. *Koedoe* 41(2): 95-101.
- TROLLOPE, W.S.W. 1993. Fire regime of the Kruger National Park for the period 1980 - 1992. *Koedoe* 36(2): 45-52.
- TROLLOPE, W.S.W., L.A. TROLLOPE, H.C. BIGGS, D. PIENAAR and A.L.F. POTGIETER. 1998. Long term changes in the woody vegetation of the Kruger National Park, with special reference to the effects of elephants and fire. *Koedoe* 41(2): 103-112.
- VAN ROOYEN, N. and H. BEZUIDENHOUT. 1997. New records of flowering plants and ferns from the Kalahari Gemsbok National Park. *Koedoe* 40(2): 105-116.
- VAN WILGEN, B.W., H.C. BIGGS and A.L.F. POTGIETER. 1998. Fire management and research in the Kruger National Park, with suggestions on the detection of thresholds of potential concern. *Koedoe* 41(1): 69-87.
- VILJOEN, A.J. 1995. The influence of the 1991/92 drought on the woody vegetation of the Kruger National Park. *Koedoe* 38(2): 85-97.
- VISSER, N., W. VAN HOVEN and G.K. THERON. 1996. The vegetation and identification of management units of the Honnet Nature Reserve, Northern Province, South Africa. *Koedoe* 39(1): 25-42.
- WESSELS, DIRK and LUDGER KAPPEN. 1993. Photosynthetic performance of rock-colonising lichens in the Mountain Zebra National Park, South Africa. *Koedoe* 36(1): 27-48.
- WESSELS, D., D. VENTER, W. WESSELS and L. WESSELS. 1995. Experimental strain analysis of Clarens Sandstone colonised by endolithic lichens. *Koedoe* 38(2): 35-47.

- WINKLER, A. and N. OWEN-SMITH. 1995. Habitat utilisation by Cape mountain zebras in the Mountain Zebra National Park. *Koedoe* 38(1): 83-93.
- WRENCH, J.M., H.H. MEISSNER and C.C. GRANT. 1997. Assessing diet quality of African ungulates from faecal analyses: the effect of forage quality, intake and herbivore species. *Koedoe* 40(1): 125-136.
- ZIETSMAN, P.C. and H. BEZUIDENHOUT. 1999. Flowering plant biodiversity of Au-grabies Falls National Park: a comparison between Au-grabies Falls National Park, Kalahari Gemsbok National Park, Vaalbos National Park and Goegap Nature Reserve. *Koedoe* 42(2): 95-112.

Ecology and behaviour

- BHIMA, R. and C.O. DUDLEY. 1997. The influence of the Shire River on Liwonde National Park, Malawi, with special reference to elephant movements. *Koedoe* 40(2): 9-18.
- DE KLERK, J., L.R. BROWN, H. BEZUIDENHOUT and G. CASTLEY. 2001. The estimation of herbage yields under fire and grazing treatments in the Mountain Zebra National Park. *Koedoe* 44(1): 9-15.
- DU PLESSIS, W.P., G.J. BREDEKAMP and W.S.W. TROLLOPE. 1998a. Response of herbaceous species to a degradation gradient in the western region of Etosha National Park, Namibia. *Koedoe* 41(1): 9-18.
- ENSLIN, B.W., A.L.F. POTGIETER, H.C. BIGGS and R. BIGGS. 2000. Long term effects of fire frequency and season on the woody vegetation dynamics of the *Sclerocarya birrea*/*Acacia nigrescens* savanna of the Kruger National Park. *Koedoe* 43(1): 27-37.
- GRANT, C.C., H.H. MEISSNER and W.A. SCHULTHEISS. 1995. The nutritive value of veld as indicated by faecal phosphorous and nitrogen and its relation to the condition and movement of prominent ruminants during the 1992-1993 drought in the Kruger National Park. *Koedoe* 38(1): 17-31.
- MARX, H.M. and A. AVENANT-OLDEWAGE. 1998. A further investigation into the bioaccumulation of lead and zinc in the organs and tissues of the African sharptooth catfish, *Clarias gariepinus* from two localities in the Olifants River, Kruger National Park. *Koedoe* 41(2): 27-43.
- MEYER, V.W., L.E.O. BRAACK and H.C. BIGGS. 2000. Distribution and density of *Cubitermes* Wasmann (Isoptera: Termitidae) mounds in the northern Kruger National Park. *Koedoe* 43(1): 57-65.
- PIENAAR, D. J., J. DU P. BOTHMA and G. K. THERON. 1993. Landscape preference of the white rhinoceros in the central and northern Kruger National Park. *Koedoe* 36(1): 79-86.
- RASA, O.A.E. 1994. Behavioural adaptations to moisture as an environmental constraint in a nocturnal burrow-inhabiting Kalahari detritivore *Parasitizopus armaticeps* Peringuey (Coleoptera: Tenebrionidae). *Koedoe* 37(1): 57-66.
- SHACKLETON, C.M. and R.J. SCHOLES. 2000. Impact of fire frequency on woody community structure and soil nutrients in the Kruger National Park. *Koedoe* 43(1): 75-81.
- SLOTOW, R. and G. VAN DYK. 2001. Role of delinquent young "orphan" male elephants in high mortality of white rhinoceros in Pilanesberg National Park, South Africa. *Koedoe* 44(1): 85-94.
- TROLLOPE, W.S.W. 1993. Fire regime of the Kruger National Park for the period 1980 - 1992. *Koedoe* 36(2): 45-52.
- TROLLOPE, W.S.W., L.A. TROLLOPE, H.C. BIGGS, D. PIENAAR and A.L.F. POTGIETER. 1998. Long term changes in the woody vegetation of the Kruger National Park, with special reference to the effects of elephants and fire. *Koedoe* 41(2): 103-112.
- VAN WILGEN, B.W., H.C. BIGGS and A.L.F. POTGIETER. 1998. Fire management and research in the Kruger National Park, with suggestions on the detection of thresholds of potential concern. *Koedoe* 41(1): 69-87.
- VILJOEN, P.C. 1995. Changes in number and distribution of hippopotamus (*Hippopotamus amphibius*) in the Sabie River, Kruger National Park, during the 1992 drought. *Koedoe* 38(2): 115-121.
- WATSON, L.H. 1999. Eland browsing of *Grewia occidentalis* in semi-arid shrubland: the influence of bush clumps. *Koedoe* 42(1): 79-84.
- WINKLER, A. and N. OWEN-SMITH. 1995. Habitat utilisation by Cape mountain zebras in the Mountain Zebra National Park. *Koedoe* 38(1): 83-93.

Wildlife conservation & techniques

- BANCROFT, C.M., H. BEZUIDENHOUT and J.G. NEL. 1998. Use of veld condition assessment to set objectives and targets for an ISO 14001 environmental management system for Vaalbos National Park. *Koedoe* 41(2): 1-12.
- BEZUIDENHOUT, H., H.C. BIGGS and G.J. BREDEKAMP. 1996. A process supported by the utility BBPC for analysing Braun-Blanquet data on a personal computer. *Koedoe* 39(1): 107-112.
- BIGGS, H.C. and A.L.F. POTGIETER. 1999. Overview of the fire management policy of the Kruger National Park. *Koedoe* 42(1): 101-110.
- BOTHMA, J. DU P. and E.A.N. LE RICHE. 1993. Disturbance bias when tracking Kalahari leopards *Panthera pardus* by spoor. *Koedoe* 36(2): 109-112.

- BOTHMA, J. DU P., S. VAN HOVEN and E.A.N. LE RICHE. 1993. GPS-corrected and GIS-based remapping of the Kalahari Gemsbok National Park and the adjacent area in Botswana. *Koedoe* 36(2): 105-108.
- BOTHMA J. du P., N. VAN ROOYEN and E.A.N. LE RICHE. 1997. Multivariate analysis of the hunting tactics of Kalahari leopards. *Koedoe* 40(1): 41-56.
- BREDENKAMP, G.J. and H. BEZUIDENHOUT. 1995. A proposed procedure for the analysis of large phytosociological data sets in the classification of South African grasslands. *Koedoe* 38(1): 33-39.
- BEZUIDENHOUT, H., H.C. BIGGS and G.J. BREDENKAMP. 1996. A process supported by the utility BBPC for analysing Braun-Blanquet data on a personal computer. *Koedoe* 39(1): 107-112.
- BRITS, J., M.W. VAN ROOYEN and N. VAN ROOYEN. 2000. Technique to study the impact of large herbivores on woody vegetation within piospheres. *Koedoe* 43(2): 47-56.
- CHAPPELL, C.A. and M.A. BROWN. 1993. The use of remote sensing in quantifying rates of soil erosion. *Koedoe* 36(1): 1-14.
- DE KLERK, J., L.R. BROWN, H. BEZUIDENHOUT and G. CASTLEY. 2001. The estimation of herbage yields under fire and grazing treatments in the Mountain Zebra National Park. *Koedoe* 44(1): 9-15.
- DU PLESSIS, W.P. 1997. Refinements to the burning strategy in the Etosha National Park, Namibia. *Koedoe* 40(1):63-76.
- DU PLESSIS, W.P., G.J. BREDENKAMP and W.S.W. TROLLOPE. 1998b. Development of a technique for assessing veld condition in Etosha National Park, Namibia, using key herbaceous species. *Koedoe* 41(1): 19-30.
- ELS, H. and J. DU P. BOTHMA. 2000. Developing partnerships in a paradigm shift to achieve conservation reality in South Africa. *Koedoe* 43(1): 19-26.
- ENGLISH, R.A., M. STALMANS, M.G.L. MILLS and A. VAN WYK. 1993. Helicopter-assisted boma capture of African wild dogs *Lycaon pictus*. *Koedoe* 36(1): 103-106.
- FOXCROFT, L.C. and J.H. HOFFMANN. 2000. Dispersal of *Dactylopius opuntiae* Cockerell (Homoptera: Dactylopiidae), a biological control agent of *Opuntia stricta* (Haworth.) Haworth. (Cactaceae) in the Kruger National Park. *Koedoe* 43(2): 1-5.
- GRANT, C.C. and J.L. VAN DER WALT. 2000. Towards an adaptive management approach for the conservation of rare antelope in the Kruger National Park—outcome of a workshop held in May 2000. *Koedoe* 43(2): 103-112.
- HANEKOM, N., J.B. MANN-LANG, B.Q. MANN and T.V.Z. CARINUS. 1997. Shore-angling catches in the Tsitsikamma National Park, 1989-1995. *Koedoe* 40(2): 37-56.
- KARCZMARSKI, L., V.G. COCKCROFT, A. MCLACHLAN and P.E.D. WINTER. 1998. Recommendations for the conservation and management of humpback dolphins *Sousa chinensis* in the Algoa Bay region, South Africa. *Koedoe* 41(2): 121-129.
- LOTTER, W.D. and J.H. HOFFMANN. 1998. An integrated management plan for the control of *Opuntia stricta* (cactaceae) in the Kruger National Park, South Africa. *Koedoe* 41(1): 63-68.
- NOVELLIE, P.A. 1994. Monitoring the condition of mountain zebra habitat in the Mountain Zebra National Park. *Koedoe* 37(1): 35-39.
- NOVELLIE, P.A. and M. KNIGHT. 1994. Repatriation and translocation of ungulates into South African national parks: an assessment of past attempts. *Koedoe* 37(1): 115-119.
- NOVELLIE, P. and A. WINKLER. 1993. A simple index of habitat suitability for Cape mountain zebras. *Koedoe* 36(2): 53-59.
- NOVELLIE, P., H. BIGGS, L. BRAACK, N. HANEKOM, M. KNIGHT, M. MACGREGOR, R. RANDALL, I. RUSSELL and F. VENTER. 1999. Peripheral development: position paper for the Directorate of the South African National Parks. *Koedoe* 42(2): 113-116.
- PARR, C.L. and B.H. BROCKETT. 1999. Patch-mosaic burning: a new paradigm for savanna fire management in protected areas? *Koedoe* 42(2): 117-130.
- REILLY, B.K. and R.H. EMSLIE. 1998. Power and precision of replicated helicopter surveys in mixed bushveld. *Koedoe* 41(1): 47-56.
- REINHARDT, C.F. 2000. Weed management practices in natural ecosystems: a critical overview. *Koedoe* 43(1): 67-74.
- RÖSCH, HELGA. 2001. The identification and description of the management units of the Goe-gap Nature Reserve. *Koedoe* 44(1): 17-30.
- SCHMIDT, A.G. and J.W. JORDAAN. 1999. An approach to assessing the financial viability of bush clearing on game ranches in savanna regions. *Koedoe* 42(2): 65-72.
- SCHMIDT, A.G., G.K. THERON and W. VAN HOVEN. 1995. A comparison of some methods used to estimate the grazing capacity of a game ranch in Northern Province, South Africa. *Koedoe* 38(2): 123-128.
- SOLOMON, M., N. ZAMBATIS, H.C. BIGGS and N. MARÉ. 1999. Comparison of classifications commonly used as templates for management, scientific and GIS work in the Kruger National Park. *Koedoe* 42(2): 131-142.
- SWANEPOEL, D. G. J. 1996. Identification of the Nile crocodile *Crocodylus niloticus* by the use of natural tail marks. *Koedoe* 39(1): 113-116.
- THRASH, I. and J.F. DERRY. 1999. The nature and modelling of piospheres: a review. *Koedoe* 42(2): 73-94.
- TROLLOPE, W.S.W. 1993. Fire regime of the Kruger National Park for the period 1980 - 1992. *Koedoe* 36(2): 45-52.

- VAN WILGEN, B.W., H.C. BIGGS and A.L.F. POTGIETER. 1998. Fire management and research in the Kruger National Park, with suggestions on the detection of thresholds of potential concern. *Koedoe* 41(1): 69-87.
- VILJOEN, P.C. and P.F. RETIEF. 1994. The use of the Global Positioning System for real-time data collecting during ecological aerial surveys in the Kruger National Park, South Africa. *Koedoe* 37(1): 149-157.
- WEPENER, V, N. EULER, J.H.J. VAN VUREN, H.H. DU PREEZ and ASTRI KÖHLER. 1992. The development of an aquatic toxicity index as a tool in the operational management of water quality in the Olifants River (Kruger National Park). *Koedoe* 35(2): 1-9.
- WEPENER, V., J.H.J. VAN VUREN & H.H. DU PREEZ. 1999. The implementation of an aquatic toxicity index as a water quality monitoring tool in the Olifants River (Kruger National Park). *Koedoe* 42(1): 85-96.
- WHYTE, I.J., H.C. BIGGS, A. GAYLARD and L.E.O. BRAACK. 1999. A new policy for the management of the Kruger National Park's elephant population. *Koedoe* 42(1): 111-132.
- WOODD, A.M. 1999. A demographic model to predict future growth of the Addo elephant population. *Koedoe* 42(1): 79-100.
- WRENCH, J.M., H.H. MEISSNER, C.C. GRANT and N.H. CASEY. 1996. Environmental factors that affect the concentration of P and N in faecal samples collected for the determination of nutritional status. *Koedoe* 39(2): 1-6.
- WRENCH, J.M., H.H. MEISSNER and C.C. GRANT. 1997. Assessing diet quality of African ungulates from faecal analyses: the effect of forage quality, intake and herbivore species. *Koedoe* 40(1): 125-136.
- da from the Kruger National Park, with an addendum to the check list of nematode species in the park. *Koedoe* 36(1): 61-65.
- BOTHA, ANNELIZE and J. HEYNS. 1993b. Species of the genera *Oxydirus*, *Dorylaimellus* (*Axodorylaimellus*), *Laimydorus* and *Rhabdolaimus* from rivers in the Kruger National Park (Nematoda: Dorylaimida and Araeolaimida). *Koedoe* 36(1): 49-60.
- BRAACK, L.E.O. 1995. Seasonal activity of savanna termites during and after severe drought. *Koedoe* 38(1): 73-82.
- DE KOCK, K.N. and C.T. WOLMARANS. 1998. A re-evaluation of the occurrence of freshwater molluscs in the Kruger National Park. *Koedoe* 41(1): 1-8
- DIPPENAAR-SCHOEMAN, ANNA S., ASTRI LEROY, MARIE DE JAGER and ANNETTE VAN DEN BERG. 1999. A check list of the spider fauna of the Karoo National Park, South Africa (Arachnida: Araneae). *Koedoe* 42(1): 31-42.
- DIPPENAAR-SCHOEMAN, A.S. and M.S. HARVEY. 2000. A check list of the pseudoscorpions of South Africa (Arachnida: Pseudoscorpiones). *Koedoe* 43(2): 89-102.
- FITZPATRICK, M.J. 1994. Range extension of *Ceratogyrus sanderi* Strand, 1906 (Araneae: Theraphosidae). *Koedoe* 37(1): 121-122.
- FOXCROFT, L.C. and J.H. HOFFMANN. 2000. Dispersal of *Dactylopius opuntiae* Cockerell (Homoptera: Dactylopiidae), a biological control agent of *Opuntia stricta* (Haworth.) Haworth. (Cactaceae) in the Kruger National Park. *Koedoe* 43(2): 1-5.
- HEYNS, J. 1994. Description of *Longidoroides wiesae* spec. nov. from the Kruger National Park (Nematoda: Dorylaimida). *Koedoe* 37(2): 97-104.
- HEYNS, J. 2000. The genus *Discolaimus* in Southern Africa. I. Introduction and redescription of *D. krugeri* Furstenberg & Heyns, 1966 (Nematoda: Dorylaimida). *Koedoe* 43(2): 7-15.
- HEYNS, J. and ANTOINETTE SWART. 1998. *Longidorus jagerae* sp.n., another longidorid species with globular inclusions in the preterectum (Nematoda: Longidoridae). *Koedoe* 41(1): 31-36.
- HORAK, I.G., V. DE VOS and L.E.O. BRAACK. 1995. Arthropod burdens of impalas in the Skukuza region during two droughts in the Kruger National Park. 1995. *Koedoe* 38(1): 65-71.
- LUUS-POWELL, WILMIEN and ANNEMARIÉ AVENANT-OLDEWAGE. 1996. Surface morphology of *Chonopeltis victori* Avenant-Oldewage, 1991, and aspects of the histomorphology. *Koedoe* 39(1): 55-70.
- MEYER, V.W., L.E.O. BRAACK and H.C. BIGGS. 2000. Distribution and density of *Cubitermes* Wasmann (Isoptera: Termitidae) mounds in the

- northern Kruger National Park. *Koedoe* 43(1): 57-65.
- OLIVIER, P.A.S. and J.P. VAN NIEKERK. 1995. New morphological information on the parasitic copepod *Lernanthropus sarbae* Kensley & Grindley, 1973 (Copepoda: Lernanthropidae) from Lake St. Lucia, South Africa, using scanning electron microscopy. *Koedoe* 38(2): 99-104.
- OLIVIER, P.A.S. and P.D. THERON. 1997. The genus *Eupodes* Koch, 1835 (Acari: Prostigmata: Eupodidae) from southern African soil and vegetation. Part 1. Characterisation of the genus, designation of the type species and descriptions of three new species. *Koedoe* 40(2): 57-73.
- RASA, O.A.E. 1994. Behavioural adaptations to moisture as an environmental constraint in a nocturnal burrow-inhabiting Kalahari detritivore *Parastizopus armaticeps* Peringuey (Coleoptera: Tenebrionidae). *Koedoe* 37(1): 57-66.
- SAMWAYS, M.J., R. OSBORN and I. VAN HEERDEN. 1996. Distribution of benthic invertebrates at different depths in a shallow reservoir in the KwaZulu-Natal Midlands. *Koedoe* 39(2): 69-76.
- SPICKETT, A.M., I.G. HORAK, HELOISE HEYNE and L.E.O. BRAACK. 1995. The effect of severe drought on the abundance of ticks on vegetation and on scrub hares in the Kruger National Park. 1995. *Koedoe* 38(1): 59-64.
- VAN DEN BERG. 1993. A first list of plant-parasitic nematodes from the Wilderness National Park, with a description of *Ogma sekwaum* spec. nov. *Koedoe* 36(2): 61-76.
- VAN DEN BERG, ESTHER. 1996. A first list of plant-parasitic nematodes from the Tsitsikamma National Park, with descriptions of two new species of the subfamily Criconematiinae. *Koedoe* 39(1): 43-54.
- VAN DEN BERG, A. and A.S. DIPPENAAR-SCHOEMAN, 1994. A revision of the Afrotropical species of the genus *Tibellus* Simon (Araneae: Philodromidae). *Koedoe* 37(1): 67-114
- Mpumalanga, South Africa. *Koedoe* 40(1): 77-90.
- GAGIANO, C.L., G.J. STEYN and H.H. DU PREEZ. 1996. Tooth replacement of tigerfish *Hydrocynus vittatus* from the Kruger National Park. *Koedoe* 39(1): 117-122.
- HANEKOM, N., J.B. MANN-LANG, B.Q. MANN and T.V.Z. CARINUS. 1997. Shore-angling catches in the Tsitsikamma National Park, 1989-1995. *Koedoe* 40(2): 37-56.
- MANN, B.Q. and C.D. BUXTON. 1992. Diets of *Diplodus sargus capensis* and *D. cervinus hottentotus* (Pisces: Sparidae) on the Tsitsikamma coast, South Africa. *Koedoe* 35(2): 27-36.
- MARX, H.M. and A. AVENANT-OLDEWAGE. 1998. A further investigation into the bioaccumulation of lead and zinc in the organs and tissues of the African sharptooth catfish, *Clarias gariepinus* from two localities in the Olifants River, Kruger National Park. *Koedoe* 41(2): 27-43.
- RUSSELL, I.A. 1997. Spatial variation in the structure of fish assemblages in the Vaalbos National Park. *Koedoe* 40(1): 113-123.
- RUSSELL, I.A. 1999b. Freshwater fish of the Wilderness National Park. *Koedoe* 42(1): 73-78.
- SMIT, L., H.H. DU PREEZ and G.J. STEYN. 1998. Influence of natural silt on the survival of *Oreochromis mossambicus* yolk sac larvae. *Koedoe* 41(1): 57-62.
- VAN DER MERWE, MARINDA, J.H.J. VAN VUREN and H.H. DU PREEZ. 1993. Lethal copper concentration levels for *Clarias gariepinus* (Burchell, 1822) a preliminary study. *Koedoe* 36(2): 77-86.
- VAN DER WAAL, B.C.W. 1998. Survival strategies of sharptooth catfish *Clarias gariepinus* in desiccating pans in the northern Kruger National Park. *Koedoe* 41(2): 131-138.
- WOOD, A.D., S.L. BROUWER, P.D. COWLEY and T.D. HARRISON. 2000. An updated check list of the ichthyofaunal species assemblage of the Tsitsikamma National Park, South Africa. *Koedoe* 43(1): 83-95.

Pisces

- AVENANT-OLDEWAGE, ANNEMARIÉ and HAZEL MARX. 2000. Manganese, nickel and strontium bioaccumulation in the tissues of the African sharptooth catfish, *Clarias gariepinus* from the Olifants River, Kruger National Park. *Koedoe* 43(2): 17-33.
- BUERMANN, Y., H.H. DU PREEZ, G.J. STEYN, J.T. HARMSE and A. DEACON. 1995. Suspended silt concentrations in the lower Olifants River (Mpumalanga) and the impact of silt releases from the Phalaborwa Barrage on water quality and fish survival. *Koedoe* 38(2): 11-34.
- DU PREEZ, H.H., M. VAN DER MERWE and J.H.J. VAN VUREN. 1997. Bio-accumulation of selected metals in African sharptooth catfish *Clarias gariepinus* from the lower Olifants River,

Amphibia

- VAN DIJK, D.E. 1996. Anuran fauna of the Lesotho Highlands in the Khatse Dam catchment area and Jorodane River region. *Koedoe* 39(2): 77-90.

Reptilia

- BRANCH, W.R. and G.V. HAAGNER. 1992. New reptile records from three southern national parks. *Koedoe* 35(2): 59-60.
- CORDES, I.G. and P. LE F.N. MOUTON. 1996. The conservation status of the Saldanha-Langebaan lizard fauna. *Koedoe* 39(1): 71-84.
- MOUTON, P. LE F.N. and J.H. VAN WYK. 1993. Reptile fauna of the Katse Dam catchment area

and a biogeographical assessment of species composition in the Lesotho Highlands. *Koedoe* 36(1): 67-78.

- SWANEPOEL, D. G. J. 1996. Identification of the Nile crocodile *Crocodylus niloticus* by the use of natural tail marks. *Koedoe* 39(1): 113-116.
- SWANEPOEL, D.G.J., N.S. FERGUSON and M.R. PERRIN. 2000. Nesting ecology of Nile crocodiles (*Crocodylus niloticus*) in the Olifants River, Kruger National Park. *Koedoe* 43(2): 35-46.

Aves

- DE SWARDT, D.H. and D.J. VAN NIEKERK. 1996. An annotated check list of the birds of Qwaqwa National Park. *Koedoe* 39(1): 89-106.

Mammalia

- ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1996a. A scanning electron microscopic study of impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 39(2): 91-104.
- ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1996b. Transmission electron microscopic study of impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 39(2): 105-120.
- ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1997a. Transmission electron microscopic observations of flagellum abnormalities in impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 40(1): 1-13.
- ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1997b. Transmission electron microscopic observations of acrosome and head abnormalities in impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 40(1): 15-30.
- ANDERSON, M.D. and J.H. KOEN. 1993. Body measurements of mountain reedbuck *Redunca fulvorufula fulvorufula* from Rolffontein Nature Reserve, South Africa. *Koedoe* 36(1): 99-101.
- AVENANT, N.L. 1997. Mammals recorded in the QwaQwa National Park (1994-1995). *Koedoe* 40(1): 31-40.
- BHIMA, R. and J. DU P. BOTHMA. 1997. Age structure of elephants in Liwonde National Park, Malawi. *Koedoe* 40(2): 1-8.
- BHIMA, R. and C.O. DUDLEY. 1997. The influence of the Shire River on Liwonde National Park, Malawi, with special reference to elephant movements. *Koedoe* 40(2): 9-18.
- BOTHMA, J. DU P. and E.A.N. LE RICHE. 1993. Disturbance bias when tracking Kalahari leopards *Panthera pardus* by spoor. *Koedoe* 36(2): 109-112.
- BOTHMA J. du P. and E.A.N. LE RICHE. 1994. Range use by an adult male caracal in the southern Kalahari. *Koedoe* 37(2): 105-108.
- BOTHMA J. du P., N. VAN ROOYEN and E.A.N. LE RICHE. 1997. Multivariate analysis of the hunting tactics of Kalahari leopards. *Koedoe* 40(1): 41-56.
- BRONNER, G.N. 1992. Notes on the early post-natal development of a giant golden mole *Chrysospalax trevelyani* (Günther, 1875) born in captivity (Mammalia: Insectivora; Chrysochloridae). *Koedoe* 35(2): 57-58.
- DUDLEY, C.O. 1997. The candelabra tree (*Euphorbia ingens*): a source of water for black rhinoceros in Liwonde National Park, Malawi. *Koedoe* 40(1): 57-62.
- ELS, L.M. and G.I.H. KERLEY. 1996. Biotic and abiotic correlates of small mammal community structure in the Groendal Wilderness Area, Eastern Cape, South Africa. *Koedoe* 39(2): 121.
- ENGLISH, R.A., M. STALMANS, M.G.L. MILLS and A. VAN WYK. 1993. Helicopter-assisted boma capture of African wild dogs *Lycaon pictus*. *Koedoe* 36(1): 103-106.
- ESSOP, M.F., A.J. HALL-MARTIN and E.H. HARLEY. 1996. Mitochondrial DNA analysis of two southern African elephant populations. *Koedoe* 39(1): 85-88.
- FENTON, M. BROCK. 1992. Pelage patterns and cryptis in roosting bats: *Taphozous mauritanus* and *Epomophorus* species. *Koedoe* 35(2): 49-55.
- GRANT, C.C. and J.L. VAN DER WALT. 2000. Towards an adaptive management approach for the conservation of rare antelope in the Kruger National Park—outcome of a workshop held in May 2000. *Koedoe* 43(2): 103-112.
- GRUBB, P. 1999. Types and type localities of ungulates named from southern Africa. *Koedoe* 42(2): 13-45.
- HISCOCKS, Kay. 1999. The impact of an increasing elephant population on the woody vegetation in southern Sabi Sand Wildtuin, South Africa. *Koedoe* 42(2): 47-55.
- KARCZMARSKI, L., V.G. COCKCROFT, A. MCLACHLAN and P.E.D. WINTER. 1998. Recommendations for the conservation and management of humpback dolphins *Sousa chinensis* in the Algoa Bay region, South Africa. *Koedoe* 41(2): 121-129.
- KUNTZSCH, V. and J.A.J. NEL. 1992. Diet of bat-eared foxes *Otocyon megalotis* in the Karoo. *Koedoe* 35(2): 37-48.
- KYLE, R. 2000. Some notes on the occurrence and conservation status of *Manis temminckii*, the pangolin, in Maputaland, Kwazulu/Natal. *Koedoe* 43(1): 97-100.
- LANDMAN, M. and G.I.H. KERLEY. 2001. Dietary shifts: do grazers become browsers in the Thicket Biome? *Koedoe* 44(1): 31-36.
- LOTTER, W.D., L. THATCHER, L. ROSSOUW and C.F. REINHARDT. 1999. The influence of baboon predation and time in water on germination and early establishment of *Opuntia stricta* (Australian pest pear) in the Kruger National Park. *Koedoe* 42(1): 43-50.
- MILLS, M.G.I. 1995. Notes on wild dog *Lycaon pictus* and lion *Panthera leo* population trends dur-

- ing a drought in the Kruger National Park. *Koedoe* 38(1): 95-99.
- MONADJEM, A. 1998. Distributional patterns and conservation status of mammals of Swaziland, southern Africa. *Koedoe* 41(2): 45-59.
- NEWBERY, CHRISTIA H. 1999. A key to the Soricidae, Macroscelididae, Gliridae and Muridae of Gauteng, North West Province, Mpumalanga and the Northern Province, South Africa. *Koedoe* 42(1): 51-55.
- NOVELLIE, P.A. 1994. Monitoring the condition of mountain zebra habitat in the Mountain Zebra National Park. *Koedoe* 37(1): 35-39.
- NOVELLIE, P.A. and M. KNIGHT. 1994. Repatriation and translocation of ungulates into South African national parks: an assessment of past attempts. *Koedoe* 37(1): 115-119.
- NOVELLIE, P. and A. WINKLER. 1993. A simple index of habitat suitability for Cape mountain zebras. *Koedoe* 36(2): 53-59.
- PALEY, R.G.T. and G.I.H. KERLEY. 1998. The winter diet of elephant in Eastern Cape Subtropical Thicket, Addo Elephant National Park. *Koedoe* 41(1): 37-46.
- PENZHORN, B.L. and N.J. VAN DER MERWE. 1993. Testis size and spermatogenesis of tsessebes from Nylsvley Nature Reserve, Transvaal. *Koedoe* 36(1): 95-98.
- PIENAAR, D. J., J. DU P. BOTHMA and G. K. THERON. 1993. Landscape preference of the white rhinoceros in the central and northern Kruger National Park. *Koedoe* 36(1): 79-86.
- PRETORIUS, QUARTA, B.P. PRETORIUS and C.S. DANNHAUSER. 1996. The reproductive behaviour of the suni *Neotragus moschatus zuluensis* in captivity. *Koedoe* 39(1): 123-126.
- RASMUSSEN, G.S.A. 1996. Predation on bat-eared foxes *Otocyon megalotis* by Cape hunting dogs *Lycan pictus*. *Koedoe* 39(1): 127-134.
- RAUBENHEIMER, E.J. 1999. Morphological aspect and composition of African elephant (*Loxodonta africana*) ivory. *Koedoe* 42(2): 57-64.
- RAUBENHEIMER, E.J. 2000. Development of the tush and tusk and tusklessness in the African elephant (*Loxodonta africana*). *Koedoe* 43(2): 57-64.
- RAUTENBACH, I.L., G.N. BRONNER, and D.A. SCHLITTER. 1993. Karyotypic data and attendant systematic implications for the bats of southern Africa. *Koedoe* 36(2): 87-104.
- SLOTOW, R. and G. VAN DYK. 2001. Role of delinquent young "orphan" male elephants in high mortality of white rhinoceros in Pilanesberg National Park, South Africa. *Koedoe* 44(1): 85-94.
- SPICKETT, A.M., I.G. HORAK, HELOISE HEYNE and L.E.O. BRAACK. 1995. The effect of severe drought on the abundance of ticks on vegetation and on scrub hares in the Kruger National Park. 1995. *Koedoe* 38(1): 59-64.
- STEYN, A. and M. STALMANS. 2001. Selective habitat utilisation and impact on vegetation by African elephant within a heterogeneous landscape. *Koedoe* 44(1): 95-103.
- THRASH, I., G.K. THERON and J. DU P. BOTHMA. 1993. Herbivore dung deposit counts around drinking troughs in the Kruger National Park. *Koedoe* 36(1): 87-94.
- TROLLOPE, W.S.W., L.A. TROLLOPE, H.C. BIGGS, D. PIENAAR and A.L.F. POTGIETER. 1998. Long term changes in the woody vegetation of the Kruger National Park, with special reference to the effects of elephants and fire. *Koedoe* 41(2): 103-112.
- VILJOEN, P.C. 1995. Changes in number and distribution of hippopotamus (*Hippopotamus amphibius*) in the Sabie River, Kruger National Park, during the 1992 drought. *Koedoe* 38(2): 115-121.
- VRAHIMIS, S. and O.B. KOK. 1994. Notes on the diurnal activity of early post-natal black wildebeest calves. *Koedoe* 37(2): 109-113.
- WATSON, L.H. 1999. Eland browsing of *Grewia occidentalis* in semi-arid shrubland: the influence of bush clumps. *Koedoe* 42(1): 79-84.
- WHYTE, I.J., H.C. BIGGS, A. GAYLARD and L.E.O. BRAACK. 1999. A new policy for the management of the Kruger National Park's elephant population. *Koedoe* 42(1): 111-132.
- WINKLER, A. and N. OWEN-SMITH. 1995. Habitat utilisation by Cape mountain zebras in the Mountain Zebra National Park. *Koedoe* 38(1): 83-93.
- WOODD, A.M. 1999. A demographic model to predict future growth of the Addo elephant population. *Koedoe* 42(1): 79-100.
- WRENCH, J.M., H.H. MEISSNER and C.C. GRANT. 1997. Assessing diet quality of African ungulates from faecal analyses: the effect of forage quality, intake and herbivore species. *Koedoe* 40(1): 125-136.

Archaeology and History

- CARRUTHERS, JANE. 1993. 'Police boys' and poachers: Africans, wildlife protection and national parks, the Transvaal 1902 to 1950. *Koedoe* 36(2): 11-22.
- HOFFMAN, M.T. 1993. Major P.J. Pretorius and the decimation of the Addo elephant herd in 1919-1920: important reassessments. *Koedoe* 36(2): 23-44.
- MWIMA, H.K. 2001. A brief history of Kafue National Park, Zambia. *Koedoe* 44(1): 57-72.
- PLUG, I. 1993. The macrofaunal remains of wild animals from Abbot's Cave and Lame Sheep Shelter, Seacow Valley, Cape. *Koedoe* 36(1): 15-26.
- WEBLEY, LITA, FIONA ARCHER and J. BRINK. 1993. Die Toon: a Late Holocene site in the

Richtersveld National Park, northern Cape. *Koedoe* 36(2): 1-9.

WINKLER, A. and N. OWEN-SMITH. 1995. Habitat utilisation by Cape mountain zebras in the Mountain Zebra National Park. *Koedoe* 38(1): 83-93.

Bibliography

Koedoe Supplement 1994

Climate

BRAACK, L.E.O. 1995. Seasonal activity of savanna termites during and after severe drought. *Koedoe* 38(1): 73-82.

GRANT, C.C., H.H. MEISSNER and W.A. SCHULTHEISS. 1995. The nutritive value of veld as indicated by faecal phosphorous and nitrogen and its relation to the condition and movement of prominent ruminants during the 1992-1993 drought in the Kruger National Park. *Koedoe* 38(1):17-31.

HERITAGE, G.L. and A.W. VAN NIEKERK. 1995. Drought conditions and sediment transport in the Sabie Rivier. *Koedoe* 38(2): 1-9.

HORAK, I.G., V. DE VOS and L.E.O. BRAACK. 1995. Arthropod burdens of impalas in the Skukuza region during two droughts in the Kruger National Park. 1995. *Koedoe* 38(1): 65-71.

MILLS, M.G.I. 1995. Notes on wild dog *Lycan pictus* and lion *Panthera leo* population trends during a drought in the Kruger National Park. *Koedoe* 38(1): 95-99.

SPICKETT, A.M., I.G. HORAK, HELOISE HEYNE and L.E.O. BRAACK. 1995. The effect of severe drought on the abundance of ticks on vegetation and on scrub hares in the Kruger National Park. 1995. *Koedoe* 38(1): 59-64.

VAN VOLLENHOVEN, ANTON C., ANTON J. PELSER & JAN W. VAN DEN BOS. 1998. A historical-archaeological investigation of an Anglo-Boer War British outpost in the Kruger National Park. *Koedoe* 41(2): 113-120.

VILJOEN, A.J. 1995. The influence of the 1991/92 drought on the woody vegetation of the Kruger National Park. *Koedoe* 38(2): 85-97.

VILJOEN, P.C. 1995. Changes in number and distribution of hippopotamus (*Hippopotamus amphibius*) in the Sabie River, Kruger National Park, during the 1992 drought. *Koedoe* 38(2): 115-121.

ZAMBATIS, N and H.C. BIGGS. 1995. Rainfall and temperatures during the 1991/92 drought in the Kruger National Park. *Koedoe* 38(1): 1-16.

Geology and Pedology

BREDENKAMP, G.J. and M.S. DEUTSCHLÄNDER. 1994. The *Themeda triandrae* - *Setariaum incrassatae*, a new association from gabbro in the Manyeleti Game Reserve, Gazankulu, South Africa. *Koedoe* 37(2): 45-58.

BUERMANN, Y., H.H. DU PREEZ, G.J. STEYN, J.T. HARMSE and A. DEACON. 1995. Suspended silt concentrations in the lower Olifants River (Mpumalanga) and the impact of silt releases from the Phalaborwa Barrage on water quality and fish survival. *Koedoe* 38(2): 11-34.

CHAPPELL, C.A. and M.A. BROWN. 1993. The use of remote sensing in quantifying rates of soil erosion. *Koedoe* 36(1): 1-14.

HERITAGE, G.L. and A.W. VAN NIEKERK. 1995. Drought conditions and sediment transport in the Sabie Rivier. *Koedoe* 38(2): 1-9.

HERITAGE, G.L. and B.P. MOON. 2000. The contemporary geomorphology of the Sabie River in the Kruger National Park. *Koedoe* 43(1): 39-55.

PLUG, C. and I. PLUG. 1997. Pops on Moon Rock, Augrabies Falls National Park. *Koedoe* 40(2): 75-84.

RUBIN, FRANCINE and A.R. PALMER. 1996. The physical environment and major plant communities of the Karoo National Park, South Africa. *Koedoe* 39(2): 25-52.

SEYMORE, T., H.H. DU PREEZ, J.H.J. VAN VUREN, A. DEACON and G. STRYDOM. 1994. Variations in selected water quality variables and metal concentrations in the sediment of the lower Olifants and Selati rivers, South Africa. *Koedoe* 37(2): 1-18.

SHACKLETON, C.M. and R.J. SHOLES. 2000. Impact of fire frequency on woody community structure and soil nutrients in the Kruger National Park. *Koedoe* 43(1): 75-81.

SMIT, L., H.H. DU PREEZ and G.J. STEYN. 1998. Influence of natural silt on the survival of *Oreochromis mossambicus* yolk sac larvae. *Koedoe* 41(1): 57-62.

WESSELS, D., D. VENTER, W. WESSELS and L. WESSELS. 1995. Experimental strain analysis of Clarens Sandstone colonised by endolithic lichens. *Koedoe* 38(2): 35-47.

Environmental impact on rivers & water quality

AVENANT-OLDEWAGE, ANNEMARIÉ and HAZEL MARX. 2000. Manganese, nickel and strontium bioaccumulation in the tissues of the African sharp-toothed catfish, *Clarias gariepinus* from the Olifants River, Kruger National Park. *Koedoe* 43(2): 17-33.

BUERMANN, Y., H.H. DU PREEZ, G.J. STEYN, J.T. HARMSE and A. DEACON. 1995. Suspended silt concentrations in the lower Olifants River

- (Mpumalanga) and the impact of silt releases from the Phalaborwa Barrage on water quality and fish survival. *Koedoe* 38(2): 11-34.
- DU PREEZ, H.H., M. VAN DER MERWE and J.H.J. VAN VUREN. 1997. Bio-accumulation of selected metals in African sharp-toothed catfish *Clarias gariepinus* from the lower Olifants River, Mpumalanga, South Africa. *Koedoe* 40(1): 77-90.
- HERITAGE, G.L. and A.W. VAN NIEKERK. 1995. Drought conditions and sediment transport in the Sabie Rivier. *Koedoe* 38(2): 1-9.
- HERITAGE, G.L., B.P. MOON, G.P. JEWITT, A.R.G. LARGE and M. ROUNTREE. 2001. The February 2000 floods on the Sabie River, South Africa: an examination of their magnitude and frequency. *Koedoe* 44(1): 37-44.
- MARX, H.M. and A. AVENANT-OLDEWAGE. 1998. A further investigation into the bioaccumulation of lead and zinc in the organs and tissues of the African sharp-toothed catfish, *Clarias gariepinus* from two localities in the Olifants River, Kruger National Park. *Koedoe* 41(2): 27-43.
- MOON, B.P. and G.L. HERITAGE. 2001. The contemporary geomorphology of the Letaba River in the Kruger National Park. *Koedoe* 44(1): 45-55.
- RUSSELL, I.A. 1996. Water quality in the Knysna estuary. *Koedoe* 39(1): 1-8.
- RUSSELL, I.A. 1999a. Changes in the water quality of the Wilderness and Swartvlei lake systems, South Africa. *Koedoe* 42(1): 57-72.
- SEYMORE, T., H.H. DU PREEZ, J.H.J. VAN VUREN, A. DEACON and G. STRYDOM. 1994. Variations in selected water quality variables and metal concentrations in the sediment of the lower Olifants and Selati rivers, South Africa. *Koedoe* 37(2): 1-18.
- SCHOLES, R.J., N. GUREJA, M. GIANNECCHINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001. The environment and vegetation of the flux measurement site near Skukuza, Kruger National Park. *Koedoe* 44(1): 73-83.
- VAN DER MERWE, MARINDA, J.H.J. VAN VUREN and H.H. DU PREEZ. 1993. Lethal copper concentration levels for *Clarias gariepinus* (Burchell, 1822) a preliminary study. *Koedoe* 36(2): 77-86.
- WEPENER, V. N. EULER, J.H.J. VAN VUREN, H.H. DU PREEZ and ASTRI KÖHLER. 1992. The development of an aquatic toxicity index as a tool in the operational management of water quality in the Olifants River (Kruger National Park). *Koedoe* 35(2): 1-9.
- WEPENER, V., J.H.J. VAN VUREN & H.H. DU PREEZ. 1999. The implementation of an aquatic toxicity index as a water quality monitoring tool in the Olifants River (Kruger National Park). *Koedoe* 42(1): 85-96.

Check list

- AVENANT, N.L. Mammals recorded in the QwaQwa National Park (1994-1995). *Koedoe* 40(1): 31-40.
- DE SWARDT, D.H. and D.J. VAN NIEKERK. 1996. An annotated check list of the birds of Qwaqwa National Park. *Koedoe* 39(1): 89-106.
- DIPPENAAR-SCHOEMAN, ANNA S., ASTRI LEROY, MARIE DE JAGER and ANNETTE VAN DEN BERG. 1999. A check list of the spider fauna of the Karoo National Park, South Africa (Arachnida: Araneae). *Koedoe* 42(1): 31-42.
- DIPPENAAR-SCHOEMAN, A.S. and M.S. HARVEY. 2000. A check list of the pseudoscorpions of South Africa (Arachnida: Pseudoscorpiones). *Koedoe* 43(2): 89-102.
- VAN ROOYEN, N. and H. BEZUIDENHOUT. 1997. New records of flowering plants and ferns from the Kalahari Gemsbok National Park. *Koedoe* 40(2): 105-116.
- WEPENER, V. N. EULER, J.H.J. VAN VUREN, H.H. DU PREEZ and ASTRI KÖHLER. 1992. The development of an aquatic toxicity index as a tool in the operational management of water quality in the Olifants River (Kruger National Park). *Koedoe* 35(2): 1-9.
- WOOD, A.D., S.L. BROUWER, P.D. COWLEY and T.D. HARRISON. 2000. An updated check list of the ichthyofaunal species assemblage of the Tsitsikamma National Park, South Africa. *Koedoe* 43(1): 83-95.

Issues in conservation

- ELS, H. and J. DU P. BOTHMA. 2000. Developing partnerships in a paradigm shift to achieve conservation reality in South Africa. *Koedoe* 43(1): 19-26.
- KARCZMARSKI, L., V.G. COCKCROFT, A. MCLACHLAN and P.E.D. WINTER. 1998. Recommendations for the conservation and management of humpback dolphins *Sousa chinensis* in the Algoa Bay region, South Africa. *Koedoe* 41(2): 121-129.
- LOTTER, W.D. and J.H. HOFFMANN. 1998. An integrated management plan for the control of *Opuntia stricta* (cactaceae) in the Kruger National Park, South Africa. *Koedoe* 41(1): 63-68.
- SONNEKUS, I.P. and G.J. BREYTENBACH. 2000. Technology for alignment of participants in

- nature conservation: a case study at the Southern African Wildlife College. *Koedoe* 43(2): 65–88.
- SONNEKUS, I.P. and G.J. BREYTENBACH. 2001a. Conservation business: sustaining Africa's future. *Koedoe* 44(1): 105–124.
- VAN WILGEN, B.W., H.C. BIGGS and A.L.F. POTGIETER. 1998. Fire management and research in the Kruger National Park, with suggestions on the detection of thresholds of potential concern. *Koedoe* 41(1): 69–87.
- ENGELBRECHT, W.G. and P.T. VAN DER WALT. 1993. Notes on the economic use of the Kruger National Park. *Koedoe* 36(2): 113–119.
- FOURIE, J. 1994. Comments on national parks and future relations with neighbouring communities. *Koedoe* 37(1): 123–136.
- LOADER, J.A. 1994. National Parks and social involvement - an argument. *Koedoe* 37(1): 137–148.
- MOLL, EUGENE. 2001. Comments on the article *Technology for alignment of participants in nature conservation: a case study at the Southern African Wildlife College* by I.P. Sonnekus and G.J. Breytenbach—*Koedoe* 43/2 (2000). *Koedoe* 44(1): 125–127.

Maps

- BOTHMA, J. DU P., S. VAN HOVEN and E.A.N. LE RICHE. 1993. GPS-corrected and GIS-based remapping of the Kalahari Gemsbok National Park and the adjacent area in Botswana. *Koedoe* 36(2): 105–108.

Social Science

- ELS, H. and J. DU P. BOTHMA. 2000. Developing partnerships in a paradigm shift to achieve conservation reality in South Africa. *Koedoe* 43(1): 19–26.
- SONNEKUS, I.P. and G.J. BREYTENBACH. 2000. Technology for alignment of participants in nature conservation: a case study at the Southern African Wildlife College. *Koedoe* 43(2): 65–88.
- SONNEKUS, I.P. and G.J. BREYTENBACH. 2001a. Conservation business: sustaining Africa's future. *Koedoe* 44(1): 105–124.
- SONNEKUS, I.P. and G. J. BREYTENBACH. 2001b. Reply to the comments from the Southern African Wildlife College (SAWC). *Koedoe* 44(1): 128.

Parks (vol 35/2 - 44/1)

Addo Elephant National Park

- HOFFMAN, M.T. 1993. Major P.J. Pretorius and the decimation of the Addo elephant herd in 1919–1920: important reassessments. *Koedoe* 36(2): 23–44.
- PALEY, R.G.T. and G.I.H. KERLEY. 1998. The winter diet of elephant in Eastern Cape Subtropical Thicket, Addo Elephant National Park. *Koedoe* 41(1): 37–46.
- PLUG, C. and I. PLUG. 1997. Pups on Moon Rock, Au-grabies Falls National Park. *Koedoe* 40(2): 75–84.
- WOODD, A.M. 1999. A demographic model to predict future growth of the Addo elephant population. *Koedoe* 42(1): 79–100.
- WRENCH, J.M., H.H. MEISSNER, C.C. GRANT and N.H. CASEY. 1996. Environmental factors that affect the concentration of P and N in faecal samples collected for the determination of nutritional status. *Koedoe* 39(2): 1–6.

- WRENCH, J.M., H.H. MEISSNER and C.C. GRANT. 1997. Assessing diet quality of African ungulates from faecal analyses: the effect of forage quality, intake and herbivore species. *Koedoe* 40(1): 125–136.

Au-grabies Falls National Park

- BEZUIDENHOUT, H. 1996. The major vegetation communities of the Au-grabies Falls National Park, Northern Cape. 1. The southern section. *Koedoe* 39(2): 7–24.
- ZIETSMAN, P.C. and H. BEZUIDENHOUT. 1999. Flowering plant biodiversity of Au-grabies Falls National Park: a comparison between Au-grabies Falls National Park, Kalahari Gemsbok National Park, Vaalbos National Park and Goegap Nature Reserve. *Koedoe* 42(2): 95–112.

Golden Gate Highlands National Park

WESSELS, D., D. VENTER, W. WESSELS and L. WESSELS. 1995. Experimental strain analysis of Clarens Sandstone colonised by endolithic lichens. *Koedoe* 38(2): 35-47.

Kalahari Gemsbok National Park

BOTHMA, J. DU P. and E.A.N. LE RICHE. 1993. Disturbance bias when tracking Kalahari leopards *Panthera pardus* by spoor. *Koedoe* 36(2): 109-112.

BOTHMA J. du P. and E.A.N. LE RICHE. 1994. Range use by an adult male caracal in the southern Kalahari. *Koedoe* 37(2): 105-108.

BOTHMA J. du P., N. VAN ROOYEN and E.A.N. LE RICHE. 1997. Multivariate analysis of the hunting tactics of Kalahari leopards. *Koedoe* 40(1): 41-56.

BOTHMA, J. DU P., S. VAN HOVEN and E.A.N. LE RICHE. 1993. GPS-corrected and GIS-based remapping of the Kalahari Gemsbok National Park and the adjacent area in Botswana. *Koedoe* 36(2): 105-108.

RASA, O.A.E. 1994. Behavioural adaptations to moisture as an environmental constraint in a nocturnal burrow-inhabiting Kalahari detritivore *Parastizopus armaticeps* Peringuey (Coleoptera: Tenebrionidae). *Koedoe* 37(1): 57-66.

VAN ROOYEN, N. and H. BEZUIDENHOUT. 1997. New records of flowering plants and ferns from the Kalahari Gemsbok National Park. *Koedoe* 40(2): 105-116.

Karoo National Park

DIPPENAAR-SCHOEMAN, ANNA S., ASTRID LEROY, MARIE DE JAGER and ANNETTE VAN DEN BERG. 1999. A check list of the spider fauna of the Karoo National Park, South Africa (Arachnida: Araneae). *Koedoe* 42(1): 31-42.

KUNTZSCH, V. and J.A.J. NEL. 1992. Diet of bated-eared foxes *Otocyon megalotis* in the Karoo. *Koedoe* 35(2): 37-48.

RUBIN, FRANCINE and A.R. PALMER. 1996. The physical environment and major plant communities of the Karoo National Park, South Africa. *Koedoe* 39(2): 25-52.

Kruger National Park

ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1996A. A scanning electron microscopic study of impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 39(2): 91-104.

ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1996B. Transmission electron microscopic study

of impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 39(2): 105-120.

ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1997A. Transmission electron microscopic observations of flagellum abnormalities in impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 40(1): 1-13.

ACKERMAN, D.J., A.J. REINECKE and H.J. ELS. 1997b. Transmission electron microscopic observations of acrosome and head abnormalities in impala (*Aepyceros melampus*) sperm from the Kruger National Park. *Koedoe* 40(1):15-30

AVENANT-OLDEWAGE, ANNEMARIÉ and HAZEL MARX. 2000. Manganese, nickel and strontium bioaccumulation in the tissues of the African sharptooth catfish, *Clarias gariepinus* from the Olifants River, Kruger National Park. *Koedoe* 43(2): 17-33.

BIGGS, H.C. and A.L.F. POTGIETER. 1999. Overview of the fire management policy of the Kruger National Park. *Koedoe* 42(1): 101-110.

BOTHA, ANNELIZE and J. HEYNS. 1992. Further records and descriptions of nematodes from rivers in the Kruger National Park (orders Enoplida, Chromadorida, Monhysterida, Mononchida and Araeolaimida). *Koedoe* 35(2): 11-25.

BOTHA, ANNELIZE and J. HEYNS. 1993a. New records of Tylenchida, Araeolaimida and Enoplida from the Kruger National Park, with an addendum to the check list of nematode species in the park. *Koedoe* 36(1): 61-65.

BOTHA, ANNELIZE and J. HEYNS. 1993b. Species of the genera *Oxydirus*, *Dorylaimellus* (*Axodorylaimellus*), *Laimydorus* and *Rhabdolaimus* from rivers in the Kruger National Park (Nematoda: Dorylaimida and Araeolaimida). *Koedoe* 36(1): 49-60.

BUERMANN, Y., H.H. DU PREEZ, G.J. STEYN, J.T. HARMSE and A. DEACON. 1995. Suspended silt concentrations in the lower Olifants River (Mpumalanga) and the impact of silt releases from the Phalaborwa Barrage on water quality and fish survival. *Koedoe* 38(2): 11-34.

CARRUTHERS, JANE. 1993. 'Police boys' and poachers: Africans, wildlife protection and national parks, the Transvaal 1902 to 1950. *Koedoe* 36(2): 11-22.

DE KOCK, K.N. and C.T. WOLMARANS. 1998. A re-evaluation of the occurrence of freshwater molluscs in the Kruger National Park. *Koedoe* 41(1): 1-8.

DU PREEZ, H.H., M. VAN DER MERWE and J.H.J. VAN VUREN. 1997. Bio-accumulation of selected metals in African sharptooth catfish *Clarias gariepinus* from the lower Olifants River, Mpumalanga, South Africa. *Koedoe* 40(1): 77-90.

ENGELBRECHT, W.G. and P.T. VAN DER WALT. 1993. Notes on the economic use of the Kruger National Park. *Koedoe* 36(2): 113-119.

ENSLIN, B.W., A.L.F. POTGIETER, H.C. BIGGS and R. BIGGS. 2000. Long term effects of fire

- frequency and season on the woody vegetation dynamics of the *Sclerocarya birrea*/*Acacia nigrescens* savanna of the Kruger National Park. *Koedoe* 43(1): 27-37.
- FOXCROFT, L.C. and J.H. HOFFMANN. 2000. Dispersal of *Dactylopius opuntiae* Cockerell (Homoptera: Dactylopiidae), a biological control agent of *Opuntia stricta* (Haworth.) Haworth. (Cactaceae) in the Kruger National Park. *Koedoe* 43(2): 1-5.
- GAGIANO, C.L., G.J. STEYN and H.H. DU PREEZ. 1996. Tooth replacement of tigerfish *Hydrocynus vittatus* from the Kruger National Park. *Koedoe* 39(1): 117-122.
- GRANT, C.C., H.H. MEISSNER and W.A. SCHULTHEISS. 1995. The nutritive value of veld as indicated by faecal phosphorous and nitrogen and its relation to the condition and movement of prominent ruminants during the 1992-1993 drought in the Kruger National Park. *Koedoe* 38(1):17-31.
- GRANT, C.C. and J.L. VAN DER WALT. 2000. Towards an adaptive management approach for the conservation of rare antelope in the Kruger National Park—outcome of a workshop held in May 2000. *Koedoe* 43(2): 103-112.
- HERITAGE, G.L. and B.P. MOON. 2000. The contemporary geomorphology of the Sabie River in the Kruger National Park. *Koedoe* 43(1): 39-55.
- HERITAGE, G.L., B.P. MOON, G.P. JEWITT, A.R.G. LARGE and M. ROUNTREE. 2001. The February 2000 floods on the Sabie River, South Africa: an examination of their magnitude and frequency. *Koedoe* 44(1):37-44.
- HERITAGE, G.L. and A.W. VAN NIEKERK. 1995. Drought conditions and sediment transport in the Sabie Rivier. *Koedoe* 38(2): 1-9.
- HEYNS, J. 1994. Description of *Longidoroides wiesae* spec. nov. from the Kruger National Park (Nematoda: Dorylaimida). *Koedoe* 37(2): 97-104.
- HORAK, I.G., V. DE VOS and L.E.O. BRAACK. 1995. Arthropod burdens of impalas in the Skukuza region during two droughts in the Kruger National Park. 1995. *Koedoe* 38(1): 65-71.
- KEMP, A.C., K.S. BEGG, G.A. BENN and P. CHADWICK. 1997. A visual assessment of vegetation structure for the Kruger National Park. *Koedoe* 40(2): 117-121.
- LOTTER, W.D. and J.H. HOFFMANN. 1998. An integrated management plan for the control of *Opuntia stricta* (cactaceae) in the Kruger National Park, South Africa. *Koedoe* 41(1): 63-68.
- LOTTER, W.D., L. THATCHER, L. ROSSOUW and C.F. REINHARDT. 1999. The influence of baboon predation and time in water on germination and early establishment of *Opuntia stricta* (Australian pest pear) in the Kruger National Park. *Koedoe* 42(1): 43-50.
- MARX, H.M. and A. AVENANT-OLDEWAGE. 1998. A further investigation into the bioaccumulation of lead and zinc in the organs and tissues of the African sharp-toothed catfish, *Clarias gariepinus* from two localities in the Olifants River, Kruger National Park. *Koedoe* 41(2): 27-43.
- MEYER, V.W., L.E.O. BRAACK and H.C. BIGGS. 2000. Distribution and density of *Cubitermes* Wasmann (Isoptera: Termitidae) mounds in the northern Kruger National Park. *Koedoe* 43(1): 57-65.
- MILLS, M.G.I. 1995. Notes on wild dog *Lycaon pictus* and lion *Panthera leo* population trends during a drought in the Kruger National Park. *Koedoe* 38(1): 95-99.
- MOON, B.P. and G.L. HERITAGE. 2001. The contemporary geomorphology of the Letaba River in the Kruger National Park. *Koedoe* 44(1): 45-55.
- PIENAAR, D. J., J. DU P. BOTHMA and G. K. THERON. 1993. Landscape preference of the white rhinoceros in the central and northern Kruger National Park. *Koedoe* 36(1): 79-86.
- PRETORIUS, QUARTA, B.P. PRETORIUS and C.S. DANNHAUSER. 1996. The reproductive behaviour of the suni *Neotragus moschatus zuluensis* in captivity. *Koedoe* 39(1): 123-126.
- SCHOLES, R.J., N. GUREJA, M. GIANNACCINI, D. DOVIE, B. WILSON, N. DAVIDSON, K. PIGGOTT, C. MCLOUGHLIN, K. VAN DER VELDE, A. FREEMAN, S. BRADLEY, R. SMART and S. NDALA. 2001. The environment and vegetation of the flux measurement site near Skukuza, Kruger National Park. *Koedoe* 44(1): 73-83.
- SEYMORE, T., H.H. DU PREEZ, J.H.J. VAN VUREN, A. DEACON and G. STRYDOM. 1994. Variations in selected water quality variables and metal concentrations in the sediment of the lower Olifants and Selati rivers, South Africa. *Koedoe* 37(2): 1-18.
- SHACKLETON, C.M. and R.J. SCHOLES. 2000. Impact of fire frequency on woody community structure and soil nutrients in the Kruger National Park. *Koedoe* 43(1): 75-81.
- SOLOMON, M., N. ZAMBATIS, H.C. BIGGS and N. MARÉ. 1999. Comparison of classifications commonly used as templates for management, scientific and GIS work in the Kruger National Park. *Koedoe* 42(2): 131-142.
- SPICKETT, A.M., I.G. HORAK, HELOISE HEYNE and L.E.O. BRAACK. 1995. The effect of severe drought on the abundance of ticks on vegetation and on scrub hares in the Kruger National Park. 1995. *Koedoe* 38(1): 59-64.
- SWANEPOEL, D. G. J. 1996. Identification of the Nile crocodile *Crocodylus niloticus* by the use of natural tail marks. *Koedoe* 39(1): 113-116.
- SWANEPOEL, D.G.J., N.S. FERGUSON and M.R. PERRIN. 2000. Nesting ecology of Nile crocodiles (*Crocodylus niloticus*) in the Olifants River, Kruger National Park. *Koedoe* 43(2): 35-46.

- THRASH, I., G.K. THERON and J. DU P. BOTHMA. 1993. Herbivore dung deposit counts around drinking troughs in the Kruger National Park. *Koedoe* 36(1): 87-94.
- TROLLOPE, W.S.W. 1993. Fire regime of the Kruger National Park for the period 1980 - 1992. *Koedoe* 36(2): 45-52.
- TROLLOPE, W.S.W., L.A. TROLLOPE, H.C. BIGGS, D. PIENAAR and A.L.F. POTGIETER. 1998. Long term changes in the woody vegetation of the Kruger National Park, with special reference to the effects of elephants and fire. *Koedoe* 41(2): 103-112.
- VAN DER MERWE, MARINDA, J.H.J. VAN VUREN and H.H. DU PREEZ. 1993. Lethal copper concentration levels for *Clarias gariepinus* (Burchell, 1822) a preliminary study. *Koedoe* 36(2): 77-86.
- VAN DER WAAL, B.C.W. 1998. Survival strategies of sharptooth catfish *Clarias gariepinus* in desiccating pans in the northern Kruger National Park. *Koedoe* 41(2): 131-138.
- VAN VOLLENHOVEN, ANTON C., ANTON J. PELSER & JAN W. VAN DEN BOS. 1998. A historical-archaeological investigation of an Anglo-Boer War British outpost in the Kruger National Park. *Koedoe* 41(2): 113-120.
- VAN WILGEN, B.W., H.C. BIGGS and A.L.F. POTGIETER. 1998. Fire management and research in the Kruger National Park, with suggestions on the detection of thresholds of potential concern. *Koedoe* 41(1): 69-87.
- VILJOEN, A.J. 1995. The influence of the 1991/92 drought on the woody vegetation of the Kruger National Park. *Koedoe* 38(2): 85-97.
- VILJOEN, P.C. 1995. Changes in number and distribution of hippopotamus (*Hippopotamus amphibius*) in the Sabie River, Kruger National Park, during the 1992 drought. *Koedoe* 38(2): 115-121.
- VILJOEN, P.C. and P.F. RETIEF. 1994. The use of the Global Positioning System for real-time data collecting during ecological aerial surveys in the Kruger National Park, South Africa. *Koedoe* 37(1): 149-157.
- WEPENER, V. N. EULER, J.H.J. VAN VUREN, H.H. DU PREEZ and ASTRI KÖHLER. 1992. The development of an aquatic toxicity index as a tool in the operational management of water quality in the Olifants River (Kruger National Park). *Koedoe* 35(2): 1-9.
- WEPENER, V., J.H.J. VAN VUREN and H.H. DU PREEZ. 1999. The implementation of an aquatic toxicity index as a water quality monitoring tool in the Olifants River (Kruger National Park). *Koedoe* 42(1): 85-96.
- WRENCH, J.M., H.H. MEISSNER, C.C. GRANT and N.H. CASEY. 1996. Environmental factors that affect the concentration of P and N in faecal samples collected for the determination of nutritional status. *Koedoe* 39(2): 1-6.
- WRENCH, J.M., H.H. MEISSNER and C.C. GRANT. 1997. Assessing diet quality of African ungulates from faecal analyses: the effect of forage quality, intake and herbivore species. *Koedoe* 40(1): 125-136.
- ZAMBATIS, N and H.C. BIGGS. 1995. Rainfall and temperatures during the 1991/92 drought in the Kruger National Park. *Koedoe* 38(1): 1-16.

Mountain Zebra National Park

- BROWN, L.R. and H. BEZUIDENHOUT. 2000. The phytosociology of the De Rust section of the Mountain Zebra National Park, Eastern Cape. *Koedoe* 43(1): 1-18.
- DE KLERK, J., L.R. BROWN, H. BEZUIDENHOUT and G. CASTLEY. 2001. The estimation of herbage yields under fire and grazing treatments in the Mountain Zebra National Park. *Koedoe* 44(1): 9-15.
- NOVELLIE, P.A. 1994. Monitoring the condition of mountain zebra habitat in the Mountain Zebra National Park. *Koedoe* 37(1): 35-39.
- WESSELS, DIRK and LUDGER KAPPEN. 1993. Photosynthetic performance of rock-colonising lichens in the Mountain Zebra National Park, South Africa. *Koedoe* 36(1): 27-48.
- WINKLER, A. and N. OWEN-SMITH. 1995. Habitat utilisation by Cape mountain zebras in the Mountain Zebra National Park. *Koedoe* 38(1): 83-93.

Richtersveld National Park

- WEBLEY, LITA, FIONA ARCHER and J. BRINK. 1993. Die Toon: a Late Holocene site in the Richtersveld National Park, northern Cape. *Koedoe* 36(2): 1-9.

Tsitsikamma National Park

- HANEKOM, N., J.B. MANN-LANG, B.Q. MANN and T.V.Z. CARINUS. 1997. Shore-angling catches in the Tsitsikamma National Park, 1989-1995. *Koedoe* 40(2): 37-56.
- MANN, B.Q. and C.D. BUXTON. 1992. Diets of *Diplodus sargus capensis* and *D. cervinus hottentotus* (Pisces: Sparidae) on the Tsitsikamma coast, South Africa. *Koedoe* 35(2): 27-36.
- VAN DEN BERG, ESTHER. 1996. A first list of plant-parasitic nematodes from the Tsitsikamma National Park, with descriptions of two new species of the subfamily Criconematinae. *Koedoe* 39(1): 43-54.
- WOOD, A.D., S.L. BROUWER, P.D. COWLEY and T.D. HARRISON. 2000. An updated check list of the ichthyofaunal species assemblage of

the Tsitsikamma National Park, South Africa. *Koedoe* 43(1): 83–95.

Vaalbos National Park

- BANCROFT, C.M., H. BEZUIDENHOUT and J.G. NEL. 1998. Use of veld condition assessment to set objectives and targets for an ISO 14001 environmental management system for Vaalbos National Park. *Koedoe* 41(2): 1-12.
- BEZUIDENHOUT, H. 1994. An ecological study of the major vegetation communities of the Vaalbos National Park, Northern Cape. 1. The Than-Droogeveld section. *Koedoe* 37(2): 19-44.
- BEZUIDENHOUT, H. 1995. An ecological study of the major vegetation communities of the Vaalbos National Park, Northern Cape. 2. The Graspan-Holpan section. *Koedoe* 38(2): 65-83.
- RUSSELL, I.A. 1997. Spatial variation in the structure of fish assemblages in the Vaalbos National Park. *Koedoe* 40(1): 113-123.
- ZIETSMAN, P.C. and H. BEZUIDENHOUT. 1999. Flowering plant biodiversity of Augrabies Falls National Park: a comparison between Augrabies Falls National Park, Kalahari Gemsbok National Park, Vaalbos National Park and Goegap Nature Reserve. *Koedoe* 42(2): 95–112.

West Coast National Park

- CORDES, I.G. and P. LE F.N. MOUTON. 1996. The conservation status of the Saldanha-Langebaan lizard fauna. *Koedoe* 39(1): 71-84.

Wilderness National Park

- RUSSELL, I.A. 1999a. Changes in the water quality of the Wilderness and Swartvlei lake systems, South Africa. *Koedoe* 42(1): 57-72.
- RUSSELL, I.A. 1999b. Freshwater fish of the Wilderness National Park. *Koedoe* 42(1): 73-78.
- VAN DEN BERG, ESTHER. 1993. A first list of plant-parasitic nematodes from the Wilderness National Park, with a description of *Ogma sekg-waum* spec. nov. *Koedoe* 36(2): 61-76.

Nature Reserves and 'other' national parks

- ANDERSON, M.D. and J.H. KOEN. 1993. Body measurements of mountain reedbeek *Redunca fulvorufula fulvorufula* from Rolfontein Nature Reserve, South Africa. *Koedoe* 36(1): 99-101.
- AVENANT, N.L. 1997. Mammals recorded in the QwaQwa National Park (1994-1995). *Koedoe* 40(1): 31-40.
- AVENANT-OLDEWAGE, ANNEMARIÉ. 1994. A new species of *Argulus* from Lake Kosi Bay,

South Africa and distribution records of the genus. *Koedoe* 37(2): 89-96.

- BHIMA, R. and J. DU P. BOTHMA. 1997. Age structure of elephants in Liwonde National Park, Malawi. *Koedoe* 40(2): 1–8.
- BHIMA, R. and C.O. DUDLEY. 1997. The influence of the Shire River on Liwonde National Park, Malawi, with special reference to elephant movements. *Koedoe* 40(2): 9–18.
- BREDENKAMP, G.J., H. BEZUIDENHOUT, H. JOUBERT and C. NAUDE. 1994. The vegetation of the Boskop Dam Nature Reserve, Potchefstroom. *Koedoe* 37(1): 19-33.
- BREDENKAMP, G.J. and M.S. DEUTSCHLÄNDER. 1994. The *Themeda triandrae* - *Setariaum incrassatae*, a new association from gabbro in the Manyeleti Game Reserve, Gazankulu, South Africa. *Koedoe* 37(2): 45-58.
- BREDENKAMP, G.J. and M.S. DEUTSCHLÄNDER. 1995. New azonal syntaxa from the hills and river banks of the Manyeleti Game Reserve, Northern Transvaal Province, South Africa. *Koedoe* 38(1): 41-58.
- BREBAART, L. and M. DEUTSCHLÄNDER. 1997. The vegetation types and management units of Goedverwacht farm in the mixed bushveld of the Northern Province, South Africa. *Koedoe* 40(2): 19–35.
- BROWN, L.R. and G.J. BREDENKAMP. 1994. The phytosociology of the southern section of Borakalalo Nature Reserve, South Africa. *Koedoe* 37(2): 59-72.
- BROWN, L.R., G.J. BREDENKAMP and N. VAN ROOYEN. 1995. The phytosociology of the western section of Borakalalo Nature Reserve. *Koedoe* 38(2): 49-64.
- BROWN, L.R., G.J. BREDENKAMP and N. VAN ROOYEN. 1996. The phytosociology of the northern section of the Borakalalo Nature Reserve. *Koedoe* 39(1): 9-24.
- CAULDWELL, A.E., U.ZIEGER, M.G. BINGHAM and G.J. BREDENKAMP. 1998. Classification of the natural vegetation of Mtendere Game Ranch in the Chibombo District of the Central Province, Zambia. *Koedoe* 41(2): 13-26.
- CILLIERS, S.S., E. VAN WYK and G.J. BREDENKAMP. 1999. Urban nature conservation: vegetation of natural areas in the Potchefstroom municipal area, North West Province, South Africa. *Koedoe* 42(1): 1-30.
- DE SWARDT, D.H. and D.J. VAN NIEKERK. 1996. An annotated check list of the birds of Qwaqwa National Park. *Koedoe* 39(1): 89-106.
- DEUTSCHLÄNDER, M.S. and G.J. BREDENKAMP. 1999. Importance of vegetation analysis in the conservation management of the endangered butterfly *Aloeides dentatis dentatis* (Swierstra) (Lepidoptera, Lycaenidae). *Koedoe* 42(2): 1–12
- DUDLEY, C.O. 1997. The candelabra tree (*Euphorbia ingens*): a source of water for black rhinocer-

- os in Liwonde National Park, Malawi. *Koedoe* 40(1): 57-62.
- DU PLESSIS, W.P. 1997. Refinements to the burning strategy in the Etosha National Park, Namibia. *Koedoe* 40(1):63-76.
- DU PLESSIS, W.P., G.J. BREDEKAMP and W.S.W. TROLLOPE. 1998a. Response of herbaceous species to a degradation gradient in the western region of Etosha National Park, Namibia. *Koedoe* 41(1): 9-18.
- DU PLESSIS, W.P., G.J. BREDEKAMP and W.S.W. TROLLOPE. 1998b. Development of a technique for assessing veld condition in Etosha National Park, Namibia, using key herbaceous species. *Koedoe* 41(1): 19-30.
- ELS, L.M. and G.I.H. KERLEY. 1996. Biotic and abiotic correlates of small mammal community structure in the Groendal Wilderness Area, Eastern Cape, South Africa. *Koedoe* 39(2): 121.
- HISCOCKS, Kay. 1999. The impact of an increasing elephant population on the woody vegetation in southern Sabi Sand Wildtuin, South Africa. *Koedoe* 42(2): 47-55.
- KYLE, R. 2000. Some notes on the occurrence and conservation status of *Manis temminckii*, the pangolin, in Maputaland, Kwazulu/Natal. *Koedoe* 43(1): 97-100.
- MATTHEWS, W.S. G.J. BREDEKAMP and N. VAN ROOYEN. 1994. The phytosociology and syntaxonomy of relatively low-altitude areas in the North-eastern Mountain Sourveld, in the eastern Transvaal escarpment region. *Koedoe* 37(2): 73-88.
- MWIMA, H.K. 2001. A brief history of Kafue National Park, Zambia. *Koedoe* 44(1): 57-72.
- PENZHORN, B.L. and N.J. VAN DER MERWE. 1993. Testis size and spermatogenesis of tsessebes from Nylsvley Nature Reserve, Transvaal. *Koedoe* 36(1): 95-98.
- RÖSCH, HELGA. 2001. The identification and description of the management units of the Goegap Nature Reserve. *Koedoe* 44(1): 17-30.
- SLOTOW, R. and G. VAN DYK. 2001. Role of delinquent young "orphan" male elephants in high mortality of white rhinoceros in Pilanesberg National Park, South Africa. *Koedoe* 44(1): 85-94.
- SMIT, C.M., G.J. BREDEKAMP, N. VAN ROOYEN, A.E. VAN WYK and J.M. COMBRINCK. 1997. Vegetation of the Witbank Nature Reserve and its importance for conservation of threatened Rocky Highveld Grassland. *Koedoe* 40(2): 85-104.
- VAN DIJK, D.E. 1996. Anuran fauna of the Lesotho Highlands in the Khatse Dam catchment area and Jorodane River region. *Koedoe* 39(2): 77-90.
- VISSER, N., W. VAN HOVEN and G.K. THERON. 1996. The vegetation and identification of management units of the Honnet Nature Reserve, Northern Province, South Africa. *Koedoe* 39(1): 25-42.
- ZIETSMAN, P.C. and H. BEZUIDENHOUT. 1999. Flowering plant biodiversity of Augrabies Falls National Park: a comparison between Augrabies Falls National Park, Kalahari Gemsbok National Park, Vaalbos National Park and Goegap Nature Reserve. *Koedoe* 42(2): 95-112.