

An Comprehensive Analysis And Implementation Of Different Image Enhancement Techniques

M. Karthi¹, K. Subhashini²

¹Assistant Lecturer, ISBAT University, Kampala, Uganda.

²Assistant Professor, SRM Institute of Science and Technology, Chennai

¹artistkarthim@gmail.com, ²subhashinikvt@gmail.com

ABSTRACT

An enhancement method is widely used in several applications is based on the image quality is most important in the human interpretation. The enhancement methods to increasing an image visual quality, it provides more methods or techniques. The main objective of this techniques to process an image to improve visual quality that results more appropriate than original image and used large number of techniques and methods are used. The aim of this paper to reviewing different image enhancement algorithms or to increase image contrast in low-quality image and also enhanced specific extents like medical image, satellite image and infrared image. This technique focused on spatial domain method with explicit respect to histogram processing method, curvelet transform and point processing method. We use various image quality measures, which is measured the performance based on the parameter matrix like Peak Signal to Noise Ratio, Mean Square Error, Average Difference, Normalized Absolute Error.

Keywords

Histogram equalization, Curvelet transform, Point Processing

Article Received: 10 August 2020, Revised: 25 October 2020, Accepted: 18 November 2020

Introduction

In Enhancement, a few techniques are processing the input image used such a good to improve the input image quality that the output image is suitable then the input image for certain application. An original image is converted to digital form and perform some methods to improve the image quality and extract some valuable information from it. The image enhancement techniques used depends upon the application. We used different application depends on the different kind of enhancement methods for example the methods use x-ray, MRI and PET scan images. There are three steps are included in image processing (a) Import original image (2) analysing & manipulating an original image to enhanced and data compression to improve the visual perception and (c) the result of the image altered or report based on the analysis.

Different image techniques and methods are used to improve the test image quality and better diagnosis can be performed. Different ways are used to identify the location of the disease part of this study a major step of the methods are filtering, segmentation, extraction and classification. We used satellite image, infrared image, medical image and entertainment image to enhance the regions. Generally, the satellite image is used by geological and geographic fields for using review propose. To enhance the satellite image used to reduce rough effects or obscurity. The enhancement method is separated into two types frequency and spatial domain and it can be done by Fourier transform. If we increasing frequency and spatial domains the image quality will improved.

There is fundamental step are included in image processing such as (a) Acquisition (b) Enhancement (c) Restoration (d) Wavelet & Multi-resolution (e) Color Image Processing (f) Image Compression (g) Morphological Operation (h) Image Segmentation (i) Object Recognition (j) Image

Classification. It refers to an image sharpening features like contrast, edges and boundaries. The enhancement techniques have to increase the dynamic series of the features that can simply identified target point but aren't increase the inherent data content in the data. These performances are used to increase the image quality of human perception and also used for low level vision.



Figure 1. Filtering Techniques

The process of original image to make clear visible quality and to make more appropriate method for the certain application and to increasing the information content [3] of an image and altered an image visual quality are pre-processing method having one or more attributes are used to modify the specific one to improve vision perception. The image enhancement to modify the attributes and to make the suitable enhancement vision. The spatial techniques are used [4] to altering the Gray-level values of every pixels and to change the contrast of the entire image. Usually this

technique to enhance whole image in the uniform manner to produce many cases to give undesirable outputs. This method like histogram processing an actual change in many images [5] in precise task. In computer vision application, the enhancement methods are pre-processing method having one or more attributes are used to modify the specific one to improve vision perception.

Rashmita Sehgal, Saurabh Gupta proposed the enhancement techniques is used the image quality was improved and reduce kind of noise. The three methods are FFT, Auto enhancement and Gabor filter were compared and proved the proposed method Gabor filter is found better results. To measures the performance of an image using MSE and PSNR. The enhanced image to segment using ROI thresholding and approach a watershed technique was proved a best accuracy value. The feature extraction and selection methods of masking and binarization approach [7].




Figure 2. Image Enhancement Techniques

Related Works

We discussed a huge number of researcher's contribution explaining and description of different image enhancement techniques. To preserving histogram equalisation of background image brightness and contrast. K.S. Sim, Tso & T.L. Tan was proposed bi-histogram equalisation method to preserve the background image illumination and contrast by decomposing the two input images. The sub image is combined and equalized with output [15].

Hojjat Seyed, Seyed Pooya and Babak [16] was contributed a new framework of adaptive iterative histogram matching algorithm. The proposed technique to enhancing the chromosome image brightness and contrast especially in banding pattern. The initially an image needs to be matched and created some processes on the image histogram. Peizhong [17] and Min Liu was proposed on video based multi-dimensional biometric techniques was implemented and executed. The image enhancement techniques are used as the evaluation function of video frame analysis and CI rate in this system. This technique was implemented in point-based analysis of multi-dimensional informatics.

B.N.Chatterji and Biswas was implemented a resonance based method used to enhance low contrast image. It can be derivation of optimum threshold expression method. To enhance a low-quality image to increasing standard deviation added iteratively [18].

A. Asuntha, A. Brindha, S. Indirani [43] proposed the noise reduction and blur the enhanced original image using Gabor filtering method used CT, MRI and ultrasound image. The canny filter is used for image edge detection. The enhanced image is segmented using the methods of super pixel segmentation method. Finally, the feature extraction a classification technique the image was diagnosed using the feature of an area of interest, shape, nodule size and improve contrast and classification methods of PSO (Particle Swarm Optimization), Genetic Optimization techniques and SVM (Support Vector Machine) was compared various classification method and get the best accuracy value.

In this result, [44] the proposed methods to detect cancer cells is more accurate rate when it's compared to existing methods. Smoothing input image and also blur using the methods of median filter to reduce noise and enhancing the original image to histogram equalization. In segmentation using marker watershed algorithm, the image is converted to grayscale and compute the segmentation function of gradient magnitude. We find foreground and a background point in the image. The image is extracted in the function area, perimeter and standard deviation, entropy and kurtosis. The extracted feature is detected tumor and use supervised and un-supervised classifier to classify the tumor identification. The proposed method performance to measure 72.2% and the proposed method developed by Md Rashidul Hasan and Muntasir AI Kabir.

The comparative study [45] of this proposed, the different color images are used to evaluate the different color regions. It reduces noise and also blur using median filter. The next stage, enhancing image are dividing and separate the number of clusters and then the minimum number of distances have found the clustering techniques. The comparative two segmentation methods are k-mean clustering and thresholding approach has performed in this proposed. The performance of five different color images was segmented and measures MSE, SSIM and PSNR. By using thresholded method some images are performed MSE and SSIM are better value, but most the color images are measures high accuracy rate in k-mean clustering and the proposed development by Preeti Panwar, Girdhar Gopal, Rakesh Kumar.

In this research, the ICC images (immune cyto chemical) are counting number of cells using image analysis techniques. The proposed techniques are implemented for 4 major steps: image pre-processing, cell partitioning and bound nucleus. In pre-processing, reduce noise and smoothing by spatial filter and to eliminate image background using morphology opening operation. Furthermore, the nucleus is separated from antigens using Euclidean distance method, and using global thresholding algorithm to the separating bound nucleus. Finally, the results performed standard deviation and error ratio of the proposed give better accuracy result 6.39% and 6.75% respectively. The proposed method improved by Ramin M., Ahmadvand and P., Sepas-Moghaddam [46].

P. Bhuvanewari, Dr. A. Brintha focused lung cancer detection in early stage using Genetic K-Nearest Neighbour (GKNN) Technique. Enhancing an original image is convert to gray-scale image is applied to Gabor filter is texture analysis and to extract the feature contrast. Non-Parametric technique used for regression and classification in KNN

algorithm. In research work, combine the genetic algorithm and KNN algorithm to improve the accuracy rate for classification and each iteration value to be classified in genetic algorithm. The sample dataset is classified with nearest neighbours and calculate the number of k-value to get the highest accuracy [47].

The proposed techniques are implemented by pre-processing to reduce noise reduction and smoothing of the original image quality was improved. In this article, [48] the Gabor filter used for de-noising the original image. In segmentation, Otsu's method can perform cluster-based thresholding and it convert into a binary image. It assumes two-pixel classes compute the threshold value and separate two classes and the total variances and mean is calculating threshold value. A `graythresh()` method are used to perform Otsu thresholding. The present work proposed the super pixel segmentation to detect the cancerous and non-cancerous cells effectively. In classification, the support vector machine (SVM) to classify better accuracy 91% compared other classification method. The proposed method implemented by A. Asuntha, A.Brindha and S.Indirani.

The proposed techniques are implemented by pre-processing to reduce noise reduction and smoothing of the original image quality was improved. In this article, the median filter was used to eliminate the noise and to improve the image quality. [29] In segmentation, Otsu's method can perform cluster-based thresholding and it convert into a binary image. It assumes two-pixel classes compute the threshold value and separate two classes and the total variances and mean is calculating threshold value. A `graythresh()` method are used to perform Otsu thresholding. The proposed method to implement bulb detection method is used for the segmentation. The bulb detection, the filter images are subtracted to identifying a small tumor size to find easily the stages of lung cancer. In classification, the support vector machine (SVM) to classify better accuracy 92% compared other classification method. The proposed method implemented by Prashant Mane, Nilakshi Maruti Mule & Premkumar Yadu Mohite.

Gaurav Kumar and Pradeep Kumar Bhatia reviewed different types of features selection and extraction in this system [33]. Feature extraction performance is used to performed the specific features in segmented images of find different abnormal categories. These techniques are used to extracts the image high-level features selection and extractions are needed in command to perform classification of image. In these techniques are described an image size, shape, composition, location etc. The extraction methods are performed any pattern classification and its aims to extract the relevant information and to classify the image.

In this article, [39] find the breast cancer detection using mammogram images. The various proposed methodology involved in this paper. To reduce input image noise and smoothing using Gaussian filter quality was improved using histogram equalization to improve the contrast and the image is converting to gray-scale. Using watershed segmentation to detect the bounded shape area and to extract the cell using morphology operation, it includes color based feature, wavelet features, gray-level and color gray-level texture features. Finally, the classification approaches fuzzy neural network, KNN (k-nearest neighbourhood) and support vector machine algorithms was compared and

proved that the KNN (k-nearest neighbourhood) is suitable for better classifier. The performances measure the sensitivity, accuracy, precision and recall giving best survival rate. The proposed method was developed by Malik Braik, Alaa Sheta.

The image enhancement to modify the attributes and to make the suitable enhancement vision. The spatial techniques are used [45] to varying the Gray-level values of every image pixels and to change the entire image contrast. Usually this technique to enhance whole image region in the even manner to produce several cases to give undesirable outputs. This method like histogram processing an actual change in many images [35] in precise task. In computer vision application, the enhancement methods are pre-processing method having one or more attributes are used to modify the specific one to improve vision perception.

In this result, the proposed methods to detect cancer cells is more accurate rate when it's compared to existing methods. Smoothing input image and also blur using the methods of median filter to reduce noise and enhancing the original image to histogram equalization. In segmentation using marker watershed algorithm, the image is converted to grayscale and compute the segmentation function of gradient magnitude. We find foreground and a background point in the image. The image is extracted in the function area, perimeter and standard deviation, entropy and kurtosis. The extracted feature is detected tumor and use supervised and un-supervised classifier to classify the tumor identification. The proposed method performance to measure 72.2% and the proposed method developed by Md Rashidul Hasan and Muntasir AI Kabir [5].

The comparative study of this proposed, the different color images are used to evaluate the different color regions. It reduces noise and also blur using median filter. The next stage, enhancing image are dividing and separate the number of clusters and then the minimum number of distances have found the clustering techniques. The comparative two segmentation methods are k-mean clustering and thresholding approach has performed in this proposed. The performance of five different color images was segmented and measures MSE, SSIM and PSNR. By using threshed method some images are performed MSE and SSIM are better value, but most the color images are measures high accuracy rate in k-mean clustering and the proposed development by Preeti Panwar, Girdhar Gopal, Rakesh Kumar [12].

In this proposed, using Hough transform method the red blood cells are counting automatically. The Hough transform is used to estimate the blood cells following five major categories: pre-processing, image segmentation, extraction and cell counting. In filtering techniques, the input image is converting to #HSV image. The image saturation is clearly displaying a bright component. Furthermore, the segmentation was finding minimum and maximum threshold value from histogram equalization information. Based on information the saturation image is divided into binary format. The morphological operation of area closing and dilation is applied to maximum pixel value and XOR operation based on morphology operation is applied to binary images and to extract the RBC using circular Hough transform developed Venkatalaksmi B. and Thilagavathi K [18].

Spatial Domain

The technique is directly manipulated with pixels its also known as spatial domain filtering method. Filtering method can perform image brightness, contrast and image quality and to measures the image quality using MSE and PSNR. The formulated as

$$g(x, y) = T(f(x, y)) \tag{1}$$

where g is an output image, input image is f and T is perform on the input image. It formed a three different form such as mask processing, histogram-based and point processing. The different kind of techniques are:

3.1. Gray-Level Transformation

Several methods are implemented in Gray-Level transformation such as linear processing, point processing, power-low processing, piece-wise processing and log transformation processing. An Image Processing Techniques mainly focused on gray level image transformation as it functions directly on every pixels. The gray level image involves 256 levels of gray and in a histogram, parallel axis spans from 0 to 255, and the vertical axis depends on the quantity of pixels in the image.



3.1.1. Log Transformation Processing

It's one of the basic levels of image enhancement method of the spatial domain. It's used to contrast enhanced of dark image very effectively and altered [6] Gray-level image pixels. The log transformation maps the input image has narrow series of low-level gray values to a wider range of output rate. The equation of Log Transform is:

$$S = c \log(1 + r) \tag{2}$$

Where,

- S ---- gray-level output
- r ---- input
- c ---- Constant



(a) Original Image (b) Log Transformation c=1
Figure 2. logarithmic Transformation

3.1.2. Power – Low Transformation Method

It's another common method of gray-level transformation in a spatial technique. It's parallel to frequency domain and log transformation. Its similar process to alpha rooting in frequency domain technique is done by increasing input image gray-level value and the extensive series of output values increasing the image contrast [6] the calculation of power low transformation technique as:

$$S = br^\gamma \tag{3}$$

Where,

- S --→ gray-level output
- r ---→ input
- b ---→ Constant

This equation as represented as among the value of original image intensity and o/p image intensity as




Figure 3. Different gamma values in power-law transformation

Figure 3 shows that we used different gamma values when the gamma value is less than 1 an image intensity is lower side. If the value is greater than 1 the intensity is higher side. If the value is more than one a higher input rate is mapped with lower side this function is defined as gamma correction. [8] we explained how gamma correction work in CRT monitor, the original image is display in dark side and used some kind of gamma correction measurement applied in CRT. Now, the original image changed properly in going to perform in gamma correction and apply power law transformation.




Figure 4. Different gamma values in power-law transformation values c=1 & γ = 0.6, 0.4 & 0.3

Figure 4 shows that the various gamma correction and various power law transformation can perform same input image. The original image to become darker.

3.1.3. Histogram Processing, Matching and Equalization

The intensity range of histogram processing [0, L-1], the function is:

$$h(r_k) = n^k$$

(4)

Where,

rk -> kth intensity level

nk -> No. of pixel

The total number pixel is usually normalized with histogram, we assume an image M x N kernel the function is:

$$p(r_k) = n^k / M \times N$$

Where,

P(r_k) -> kth intensity level




Figure 5. Form of Histogram Equalization

[8] When automatically control the transformation function to produce a uniform histogram in output image. The histogram identical of gray scale distribution in single image to another one. A histogram levelling is best algorithms in image [7] enhancement methods. It's adjusting intensities and to improve the image contrast and relative frequency occurrence of grey level image.




Figure 6. Use different image in Histogram Matching

Frequency Domain

It's based on the orthogonal transform method of an pixel. These techniques to enhanced in frequency domain the function is

$$G(u, v) = H(u, v) F(u, v)$$

Where the [9] [10] enhanced image represent as G(u, v), input image represent F(u, v) and transfer function enhanced H(u,v).




Figure 7. Using frequency domain to enhance image visual perception

The low pass & high pass filter can be used in frequency domain processing. A low pass filter would elimination high components in an image, but it suffers two cases blurring and ringing its associated with spatial domain filter. A high pass filter to make image sharper and its works similar to low pass filler but used different kernel. Usually this technique to enhance entire image in the uniform manner to produce several cases to give undesirable outputs. This method like histogram processing an actual change in many images [5] in precise task. In computer vision application, the enhancement methods are pre-processing method having one or more attributes are used to modify the specific one to improve vision perception.

Performance Measures

There are different image quality measurements technique are used to assess and evaluate the feature of an image like MSE, PSNR, Universal Image Quality Index (UIQI), Structured Similarity Index Method, Feature Similarity Index Method (FSIM) and Human Vision System (HVS) etc.,

5.1. Mean Squared Error (MSE)

MSE is most common method to estimate the image feature and the value is very closer to zero. It's to estimate unobserved quantity of the image and its measures the average squares of the error. The average square error is variance between the actual value and assessed value.

In that equation, the two images and is defined as

$$MSE = \frac{1}{MN} \sum_{n=0}^M \sum_{m=1}^N [\hat{g}(n, m) - g(n, m)]^2$$

(7)

Where the MSE is the mean Squares of the error

5.2 PSNR (Peak Signal to Noise Ratio)

The performance measures to compute the ratio among two images. The quality of image reconstruction of lossy image density codecs and the signal is measured as actual data and noise error. Its defined as:

$$PSNR = 10\log_{10} \left(\frac{\text{peakval}^2}{MSE} \right)$$

(8)
Where,
Peakval – Peak value is maximum image data and its unsigned 8-bit integer data type.

Review Processing

S.NO	TITLE	AUTHOR	TECHNIQUES	MERITS	LIMITATIONS
1	Contrast enhancement of dark images using stochastic resonance	R.K. Jha, P.K. Biswas, B.N. Chatterjee [18]	Stochastic Resonance	There is no colour loss and spot in the enhanced image.	Technique used for very low-contrast images.
2	Fusion Based Multi Scale RETINEX with Color Restoration for Image Enhancement	Sudarshan Parthasarathy, Praveen Sankaran [19]	Retinex	Efficient for dynamic range coefficients	There will be gray level violation problem.
3	Nonlinear Transfer Function-Based Local Approach for Color Image Enhancement	Deepak Ghimire and Joonhoan Lee [20]	Function-Based Local Approach	The original color of the enhanced image is not altered.	image is not altered.
4	Content-Aware Dark Image Enhancement Through Channel Division	Adin Ramirez Rivera, Byungyong Ryu, and Oksean [22]	Channel Division	preserves the smoothness of flat regions	Avoids over enhancement problems only with normal dynamic ranges.
5	Mixed Frequency domain and spatial of enhancement algorithm for infrared image	Zhang Chaofu, MA Lina, Jiao Li-xia [23]	Mixed Frequency and Spatial domain enhancement algorithm	The target and background both are enhanced in infrared image.	----
6	Image enhancement using background brightness preserving histogram equalization	T.L. Tan, K.S. Sim and C.P. Tso [15]	Histogram Equalisation	Maintain the background brightness.	Not much suitable for color images.
7	Chromosome Image Contrast Enhancement Using Adaptive, Iterative Histogram Matching	Seyed Pooya Ehsani, Hojat Seyed Mousavi, Babak H [16]	Adaptive Iterative Histogram Matching	Best visualization effect on banding pattern.	Creates some unwanted blurring in edges and borders.
8	Image Enhancement Algorithm for Video Based on Multi-Dimensional Biomimetic Informatics	Min Liu, Peizhong Liu [17]	Multidimensional Biomimetic Informatics	This technique can avoid complex mathematical Computations.	The enhancement effect is not so obvious on the border.
9	An Improved Image Contrast Enhancement in Multiple-Peak Images Based on Histogram Equalization	S.C.F. Lina [14]	AVHQ (Averaging Histogram Equalization)	This technique is able to produce contrast enhanced images that are more desirable than current available methods in terms of brightness preservation.	increased information content, object gradient sharpness and global contrast.
10	Content Aware Dark Image Enhancement through Channel Division	Adin Ramirez Rivera [13]	Content Aware	This technique uses to Enhance the appearance of human faces and blue skies with or without clouds without introducing artifacts.	----
11	Image Dependent Brightness Preserving Histogram Equalization	P. Rajavel [10]	IDBPHE (Image Dependent Brightness Preserving Histogram Equalization)	This technique identifies Region by wrapping discrete curvelet transform preserve high degree of brightness.	---
12	An Improved Image Contrast Enhancement in Multiple-Peak Images Based on Histogram Equalization	Fan Yang [9]	Multiple-Peak	This technique uses Gaussian filter to reduce the noise interference & blocking effect.	---

Table 1: Image Comparison of various enhancement techniques using Satellite image

S.NO	AUTHOR	TECHNIQUE	RESULTS	INFORMATION
1	Aditi Sharma and Ajay Khunteta [32]	Singular Value Decomposition (SVD), Discrete Wavelet Transform (DWT)		(a) Input Image; (b) GHE Image; (c) LHE Image; (d) SVE Image; (e) DWT Image; (f) Proposed Method Image
2	H. Singh and A. Kumar [30]	Beta Wavelet, Gamma Correction, Knee Transfer Function		(a) Input Image; (b) GHE Image; (c) Betawavelet Image
3	S. Oudaya Coumar and et al [41]	Discrete Wavelet Transform (DWT), Prevalent Glaze Level, Image Decomposition, Adaptive Intensity Transfer Function Estimation, Contrast Enhancement, Boundary Smoothing, Priority Map Estimation, Image Fusion		(a) Low contrast satellite image; (b) LL, LH, HL&HH Subband of DWT; (c) Segmentation of blocks; (d) Low radiant zone; (e) High radiant zone; (f) Medium radiant zone; (g) Comparison of Existing Method
4	B. D. Jadhav and P. M. Patil [42]	Discrete Wavelet Transform (DWT), Interpolation, Discrete Wavelet Transform (IDWT)		(a) Original Image; (b) DWT; (c) IDWT
5	Nitin Sharma and Om Prakash Verma [43]	Gamma Correction, Singular Value Decomposition (SVD), Discrete Wavelet Transform (DWT)		(a) Low contrast satellite image; (b) Demirel's based enhanced satellite image; (c) Proposed method based enhanced satellite image

Table 2: Image Comparison of Various Enhancement Techniques using Infrared Image

S.NO	AUTHOR	TECHNIQUE	RESULTS	INFORMATION
1	Liming Sun and et al [36]	Bilateral Filtering, Most Value Normalizing, Scurve Transform, Gray scale compression		(a) Original infrared image; (b) Histogram equalization; (c) Fungsi Gaussian; (d) Gray level; (e) Scurve Transformation; (f) Result of Proposed Method
2	Yan Zhou and et al [44]	Curvelet Transform, Threshold Function, Nonlinear mapping function.		(a) Original infrared image; (b) Histogram equalization; (c) AENSCCT; (d) Result of Proposed Method
3	Ying Li and et al [38]	Retinex Algorithm, SSR Algorithm, MSR Algorithm		(a) Original infrared image; (b) Histogram equalization; (c) Frankle-McCann Retinex Algorithm; (d) McCann99 Retinex Algorithm; (e) SSR Algorithm; (f) MSR Algorithm
4	Bichao Zhan and Yiqun Wu [29]	Wavelet Transformation		(a) Original Image; (b) Histogram Equalization; (c) Unsharp Masking; (d) DSWT Enhancement; (e) Multiscale Retinex; (f) Proposed Method
5	Zhiqiang Guan and et al [35]	Wavelet Transformation, Morphological Filter, Gaussian Function, Image Fusion		(a) Original Image; (b) Laplacian Filter; (c) Morphological Sharpening Filter; (d) Fuzzy-set and Multi-scale Wavelet

Table 3: Image Comparison of Various Enhancement Techniques using Medical Image

S.NO	AUTHOR	TECHNIQUE	RESULTS	INFORMATION
1	He Wen and et al [27]	Discrete Wavelet Transform (DWT), Homomorphic Filtering, IDWT, CLAHE		(a) Original Image; (b) Histogram Equalization; (c) CLAHE; (d) Unsharp Masking; (e) High Frequency Emphasis Filter; (f) Proposed Method
2	Wang Rui and Wang Guoyu [39]	Homomorphic Filter, Total Variation		(a) Original Image; (b) CLAHE; (c) Multiscale Retinex; (d) TV-Homomorphic Filter
3	Liu Jing and Xiong Jie [7]	Context and Gradient Nonlinear Function, Context and Gradient Smoothing		(a) Original Image; (b) Homomorphic Filtering; (c) Multiscale Retinex; (d) Photoshop Histogram Equalization; (e) Proposed Method
4	Ili Ayumi Mohd Ikhlan and et al [28]	Histogram Equalization, Gamma Correction, Contrast Limited Adaptive Histogram Equalization (CLAHE)		(a) Original Image; (b) Histogram Equalization; (c) Gamma Correction; (d) CLAHE
5	Lina Septiana and Kang-Ping Lin [29]	Histogram Equalization, Anisotropic Diffusion with Weighted K-Means Clustering		(a) Original Image; (b) Cropped X-ray Image; (c) Histogram Equalization; (d) Proposed Method X-ray Image

Table 4: Comparison of Various Enhancement Techniques using Entertainment Image






S.NO	AUTHOR	TECHNIQUE	RESULTS	INFORMATION
1	Heungsoo Kim and et.al [35]	SSR Algorithm, MSR Algorithm, Threshold Function		(a) MSR Algorithm; (b) Reference Algorithm; (c) Proposed Algorithm
2	Huijie Liu and et.al [16]	MSR Algorithm, Guided Filter, Saturation Enhancement		(a) Original Image; (b) MSR Algorithm; (c) MSRRCR Algorithm; (d) Hao's Algorithm; (e) He's Algorithm; (f) Proposed Algorithm
3	Minako Kamiyama and Akira Taguchi [3]	Preserving Hue, Preserving Saturation, Preserving Intensity		(a) Original Image; (b) Preserving Hue & Saturation; (c) Preserving Hue & Intensity; (d) Combination (b) and (c); (e) Result of [22]
4	Xiong Jie and et.al [5]	Butterworth Homomorphic Filter, Multi-scale Gaussian Homomorphic Filter, Combination of Butterworth and Multiscale Gaussian		(a) Original Image; (b) NASA Technology; (c) Proposed Algorithm
5	Su-Ling Lee and Chien-Cheng Tseng [8]	Homomorphic Filtering Method, Discrete Cosine Transform (DCT)		(a) Original Backlight Image; (b) Enhanced Color Image; (c) Histogram Equalization; (d) Multi-scale Retinex

Table-1 shows that the implementation of satellite pixel enhancement using DWT (Discrete Wavelet Transform) method. Generally, wavelet means small wave which has changing frequency and limited extent. It can map incessant variable functions because DWT is based on wavelets can check signal on the spatial and frequency domain simultaneously.

Table-2 shows that the implementation of infrared image enhancement using Gaussian and retinex algorithm. Each technique has more efficient and improved image quality and its basically modify the attributes to improve the image region compared and proved better method. Table -3 show that the medical image is most important in diagnosing a cancer disease. We used x-ray image to improve the image quality using enhancement algorithm to clearly diagnosing disease. The early detection of disease finds out is most important in this medical field.

Table- 4 show that the implementation of entertainment image using different enhancement techniques to eliminate the noise and improve better image quality. The enhancement technique based on improving image brightness, noise reduction, contract and image color level.

Discussion

Several image enhancement methods are used to improve the quality of test images and better diagnosis can be performed. Different ways are used to identify the location of the disease part of this study a major step of the methods are filtering, segmentation, extraction and classification. We used satellite image, infrared image, medical image and entertainment image to enhance the regions. Generally, the satellite image is used by geological and geographic fields for using review propose. To enhance the satellite image

used to reduce rough effects or obscurity. to reviewing different image enhancement algorithms or to increase image contrast in low-quality image and also enhanced specific extents like medical image, satellite image and infrared image. This technique focused on spatial domain method with explicit respect to histogram processing method, curvelet transform and point processing method and to measure the image quality using MSE and PSNR value. Its to compress and check quality measures between original and compressed image.

Conclusion

The review of this work has been taken on several image enhancement techniques and methods to view. The enhancement method is import role in the image processing domain. We reviewed most of the techniques are very useful to enhance the image quality and to altering image gray-level values of every pixel and change the image contrast in whole image. Usually, an image to enhance uniform manner to whole image and produce undesirable output. The particular techniques to enhance an image spectator quality, review conditions and image content. The method of point processing to improve the image complexity and image negative is appropriate for upgrading white areas to implanted in light and dark areas. The purpose of power-law transformation is helpful for image contrast manipulation and improving light and dark image region using log transformation. The survey of the paper to compared and discussed different techniques and choose the best method to enhanced image quality for particular task.

References

- [1] S. Kushwaha and D. R. K. Singh, "Study and Analysis of Various Image Enhancement Method using MATLAB," International Journal of Computer Science, vol. 3, no. 1.
- [2] S. Bharal, "A SURVEY ON VARIOUS UNDERWATER IMAGE ENHANCEMENT TECHNIQUES," International Journal of Computer Application (2250-1797) , vol. 5, no. 4, 2015.
- [3] Minako Kamiyama, Akira Taguchi. Hue-Preserving Color Image Processing with a High Arbitrariness Without Gamut Problem. 978-1-5090-0629-8/16/\$31.00 ©2016 IEEE.
- [4] S. O.Mundhada and P. V. K. Shandilya, "Spatial and Transformation Domain Techniques for Image Enhancement," International Journal of Engineering Science and Innovative Technology (IJESIT), vol. 1, no. 2, 2012.

- [5] Xiong Jie, Han Li-Na, Geng Guo-Hua, Zhou MingQuan. Based on HSV Space Real-Color Image Enhanced By Multi-scale Homomorphic Filters in Two Channels. Global Congress on Intelligent Systems. 978- 0-7695-3571-5/09 \$25.00 © 2009 IEEE.
- [6] J. Y. im, L. Kim and S. H. Hwang, "An advanced Contrast Enhancement Using Partially Overlapped Sub –Block Histogram Equalization," IEEE Transactions on Circuits and Systems for Videc Technology, vol. 11, no. 4.
- [7] S. Bedi and R. Khandelwal, "Various Image Enhancement Techniques- A Critical Review," International Journal of Advanced Research in Computer and Communication Engineering, vol. 2, no. 3, 2013.
- [8] Su-Ling Lee, Chien-Cheng Tseng. Image Enhancement using DCT-Based Matrix Homomorphic Filtering Method. APCCAS 2016. 978-1-5090-1570-2/16/\$31.00 ©2016 IEEE
- [9] F. Yang and J. Wu, "An Improved Image Contrast Enhancement in Multiple-Peak Images Based on Histogram Equalization," IEEE International Conference on Computer Design and Applications, 2010.
- [10] P. Rajavel, "Image Dependent Brightness Preserving Histogram Equalization," IEEE Transactions on Consumer Electronics, vol. 56, no. 2, 2010.
- [11] M. D. Vishwakarma, "Image Pixel Interdependency Linear Perceptron Network," IJARCS, vol. 2, no. 4, 2011.
- [12] X. Fang, J. Liu, W. Gu and Y. Tang, "A Method to Improve the Image Enhancement Result based on Image Fusion," 2012.
- [13] R. Rivera, B. Ryu and O. Chae, "Content Aware Dark Image Enhancement through Channel Divison," IEEE Transactions on Image Processing, vol. 21, no. 9, 2013.
- [14] S. Lin, C. Wong, M. Rahman, G. Jiang, S. Liu, N. Kwok, H. Shi, Y.- H. Yu and T. Wu, "Image enhancement using the averaging histogram equalization (AVHEQ) approach for contrast improvement and brightness preservation," Computers & Electrical Engineering, pp. 1-15, 2015.
- [15] T.L. Tan, K.S. Sim and C.P. Tso "Image enhancement using background brightness preserving
- [16] Huijie Liu, Xiankun Sun, Hua Han, Wei Cao. Low-light Video Image Enhancement Based on Multiscale Retinex-like Algorithm. 2016 28th Chinese Control and Decision Conference (CCDC). 978-1-4673-9714- 8/16/\$31.00c 2016 IEEE.
- [17] Seyed Pooya Ehsani, Hojjat Seyed Mousavi, Babak.H. Khalaj "Chromosome Image Contrast Enhancement Using Adaptive, Iterative Histogram Matching" 978-1-4577-1535- 8/11/ ©2011 IEEE
- [18] Min Liu, Peizhong Liu "Image Enhancement Algorithm for Video Based On Multi-Dimensional Biomimetic Informatics" 978-0-7695-4647-6/12 © 2012 IEEE DOI 10.1109/ ICCSEE.2012.244
- [19] R.K. Jha, P.K. Biswas, B.N. Chatterji "Contrast enhancement of dark images using stochastic resonance" IET Image Process., 2012, Vol. 6, Iss. 3, pp. 230–237; doi: 10.1049/iet-ipr.2010.0392
- [20] Sudharsan Parthasarathy, Praveen Sankaran "Fusion Based Multi Scale Retinex with Color Restoration for Image Enhancement" 978-1-4577-1583-9/ 12/ © 2012 IEEE
- [21] Deepak Ghimire and Joonwhoan Lee "Nonlinear Transfer Function-Based Local Approach for Color Image Enhancement" IEEE Transactions on Consumer Electronics, Vol. 57, No. 2, May 2011
- [22] Hong ZHANG , Qian ZHAO , Lu LI, Yue-cheng LI , Yuhu YOU "Muti-scale Image Enhancement Based on Properties of Human Visual System" 978-1-4244-9306-7/11/ ©2011 IEEE
- [23] Adin Ramirez Rivera, Byungyong Ryu, and Oksam Chae "Content-Aware Dark Image Enhancement through Channel Division" IEEE Transactions on image processing, VOL. 21, NO. 9, SEPTEMBER 2012
- [24] Zhang Chaofu, MA Li-ni, Jing Lu-na "Mixed Frequency domain and spatial of enhancement algorithm for infrared image" 978-1-4673-0024-7/10/©2012 IEEE

- [25] Kim, Y.T.: „Contrast enhancement using brightness preserving bi-histogram equalization“, IEEE Trans. Consum. Electron, 1997, 43, (1), pp.1–8
- [26] Wang, Y., Chen, Q., and Zhang, B.: „Image enhancement based on equal area dualistic sub-image histogram equalization method“, IEEE Trans. Consum. Electron, 1999, 45, (1), pp. 68– 75
- [27] He Wen, Wu Qi, Li Shuang. Medical X-ray Image Enhancement Based on Wavelet Domain Homomorphic Filtering and CLAHE. 2016 International Conference on Robots & Intelligent System. 978-1-5090-4155-8/16 \$31.00 © 2016 IEEE.
- [28] P. Kavitha, S. Prabakaran “Adaptive Bilateral Filter for Multi-Resolution in Brain Tumor Recognition” International Journal of Innovative Technology and Exploring Engineering (IJITEE) ISSN: 2278-3075, Volume-8 Issue-8 June 2019.
- [29] Bichao Zhan, Yiquan Wu. Infrared Image Enhancement based on Wavelet Transformation and Retinex. 2010 Second International Conference on Intelligent Human Machine Systems and Cybernetics. 978-0-7695-4151- 8/10 \$26.00 © 2010 IEEE.
- [30] H. Singh, A. Kumar. Satellite Image Enhancement using Beta Wavelet based Gamma Corrected Adaptive Knee Transformation. International Conference on Communication and Signal Processing, April 6-8, 2016, India. 978-1-5090-0396-9/16/\$31.00 ©2016 IEEE.
- [31] Vartika Singh, Gourav Kumar, Geetika Aurora. Analytical Evaluation for the Enhancement of Satellite Image using Swarm Intelligence Technques. 2016 International Conference on Computing for Sustainable Global Development (INDIACom). 978-9-3805-4421-2/16/\$31.00 ©2016 IEEE.
- [32] Aditi Sharma, Ajay Khunteta. Satellite Image Contrast and Resolution Enhancement using Discrete Wavelet Transform and Singular Value Decomposition. International Conference on Emerging Trends in Electrical, Electronics and Sustainable Energy Systems (ICETEESES–16). 978-1-5090-2118-5/16/\$31.00 ©2016 IEEE.
- [33] P. Kavitha, S. Prabakaran “Brain Tumor Image Segmentation Using Hybrid Assured Convergence Particle Swarm Optimization and Fuzzy C-Means” International Journal of Scientific & Technology Research ISSN: 2277-8616, Volume-9 Issue-2 February 2020.
- [34] P. Kavitha, S. Prabakaran “Brain Tumor Analysis in BASF Framework” International Journal of Innovative Technology and Exploring Engineering (IJITEE) ISSN: 2278-3075, Volume-8 Issue-9S3 July 2019.
- [35] Heungsoo Kim, Seungwoo Wee, Jechang Jeong. Tone Mapping Method based on Retinex Algorithm using Threshold Function. Proceedings of NIDC2016. 978-1- 5090-1246-6/16/\$31.00 ©2016 IEEE.
- [36] Liming Sun, Jintao Wang, Shanshan Li. A New Infrared Image Enhancement Algorithm. 2017 29th Chinese Control And Decision Conference (CCDC). 978-1-5090-4657-7/17/\$31.00c 2017 IEEE.
- [37] Li Shu-xin, Zhang Zhi-long, Li Ji-chen, Yang Wei-ping. Infrared Image Enhancement Algorithm Based on Retinex Theory and Adaptive Gain Control. 978-1-4799-1027-4/13/\$31.00 ©2013 IEEE.
- [38] Ying Li, Changzhi Hou, Fu Tian, Hongli Yu, Lei Guo, Guizhi Xu, Xueqin Shen, Weili Yan. Enhancement of Infrared Image Based on the Retinex Theory. Proceedings of the 29th Annual International. Conference of the IEEE EMBS. Cité Internationale, Lyon, France. 1-4244-0788-5/07/\$20.00 ©2007 IEEE.
- [39] Wang Rui, Wang Guoyu. Medical X-ray Image Enhancement Method Based on TV-Homomorphic Filter. 2017 2nd International Conference on Image, Vision and Computing. 978-1-5090-6238-6/17/\$31.00 ©20 17 IEEE.
- [40] Guodong Wang, Yue Cheng, Lei Zhang, Zhengjun Zhai. Real-Time Image Detail Enhancement Implementing on Multi-core DSP Platform. ICIS 2017, May 24-26, 2017, Wuhan, China. 978-1-5090-5507-4/17/\$31.00 ©2017 IEEE.
- [41] S. Oudaya Coumar, R. Aravindraja, S. Arulambalam, R. Raam Naaraayan, A. Senthil Prasad. Contrast Enhancement of Satellite Images using Advanced Block

- Based DWT Technique. 2016 Fifth International Conference on Recent Trends in Information Technology. 978-1-4673-9802-2/16/\$31.00©2016IEEE
- [42] B. D. Jadhav, P. M. Patil. An Effective method for Satellite Image Enhancement. International Conference on Computing, Communication and Automation (ICCCA2015). ISBN:978-1-4799-8890-7/15/\$31.00 ©2015 IEEE.
- [43] Nitin Sharma, Om Prakash Verma. Gamma Corection Based Satellite Image Enhancement using Singular Value Decomposition and Discrete Wavelet Transform. 2014 IEEE International Conference on Advanced Communication Control and Computing Technologies (ICACCCT). ISBN No. 978-1-4799-3914-5/14/\$31.00 ©2014 IEEE.
- [44] Yan Zhou, Qingwu Li, Guanying Huo. An Adaptive Enhancement Algorithm for Infrared Images. 2015 7th International Conference on Intelligent Human-Machine Systems and Cybernetics. 978-1-4799-8646-0/15 \$31.00 © 2015 IEEE.
- [45] Ayushi Shukla, Chinmay Parab and Pratik Patil “Lung Cancer Detection using Image Processing Techniques” International Research Journal of Engineering and Technology (IRJET) Volume: 05 Issue: 04 | Apr-2018.
- [46] Rashidul Hasan and Muntasir AI Kabir “Lung Cancer Detection and Classification based on Image Processing and Statistical Learning” DOI:10.13140 / RG.2.2.29499.46887
- [47] Preeti Panwar, Girdhar Gopal, Rakesh Kumar “Image Segmentation using Kmeans clustering and Thresholding” International Research Journal of Engineering and Technology (IRJET) Volume: 03 Issue: 05 | May-2016
- [48] Kumar R., Srivastava R., Srivastava S. “Detection and Classification of Cancer from Microscopic Biopsy Images Using Clinically Significant and Biologically Interpretable Features” Proc of Journal of Medical Engineering, Volume 2015 (2015), Article ID 457906, 14 pages.
- [49] P.Bhuvaneshwari, B. Therese, "Detection of Cancer in Lung with K-NN Classification Using Genetic Algorithm", Procedia Materials Science, vol. 10, pp. 433-440, 2015
- [50] Asuntha , A.Brindha , S.Indirani , Andy Srinivasan “Lung Cancer Detection Using SVM Algorithm and Optimization Techniques” Journal of Chemical and Pharmaceutical Sciences Volume 9 Issue 4 - December 2016.