

Biology

## Coenzyme Q10

### A Ubiquitous Supplemental Enzyme Contributing to the Health

**Igor Amerl Silić \***

University of Zagreb, Ul. Radoslava Cimermana 88, 10000, Zagreb, Croatia

\*: All correspondence should be sent to: Dr. Igor Amerl Silić.

Author's Contact: Igor Amerl Silić, Ph.D., M.Sc., E-mail: [imsilic1@gmail.com](mailto:imsilic1@gmail.com)DOI: <https://doi.org/10.15354/si.23.re825>

Funding: No funding source declared.

COI: The author declares no competing interest.

**Coenzyme Q10 (CoQ10) is an endogenous molecule that is ubiquitously found throughout the cellular composition of the human organism. The aforementioned substance plays a crucial function in the production of energy and serves as a potent antioxidant, safeguarding cells against harm induced by free radicals. As individuals progress in age, there is a tendency for the amounts of CoQ10 in their bodies to diminish, resulting in a range of health consequences. Research has indicated that the addition of CoQ10 through supplementation can yield a multitude of advantageous outcomes. Research has demonstrated that it can enhance energy production in cardiac cells and mitigate oxidative stress, so contributing to the improvement of heart health. Furthermore, CoQ10 has demonstrated potential in the management of several illnesses such as hypertension, migraines, and fibromyalgia, attributed to its capacity to enhance mitochondrial activity and alleviate inflammation. Moreover, existing research indicates that the utilization of this particular coenzyme may potentially enhance fertility through the improvement of sperm quality, as well as contribute to the maintenance of good skin by facilitating collagen synthesis. Notwithstanding these possible advantages, it is essential to get guidance from a healthcare practitioner prior to commencing any supplementation protocol due to the potential variability of individual requirements.**

**Keywords:** CoQ10; Adenosine Triphosphate; Aging; Oxidants; Protection

Science Insights, 2023 November 30; Vol. 43, No. 5, pp.1129-1140.

© 2023 Insights Publisher. All rights reserved.



Creative Commons Non Commercial CC BY-NC: This article is distributed under the terms of the [Creative Commons Attribution-NonCommercial 4.0 License](https://creativecommons.org/licenses/by-nc/4.0/) which permits non-commercial use, reproduction and distribution of the work without further permission provided the original work is attributed by the Insights Publisher.

#### Introduction

**T**HE NUTRIENT known as Coenzyme Q10 (CoQ10) is of utmost importance as it serves as a vital component in the generation of energy and the maintenance of cellular processes (1). The principal role of this molecule is to enable the movement of electrons within the mitochondria, so contributing

to the production of adenosine triphosphate (ATP), which serves as the main cellular energy source. CoQ10 further functions as an antioxidant, safeguarding cellular structure against oxidative destruction through the process of neutralizing detrimental free radicals (2). Moreover, it facilitates cardiovascular well-being through the promotion of effective myocardial contraction and

the maintenance of ideal blood pressure levels (3). Studies have established a correlation between the administration of CoQ10 and many positive outcomes, including greater physical performance during exercise (4), alleviation of chronic fatigue syndrome symptoms (5), and improved fertility in both males and females (6, 7). Moreover, research indicates that CoQ10 may confer advantages to persons afflicted with neurodegenerative conditions, such as Parkinson's disease or Alzheimer's disease, owing to its capacity to mitigate oxidative stress and augment mitochondrial function (8, 9). In general, the inclusion of CoQ10 in one's dietary intake or via supplementation has the potential to provide diverse health advantages across multiple physiological systems.

## Overview of CoQ10

### Chemical Structure of CoQ10 and Its Function

CoQ10 is a lipid-soluble compound with vitamin-like properties that serves a vital function in the generation of cellular energy. The chemical composition of this compound comprises a quinone moiety at its head, while its hydrophobic tail is composed of 10 isoprenoid units. CoQ10 utilizes its quinone head to facilitate the transfer of electrons between complexes I and II within the mitochondrial electron transport chain, a crucial process in oxidative phosphorylation (10). The aforementioned function renders CoQ10 indispensable for the process of ATP synthesis, hence facilitating the provision of energy required for cellular functions. Moreover, CoQ10 functions as an antioxidant through the process of neutralizing detrimental free radicals and restoring oxidized versions of vitamins E and C (11). The capacity of scavenging reactive oxygen species is crucial in safeguarding cellular membranes, proteins, and DNA against oxidative harm. As individuals age or experience specific medical disorders, there may be a decline in the body's endogenous production of CoQ10 (12), necessitating the inclusion of CoQ10 in one's diet or the use of dietary supplements. This supplementation is intended to promote and maintain general health and well-being.

### CoQ10 Presence in Organs with Higher Energy Demands

Heart necessitates a significant quantity of energy to consistently circulate blood throughout the body. CoQ10 plays a pivotal part in this biological process, as it is intricately engaged in the biosynthesis of ATP, the primary energy molecule utilized by cells. Furthermore, CoQ10 functions as a potent antioxidant, thereby safeguarding the cardiovascular system against oxidative stress and the detrimental effects induced by deleterious free radicals. Research findings have indicated that the administration of CoQ10 supplements to patients afflicted with cardiac ailments can enhance their overall cardiac performance and mitigate the likelihood of developing cardiovascular disorders (13).

Liver, which is the largest internal organ in the human body, plays a crucial role in several metabolic activities such as detoxification, energy storage, and synthesis of cholesterol. The aforementioned processes necessitate a substantial quantity of energy, and CoQ10 serves as a vital constituent in the electron transport chain, a crucial mechanism responsible for the generation of energy within hepatocytes (14). In addition, it has been

observed that CoQ10 has hepatoprotective properties, thereby contributing to the mitigation and management of hepatic disorders, including fatty liver and hepatitis (15).

Muscles, specifically skeletal and smooth muscles, have substantial energy requirements during periods of physical exertion and locomotion. CoQ10 is found in significant quantities inside these specific tissues and plays a vital role in facilitating optimal energy generation and facilitating muscular contractions. Studies have demonstrated that the administration of CoQ10 has the potential to augment muscle performance, mitigate oxidative damage generated by exercise, and boost post-exercise recovery (16). CoQ10 supplementation has been shown to offer significant advantages to athletes and others who regularly participate in physical exercise, as it can effectively improve their endurance and general athletic performance.

Therefore, CoQ10 assumes a pivotal function in organs characterized by elevated energy requirements, including the heart, liver, and muscles. The existence of CoQ10 is essential for the optimal functioning of these organs and the preservation of general health. CoQ10 has a dual role in cellular metabolism by facilitating energy production and exerting potent antioxidant effects, thereby safeguarding vital organs against the detrimental impact of oxidative stress and subsequent damage. The utilization of CoQ10 supplementation has exhibited encouraging outcomes in the management of diverse cardiovascular and hepatic ailments, as well as the enhancement of muscular function. Consequently, comprehending and effectively using the potential advantages of CoQ10 can make a substantial contribution to our general health and welfare.

### How CoQ10 Levels Decline with Age?

It is pivotal to comprehend that levels of CoQ10 naturally diminish with advancing age. As individuals age, the capacity of their bodies to generate and combine CoQ10 gradually declines. The decrease in CoQ10 levels can be attributed mostly to the diminished enzymatic activity within the biosynthetic route of CoQ10. Research findings indicate that the reduction in CoQ10 levels commences at the approximate age range of the mid-30s and undergoes a substantial fall as individuals progress into their 50s and beyond (12, 17).

It is noteworthy that the reduction in CoQ10 levels can be regarded as a typical outcome of the aging process. However, some medical disorders can intensify this loss. For example, it has been observed that cardiovascular illnesses can significantly affect the levels of CoQ10. Conditions such as heart failure or coronary artery disease result in an elevated requirement for CoQ10 in order to facilitate the heart's energy demands (18). The heightened demand for CoQ10, in conjunction with the drop associated with aging, results in a notable decrease in CoQ10 levels in the heart and other impacted organs.

Additionally, there is evidence linking reduced levels of CoQ10 to neurological disorders such as Parkinson's disease and Alzheimer's disease. These disorders are distinguished by heightened levels of oxidative stress and impairment in mitochondrial function, both of which are ameliorated by the administration of CoQ10 (19). Nevertheless, the decrease in CoQ10 levels associated with aging contributes to the already compromised energy production, hence intensifying the progression of

the disease.

In conjunction with the influence of particular medical diseases, there exist various additional factors that might contribute to the decrease in CoQ10 levels. For example, specific pharmaceuticals, such as statins which are used to treat cholesterol, have demonstrated the ability to decrease levels of CoQ10 in the bloodstream (20, 21). The reason for this phenomenon is that statins exert inhibitory effects on an enzyme that is also implicated in the synthesis of CoQ10. Consequently, it is plausible that the administration of statins could lead to a subsequent reduction in CoQ10 levels among individuals, thereby potentially intensifying the natural decline associated with aging.

In addition, lifestyle factors are very significant in the determination of CoQ10 levels. Research has demonstrated that smoking is associated with a reduction in blood CoQ10 levels, which may contribute to an expedited deterioration associated with aging (22). It may be posited that a dietary regimen lacking in items abundant in CoQ10, such as organ meats, sardines, and spinach, could potentially lead to diminished CoQ10 levels. This is due to the body's dependence on dietary sources to sustain an appropriate CoQ10 status.

Extensive research has been conducted on the use of CoQ10 supplementation as a means to address the reduction in CoQ10 levels that occur with age and various medical disorders. The findings from clinical trials indicate that the administration of CoQ10 supplements has been associated with enhanced mitochondrial activity, amelioration of symptoms in individuals with cardiac conditions, and a potential deceleration of the advancement of neurodegenerative disorders (23). However, additional research is required in order to ascertain the most effective dosage and potential long-term consequences of CoQ10 administration.

## Energy Production and Heart Health

### CoQ10 and the Production of Adenosine Triphosphate

Primarily, CoQ10 is ubiquitously present in all cells of the human body, with a notable concentration in the mitochondria, recognized as the cellular organelles responsible for energy production. The fundamental role of this entity is to facilitate the transfer of electrons in the course of oxidative phosphorylation, which is a vital stage in the creation of ATP. CoQ10 is involved in the electron transport chain, specifically at complex III, which is often referred to as the cytochrome reductase complex. In the course of this physiological mechanism, CoQ10 undergoes electron acceptance from both complex I and complex II, which are produced as a result of the catabolism of carbohydrates and lipids (24). The process of electron transfer from CoQ10 facilitates the establishment of a proton gradient across the mitochondrial membrane, which is a crucial step in the synthesis of ATP.

The production of ATP by CoQ10 is facilitated by a sequence of redox events (25). When CoQ10 takes electrons, it undergoes reduction and is converted into its active form known as ubiquinol. Subsequently, ubiquinol transfers the electrons to complex III. Simultaneously, the protons that are actively transported out of the mitochondrial matrix by complex I and II are

subsequently reabsorbed via ATP synthase, an enzymatic catalyst accountable for the production of ATP. The movement of protons across ATP synthase induces a conformational alteration in the enzyme, ultimately resulting in the addition of a phosphate group to adenosine diphosphate (ADP), leading to the production of ATP. CoQ10 plays a crucial role in this particular biological activity by facilitating the movement of electrons, which in turn provides the proton gradient required for the creation of ATP.

The essentiality of CoQ10 in numerous cellular activities stems from its role in ATP generation. ATP fulfills various essential functions within biological systems, encompassing muscle contraction, active transportation, and cellular division (26). In the absence of a sufficient quantity of ATP, cellular energy levels would be insufficient to support these crucial physiological functions, resulting in impaired functionality and potentially culminating in cellular demise. Moreover, extensive research has been conducted on the possible medicinal uses of CoQ10. The antioxidant capabilities of CoQ10 have been associated with cellular protection against oxidative damage, mitigation of inflammation, and enhancement of cardiovascular well-being. Indeed, several research propose that the intake of CoQ10 may potentially augment ATP synthesis and elevate overall energy levels in patients afflicted with specific medical ailments.

### CoQ10 Deficiency and Heart-Related Conditions

The manifestations of CoQ10 deficient symptoms might vary, frequently presenting as cardiovascular problems. There is evidence suggesting a correlation between a shortage in CoQ10 and the occurrence of congestive heart failure, arrhythmias, and high blood pressure. The aforementioned diseases can have a substantial impact on the cardiovascular system, resulting in diminished levels of energy, dyspnea, angina, and in severe instances, myocardial infarctions. The depletion of CoQ10 levels in the body hampers its capacity to produce energy and defend against oxidative stress, so rendering the heart susceptible to harm and impaired function.

Moreover, empirical studies have substantiated the pivotal significance of CoQ10 in the preservation of cardiovascular well-being (27). CoQ10 plays a crucial role in the generation of cellular energy, specifically within the myocardium. The antioxidant qualities of this substance contribute to its ability to mitigate the effects of oxidative stress, a condition that has been implicated in the development of inflammation, atherosclerosis, and various other cardiovascular ailments. Hence, an insufficiency in CoQ10 perturbs the intricate equilibrium of energy generation and oxidative defense in the cardiac system, thereby playing a role in the emergence and advancement of cardiovascular ailments.

Finally, there has been a growing interest in the use of CoQ10 supplementation as a viable strategy for the prevention and treatment of cardiovascular disorders. Research findings indicate that the administration of CoQ10 supplements has been associated with enhancements in cardiac performance, alleviation of heart failure symptoms, and a decrease in blood pressure levels (28). Supplementation of CoQ10 effectively augments energy generation in the myocardium and mitigates oxidative

stress, thereby promoting cardiovascular well-being. It is crucial to acknowledge that the administration of CoQ10 supplements should be conducted with medical oversight and customized to suit individual requirements, as excessive supplementing may not yield further advantages and could even result in adverse consequences.

## Antioxidant Properties of CoQ10

### CoQ10 as a Potent Lipid-Soluble Antioxidant

CoQ10 is a lipid-soluble antioxidant with high potency, which holds significant importance in cellular energy production and functions as a vital constituent of the mitochondrial respiratory chain. CoQ10, being a lipophilic compound, exhibits a high affinity for cell membranes, enabling its effective incorporation. Within these membranes, CoQ10 functions as an efficient scavenger of free radicals, thereby impeding the occurrence of lipid peroxidation and subsequent oxidative harm. The capacity of this substance to facilitate the regeneration of other antioxidants, such as vitamin E, serves to augment its defensive impact. The distinctive molecular structure of CoQ10 facilitates the effective transport of electrons between enzymes that participate in several energy metabolism pathways (29). Furthermore, the fact that it is found in both the inner and outer layers of mitochondrial membranes highlights its crucial role in preserving the integrity of these membranes. CoQ10 plays a crucial role in cellular oxidative stress protection and cardiovascular health maintenance, as it effectively neutralizes reactive oxygen species and inhibits lipid peroxidation. Additionally, CoQ10 contributes to the optimization of energy production within cells. This underscores the significance of CoQ10 as a potent lipid-soluble antioxidant with extensive implications for human well-being.

### CoQ10 Neutralize Harmful Free Radicals

Free radicals are molecules with high reactivity that are generated endogenously within our physiological systems as a consequence of many metabolic processes. These entities possess an unpaired electron, rendering them inherently unstable and inclined towards electron acquisition from neighboring molecules, hence instigating a cascade of detrimental effects. Free radicals can be produced as a result of multiple exogenous factors, such as environmental pollution, prolonged and intense ultraviolet radiation exposure, tobacco smoking, and suboptimal dietary patterns. Nevertheless, the human body possesses a protective mechanism to mitigate the detrimental impacts of free radicals, and CoQ10 assumes a pivotal function in facilitating this physiological response.

CoQ10 functions as a potent antioxidant by transferring electrons to effectively stabilize and counteract the harmful effects of free radicals (30, 31). This process serves to safeguard our cellular constituents, including proteins, lipids, and DNA, from potential damage. Additionally, it has the ability to replenish various antioxidants, such as vitamin E, so augmenting its defensive properties. The capacity to counteract free radicals is crucial for preserving the structural and operational soundness of our cellular components, while also mitigating the risk of developing diverse ailments, including cancer, cardiovascular illness, and neurological conditions.

Moreover, it has been discovered that CoQ10 possesses anti-inflammatory characteristics, hence enhancing its capacity to counteract the effects of free radicals. Chronic inflammation is strongly correlated with the overproduction of free radicals, leading to the occurrence of oxidative stress and subsequent tissue damage. CoQ10 exerts an indirect influence on the reduction of inflammation, thereby contributing to the mitigation of free radical generation inside the human body, thereby fostering a state of enhanced health and general well-being (32).

The ability of CoQ10 to counteract detrimental free radicals extends beyond its function in disease prevention. There is a correlation between this phenomenon and a multitude of health advantages, such as higher cardiovascular well-being, increased energy generation, and improved cognitive capabilities. Research findings indicate that the use of CoQ10 supplements has been associated with a reduction in blood pressure, a decrease in levels of low-density lipoprotein (LDL) cholesterol (often referred to as “bad” cholesterol), and an enhancement in overall cardiac function (33, 34). Furthermore, there has been a suggestion that CoQ10 possesses the potential to decelerate the advancement of cognitive deterioration associated with aging and offer neuroprotective properties.

### CoQ10 and Mental Health

A study was conducted to investigate the potential efficacy of CoQ10 supplementation in ameliorating symptoms associated with depression (35). During a twelve-week duration, individuals diagnosed with major depressive illness were assigned in a randomized manner to receive either a placebo or supplementation of CoQ10. The findings of the study indicated a noteworthy decrease in depressed symptoms among individuals who were administered CoQ10, so implying that augmenting CoQ10 levels could potentially yield therapeutic benefits in the management of depression. A recent study examined the correlation between CoQ10 levels and cognitive functioning in elderly individuals (36). The study revealed that those exhibiting low levels of CoQ10 demonstrated diminished cognitive abilities, such as impaired memory and reduced attention span. The results of this study indicate that the maintenance of appropriate CoQ10 levels may play a critical role in the preservation of cognitive health during the aging process.

Moreover, the role of oxidative stress has been linked in the pathogenesis of diverse mental health diseases, including anxiety and schizophrenia. The antioxidant properties of CoQ10 have the potential to alleviate oxidative stress and safeguard brain cells against harm. Studies have demonstrated a beneficial association between elevated CoQ10 levels and a diminished likelihood of developing aforementioned mental health disorders (37-39).

It is worth noting that certain psychiatric problems may be associated with reduced levels of CoQ10. A systematic investigation conducted on individuals diagnosed with bipolar disorder revealed notably reduced levels of CoQ10 in comparison to a group of individuals without the disorder (37). Although the precise mechanisms behind the relationship between CoQ10 levels and mental health issues are not yet fully understood, these discoveries present novel opportunities for prospective treatment strategies.

In light of the increasing amount of empirical research indicating a potential association between levels of CoQ10 and mental well-being, it is imperative to exercise prudence when interpreting these findings. The majority of the researches undertaken thus far had been characterized by their small sample sizes and restricted focus. Furthermore, the causal direction of the association between low CoQ10 levels and mental health disorders remains uncertain, as it is unknown if low CoQ10 levels contribute to the development of mental health disorders or if mental health disorders result in decreased CoQ10 levels. In order to demonstrate a more conclusive correlation, it is imperative to conduct longitudinal research that encompasses bigger sample sizes.

## CoQ10 and Diabetes

### Benefits of CoQ10 in Managing Diabetes

CoQ10 has a role in the regulation of blood sugar levels by improving insulin sensitivity. The administration of CoQ10 supplements can enhance glucose metabolism, leading to enhanced glycemic control among individuals with diabetes (40). Furthermore, CoQ10 functions as a potent antioxidant, thereby safeguarding the body against oxidative stress and mitigating the likelihood of experiencing diabetes problems.

CoQ10 has demonstrated favorable outcomes in mitigating inflammation in persons diagnosed with diabetes. The function of inflammation in the evolution of diabetes and its related complications is of considerable importance. CoQ10 has the potential to mitigate the detrimental effects of chronic inflammation on diabetic patients' health by reducing the levels of inflammation indicators, including C-reactive protein and interleukin-6. As a result, CoQ10 supplementation may contribute to enhanced health outcomes in this population. The anti-inflammatory characteristic of CoQ10 may potentially contribute to the prevention or mitigation of specific diabetes consequences, including cardiovascular illnesses (41).

The supplementation of CoQ10 has demonstrated a favorable effect on cardiovascular well-being, a matter of particular significance for those afflicted with diabetes, given their elevated susceptibility to the development of heart-related ailments. CoQ10 functions as an antioxidant inside the vasculature, effectively inhibiting the oxidation process of LDL cholesterol. This mechanism is of particular significance due to the substantial role that LDL cholesterol oxidation plays in the development of atherosclerosis, a prominent risk factor for cardiovascular disease. Moreover, studies have demonstrated that the administration of CoQ10 can effectively boost endothelial function, lower blood pressure, and promote cardiovascular well-being among persons diagnosed with diabetes (42, 43).

The significance of CoQ10 in maintaining renal health, particularly in individuals with diabetes, has been acknowledged. Diabetes is well recognized as the primary etiological factor contributing to the development of chronic kidney disease. The utilization of CoQ10, owing to its inherent antioxidant and anti-inflammatory attributes, has been postulated to confer protective effects against the deleterious consequences resulting from hyperglycemia. Research findings indicate that the administration of CoQ10 has been associated with enhancements in renal

function, reductions in proteinuria, and deceleration of the advancement of diabetic nephropathy, hence resulting in improved renal outcomes (44).

Furthermore, CoQ10 has demonstrated potential impacts on nerve health in persons with diabetes, in addition to its established cardiovascular and kidney benefits. Diabetic neuropathy, which is defined as the pathological impairment of nerve function, is a prevalent condition associated with diabetes. Research has indicated that CoQ10 exhibits the capacity to mitigate oxidative stress and augment mitochondrial function in nerve cells, hence potentially serving as a preventive or delaying agent in the development of diabetic neuropathy (25). In addition, it is worth noting that CoQ10 has the potential to mitigate the symptoms associated with neuropathy, including pain and numbness, so enhancing the overall well-being of those with diabetes.

CoQ10 has been found to potentially augment overall energy levels and improve overall well-being in patients diagnosed with diabetes. Fatigue and reduced energy levels are commonly observed in individuals with diabetes as a consequence of blood sugar swings and compromised mitochondrial function. Supplementation of CoQ10 has been shown to enhance mitochondrial function, hence leading to an augmentation in cellular energy output. This phenomenon can lead to enhanced levels of energy, less weariness, and a general feeling of well-being among those diagnosed with diabetes.

### The Optimal Dosage and Efficacy of Coq10 for Diabetes

Investigations have been dedicated to ascertaining the most advantageous dosage and effectiveness of CoQ10 in the context of persons afflicted with diabetes. According to existing research, the provision of a daily supplement ranging from 100 to 200 mg of CoQ10 has been found to have a notable positive impact on glycemic management and the overall metabolic profile of individuals diagnosed with type 2 diabetes (41). The efficacy of CoQ10 is evidenced by its ability to enhance insulin sensitivity, mitigate oxidative stress, and improve beta-cell function. Furthermore, it assumes a pivotal function within the mitochondrial respiratory chain and the generation of energy, so contributing to the preservation of cellular well-being. Notwithstanding these favorable results, further investigation is required to ascertain whether increased dosages might result in more significant advantages or if specific subcategories within the diabetes demographic would exhibit disparate responses to different doses. In summary, the existing body of evidence indicates that modest dosages of CoQ10 are beneficial for managing diabetes. However, additional investigation is necessary to determine the most effective dosing techniques that may be adjusted to the unique characteristics of individual patients.

## CoQ10 and Exercise Performance

### Impact of CoQ10 on Physical Performance

CoQ10 plays a crucial role in the electron transport chain, which is a sequence of biochemical events responsible for the production of ATP. The potential improvement of physical endurance and stamina can be attributed to CoQ10 supplementation, which enhances ATP synthesis. Studies have documented the favorable

impacts of CoQ10 supplementation on exercise performance, encompassing heightened oxygen absorption, enhanced muscular functionality, and less weariness (45). The results indicate that CoQ10 has the potential to augment physical performance through its ability to boost cellular energy generation.

CoQ10 possesses robust antioxidant characteristics, hence offering potential benefits in mitigating oxidative stress and inflammation induced by vigorous physical exertion. The occurrence of oxidative stress as a result of exercise has the potential to cause harm to muscles and hinder the process of recovery, hence exerting a negative influence on physical performance. The potential benefits of CoQ10 supplementation in workout recovery and muscle damage reduction arise from its ability to neutralize free radicals and mitigate inflammation. Consequently, this can enhance overall physical performance and mitigate the likelihood of sustaining accidents.

Nevertheless, it is crucial to acknowledge that the effects of CoQ10 supplementation on physical performance can be subject to variation based on individual characteristics and specific contextual factors. The efficacy of CoQ10 supplementation can be influenced by various factors, including but not limited to age, level of fitness, and overall health (2). Furthermore, the administration and duration of supplementation can also impact the magnitude of its advantages. Additional investigation is required to ascertain the most effective dosage and duration of supplementation required to optimize the impact of CoQ10 on physiological performance.

It is noteworthy to highlight that CoQ10 is endogenously generated by the human body, and its biosynthesis tends to diminish with advancing age. The decrease in levels of CoQ10 has the potential to play a role in the age-related deterioration of physical performance and energy levels. The possible benefits of CoQ10 supplementation include the replenishment of the body's stocks of this essential molecule, which may result in enhanced physical performance in older adults.

### **CoQ10 Enhance Stamina, Reduce Fatigue, and Improve Overall Exercise Capacity**

One of the primary advantages associated with CoQ10 is its capacity to augment endurance. CoQ10 facilitates the electron transfer process from ingested food to the mitochondria, which are recognized as the cellular powerhouses, when our body need additional energy. The greater the availability of CoQ10, the more rapid and efficient this process takes place. Consequently, persons who engage in CoQ10 supplementation frequently encounter enhanced endurance and stamina, enabling them to engage in prolonged activity sessions without experiencing fatigue or exhaustion.

Research has indicated that CoQ10 has demonstrated efficacy in mitigating fatigue, particularly among those afflicted with chronic fatigue syndrome (CFS) (46). CFS is a burdensome medical illness distinguished by the presence of continuous exhaustion that does not ameliorate with periods of rest. Individuals diagnosed with CFS frequently exhibit reduced concentrations of CoQ10 in their bloodstream (47). Through the addition of CoQ10 supplementation, these patients have experienced notable decreases in weariness, heightened levels of energy, and enhanced overall quality of life.

The fatigue-reducing effects of CoQ10 extend beyond individuals diagnosed with CFS. CoQ10 supplementation can be advantageous for athletes and anyone who prioritize physical fitness, as it aids in mitigating fatigue resulting from activity. Intensive physical activity has been observed to elevate oxidative stress levels and result in a reduction in CoQ10 concentrations within the human body. By restoring these levels, athletes can expedite their recovery process and mitigate muscular fatigue, thereby enhancing their performance endurance.

The antioxidant capabilities of CoQ10 are of significant importance in the mitigation of fatigue. Oxidative stress arises from a state of disequilibrium between the production of free radicals and the availability of antioxidants within the biological system, resulting in cellular harm and the manifestation of weariness. CoQ10 functions as an antioxidant by effectively counteracting the detrimental effects of free radicals and mitigating oxidative injury. This preventive effect contributes to the mitigation of weariness and the enhancement of general well-being.

The supplementation of CoQ10 has demonstrated efficacy in improving a range of health issues that are associated with fatigue. CoQ10 supplementation can have positive effects on cardiovascular health, promoting improved blood flow and optimizing the usage of oxygen in the body. CoQ10 indirectly mitigates weariness by promoting circulatory function and enhancing oxygen transport to the muscles, so enabling individuals to engage in physical activities with improved efficiency (48).

The influence of CoQ10 on cellular energy generation also contributes to the mitigation of mental tiredness. The brain, being an organ with high energy requirements, necessitates sufficient quantities of CoQ10 for proper functioning. CoQ10 has the potential to augment cognitive function by promoting brain energy metabolism (49), hence ameliorating mental tiredness, enhancing mental clarity, attention, and reducing cognitive impairment commonly referred to as "brain fog."

### **CoQ10 and Neurodegenerative Diseases**

Neurodegenerative disorders, including Alzheimer's disease, Parkinson's disease, and Huntington's disease, are distinguished by the gradual deterioration of neurons, resulting in impairments in cognitive and motor functions (50). Neuronal cell death in these illnesses is mostly attributed to oxidative stress, which arises from an imbalance between the generation of reactive oxygen species (ROS) and the protective antioxidant defense mechanism. The antioxidant properties of CoQ10 contribute to the mitigation of ROS, hence diminishing oxidative stress and its deleterious impact on neuronal cells.

Furthermore, CoQ10 has been discovered to exhibit anti-inflammatory benefits in addition to its antioxidant characteristics. Chronic inflammation is a prevalent characteristic of neurodegenerative disorders and has the potential to worsen neuronal harm. The literature demonstrates that CoQ10 possesses the ability to attenuate the synthesis of pro-inflammatory molecules and impede the activation of inflammatory signaling pathways, hence conferring neuroprotective effects through its anti-inflammatory properties (51).

Mitochondrial dysfunction represents a significant contributing component in the etiology of neurodegenerative disorders. Mitochondria, as the principal source of cellular energy,

assume a pivotal function in the preservation of neural well-being. CoQ10 plays a crucial role in the mitochondrial respiratory chain by aiding in the transport of electrons and the creation of ATP. In addition, studies have demonstrated that the administration of CoQ10 can effectively improve mitochondrial activity, hence facilitating the preservation of neurons and mitigating the likelihood of neurodegenerative conditions (52).

CoQ10 is implicated in diverse cellular signaling pathways governing cellular viability and apoptosis, in addition to its direct impact on oxidative stress, inflammation, and mitochondrial functionality. CoQ10 possesses the ability to stimulate the activation of certain proteins that play a crucial role in facilitating cell survival and impeding cell death. These proteins include protein kinase B (Akt) (53) and nuclear factor- $\kappa$ B (NF- $\kappa$ B) (54). Through the modulation of these pathways, CoQ10 has the potential to safeguard neurons against degeneration and enhance their viability.

A body of preclinical and clinical studies has provided evidence supporting the neuroprotective function of CoQ10 in many neurodegenerative disorders. In individuals diagnosed with Parkinson's disease, the administration of CoQ10 supplements yielded notable enhancements in motor function and a delay in the course of the condition (55). Comparable favorable results have been documented in animal models pertaining to Alzheimer's disease (56) and Huntington's disease (57).

Notwithstanding the encouraging outcomes, further comprehensive investigation is required to ascertain the most effective dosage, duration of treatment, and enduring impacts of CoQ10 supplementation in neurodegenerative disorders. Moreover, the investigation of potential synergistic interactions between CoQ10 and other antioxidants or neuroprotective drugs could potentially augment its therapeutic advantages to a greater extent.

## CoQ10 and Fertility

### Role of CoQ10 in Reproductive Health and Fertility

CoQ10 plays a crucial role in the cellular process of energy generation within the human body, specifically by facilitating the creation of ATP. ATP works as a fundamental energy reservoir for several cellular activities, encompassing reproductive processes. CoQ10 plays a crucial role as a vital constituent of the electron transport chain, facilitating the conversion of dietary nutrients into ATP. Insufficient levels of CoQ10 can potentially impair the synthesis of ATP, resulting in less cellular energy production. This can have detrimental consequences on reproductive health and fertility.

CoQ10 possesses robust antioxidant characteristics, in addition to its involvement in energy production. The process aids in the neutralization of deleterious free radicals, which have the potential to induce biological harm, including harm to reproductive organs and cells. The presence of oxidative stress, which arises from an inequilibrium between free radicals and antioxidants, has been associated with several fertility complications, including diminished sperm quality and compromised egg quality (58). Supplementation of CoQ10 has been shown to potentially contribute to the restoration of homeostasis by mitigating

oxidative stress and promoting reproductive well-being.

Research has indicated a positive association between levels of CoQ10 and the reduction in fertility that occurs with advancing age (59). As individuals progress in age, there is a natural decline in CoQ10 levels, which has the potential to exert adverse effects on reproductive processes. The potential enhancement of reproductive outcomes could be achieved with the supplementation of CoQ10 by individuals. Studies have indicated that the administration of CoQ10 has the potential to augment fertility in both males and females, hence enhancing the quality of sperm, eggs, and overall reproductive function.

Studies have demonstrated that CoQ10 exhibits beneficial effects on many reproductive diseases. Conditions such as polycystic ovarian syndrome (PCOS) and endometriosis have been found to have a correlation with oxidative stress and compromised mitochondrial function (60). The antioxidant and mitochondrial-protective characteristics of CoQ10 have the potential to ameliorate symptoms associated with these illnesses, hence enhancing reproductive health and fertility.

Supplementation of CoQ10 has exhibited encouraging outcomes in the context of assisted reproductive technologies (ART), including in vitro fertilization (IVF) and intracytoplasmic sperm injection (ICSI) (61, 62). The aforementioned techniques necessitate the modification of reproductive cells *ex vivo*, a process that can lead to heightened oxidative stress and diminished ability for conception. The administration of CoQ10 has been observed to augment the efficacy of these treatments, resulting in enhanced embryo quality and elevated pregnancy rates.

Studies have demonstrated that CoQ10 exerts a beneficial influence on the quality of sperm and overall male fertility. According to existing research, the supplementation of CoQ10 has been found to potentially enhance various aspects of sperm quality, including motility, concentration, and shape (63). The aforementioned parameters are of significant importance in the process of fertilization. It has been observed that the intake of CoQ10 can enhance the quality of sperm, hence leading to improved outcomes in male fertility.

The potential protective benefits of CoQ10 on the reproductive system against toxins and environmental contaminants have been the subject of scientific investigation. The negative impact on reproductive health and fertility can be observed as a result of exposure to pollutants. Through the augmentation of antioxidant defense mechanisms, CoQ10 has the ability to mitigate the deleterious impacts of these toxins and facilitate the promotion of reproductive well-being.

It is critical to acknowledge that although CoQ10 has demonstrated potential in enhancing reproductive health and fertility, it should not be seen as a panacea. The holistic well-being of an individual, encompassing their general health, lifestyle choices, and various other aspects, is of utmost importance in attaining favorable reproductive outcomes. Moreover, it is imperative to do additional study in order to have a comprehensive understanding of the mechanisms and ideal dosages of CoQ10 supplementation in relation to reproductive health.

### Safety Considerations of CoQ10

CoQ10 is well acknowledged as a compound that is usually regarded as safe and exhibits good tolerability. Several clinical trials and research have documented the absence of significant harmful effects linked to the utilization of this substance. The prevailing adverse effects, when manifested, are typically of a mild nature and encompass gastrointestinal disturbances such as diarrhea, nausea, and abdominal discomfort. Typically, these adverse effects are transient in nature and tend to diminish spontaneously.

There is a potential for CoQ10 to exhibit interactions with specific drugs. The administration of CoQ10 has been found to potentially diminish the efficacy of anticoagulant drugs, such as warfarin, hence potentially augmenting the likelihood of thrombotic events (64). It is essential for persons who are prescribed these medications to get guidance from their healthcare professional prior to initiating CoQ10 supplementation. It has been observed that CoQ10 has the potential to interact with specific chemotherapy medications, hence diminishing their effectiveness. It is crucial for cancer patients to inform their healthcare providers about any CoQ10 supplement use (65).

Extensive research has been conducted on CoQ10 to explore its potential advantages in persons diagnosed with cardiovascular disorders. Studies have demonstrated the potential efficacy of this intervention in mitigating hypertension, enhancing cardiac performance, and ameliorating manifestations of cardiac insufficiency. Nevertheless, the available information regarding the efficacy and safety of its utilization in pregnant or lactating women is inadequate. Therefore, it is recommended that pregnant or breastfeeding individuals seek guidance from their healthcare physician prior to utilizing CoQ10.

CoQ10 is frequently employed as a dietary supplement to enhance general energy levels and promote overall vitality. There is a prevailing belief that it can augment exercise performance through the enhancement of cellular energy production. Nevertheless, the current body of research in this particular domain remains ambiguous, necessitating additional investigations to ascertain the effectiveness and safety of CoQ10 supplementation in enhancing athletic performance.

It is advisable for persons who have established allergies to CoQ10 or any of its constituent components to refrain from using it. Prior to commencing the use of any new supplement, it is imperative to engage in a thorough examination of product labels and seek guidance from healthcare professionals.

CoQ10 is a molecule that exhibits fat solubility, indicating that its absorption is optimized when consumed alongside dietary fats or in conjunction with an oil-based supplement. Individuals with impaired fat absorption or other digestive issues may experience limited efficacy when supplementing with CoQ10.

CoQ10 supplements are offered in a range of formulations, including capsules, soft gels, and oral sprays, among other options. Nevertheless, the absorption and bioavailability of CoQ10 may exhibit variability contingent upon the specific formulation employed. To achieve the most favorable outcomes, it is recommended to select a brand that exhibits superior quality and is supported by extensive study.

The administration of CoQ10 to children is generally not advised unless it is expressly prescribed by a healthcare profes-

sional. The nutritional requirements of children vary, and it is advisable to get guidance from a healthcare practitioner before considering any form of supplementation.

It is imperative to acknowledge that CoQ10 should not be regarded as a replacement for medical intervention. Although there may be possible advantages, it is not advisable to rely solely on this intervention as a treatment for any medical ailment. It is highly advisable to get guidance from a certified healthcare professional in order to receive accurate diagnosis and proper therapy.

## Conclusion

CoQ10 is an endogenous antioxidant that serves a vital function in promoting general health and wellness. This chemical is ubiquitously present in all cellular structures inside the human body and plays a pivotal role in the synthesis of ATP, which serves as the principal energy currency for many cellular processes. Moreover, CoQ10 has been associated with numerous health advantages and has been extensively investigated for its possible therapeutic use in diverse medical disorders.

One of the most widely recognized health consequences associated with CoQ10 pertains to its impact on cardiovascular well-being. According to existing research, it has been suggested that the supplementation of CoQ10 may potentially contribute to the enhancement of cardiovascular well-being. This is achieved through the reduction of oxidative stress exerted on the heart, optimization of the heart's energy generation, and facilitation of the maintenance of healthy blood pressure levels. Additionally, it has been observed that CoQ10 can augment the effectiveness of specific pharmaceuticals employed in the management of cardiovascular ailments, such as statins, by mitigating their potential adverse reactions.

There have been investigations on the potential impact of CoQ10 on enhancing fertility and promoting reproductive health. There is a prevailing belief that the addition of CoQ10 has the potential to improve the quality and motility of sperm, hence augmenting the likelihood of achieving successful fertilization. In the female population, it has been observed that CoQ10 supplementation has the potential to enhance the quantity of viable eggs and enhance the overall quality of oocytes, hence potentially leading to improved reproductive results.

Another health implication of CoQ10 is its potential as an anti-aging agent. As individuals progress in age, there is a reduction in endogenous CoQ10 synthesis, resulting in diminished energy generation and heightened oxidative stress. The administration of CoQ10 as a supplement has exhibited potential in mitigating the manifestations of aging, including the presence of wrinkles, fine lines, and age spots. The antioxidant qualities of CoQ10 are vital in the mitigation of free radicals, which have the potential to induce cellular harm and expedite the progression of aging.

There is evidence suggesting a correlation between CoQ10 supplementation and enhanced cognitive function as well as increased brain health. Research findings have indicated that the administration of CoQ10 supplements may potentially enhance cognitive functions such as memory, concentration, and mental acuity. In addition, the antioxidant properties of CoQ10 have the ability to safeguard brain cells from oxidative damage,

hence potentially mitigating the susceptibility to neurodegenerative disorders such as Alzheimer's and Parkinson's.

CoQ10 has been linked to general energy and vigor, in addition to its involvement in specific health issues. Due to its direct involvement in ATP synthesis, CoQ10 assumes a pivotal role in cellular energy metabolism. Research has demonstrated

that the administration of CoQ10 as a supplement has the capacity to enhance energy levels, diminish weariness, and enhance physical performance during exercise. This characteristic renders it especially advantageous for persons who participate in rigorous physical activities or individuals who experience chronic fatigue syndrome. ■

## References

1. Saini R. Coenzyme Q10: The essential nutrient. *J Pharm Bioallied Sci* 2011; 3(3):466-467. DOI: <https://doi.org/10.4103/0975-7406.84471>
2. Gutierrez-Mariscal FM, Arenas-de Larriva AP, Limia-Perez L, Romero-Cabrera JL, Yubero-Serrano EM, López-Miranda J. Coenzyme Q10 supplementation for the reduction of oxidative stress: Clinical implications in the treatment of chronic diseases. *Int J Mol Sci* 2020; 21(21):7870. DOI: <https://doi.org/10.3390/ijms21217870>
3. Zozina VI, Covantev S, Goroshko OA, Krasnykh LM, Kukes VG. Coenzyme Q10 in cardiovascular and metabolic diseases: Current state of the problem. *Curr Cardiol Rev* 2018; 14(3):164-174. DOI: <https://doi.org/10.2174/1573403X14666180416115428>
4. Alf D, Schmidt ME, Siebrecht SC. Ubiquinol supplementation enhances peak power production in trained athletes: A double-blind, placebo controlled study. *J Int Soc Sports Nutr* 2013; 10:24. DOI: <https://doi.org/10.1186/1550-2783-10-24>
5. Maes M, Mihaylova I, Kubera M, Uytterhoeven M, Vrydags N, Bosmans E. Coenzyme Q10 deficiency in myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS) is related to fatigue, autonomic and neurocognitive symptoms and is another risk factor explaining the early mortality in ME/CFS due to cardiovascular disorder. *Neuro Endocrinol Lett* 2009; 30(4):470-476.
6. Alahmar AT, Calogero AE, Singh R, Cannarella R, Sengupta P, Dutta S. Coenzyme Q10, oxidative stress, and male infertility: A review. *Clin Exp Reprod Med* 2021; 48(2):97-104. DOI: <https://doi.org/10.5653/cerm.2020.04175>
7. Florou P, Anagnostis P, Theocharis P, Chourdakis M, Goulis DG. Does coenzyme Q10 supplementation improve fertility outcomes in women undergoing assisted reproductive technology procedures? A systematic review and meta-analysis of randomized-controlled trials. *J Assist Reprod Genet.* 2020; 37(10):2377-2387. DOI: <https://doi.org/10.1007/s10815-020-01906-3>
8. Spindler M, Beal MF, Henchcliffe C. Coenzyme Q10 effects in neurodegenerative disease. *Neuropsychiatr Dis Treat* 2009; 5:597-610. DOI: <https://doi.org/10.2147/ndt.s5212>
9. Manzar H, Abdulhussein D, Yap TE, Cordeiro MF. Cellular consequences of coenzyme Q10 deficiency in neurodegeneration of the retina and brain. *Int J Mol Sci* 2020; 21(23):9299. DOI: <https://doi.org/10.3390/ijms21239299>
10. Stefely JA, Pagliarini DJ. Biochemistry of mitochondrial coenzyme Q biosynthesis. *Trends Biochem Sci* 2017; 42(10):824-843. DOI: <https://doi.org/10.1016/j.tibs.2017.06.008>
11. Pravst I, Rodríguez Aguilera JC, Cortes Rodriguez AB, Jazbar J, Locatelli I, Hristov H, Žmitek K. Comparative bioavailability of different coenzyme Q10 formulations in healthy elderly individuals. *Nutrients* 2020; 12(3):784. DOI: <https://doi.org/10.3390/nu12030784>
12. Barcelos IP, Haas RH. CoQ10 and aging. *Biology (Basel)* 2019; 8(2):28. DOI: <https://doi.org/10.3390/biology8020028>
13. Martelli A, Testai L, Colletti A, Cicero AFG. Coenzyme Q10: Clinical applications in cardiovascular diseases. *Antioxidants (Basel)* 2020; 9(4):341. DOI: <https://doi.org/10.3390/antiox9040341>
14. Soleimani Damaneh M, Fatahi S, Aryaeian N, Bavi Behbahani H. The effect of coenzyme Q10 supplementation on liver enzymes: A systematic review and meta-analysis of randomized clinical trials. *Food Sci Nutr* 2023; 11(9):4912-4925. DOI: <https://doi.org/10.1002/fsn3.3478>
15. Abed Al-Kareem Z, Aziz ND, Ali Zghair M. Hepatoprotective effect of coenzyme Q10 in rats with diclofenac toxicity. *Arch Razi Inst* 2022; 77(2):599-605. DOI: <https://doi.org/10.22092/ARI.2022.357210.1998>
16. Ovchinnikov AN, Paoli A, Seleznev VV, Deryugina AV. Royal jelly plus coenzyme Q10 supplementation improves high-intensity interval exercise performance via changes in plasmatic and salivary biomarkers of oxidative stress and muscle damage in swimmers: A randomized, double-blind, placebo-controlled pilot trial. *J Int Soc Sports Nutr* 2022; 19(1):239-257. DOI: <https://doi.org/10.1080/15502783.2022.2086015>
17. Hargreaves I, Heaton RA, Mantle D. Disorders of human coenzyme Q10 metabolism: An overview. *Int J Mol Sci* 2020; 21(18):6695. DOI: <https://doi.org/10.3390/ijms21186695>
18. Kumar A, Kaur H, Devi P, Mohan V. Role of coenzyme Q10 (CoQ10) in cardiac disease, hypertension and Meniere-like syndrome. *Pharmacol Ther* 2009;

- 124(3):259-268. DOI: <https://doi.org/10.1016/j.pharmthera.2009.07.003>
19. Mantle D, Heaton RA, Hargreaves IP. Coenzyme Q10, ageing and the nervous system: An overview. *Antioxidants (Basel)* 2021; 11(1):2. DOI: <https://doi.org/10.3390/antiox11010002>
  20. Zaleski AL, Taylor BA, Thompson PD. Coenzyme Q10 as treatment for statin-associated muscle symptoms-A good idea, but.... *Adv Nutr* 2018; 9(4):519S-523S. DOI: <https://doi.org/10.1093/advances/nmy010>
  21. Deichmann R, Lavie C, Andrews S. Coenzyme q10 and statin-induced mitochondrial dysfunction. *Ochsner J* 2010; 10(1):16-21.
  22. Al-Bazi MM, Elshal MF, Khoja SM. Reduced coenzyme Q(10) in female smokers and its association with lipid profile in a young healthy adult population. *Arch Med Sci.* 2011; 7(6):948-954. DOI: <https://doi.org/10.5114/aoms.2011.26605>
  23. Hernández-Camacho JD, Bernier M, López-Lluch G, Navas P. Coenzyme Q10 supplementation in aging and disease. *Front Physiol* 2018; 9:44. DOI: <https://doi.org/10.3389/fphys.2018.00044>
  24. Molyneux SL, Young JM, Florkowski CM, Lever M, George PM. Coenzyme Q10: Is there a clinical role and a case for measurement? *Clin Biochem Rev* 2008; 29(2):71-82.
  25. Testai L, Martelli A, Flori L, Cicero AFG, Colletti A. Coenzyme Q10: Clinical applications beyond cardiovascular diseases. *Nutrients* 2021; 13(5):1697. DOI: <https://doi.org/10.3390/nu13051697>
  26. Judge A, Dodd MS. *Metabolism. Essays Biochem* 2020; 64(4):607-647. DOI: <https://doi.org/10.1042/EBC20190041>
  27. Rabanal-Ruiz Y, Llanos-González E, Alcain FJ. The use of coenzyme Q10 in cardiovascular diseases. *Antioxidants (Basel)* 2021; 10(5):755. DOI: <https://doi.org/10.3390/antiox10050755>
  28. Jafari M, Mousavi SM, Asgharzadeh A, Yazdani N. Coenzyme Q10 in the treatment of heart failure: A systematic review of systematic reviews. *Indian Heart J* 2018; 70 Suppl 1(Suppl 1):S111-S117. DOI: <https://doi.org/10.1016/j.ihj.2018.01.031>
  29. Hidalgo-Gutiérrez A, González-García P, Díaz-Casado ME, Barriocanal-Casado E, López-Herrador S, Quinzii CM, López LC. Metabolic targets of coenzyme Q10 in mitochondria. *Antioxidants (Basel)* 2021; 10(4):520. DOI: <https://doi.org/10.3390/antiox10040520>
  30. Shen Q, Pierce JD. Supplementation of coenzyme Q10 among patients with type 2 diabetes mellitus. *Healthcare (Basel)* 2015; 3(2):296-309. DOI: <https://doi.org/10.3390/healthcare3020296>
  31. Suárez-Rivero JM, Pastor-Maldonado CJ, Povea-Cabello S, Álvarez-Córdoba M, Villalón-García I, Munuera-Cabeza M, Suárez-Carrillo A, Talaverón-Rey M, Sánchez-Alcázar JA. Coenzyme Q10 analogues: Benefits and challenges for therapeutics. *Antioxidants (Basel)* 2021; 10(2):236. DOI: <https://doi.org/10.3390/antiox10020236>
  32. Sifuentes-Franco S, Sánchez-Macías DC, Carrillo-Ibarra S, Rivera-Valdés JJ, Zuñiga LY, Sánchez-López VA. Antioxidant and anti-inflammatory effects of coenzyme Q10 supplementation on infectious diseases. *Healthcare (Basel)* 2022; 10(3):487. DOI: <https://doi.org/10.3390/healthcare10030487>
  33. Pastor-Maldonado CJ, Suárez-Rivero JM, Povea-Cabello S, Álvarez-Córdoba M, Villalón-García I, Munuera-Cabeza M, Suárez-Carrillo A, Talaverón-Rey M, Sánchez-Alcázar JA. Coenzyme Q10: Novel formulations and medical trends. *Int J Mol Sci* 2020; 21(22):8432. DOI: <https://doi.org/10.3390/ijms21228432>
  34. Linton MRF, Yancey PG, Davies SS, et al. The Role of Lipids and Lipoproteins in Atherosclerosis. [Updated 2019 Jan 3]. In: Feingold KR, Anawalt B, Blackman MR, et al., editors. *Endotext* [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK343489/>
  35. Sanoobar M, Dehghan P, Khalili M, Azimi A, Seifar F. Coenzyme Q10 as a treatment for fatigue and depression in multiple sclerosis patients: A double blind randomized clinical trial. *Nutr Neurosci* 2016; 19(3):138-143. DOI: <https://doi.org/10.1179/1476830515Y.0000000002>
  36. Fernández-Portero C, Amián JG, Bella R, López-Lluch G, Alarcón D. Coenzyme Q10 levels associated with cognitive functioning and executive function in older adults. *J Gerontol A Biol Sci Med Sci* 2023; 78(1):1-8. DOI: <https://doi.org/10.1093/gerona/glac152>
  37. Gabriel FC, Oliveira M, Bruna De M Martella, Berk M, Brietzke E, Jacka FN, Lafer B. Nutrition and bipolar disorder: A systematic review. *Nutr Neurosci* 2023; 26(7):637-651. DOI: <https://doi.org/10.1080/1028415X.2022.2077031>
  38. Maguire Á, Hargreaves A, Gill M. Coenzyme Q10 and neuropsychiatric and neurological disorders: Relevance for schizophrenia. *Nutr Neurosci* 2020; 23(10):756-769. DOI: <https://doi.org/10.1080/1028415X.2018.1556481>
  39. Maguire Á, Mooney C, Flynn G, Ferguson Y, O'Keane V, O'Rourke D, McMonagle T, Heaton R, Phillips S, Hargreaves I, Gill M, Hargreaves A. No effect of coenzyme Q10 on cognitive function, psychological symptoms, and health-related outcomes in schizophrenia and schizoaffective disorder: Results of a randomized, placebo-controlled trial. *J Clin Psychopharmacol* 2021; 41(1):53-57. DOI: <https://doi.org/10.1097/JCP.0000000000001330>
  40. Liu M, Zhu H, Hu X, Zhu Y, Chen H. Efficacy of coenzyme Q10 supplementation on glucose metabolism, lipid profiles, and biomarkers of inflammation in women with polycystic ovary syndrome: A protocol for a systematic review and meta-analysis. *Medicine (Baltimore)* 2020; 99(46):e23130. DOI: <https://doi.org/10.1097/MD.00000000000023130>
  41. Liang Y, Zhao D, Ji Q, Liu M, Dai S, Hou S, Liu Z, Mao Y, Tian Z, Yang Y. Effects of coenzyme Q10 supplementation on glycemic control: A

- GRADE-assessed systematic review and dose-response meta-analysis of randomized controlled trials. *EClinicalMedicine* 2022; 52:101602. DOI: <https://doi.org/10.1016/j.eclinm.2022.101602>
42. Sabbatinelli J, Orlando P, Galeazzi R, Silvestri S, Cirilli I, Marcheggiani F, Dlundla PV, Giuliani A, Bonfigli AR, Mazzanti L, Olivieri F, Antonicelli R, Tiano L. Ubiquinol ameliorates endothelial dysfunction in subjects with mild-to-moderate dyslipidemia: A randomized clinical trial. *Nutrients* 2020; 12(4):1098. DOI: <https://doi.org/10.3390/nu12041098>
  43. Ho MJ, Li EC, Wright JM. Blood pressure lowering efficacy of coenzyme Q10 for primary hypertension. *Cochrane Database Syst Rev* 2016; 3(3):CD007435. DOI: <https://doi.org/10.1002/14651858.CD007435.pub3>
  44. Zhang X, Shi Z, Liu Q, Quan H, Cheng X. Effects of coenzyme Q10 intervention on diabetic kidney disease: A systematic review and meta-analysis. *Medicine (Baltimore)* 2019; 98(24):e15850. DOI: <https://doi.org/10.1097/MD.00000000000015850>
  45. Cooke M, Iosia M, Buford T, Shelmadine B, Hudson G, Kerksick C, Rasmussen C, Greenwood M, Leutholtz B, Willoughby D, Kreider R. Effects of acute and 14-day coenzyme Q10 supplementation on exercise performance in both trained and untrained individuals. *J Int Soc Sports Nutr* 2008; 5:8. DOI: <https://doi.org/10.1186/1550-2783-5-8>
  46. Tsai IC, Hsu CW, Chang CH, Tseng PT, Chang KV. Effectiveness of coenzyme q10 supplementation for reducing fatigue: A systematic review and meta-analysis of randomized controlled trials. *Front Pharmacol.* 2022; 13:883251. DOI: <https://doi.org/10.3389/fphar.2022.883251>
  47. Castro-Marrero J, Segundo MJ, Lacasa M, Martínez-Martínez A, Sentañes RS, Alegre-Martín J. Effect of dietary coenzyme Q10 plus nadh supplementation on fatigue perception and health-related quality of life in individuals with myalgic encephalomyelitis/chronic fatigue syndrome: A prospective, randomized, double-blind, placebo-controlled trial. *Nutrients* 2021; 13(8):2658. DOI: <https://doi.org/10.3390/nu13082658>
  48. Cirilli I, Damiani E, Dlundla PV, Hargreaves I, Marcheggiani F, Millichap LE, Orlando P, Silvestri S, Tiano L. Role of coenzyme Q10 in health and disease: An update on the last 10 years (2010-2020). *Antioxidants (Basel)* 2021; 10(8):1325. DOI: <https://doi.org/10.3390/antiox10081325>
  49. Mancuso M, Orsucci D, Calsolaro V, Choub A, Siciliano G. Coenzyme Q10 and neurological diseases. *Pharmaceuticals (Basel)* 2009; 2(3):134-149. DOI: <https://doi.org/10.3390/ph203134>
  50. Finkbeiner S. Huntington's disease. *Cold Spring Harb Perspect Biol.* 2011; 3(6):a007476. DOI: <https://doi.org/10.1101/cshperspect.a007476>
  51. Mantle D, Heaton RA, Hargreaves IP. Coenzyme Q10 and immune function: An Overview. *Antioxidants (Basel)* 2021; 10(5):759. DOI: <https://doi.org/10.3390/antiox10050759>
  52. Tian G, Sawashita J, Kubo H, Nishio SY, Hashimoto S, Suzuki N, Yoshimura H, Tsuruoka M, Wang Y, Liu Y, Luo H, Xu Z, Mori M, Kitano M, Hosoe K, Takeda T, Usami S, Higuchi K. Ubiquinol-10 supplementation activates mitochondria functions to decelerate senescence in senescence-accelerated mice. *Antioxid Redox Signal* 2014; 20(16):2606-2620. DOI: <https://doi.org/10.1089/ars.2013.5406>
  53. Abuelezz SA, Hendawy N. Spotlight on Coenzyme Q10 in scopolamine-induced Alzheimer's disease: Oxidative stress/PI3K/AKT/GSK 3 $\beta$ /CREB/BDNF/TrkB. *J Pharm Pharmacol* 2023; 75(8):1119-1129. DOI: <https://doi.org/10.1093/jpp/rgad048>
  54. Kabel AM, Elkhoely AA. Ameliorative effect of coenzyme q10 and/or candesartan on carboplatin-induced nephrotoxicity: Roles of apoptosis, transforming growth factor- $\beta$ 1, nuclear factor kappa-B and the Nrf2/HO-1 pathway. *Asian Pac J Cancer Prev* 2017; 18(6):1629-1636. DOI: <https://doi.org/10.22034/APJCP.2017.18.6.1629>
  55. Park HW, Park CG, Park M, Lee SH, Park HR, Lim J, Paek SH, Choy YB. Intrastriatal administration of coenzyme Q10 enhances neuroprotection in a Parkinson's disease rat model. *Sci Rep* 2020; 10(1):9572. DOI: <https://doi.org/10.1038/s41598-020-66493-w>
  56. Jiménez-Jiménez FJ, Alonso-Navarro H, García-Martín E, Agúndez JAG. Coenzyme Q10 and dementia: A systematic review. *Antioxidants (Basel)* 2023; 12(2):533. DOI: <https://doi.org/10.3390/antiox12020533>
  57. Andrich J, Saft C, Gerlach M, Schneider B, Arz A, Kuhn W, Müller T. Coenzyme Q10 serum levels in Huntington's disease. *J Neural Transm Suppl* 2004; 2004(68):111-116. DOI: [https://doi.org/10.1007/978-3-7091-0579-5\\_13](https://doi.org/10.1007/978-3-7091-0579-5_13)
  58. Alahmar AT. Role of oxidative stress in male infertility: An updated review. *J Hum Reprod Sci* 2019; 12(1):4-18. DOI: [https://doi.org/10.4103/jhrs.JHRS\\_150\\_18](https://doi.org/10.4103/jhrs.JHRS_150_18)
  59. Xu Y, Nisenblat V, Lu C, Li R, Qiao J, Zhen X, Wang S. Pretreatment with coenzyme Q10 improves ovarian response and embryo quality in low-prognosis young women with decreased ovarian reserve: A randomized controlled trial. *Reprod Biol Endocrinol* 2018; 16(1):29. DOI: <https://doi.org/10.1186/s12958-018-0343-0>
  60. Zhang T, He Q, Xiu H, Zhang Z, Liu Y, Chen Z, Hu H. Efficacy and safety of coenzyme Q10 supplementation in the treatment of polycystic ovary syndrome: A systematic review and meta-analysis. *Reprod Sci* 2023; 30(4):1033-1048. DOI: <https://doi.org/10.1007/s43032-022-01038-2>
  61. Zhu F, Yin S, Yang B, Li S, Feng X, Wang T, Che D. TEAS, DHEA, CoQ10, and GH for poor ovarian response undergoing IVF-ET: A systematic review and network meta-analysis. *Reprod Biol Endocrinol* 2023; 21(1):64. DOI: <https://doi.org/10.1186/s12958-023-01119-0>
  62. Zhang Y, Zhang C, Shu J, Guo J, Chang HM, Leung PCK, Sheng JZ, Huang H. Adjuvant treatment strategies in ovarian stimulation for poor responders undergoing IVF: A systematic review and network meta-analysis. *Hum Reprod Update* 2020;

26(2):247-263. DOI:

<https://doi.org/10.1093/humupd/dmz046>

63. Alahmar AT. The impact of two doses of coenzyme Q10 on semen parameters and antioxidant status in men with idiopathic oligoasthenoteratozoospermia. *Clin Exp Reprod Med* 2019; 46(3):112-118. DOI: <https://doi.org/10.5653/cerm.2019.00136>
64. Ge B, Zhang Z, Zuo Z. Updates on the clinical evidenced herb-warfarin interactions. *Evid Based Com-*

*plement Alternat Med* 2014; 2014:957362. DOI:

<https://doi.org/10.1155/2014/957362>

65. PDQ Integrative, Alternative, and Complementary Therapies Editorial Board. Coenzyme Q10 (PDQ®): Health Professional Version. 2022 Jun 7. In: *PDQ Cancer Information Summaries* [Internet]. Bethesda (MD): National Cancer Institute (US); 2002. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK65890/>

---

Received: September 22, 2023

| Revised: October 09, 2023

| Accepted: October 17, 2023

---