

# Enhancing Tribological Properties with Metal-Organic Frameworks: A Review on Ceramic Coatings Using Thermal Spray Techniques

<sup>1</sup>Dr. Somasundaram S, <sup>2</sup>Dr. Mohammad Nizamuddin Inamdar, <sup>3</sup>Dr. Shakir khan

<sup>1</sup> Pos Doctoral Researcher, Lincoln College University, Malaysia;

<sup>2</sup> DEAN, Lincoln College University, Malaysia;

<sup>3</sup> Professor, College of Computer and Information Sciences, Imam University (IMSIU), Riyadh

Email: [pdf.Somasundaram@lincoln.edu.my](mailto:pdf.Somasundaram@lincoln.edu.my)

---

**Abstract:** Metal-Organic Frameworks (MOFs) have emerged as promising materials for enhancing tribological properties, such as wear resistance, friction reduction, and durability, in ceramic coatings. However, conventional ceramic coatings often suffer from brittleness, poor adhesion, and limited thermal stability, reducing their effectiveness in high-stress industrial applications. This study explores the integration of MOFs into ceramic coatings using thermal spray techniques, particularly High Velocity Oxy-Fuel (HVOF) spraying, to overcome these limitations. MOFs' high porosity, tunable chemical properties, and structural integrity provide enhanced lubrication, thermal stability, and mechanical strength to ceramic coatings. Experimental analysis demonstrates significant improvements in wear resistance, friction reduction, and thermal conductivity compared to traditional ceramic coatings. Furthermore, MOF-based coatings exhibit self-healing capabilities and extended operational lifespan under extreme pressure and temperature conditions. These findings highlight the potential of MOF-based ceramic coatings in high-stress applications, including aerospace, automotive, and biomedical industries. The study concludes that MOF-integrated ceramic coatings offer a transformative solution for enhancing tribological performance, paving the way for advanced industrial applications with improved efficiency and durability.

## Keywords:

Metal-Organic Frameworks (MOFs) ; Ceramic Coatings ; Tribological Properties ; High Velocity Oxy-Fuel (HVOF) Spraying ; Wear Resistance

---

## Introduction

Tribology, the science of friction, wear, and lubrication, plays a crucial role in industrial applications by enhancing the performance, durability, and efficiency of mechanical systems. It is particularly vital in sectors such as automotive, aerospace, biomedical, and manufacturing, where components are subjected to high-stress conditions. Tribological properties, including wear resistance, friction reduction, and lubrication, are critical for maintaining the functionality and longevity of machines. The application of tribology spans across various industrial areas, including automobiles, gears, cams,

bearings, and metalworking fluids, where both solid and liquid lubricants are employed to reduce friction and wear, thereby minimizing operational costs and improving productivity [1]/

Tribological properties are essential for maintaining the reliability and efficiency of machinery. For example, in the automotive industry, reduced friction and wear in components such as engines and gears directly contribute to improved fuel efficiency and reduced maintenance costs [2]. In biomedical applications, enhancing tribological properties is vital for the longevity and performance of implants and prosthetics. Additionally, advanced materials and coatings are being developed to optimize tribological properties, which significantly impact energy conservation and environmental sustainability [3].

Enhancing wear resistance and friction reduction is pivotal for improving the durability and reliability of industrial components. Wear resistance is crucial in preventing material degradation, which can lead to machine failure and increased operational costs. Friction reduction, on the other hand, minimizes energy losses and heat generation, leading to enhanced energy efficiency and extended service life of components. High-performance coatings and advanced materials are employed to achieve optimal tribological properties, thus reducing maintenance requirements and minimizing downtime [4].

Innovations in tribological solutions, such as advanced coatings and lubricant formulations, are being explored to improve wear resistance and reduce friction. For example, the use of manganese dioxide (MnO<sub>2</sub>) in epoxy nanocomposites has been shown to significantly enhance wear resistance and reduce the coefficient of friction, demonstrating the importance of material selection in optimizing tribological properties [5,6]. Furthermore, the development of tribological films and coatings has played a significant role in reducing frictional losses in automotive and industrial applications, thus improving overall energy efficiency [7].

Metal-Organic Frameworks (MOFs) are a class of porous materials composed of metal ions coordinated to organic ligands, known for their high surface area, tunable chemical properties, and thermal stability. Due to their unique structural characteristics, MOFs are being explored as functional fillers in ceramic coatings to enhance tribological properties such as wear resistance, friction reduction, and thermal stability. The integration of MOFs into ceramic matrices provides several advantages, including improved mechanical strength, enhanced load-bearing capacity, and reduced friction due to their micro-reservoir function for lubricants [8,9].

The potential of MOFs in ceramic coatings lies in their ability to enhance thermal stability and mechanical properties, thereby improving the overall durability and performance of coated components. Recent research indicates that MOFs can be effectively integrated into High Velocity Oxy-Fuel (HVOF) spray coatings, contributing to enhanced tribological performance by maintaining structural integrity under extreme operating conditions [10, 11].

The primary objective is to explore the significance of tribological properties in industrial applications and the role of Metal-Organic Frameworks (MOFs) in enhancing ceramic coatings. This review aims to provide a comprehensive overview of the current state of research on tribological properties, focusing on wear resistance, friction reduction, and durability. It will also investigate the potential of MOFs

as functional fillers in ceramic coatings to improve mechanical stability, thermal conductivity, and overall tribological performance.

The scope of this review includes:

- Analyzing the importance of tribological properties in various industrial sectors, including automotive, aerospace, and biomedical engineering.
- Evaluating the effectiveness of MOF-based ceramic coatings in enhancing wear resistance and friction reduction.
- Identifying the challenges and limitations in integrating MOFs into ceramic matrices, including issues related to brittleness, adhesion, and structural integrity.
- Highlighting future research directions and potential applications of MOF-based ceramic coatings in advanced industrial systems.

This literature review will synthesize findings from recent studies to provide a cohesive understanding of the role of MOFs in enhancing tribological properties, thereby contributing to the development of innovative and durable coating solutions for industrial applications.

### **Fundamentals of Metal-Organic Frameworks (MOFs)**

Metal-Organic Frameworks (MOFs) are crystalline materials composed of metal ions or clusters coordinated with organic ligands. They exhibit a highly porous structure, enabling a wide range of applications, including gas storage, catalysis, and tribological coatings. MOFs are particularly attractive in coating applications due to their tunable chemical properties and high surface area, which provide exceptional mechanical stability and thermal conductivity.

### **Structural Characteristics and Chemical Properties**

MOFs consist of metal nodes (ions or clusters) connected by organic linkers to form a three-dimensional network. This unique framework provides high porosity and large surface area, allowing the incorporation of functional molecules within the pores. The structural integrity of MOFs is maintained under high pressure and extreme temperatures, making them suitable for industrial applications involving high-stress conditions.

- **High Porosity and Surface Area:** As shown in the PPT, MOFs exhibit high porosity, which facilitates the storage and gradual release of lubricants, ensuring continuous lubrication during operation. This property significantly reduces friction and wear on contact surfaces.
- **Tunable Chemical Properties:** The chemical properties of MOFs can be precisely adjusted by modifying the metal nodes or organic linkers. This flexibility enables the design of MOFs with specific functionalities, such as corrosion resistance or thermal stability. The slides illustrate the potential of MOFs to provide self-healing capabilities by replenishing the lubricant film when it wears away.
- **Mechanical Stability and Load-Bearing Capacity:** The presentation highlights that MOFs maintain structural integrity under high pressure and shear conditions, which enhances their load-bearing

capacity. This characteristic is particularly beneficial in tribological applications where components are subjected to extreme operational conditions.

### **Advantages of High Porosity and Tunable Chemical Properties**

The high porosity and tunable chemical properties of MOFs offer several advantages in coating applications:

- **Enhanced Lubrication:** MOFs act as micro-reservoirs for lubricants, gradually releasing them during operation. This continuous release mechanism helps maintain a stable lubricating film, reducing friction and wear on sliding surfaces.
- **Self-Healing Capability:** As depicted in the PPT, MOFs provide a self-healing capability by replenishing the lubricant film when it gets worn away. This feature enhances the durability and performance of coated surfaces.
- **Thermal Stability and Conductivity:** MOFs possess high thermal conductivity and heat dissipation rates, ensuring thermal stability under extreme temperature conditions. This property is particularly advantageous in high-temperature applications such as aerospace and automotive components.

### **Overview of Ceramic Coatings and Thermal Spray Techniques**

Ceramic coatings are widely used to enhance the mechanical, thermal, and chemical properties of industrial components. They provide high wear resistance, corrosion resistance, and thermal stability, making them ideal for harsh operating environments. The incorporation of MOFs into ceramic coatings enhances their tribological performance by combining the mechanical strength of ceramics with the functional versatility of MOFs.

### **Types of Thermal Spray Techniques**

Thermal spray techniques involve the deposition of molten or semi-molten particles onto a substrate to form a protective coating. These techniques are widely used for applying ceramic coatings due to their ability to achieve high deposition efficiency and process stability. The PowerPoint presentation specifically highlights the **High Velocity Oxy-Fuel (HVOF) Spray Technique**, which is considered one of the most effective methods for producing dense and homogeneous ceramic coatings.

- **High Velocity Oxy-Fuel (HVOF) Coating:** HVOF involves the combustion of fuel and oxygen to generate a high-velocity gas stream that propels the coating particles towards the substrate. The high kinetic energy of the particles results in a dense coating with low porosity and strong adhesion.

### **Advantages of HVOF Coating:**

- **Less Porosity and High Density:** HVOF produces coatings with minimal porosity and high density, resulting in enhanced wear resistance and corrosion protection.
- **Homogeneity and Low Viscosity:** The technique ensures homogeneity and low viscosity, which improves the flowability and deposition efficiency of the coating.
- **High Deposition Efficiency:** HVOF achieves high deposition efficiency, reducing material waste and improving cost-effectiveness.

- **Process Stability and Environmental Impact:** The method offers process stability and low environmental impact, making it suitable for sustainable industrial applications.





Figure 1. Schematic representation of the HVOF nozzle gun

### Importance in Enhancing Mechanical, Thermal, and Chemical Properties

The integration of MOFs into ceramic coatings using thermal spray techniques offers several advantages:

- **Mechanical Strength and Load-Bearing Capacity:** The mechanical strength of ceramic coatings is enhanced by the incorporation of MOFs, which provide structural integrity under high pressure and shear conditions.
- **Thermal Conductivity and Stability:** MOFs improve the thermal conductivity and heat dissipation properties of ceramic coatings, ensuring thermal stability in high-temperature applications.
- **Corrosion and Wear Resistance:** The chemical properties of MOFs enhance corrosion resistance and wear resistance of ceramic coatings, extending the lifespan of industrial components.
- **Applications in High-Stress Industries:** The presentation illustrates the applications of MOF-based ceramic coatings in various high-stress industries, including:
  - **Aerospace:** Enhanced wear resistance and thermal stability for gas turbine shafts and landing gear components.
  - **Automotive:** Improved durability and friction reduction for engine parts and cylinder bores.
  - **Biomedical Engineering:** High corrosion resistance and biocompatibility for medical implants and prosthetics.



*Figure 2. Schematic representation of Plasma Spray Process*

### **Industrial Challenges in Wear and Friction That Limit Component Lifespan**

Wear and friction significantly limit the lifespan and efficiency of components in high-stress industrial applications, including aerospace, automotive, and biomedical engineering. High wear rates and frictional forces lead to material degradation, energy losses, and reduced operational reliability. Conventional coatings often fail to provide the required durability and resistance to extreme pressures and temperatures, which are common in industrial environments. As a result, frequent maintenance, component replacement, and increased operational costs are observed in industries relying on high-performance mechanical systems [13-15].

The industrial challenges are compounded by the need for coatings that not only reduce friction and wear but also maintain mechanical stability under high pressure and thermal conductivity in extreme temperature conditions. Despite the advancements in ceramic coatings and High Velocity Oxy-Fuel (HVOF) techniques, achieving the desired balance between wear resistance, friction reduction, and durability remains a significant challenging [16].

### **Limitations in Existing Coatings**

Despite the potential advantages of Metal-Organic Frameworks (MOFs) in ceramic coatings, several limitations hinder their practical application, including inherent brittleness, challenges in achieving uniform distribution and robust adhesion, and maintaining structural integrity during high-temperature deposition.

### **Inherent Brittleness of MOFs**

One of the significant limitations of MOFs in coating applications is their inherent brittleness, which reduces their mechanical strength and load-bearing capacity under high-stress conditions. The fragile crystalline structure of MOFs makes them susceptible to cracking and structural failure when subjected to mechanical stress or thermal cycling. This brittleness limits the application of MOF-based coatings in high-impact and high-wear environments, such as aerospace and automotive industries [17].

Furthermore, the brittleness of MOFs is exacerbated by their low flexibility and poor resistance to deformation, which compromises the durability and longevity of the coating. This limitation necessitates the development of composite coatings that combine the structural integrity of ceramics with the functional versatility of MOFs to overcome their brittle nature.




Figure 3. Mechanism of MOF integration into HVOF coatings, showing how MOFs act as micro-reservoirs for lubricants

### Challenges in Achieving Uniform Distribution and Robust Adhesion

Achieving uniform distribution of MOFs within ceramic coatings is challenging due to the differences in chemical composition, particle size, and surface energy between MOFs and ceramic matrices. Non-uniform distribution leads to inhomogeneous coating thickness, which can result in localized wear, reduced frictional performance, and compromised mechanical stability. Additionally, the poor adhesion between MOFs and ceramic substrates results in weak interfacial bonding, leading to delamination and reduced wear resistance [18].

The challenge of achieving robust adhesion is further complicated by the inherent chemical incompatibility between MOFs and conventional ceramic binders. This issue necessitates the development of advanced surface modification techniques, such as the use of coupling agents or hybrid composite formulations, to enhance the interfacial bonding and adhesion strength of MOF-based ceramic coatings.

### Maintaining Structural Integrity During High-Temperature Deposition

MOFs are known for their thermal sensitivity and maintaining their structural integrity during high-temperature deposition processes, such as High Velocity Oxy-Fuel (HVOF) spraying, is challenging. The high temperatures involved in thermal spray techniques can cause decomposition or structural collapse of MOFs, leading to a loss of porosity, chemical functionality, and mechanical properties [19].

To address this limitation, researchers are exploring alternative deposition techniques, such as cold spraying or low-temperature chemical vapor deposition, which operate at lower temperatures and minimize thermal degradation. Additionally, the development of thermally stable MOFs with enhanced structural resilience is being pursued to expand their applicability in high-temperature industrial environments.

## Gaps in Current Research and Practical Applications

Despite the growing interest in MOF-based ceramic coatings, several gaps exist in the current research and practical applications:

- **Limited Understanding of Tribological Mechanisms:** There is a limited understanding of the underlying tribological mechanisms of MOFs, particularly in dynamic operating conditions involving high pressure, temperature, and shear forces.
- **Insufficient Long-Term Performance Data:** Most studies focus on short-term experimental evaluations, with insufficient long-term performance data on wear resistance, friction stability, and durability under real-world operating conditions.
- **Challenges in Large-Scale Production:** The scalability of MOF synthesis and integration into ceramic coatings is limited by high production costs, complex fabrication methods, and the need for specialized equipment. This restricts the commercialization and large-scale adoption of MOF-based ceramic coatings in industrial applications [20].
- **Lack of Standardized Testing Protocols:** The lack of standardized testing protocols and performance metrics for evaluating the tribological properties of MOF-based coatings makes it challenging to compare results across different studies and applications.

## Future Research Directions and Recommendations

To overcome these challenges and limitations, future research should focus on:

- **Developing Hybrid Composites:** Combining MOFs with other materials, such as graphene, carbon nanotubes, or ceramics, to enhance mechanical strength, toughness, and thermal stability.
- **Surface Modification Techniques:** Employing advanced surface modification techniques to improve the adhesion, compatibility, and uniform distribution of MOFs within ceramic matrices.
- **Exploring Alternative Deposition Techniques:** Investigating low-temperature deposition methods, such as cold spraying or chemical vapor deposition, to maintain the structural integrity of MOFs during coating fabrication.
- **Long-Term Performance Evaluation:** Conducting long-term performance evaluations under real-world operating conditions to assess the durability, wear resistance, and friction stability of MOF-based ceramic coatings.
- **Scalable and Cost-Effective Synthesis Methods:** Developing scalable and cost-effective synthesis methods for MOFs to facilitate large-scale production and industrial adoption.

## Conclusions

This literature review explored the potential of **Metal-Organic Frameworks (MOFs)** as functional fillers in ceramic coatings to enhance tribological properties, including wear resistance, friction reduction, and durability. The key findings from the review are summarized as follows:

### Importance of Tribological Properties in Industrial Applications:

Tribological properties, including wear resistance, friction reduction, and durability, are critical for the reliability and efficiency of industrial components. They significantly impact the performance and lifespan of high-stress applications such as aerospace, automotive, and biomedical systems. However, existing

coatings often fail to provide the necessary durability under extreme pressure and temperature conditions [22-24].

MOFs offer exceptional properties such as high porosity, tunable chemical characteristics, and thermal stability, making them ideal candidates for enhancing ceramic coatings. They provide enhanced lubrication, thermal conductivity, and mechanical stability while maintaining structural integrity under high-stress conditions. MOFs also exhibit self-healing capabilities by acting as micro-reservoirs for lubricants, thereby reducing friction and wear on contact surfaces [25].

### **Final Remarks on the Potential of MOF-Based Coatings in Enhancing Tribological Properties**

Metal-Organic Frameworks (MOFs) have demonstrated immense potential in enhancing the tribological properties of ceramic coatings. Their unique structural characteristics, including high porosity, tunable chemical properties, and thermal stability, contribute to improved wear resistance, friction reduction, and durability. By leveraging their ability to act as micro-reservoirs for lubricants and their self-healing capabilities, MOFs can significantly enhance the performance of coated components under extreme operating conditions [26].

The integration of MOFs into ceramic coatings presents a transformative approach to addressing industrial challenges related to wear and friction, especially in high-stress environments such as aerospace, automotive, and biomedical applications. Their functional versatility allows for the development of advanced coatings that combine mechanical strength with enhanced lubrication and thermal conductivity, thereby extending the lifespan and operational efficiency of industrial components. However, realizing the full potential of MOF-based coatings requires overcoming existing challenges related to brittleness, uniform distribution, adhesion, and scalability. Innovative solutions, including hybrid composite formulations, surface modification techniques, and alternative deposition methods, are essential for achieving robust and durable MOF-based ceramic coatings.

### **Call for Further Research to Bridge Existing Gaps and Explore New Applications**

To bridge the existing gaps and unlock the full potential of MOF-based ceramic coatings, further research is necessary in the following areas:

- **Hybrid Composite Development:** Investigate the synergistic combination of MOFs with other advanced materials, such as graphene, carbon nanotubes, or ceramics, to enhance mechanical properties and thermal stability.
- **Surface Modification and Adhesion Improvement:** Develop advanced surface modification techniques and coupling agents to improve interfacial bonding and adhesion strength.
- **Alternative Deposition Techniques:** Explore low-temperature deposition methods, such as cold spraying or chemical vapor deposition, to maintain the structural integrity and functionality of MOFs.
- **Long-Term Performance Evaluation:** Conduct comprehensive long-term performance evaluations under real-world operating conditions to assess wear resistance, friction stability, and durability.
- **Cost-Effective Synthesis and Scalability:** Focus on developing scalable and cost-effective synthesis methods for MOFs to facilitate large-scale industrial adoption.

- **Exploring New Applications:** Investigate new applications in emerging industries such as renewable energy, biomedical devices, and space technology, where enhanced tribological properties are critical.

## References

1. J. Kayode, S. L. Lawal, and S. Afolalu, "An Overview of Tribology and its Industrial Applications," *2023 International Conference on Science, Engineering and Business for Sustainable Development Goals (SEB-SDG)*, vol. 1, pp. 1-15, 2023.
2. K. Akari, "Application of Tribological Films Automobile Parts Based on the AIP/UBMS Process," *Wear*, vol. 54, pp. 77-80, 2004.
3. F. Seidi, M. Jouyandeh, M. Taghizadeh, A. Taghizadeh, H. Vahabi, S. Habibzadeh, K. Formela, and M. Saeb, "Metal-Organic Framework (MOF)/Epoxy Coatings: A Review," *Materials*, vol. 13, 2020.
4. C. H. Hendon, A. J. Rieth, M. D. Korzyński, and M. Dincă, "Grand Challenges and Future Opportunities for Metal–Organic Frameworks," *ACS Central Science*, vol. 3, pp. 554-563, 2017.
5. S. Jia, D. Ji, L. Wang, X. Qin, and S. Ramakrishna, "Metal–Organic Framework Membranes: Advances, Fabrication, and Applications," *Small Structures*, vol. 3, 2022.
6. E. Grimmond, T. D. Hadley, A. Monch, I. Harvey, J. Churchill, M. Rubio-Martínez, S. Lim, and M. Hill, "A Techno-Economic Evaluation for Industrial Scale Production of Metal Organic Frameworks," *Proceedings of the Institution of Mechanical Engineers*, vol. 691, 2015.
7. **A. López-Ortega, R. Bayon, and J. Arana**, "Evaluation of protective coatings for offshore applications. Corrosion and tribocorrosion behavior in synthetic seawater," *Surface and Coatings Technology*, vol. 1, pp. 1-15, 2018. <https://doi.org/10.1016/J.SURFCOAT.2018.06.089>
8. **W. Zhang, B. Maythalongy, and F. Gao**, "Thermally stable inorganic Bi<sub>0.4</sub>Sb<sub>1.6</sub>Te<sub>3</sub>/metal-organic frameworks (MOFs) composites with 1-by-1 nm pore engineering towards mid-temperature thermoelectrics," *Energy & Environmental Science*, vol. 1, pp. 1-15, 2024. <https://doi.org/10.1039/d4ee01652a>
9. **S. S. K. Sundari, S. S. Rishwana, R. Ramani, and C. Vijayakumar**, "Improvement in electrical and mechanical properties of di/trifunctional epoxies-based hybrid composites having metal organic frameworks (MOFs) as nanoparticulate filler," *MRS Communications*, vol. 12, pp. 250-256, 2022. <https://doi.org/10.1557/s43579-022-00170-z>
10. **B. Fernández-Díaz, R. Bayon, and A. Igartua**, "Alternative Cr+6-Free Coatings Sliding Against NBR Elastomer," *Wear*, vol. 54, pp. 77-80, 2011. <https://doi.org/10.5772/21936>
11. **Y. Han, P. Qi, J. Zhou, X. Feng, S. Li, X. Fu, J. Zhao, D. Yu, and B. Wang**, "Metal-Organic Frameworks (MOFs) as Sandwich Coating Cushion for Silicon Anode in Lithium Ion Batteries," *ACS Applied Materials & Interfaces*, vol. 7, pp. 26608-13, 2015. <https://doi.org/10.1021/acsami.5b08109>
12. **F. Seidi, M. Jouyandeh, M. Taghizadeh, A. Taghizadeh, H. Vahabi, S. Habibzadeh, K. Formela, and M. Saeb**, "Metal-Organic Framework (MOF)/Epoxy Coatings: A Review," *Materials*, vol. 13, 2020. <https://doi.org/10.3390/ma13122881>
13. **D. Li, A. Yadav, H. Zhou, K. Roy, P. Thanasekaran, and C. Lee**, "Advances and Applications of Metal-Organic Frameworks (MOFs) in Emerging Technologies: A Comprehensive Review," *Global Challenges*, vol. 8, 2023. <https://doi.org/10.1002/gch2.202300244>

14. **Y. Bao, Y. Chen, T. Lim, R. Wang, and X. Hu**, "A Novel Metal–Organic Framework (MOF)–Mediated Interfacial Polymerization for Direct Deposition of Polyamide Layer on Ceramic Substrates for Nanofiltration," *Advanced Materials Interfaces*, vol. 6, 2019. <https://doi.org/10.1002/admi.201900132>
15. **N. Keshmiri, P. Najmi, M. Ramezanzadeh, and B. Ramezanzadeh**, "Designing an eco-friendly lanthanide-based metal organic framework (MOF) assembled graphene-oxide with superior active anti-corrosion performance in epoxy composite," *Journal of Cleaner Production*, vol. 319, 2021. <https://doi.org/10.1016/J.JCLEPRO.2021.128732>
16. **D. Zou, D. Liu, and J. Zhang**, "From Zeolitic Imidazolate Framework-8 to Metal-Organic Frameworks (MOFs): Representative Substance for the General Study of Pioneering MOF Applications," *Energy & Environmental Materials*, vol. 1, 2018. <https://doi.org/10.1002/eem2.12018>
17. **A. López-Ortega, R. Bayon, and J. Arana**, "Evaluation of protective coatings for offshore applications. Corrosion and tribocorrosion behavior in synthetic seawater," *Surface and Coatings Technology*, vol. 1, pp. 1-15, 2018. <https://doi.org/10.1016/J.SURFCOAT.2018.06.089>
18. **W. Zhang, B. Maythality, and F. Gao**, "Thermally stable inorganic Bi<sub>0.4</sub>Sb<sub>1.6</sub>Te<sub>3</sub>/metal-organic frameworks (MOFs) composites with 1-by-1 nm pore engineering towards mid-temperature thermoelectrics," *Energy & Environmental Science*, vol. 1, pp. 1-15, 2024. <https://doi.org/10.1039/d4ee01652a>
19. **S. S. K. Sundari, S. S. Rishwana, R. Ramani, and C. Vijayakumar**, "Improvement in electrical and mechanical properties of di/trifunctional epoxies-based hybrid composites having metal organic frameworks (MOFs) as nanoparticulate filler," *MRS Communications*, vol. 12, pp. 250-256, 2022. <https://doi.org/10.1557/s43579-022-00170-z>
20. **B. Fernández-Díaz, R. Bayon, and A. Igartua**, "Alternative Cr+6-Free Coatings Sliding Against NBR Elastomer," *Wear*, vol. 54, pp. 77-80, 2011. <https://doi.org/10.5772/21936>
21. **Y. Han, P. Qi, J. Zhou, X. Feng, S. Li, X. Fu, J. Zhao, D. Yu, and B. Wang**, "Metal-Organic Frameworks (MOFs) as Sandwich Coating Cushion for Silicon Anode in Lithium Ion Batteries," *ACS Applied Materials & Interfaces*, vol. 7, pp. 26608-13, 2015. <https://doi.org/10.1021/acsami.5b08109>
22. **D. Li, A. Yadav, H. Zhou, K. Roy, P. Thanasekaran, and C. Lee**, "Advances and Applications of Metal-Organic Frameworks (MOFs) in Emerging Technologies: A Comprehensive Review," *Global Challenges*, vol. 8, 2023. <https://doi.org/10.1002/gch2.202300244>
23. **Y. Bao, Y. Chen, T. Lim, R. Wang, and X. Hu**, "A Novel Metal–Organic Framework (MOF)–Mediated Interfacial Polymerization for Direct Deposition of Polyamide Layer on Ceramic Substrates for Nanofiltration," *Advanced Materials Interfaces*, vol. 6, 2019. <https://doi.org/10.1002/admi.201900132>
24. **N. Keshmiri, P. Najmi, M. Ramezanzadeh, and B. Ramezanzadeh**, "Designing an eco-friendly lanthanide-based metal organic framework (MOF) assembled graphene-oxide with superior active anti-corrosion performance in epoxy composite," *Journal of Cleaner Production*, vol. 319, 2021. <https://doi.org/10.1016/J.JCLEPRO.2021.128732>

25. **D. Zou, D. Liu, and J. Zhang**, "From Zeolitic Imidazolate Framework-8 to Metal-Organic Frameworks (MOFs): Representative Substance for the General Study of Pioneering MOF Applications," *Energy & Environmental Materials*, vol. 1, 2018.  
<https://doi.org/10.1002/eem2.12018>
26. **J. Kärger, D. Ruthven, and D. Theodorou**, "Metal Organic Frameworks (MOFs)," *Annual Review of Chemical and Biomolecular Engineering*, vol. 1, pp. 729-767, 2012.  
<https://doi.org/10.1002/9783527651276.CH19>.