Information technology tools for the valorisation of seismology's historical documentary heritage

Gabriele Tarabusi (1) and Graziano Ferrari (2)

(¹) SGA Storia Geofisica Ambiente, Bologna, Italy (²) Istituto Nazionale di Geofisica e Vulcanologia, Bologna, Italy

Abstract

In the past few decades historical documentation of a scientific and non-scientific nature has taken on critical importance in the different sectors of seismology: historical seismology and historical seismometry.

Modern technologies offer unique opportunities for cataloguing and efficiently distributing the reproductions or digital versions of scientific letters.

Over the last 20 years SGA (Storia Geofisica Ambiente) has set up and promoted, within the scope of the TRO-MOS (INGV-SGA) and EUROSEISMOS (INGV-SGA) projects, initiatives for the cataloguing, reproduction, study and dissemination of documentation relating to the history of seismology in both Italy and Europe. This approach, based on the application of modern technologies, has enabled us to achieve a rigorous processing and study of documents using the most appropriate information technology tools.

The techniques we have used encourage the dissemination and study of historical scientific documentation seeking to bring together scholars and research groups within a new disciplinary community dedicated to studying the history of earth sciences.

Key words history of seismology – historical documentation – information technology – historical database – Tromos – Euroseismos

1. Introduction

Over the last few decades, historical documentation, both of a scientific and non-scientific nature, has acquired critical importance in the different sectors of seismology: *i.e.* historical seismology and historical seismometry. Apart from the undisputed cultural and historical value of the testimonies concerning the Ital-

ian historical earthquakes and the documentation of the long Italian seismological tradition (Ferrari, 1997), multidisciplinary methodological approaches to the study of past earthquakes have been taking shape, both from the macroseismic and the instrumental standpoints (Boschi *et al.*, 2000; Guidoboni *et al.*, 2007).

In these innovative study sectors, Italy has been a very important laboratory for methodological experimentation. The literature on the methodology and the results of these approaches are broad and consolidated. This paper analyses the contribution of the modern technologies to the valorisation and the dissemination of the historical-scientific materials on seismology and the products of their elaboration.

Among the most interesting materials, the epistolary documentation of a conventional scientific kind stand out together with specialised documents (macroseismic questionnaires). In-

Mailing address: Dr. Gabriele Tarabusi, SGA Storia Geofisica Ambiente, Via Fioravanti 59/2, 40129 Bologna, Italy; e-mail: tarabusi@sga-storiageo.it




Fig. 1. Simplified scheme of the structure of the TROMOS database and the relations between the different files. Although it can be managed in a relational way, in this case a hierarchical structure of the links has been preferred. The levels of the hierarchy correspond to the respective positions of the files in the figure. In particular, for the observatories there are two files: the one of the observatory's history, in which all the information is summarised as well as the history of the observatory and the file of its variants (name, location, etc.).

As regards the instruments, there are three files connected with one another: the file of the prototypes (the idea and the description of the instrument even if never actually made), that of the instruments actually made and located in the observatories and the file of the variants of the instruments devised (modifications, re-location etc.). One file collects the information related to scholar and the association. Two files collect the information relating to the earthquakes: one relating to the whole sequence and one relating to each earthquake that is the reference for the file cataloguing the seismograms.

The bibliographic file with the related texts of the sources and the information relating to the archive or the library of conservation, guarantees the documentary support to the information contained in the variation files on observatories, instrument variants, prototypes, scholars, seismic sequences, and seismological glossary.

The database is potentially set up for sharing its files with other complementary files such as the CFTI4Med (Guidoboni *et al.*, 2007) is indicated on the right of the figure. Different types of interface and interactions with other information technology tools allow for the use of the data in different modalities and a wide range of scientific and cultural users.




Fig. 2. The main consultation window of the TROMOS database contains four lists with summary information: observatories, instruments, scholars/builders/associations, epistolary correspondents catalogued in the database. A fifth list, at the bottom, is dedicated to collecting a selection of observatories, activated by double-clicking one ach line of interest of the observatories list, following activation of the button: «Consultation/selection». A click on the button «Map» allows us to create a map with the localisation of the selected observatories. Double-clicking on each line of the list activates a specific detail window.

deed, it is important from the scientific standpoint both in itself and as a complementary document to the seismological data *sensu stricto* (*i.e.* seismic recordings, seismological observations, etc.).

2. The TROMOS Project

Over the last 20 years SGA has performed and/or coordinated research and processed data

within the scope of historical seismometry studies and the history of seismology in Italy (TRO-MOS project) and Europe (ESC Working Group History of Seismometry) (Ferrari, 1997).

Started by ING in 1990, the TROMOS project has been addressed to the research, recovery, restoration and re-establishment of the historical heritage of Italian seismology. The results of TROMOS (1990-2007) project in Italy have led European Seismological Commission to establish the Working Group «History of




Fig. 3. Observatories file, example of record. The following are indicated: name, international code, location, province or region, country, geographical coordinates and quota.

The button «Bulletins» open the window with the list of all the bulletins present in the data base, relating to the selected observatory (fig. 5).

In the lower part of the window there is, only when the data are available, the list of instruments used in the observatory, present in the data base. When available these report, besides the name of the instrument, also the components and the start and end dates of function. With the button 'Constants', the window Instrument constants is accessed, which allows for the visualisation of all the characteristics of the selected instruments, which in turn allows for access to the consultation window of the constant history of the instrument (fig. 7).

Seismometry» (WG HoS) in 1992. During its 17 years of activity the project's chief aims were:

- the listing of the Centres of meteorological and seismic observation operating in Italy (18th-20th century), with details of the current whereabouts of the relevant materials and historical instruments:
- the restoration of some of the most important historic seismic instruments in the Italian meteorological and seismological observatories;
- the recovery and restoration of the historical seismograms of strong Italian earthquakes recorded from the late 19th century in Italian and European centres;

the dissemination of the historic and scientific results of the research performed.

A dedicated indexing system has been set up to store the information gathered from the systematic collection and analysis of both published and unpublished contributions found in the course of the research.

A dedicated database (Ferrari, 1992), developed by SGA on behalf of the Istituto Nazionale di Geofisica e Vulcanologia, has been designed for the electronic storage of the indexed information (fig. 1). Thanks to the long experience of SGA in the research and electronic storage of all kinds of environmental history data, the database, after its first release, was up-



Fig. 4. Observatories file, example of iconography – Valerio meteoric-magnetic observatory in Pesaro.

dated «on the field». The current state of the database has been verified after 16 years of improvement in the rationale and the efficiency of its structure and tools (figs. 2-9).

The research numbers can be summed up as follows: 15,000 bibliographic and documentary sources (17th-20th century) have been found; they concern over 1,000 meteorological and seismological observatories, over 600 instruments and 250 instrument-makers; 5,000 of these sources have been entered in the database. Over 5,000 letters have so far been individually and partly microfilmed and analyzed.

Approximately 70 historic centers with an observational tradition from the 1,200 catalogued ones have been visited or examined; about 150 instruments (from 1818 to the 1970s) out of the 600 ones registered in the database have been identified and photographed.

Apart from valorising the fundamental contribution of the Italian scientific community to world seismology, the research performed within the scope of the TROMOS project and the related specialist and non-specialist scientific products developed (books, data base and internet web site) have allowed us to outline and create a relatively accurate picture of the consistency and the state of preservation of the instru-




Fig. 5. Bulletins file, consultation window of all the bulletins present in the data base, relating to the selected observatory. By highlighting a record from the list of bulletins it is sufficient to press the button «Show text» to open the PDF file containing the digital scan of the original text.




Fig. 6. Instruments file, example of record relating to the dissemination of the 1,000 kg Wiechert astatic horizontal seismograph. By double-clicking on a line of the list you can access the detail of the information on that specific instrument. Highlighting a record from the list of bulletins it is enough to press the button Constants to access the window Instrument constants, which allows the visualisation of all the characteristics of the selected instrument and that in turn allows for the access to the consultation window of the constant history of the instrument (fig. 7).

ments and historical scientific documentary materials of the Italian seismological observatories that operated from the 1850s until the 1970s. The most recent investigations have shown a worrying increase in the risk of dispersion of these assets. Among these materials the station log book, scientific letters, seismograms, particularly rare Italian and foreign seismic bulletins stand out. In other cases, documentary files very important for seismology are inaccessible or hard to trace unless they are properly classified, reproduced and transcribed. In fact, it is often a matter of handwritten materials that are quite difficult to read and that require a good knowledge of the contextual his-

torical seismological and meteorological setting for a complete understanding. Among these scientific materials produced by scholars in earth sciences an important role is played by the scientific letters in the reconstruction of the development of scientific instruments, the methods of inquiry and the scientific theories. Scientific letters between meteorologists and seismologists from the 1850s quite often contain important scientific data that may be potentially useful even today. In the activity of averting the dispersion and incentivising the wealth of unpublished historical scientific documentation from the important historic meteorological-seismic observatories, starting from 2002 a




Fig. 7. Instruments seismic constants history file, consultation window of the constant history of the instrument. By selecting a line from the list the related bibliographic reference is highlighted in the text field «Details» at the bottom. By clicking on the button «Show text» the PDF file is opened containing the digital scan of the original text from which the information have been extracted.

specific project of cataloguing and reproduction of scientific correspondence has been launched: *Letters in Earth Sciences* (Ferrari, 2002).

The research, extended to the broader community of scholars and sites preserving historic materials, aims to promote and foster the identification, cataloguing, electronic scanning and dissemination of files relevant to the history of earth sciences and astronomy.

At the same time the project also attempts to promote the recovery, in digital format, of everything hitherto published: letter catalogues, registries and whole letter transcriptions: digital document scanning should also support this phase. In this phase the project leaders are making contact with the various institutions that preserve historical correspondence having some relevance for this research, already partly transferred into printed materials, to sound out their willingness to collaborate.

Cataloguing, scanning and dissemination are carried out in compliance with any copyrights safeguarded by the applicable laws and on the grounds of any agreements signed with bodies or private individuals holding the files relevant to the study.

Within the scope of this project, we have catalogued and scanned the Tacchini correspondence archives held at the Ufficio Centrale di Ecologia Agraria (Central Office of Agrarian




Fig. 8. Scholars and associations file, example of record. Apart from the biographical information, the window reports the list of the letters sent or received by the scholar. Double clicking on the line of interest opens a window with the details of the related letter, also with the chance to open the PDF file of the integral raster reproduction of the letter.

Ecology, Rome) and the Grablovitz Archive at Ischia, only recently made available by the heirs.

The Tacchini correspondence archives, crucially important for the history of seismology, comprise about 5,100 letters from one of the most important periods for seismology (from 1861 to 1900), during which the Italian geodynamic service started taking shape, the forerunners of the geophysical network of the *Istituto Nazionale di Geofisica*. For this archive the cataloguing has been completed followed by the digital reproduction of the correspondence having a historical seismological interest. The let-

ter archive of Giulio Grablovitz at Ischia was first of all catalogued and subsequently the digital reproduction of the correspondence having a prevalent seismological and meteorological interest was performed, for over 1,000 letters altogether, while the seismograms were restored and made available to the SISMOS Centre for high-resolution digital scanning.

A website (http://storing.ingv.it/letters/) has also been set up. The site allows for the selection of project database subsets by the name of the correspondents and by date-intervals (fig. 10). Also being set up is a GIS interface that




Fig. 9. Bibliographic file, main search window. In this file different kind of printed and manuscript documents (observatories, instruments, scholars, earthquakes etc.) are stored: selected papers from scientific journals, books, station bulletins, station handbooks, letters etc.

Each chart reports the bibliographic code (CODBIB) and the progressive order of the document and, if available at the current state of the research, the following information: name, role, geographical and chronological reference of the author; title, geographic and chronological reference of the document; the place and date of the publication; whether it is a publication, a manuscript or a copy of a manuscript.

In the case of scientific correspondence, if further information is available for a letter, a button named «Letter Details» is activated, which, once pressed, opens the window with the details of the related letter, and the chance to open the PDF file of the integral raster reproduction of the letter.

will allow for the geographical querying of the online database.

3. The EUROSEISMOS Project

Digital preservation of the unique seismological patrimony consisting of historical seismograms and earthquake bulletins, and of related documentation (*e.g.*, observatory log books, station books, etc.), is of utmost importance to avoid deterioration and loss over time (Kanamori, 1988). Dissemination of this seismological material in digital form is of equal importance to allow for the re-evaluation of

past earthquakes using modern techniques and the re-evaluation of the seismic hazard.

In 2002 at the ESC held in Genoa, a project entitled «Saving and Studying the Seismograms of the Strongest Euro-Mediterranean Earthquakes» coordinated by Graziano Ferrari (SGA – Storia Geofisica Ambiente) and Nicola Alessandro Pino (Istituto Nazionale di Geofisica e Vulcanologia, INGV) was started. The project was named *EuroSeismos* (ES) and initially saw the participation of 24 researchers belonging to 15 countries which then grew to more than 40 researchers belonging to 31 countries from the Euro-Mediterranean area.

The goal of the project was to exploit fully




Fig. 10. Simplified scheme of the process of acquisition and dissemination materials of the project Letters in Earth Sciences. The letters processed in different forms (digital scanning, full transcription, registry) from the original place of preservation are catalogued and all the papers are added to the TROMOS database. The internet-based dissemination project of all the materials provides for the parametric (*i.e.* the name of the correspondents, chronological range, type of letter and contents, etc.) as well as geographical querying of the database. The first type of querying has already been set up, while the geographical type of approach is still undergoing completion.

At the bottom, an example of the outputs list. The keys to the right of the correspondents' names refer back to their respective biographies, while the button on the far right refers back to the image of the letter and the correlated information.



Fig. 11. «Collection» section of the ES Website with progressive updating of the phases that have affected the seismograms coming from the different partner countries involved in the project.

							Date: 28/
Preview*	ES**	COD COMPL	Instrument	COMP	То	Vo	Earthquake
A	ES	GTT_E_1904071307141	Wiechert	E;N	14.00;10.6	151;160	60050 - 1904 07 13 - Pyrenees, S France - FRANCE 60053 - 1904 07 13 - Bigorre (Pyrennées) - FRANCE
₩.	ES	GTT_N_1904071307141	Wiechert	E;N	14.00;10.6	151;160	60050 - 1904 07 13 - Pyrenees, S France - FRANCE 60051 - 1904 07 13 - Bigorre (Pyrennées) - FRANCE
₩.	ES	GTT_E_1904071307141	Wiechert	E;N	14.00;10.6	151;160	60050 - 1904 07 13 - Pyrenees, S France - FRANCE 60051 - 1904 07 13 - Bigorre (Pyrennées) - FRANCE
₩.	ES	GTT_N_1904071307141	Wiechert	E;N	14.00;10.6	151;160	60050 - 1904 07 13 - Pyrenees, S France - FRANCE 60051 - 1904 07 13 - Bigorre (Pyrennées) - FRANCE
₩.	ES	GTT_N_1905041008421	Wiechert	E;N	14.00;10.6	151;160	60053 - 1905 04 10 - Vaison La Romaine (Vallee Du Rhone) - FRANCE
₩	ES	GTT_E_1905041008421	Wiechert	E;N	14.00;10.6	151;160	60053 - 1905 04 10 - Vaison La Romaine (Vallee Du Rhone) - FRANCE
₩		GTT_N_1905052807521	Wiechert	E;N	14.00;10.6	151;160	
₩.		GTT_E_1905052807521	Wiechert	EJN	14.00;10.6	151;160	
砂備		GTT_N_1905052808001	Wiechert	N;E	1.5	2100	
W	ES	GTT_E_1905052907561	Wiechert	E;N	14.00;10.6	151;160	60056 - 1905 05 29 - Ivanšcica (Nv Croatia) - CROATIA
₩	ES	GTT_N_1905052907562	Wiechert	N;E	1.5	2100	60056 - 1905 05 29 - Ivaněcica (Nv Croatia) - CROATIA
砂酯	ES	GTT_N_1905052907561	Wiechert	E;N	14.00;10.6	151;160	60056 - 1905 05 29 - Ivanšcica (Nv Croatia) - CROATIA
砂酯	ES	GTT_N_1905090710511	Wiechert	N; E	1.5	2100	19344 - 1905 09 08 - Calabria - ITALY
W	ES	GTT_N_1905090710581	Wiechert	E;N	14.00;10.6	151;160	19344 - 1905 09 08 - Calabria - ITALY
DA	E 8	GTT E 1905090710581	Wiechart	E-N	14 00:10 6	151:160	19244 - 1905 09 08 - Calabria - ITALY

Fig. 12. From the «Seismograms Available» section of the ES Website, it is possible to know for each Observatory the details relating to the scanned seismograms available in the SISMOS web site. From this section it is also possible to have low-resolution preview access of the seismograms, know the mean values of the main instrumentals constants (from the TROMOS database) and know which earthquakes, among those chosen by the project partners, refer to each recording.

									Ea	rthquak	(es r	eque	sted b	y Albania		
															Download	he list in ASCII i
NTERR	ns	R	Year	Mo	Da	Но	Mi	Se	Lat	Lon	Io	M	Prior	Req	Epicentral Zone	Country
60057	10	+	1905	06	01	04	42	19.5	42	19.5	9	6.6	A	Duni - Pekevski	Northern Albania	Albania
60115	38	*	1911	02	18	21	35	18	40.85	20.7	9	6.7	A	Duni - Pekevski	Ohrid Lake Region	Albania
60188	34		1920	11	26	80	51	0	40.35	19.95	9	6.4	A	Duni - Baskoutas	Southern Albania	Albania
60239	56	*	1926	12	17	11	39	50	41.3	19.5	9	6.2	A	Duni - Baskoutas	Central Albania	Albania
60275	55		1930	11	21	02	00	27	40.2	19.6	9	6.1	A	Duni	Southern Albania	Albania
60358	65		1942	08	27	06	14	11	41.65	20.45	8	6	A	Duni - Pekevski	North-Easter Albania	Albania
60481	90		1959	09	01	11	37	40	40.85	19.8	8.5	6.2	A	Duni	Southern Albania	Albania
60484	96		1960	05	26	05	10	11	40.6	20.7	9	6.4	A	Duni	South-Eastern Albania	Albania
60491	111	*	1962	03	18	15	30	32	40.7	19.6	8	6	A	Duni - Pekevski	Southern Albania	Albania
60498	41		1963	02	22	14	12	51	40.2	20	7	5.2	В	Duni	Southern Albania	Albania
60516	141	*	1967	11	30	07	23	50	41.32	20.34	9	6.6	A	Duni - Pekevski	North-Eastern Albania	Albania
60526	86		1969	04	03	22	12	22	40.48	19.92	7	5.6	В	Duni	Southern Albania	Albania
60538	73	Г	1970	08	19	02	01	53	41.15	19.6	7	5.5	В	Duni	Central Albania	Albania
60561	149		1979	04	15	06	19	41	42.16	18.87	9.5	6.9	A	Duni	Montenegro	Yugoslavia
60563	161		1979	05	24	17	23	18	42.24	18.75	8	6.4	A	Duni	Montenegro	Yugoslavia
60570	49		1982	11	16	23	41	21	40.79	19.65	7	5.7	В	Duni	Southern Albania	Albania
60577	34		1985	01	16	23	35	58	40.64	19.4	6.5	5	В	Duni	South-Western Albania	Albania
60587	27		1988	01	09	01	02	48	41.24	19.83	7	5.7	В	Duni	Central Albania	Albania

In the second column (ns) is the number of scanned Seismograms available for each earthquake

In the third column (R):

* = requested by 2 or more national partners b = before 1895

a = after 1990

1, 2, 3, ecc. = events supposed duplicated, please help us to check

Fig. 13. For each project partner a page is active with the list of chosen earthquakes, which allows us to access, by means of the link of the NTERR column the updated situation of the seismograms and the data available for each event.

the potential offered by historical seismograms for reappraising historical earthquakes using modern techniques. The necessary steps for pursuing the above goals are:

- 1) a well organized data-collection,
- 2) high resolution digital scanning of the historical material,
 - 3) dissemination of the digital images
- 4) fostering the growth of a Euro-Mediterranean community on the topic of the processing of the seismograms of the historical earthquakes.

As the SISMOS facility of INGV (see Michelini *et al.*, 2005, for a recent update on its activities) had already set up a scanning laboratory with dedicated personnel (http://sismos.ingv.it), it was agreed that the image-processing activities and the data dissemination should be centralised at the INGV headquarters in Rome, where the SISMOS facility is situated.

The Euroseismos project website (http://storing.ingv.it/es_web/) has been developed and updated by SGA Storia Geofisica Ambiente of

Bologna. Thanks to regular updating of the data, all the partners have been able to follow the project stages (fig. 11) and gain a picture of the information contents available in real-time (figs. 12, 13 e 14). In the various section of the website, the pages are enriched with previous information for the study of the seismograms, archived in the TROMOS database thanks to the recovery and the digitalisation of the complementary documentation (figs.15-17).

By the end of 2007, the project had been capable of collecting 30,000 historical seismograms from 132 observatories from a list of 611 earthquakes chosen by the participants (figs. 13 and 14). The scanned digital images have been assembled in DVD volumes and mailed to the contributing partners. Similarly, all the historical records are viewable interactively at low resolution and can be requested at very high resolution on the «Seismogram Request» Sismos web site.

Throughout the four years of the project, financial support was provided by INGV to SGA.




Fig. 14. From the «Main and regional list» section of the ES Website (A), it is possible to access the consultation of the data available for each of the 611 earthquakes chosen by the project partners, both on chronological (Earthquake Catalogue) (B), and geographical grounds (Earthquake Map) (C), in relation to the country in which the epicentres are localised. From both windows it is possible to select the earthquake of interest and visualise an interactive map all the stations where seismograms scans are available in the SISMOS database, besides the epicentre of the event (D). By clicking on one of the sensitive points the list of seismograms available in the SISMOS database for that earthquake is visualised; for each one the main data present in the TROMOS database relating to the observatory and the recording instrument and its constants (E) are reported. By clicking on the icon of the left-hand column of the latter window (E) it is also possible to access a low-resolution preview of the seismograms.

SGA was in charge of gathering and identifying the relevant material, organizing the exchange of materials among the participants and INGV, preparing and managing the Euroseismos web site, and maintaining contacts with the project partners. In addition, the project has greatly benefited from the expertise of the SISMOS personnel for archiving and managing the abundance of digital raster images.

Finally, in September 2005, the «1st Workshop on the Vectorizazion of Historical Seismograms» was held in Grottaminarda, Italy, organized by INGV in collaboration with SGA, during which the Teseo² vectorizer (http://sismos.ingv.it/teseo/, Pintore *et al.*, 2005) was presented and its use explained. About 20 participants from 10 Countries of the Euro-Mediterranean region attended the workshop.




Fig. 15. Example of consultation through the ES website of the complementary documentation relating to the Jena observatory, collected and scanned within the scope of the TROMOS and EUROSEISMOS projects and stored in the TROMOS database. In the main page of the station (A) the following are indicated: name, location, province or region, nation, international code, geographical coordinates and quota. Also present, when available, are observatory photos. The tables relating to the instruments that have worked at the station follow, divided into mechanical and galvanometric. For each instrument the main average constants and the recording period are indicated; by clicking on the name a page opens with the image of the single instrument (B); through a link it is possible to access the page relating to the instruments' seismic constant history (C); for each time-interval the constants refer to, there is a link that enables the viewing of the scan of the single page of the bulletin from which the information has been drawn (D). At the bottom, in the main page of the station (A) the available bulletins are listed in a table, with the indication of the author, the title and the year of the edition; through a link it is possible to open the PDF of the integral raster reproduction of the bulletin.

As explained above, the project has paid special attention to the complementary documentation and has promoted the recovery, digital scanning and dissemination of those materials. Seismic bulletins, station books, handwritten notes, scientific correspondence, copies of seismograms amount to a complementary documentation to the seismic recordings have a

great bearing on their improved interpretation. This kind of documentation, being the subject of recovery and reproduction within the TRO-MOS project in Italy, would also be the subject of special attention in EUROSEISMOS (figs. 15 and 16). In the various sections of the ES web site a lot of precious information is made available to the researchers relating to the ob-

Consultation by Country and download of bulletins reproduced in the frame of Euroseismos project are available by the map below:




Fig. 16. Euroseismos website: Geographic access by country to the seismic bulletins of the different observatories. By clicking on the map it is possible to ace the list of bulletins collected during the project for each country. From this list it is possible to open the PDF file of the integral raster reproduction of each single bulletin.

servatories and the instrumental constants and their change in time, coming from such a complementary documentation and archived in the TROMOS database, both during the project and during the previous 17 years.

Within the framework of the EUROSEISMOS the project bulletins of the International Seismological Summary (ISS) from 1918 to 1963, for a total of over 39,000 pages have also been scanned and collated.

The original bulletins of the International Seismological Summary (ISS) from 1918 to 1939 have been obtained thanks to funding provided by the US National Science Foundation through grant EAR-9725140 (Villaseñor *et al.*, 1997) and have been scanned and collected by SGA Storia Geofisica Ambiente (Bologna) thanks to funding provided by the Istituto Nazionale di Geofisica e Vulcanologia (Rome).

The scanned images of the bulletins of the International Seismological Summary (ISS)

from 1940 to 1963 have been obtained as part of a global earthquake relocation project (Villaseñor *et al.*, 1997) initiated with funding from the US National Science Foundation through grant EAR-9725140 and collected by SGA Storia Geofisica Ambiente (Bologna) on behalf of the Istituto Nazionale di Geofisica e Vulcanologia (Rome).

A dedicated section of the Euroseismos site allows for the online consultation of the single pages of the ISS bulletins or, alternatively, the download of each and every whole bulletin in PDF (fig. 17).

The updating of the EUROSEISMOS site is guaranteed by a complex automatic procedure devised by SGA, which starts from the data relating to the scanned seismograms coming from the SISMOS database. That procedure searches in the TROMOS Database for all the information available relating to the station and the recording instruments and automatically




Fig. 17. Section of the ES web site in which it is possible to consult the ISS bulletins from 1918 to 1963 page by page and download them wholly in PDF.

generates the HTML pages for the consultation of the ES site and illustrated in this Chapter (fig. 18).

4. Macroseismic questionnaires

In 1985, during its research, SGA came across a copious unpublished historical scientific documentation in the 16th century loft spaces of the UCEA, which for years had been used merely as stock rooms. This documentation consisted of macroseismic questionnaires, seismograms, meteorological questionnaires and unpublished documentation of seismological and meteorological interest. The documentation of seismological interest was given out on study loan to SGA by the UCEA management. The operation achieved a dual objective: that of saving this material from the risk of decay and dispersion, and that of making avail-

able the scientific contents of the documentation for research into historical seismology and the history of seismology.

The macroseismic questionnaires represent an original documentary format, fundamental in the reconstruction of the historical seismic scenarios. These are special pre-formatted questionnaires that were filled in when earth-quakes occurred and then centralised at the Central Office of Meteorology and Geodynamics (subsequently at the ING). Notwithstanding their peculiarity, these documents belong to the genre of scientific letters.

In Italy there are two important archives of macroseismic questionnaires: the one cited above (1871-1900), preserved at the Ufficio Centrale di Ecologia Agraria (Central Office of Agrarian Ecology of Rome – UCEA, now CSA-CRA), and the other preserved at the IN-GV that involves the subsequent period up to the present-day, with a few gaps in the 1970s.




Fig. 18. Simplified scheme of the procedure for updating the EUROSEISMOS site.

In the spring of 2003, on behalf of INGV (Istituto Nazionale di Geofisica e Vulcanologia), SGA completed the digital scanning of the entire archive containing the macroseismic questionnaires (over 37,000 documents) of the *Ufficio Centrale di Ecologia Agraria* of Rome

(where the first Italian public geodynamic service was founded in 1887).

The documents that make up the UCEA archive have been submitted to colour scanning at a resolution of 300 dpi. The reproduction has involved all of each document. In order to guar-

© Ufficio Centrale di Ecologia Agraria UCEA – Roma. Fondo di cartoline macrosismiche relative al periodo 1871-1900 e, con lacune, agli anni 1909, 1912, 1943, 1948 e 1953. Riproduzione eseguita nel 2002 da SGA Storia Geofisica Ambiente srl Bologna nell'ambito del progeto TROMOS dell'alstituto Nazionale di Geofisica e Vulcanologia. L'UCEA ne autorizza fuso per motivi di studio senza scopi commerciali. Ogni altro uso dovrà essere espicitiamente autorizzato.

Fenomeni presentati dal mare o da laghi	
Perturbazioni nelle sorgenti a pazzi d'acqua	
Porturbazioni nelle firmarole mofette salse eco	
Varinzioni nella lemp d'arque termali e fiuma	role
Porturbazioni negli aghi magnetici e linee let	igrafiche
EHetti negli animati	
Note diverse	(A)
Nome e qualifica dell'asservatore o relatore	I Sidewood
	icio Centrale

Granderinds Jensello Province de Jones & Anno 1390 Frincipio della somma ul ore min esperanti de Roma Frincipio della somma ul ore min esperanti de Roma Frincipio della somma ul ore min esperanti della Roma Frincipio della somma di ore frincia di mertere sa nelle aut'ore frincia complession del terromoto A. III 7 20 conf. posse testora Centre della somma A. III 7 20 conf. posse testora Centre della somma Centre della somma A. III 7 20 conf. posse testora Centre della somma Centre della somma Centre della somma in ordine cromotogica Procomicara del prima certa e diversioni successive del terromota Directime predominante	Circontorio de Lando Provincia de Lando Anno 390 Francipio della secuna and are min esperase in Congo mario de Roma Fine massima Fine massi		
(incontinuo de la seriale Provincia di Soleta Anno 1890) Praccipia della mana and are ma esperase in languario di Rama Fine della mana adde man esperase in languario di Rama Fine (incontrara nelle and ore Practica di incoterica nelle and ore Practica della mana del terranola Del tela Ostassostaglica con l'orealogica Provincia della mana del terranola Provincia del intrantia del terranola Provincia della mana artica contrata contrata incomica del terranola Promienza del primo urta e diversioni successivo del terranola Practica e predominante Praticia contrata degli strumenti samici Praticia con predominante Praticia	Circontorio de Lando Provincia de Lando Anno 390 Francipio della secuna and are min esperase in Congo mario de Roma Fine massima Fine massi		(41)
Frincipia della mana ad are min me eggresse se lango matio di liama frince mana di are min me eggresse se lango matio di liama (indicare se l'incente ramptessima del terromoto (1) J. B. 6.27 cosses. [cachde la Mediali controllo ledi inologia sensofice le la Sel tella Sesses tegris com l'oralogia, Especialità mana B. B. II I D. cosses. posses tespas. Especia della mana B. B. II I D. cosses. posses tespas. Controllo della mana B. B. II I D. cosses. posses tespas. Controllo della mana B. B. II I D. poro. posses tespas. Controllo della mana del terromoto. Controllo della mana della terromoto. Controllo	Trincipia della mana ad are min esperante la	Terremote avvenuera	7 3
Principio della sassa sul ore una successive del terranola (Principio della sassa sul ore una sul ore in sul	Prince più della mana ad ore min. se espresse si trapo minto di Roma Fire messana (adocar in terra è ant a piam.) Fire l'ince Tradio di mertere sa nelle sud'ore Tranda complessiva del terranota (1) 3. Il 6.29 cessif. [cadale la Mediadi compressiva del terranota (2) 3. Il 6.29 cessif. [cadale la Mediadi controlla del terranota (2) 4. Il 1/20 cessif. [consultation del terranota (2) 4. Il 1/20 cessif. [consultatio		The state of the s
Fine massima (indican expression and terminal form (interess nation in committee of the first of the form) (interess nation in the terminal form (interess nation in the terminal form) (interess nation of the form) (interess nation of the form) (interess nation of the first of the form) (interess nation of the first of the form) (interess nation of the first of the form) (interess nation of the form) (interess of the first of the	Fine Fine (interes at transport and a content of the content of	Gerne J. A.	8 (1) Mere Starte Anno 1890
Fine (indicar se tore à ant o pour) frince Grada d'incertes son delle suit ore Modardi controllo delle sorgion Modardi controllo delle sorgion L'isotte delle sonne A. Il 18 pore. Joseph Lafora U & 18 pore. Joseph Lafora	From Sindows of war of and o pour) From Sindows of Sindows of the series of the Sindows of the Sin	Principio della mana ad are	min sec 1
time discrete can atte aut 'or invade discrete can atte aut 'or invade discrete complexive del coronato [9] J. B. 6.27 cases. [cadde la Modadi controlla del viologia per la	Transa d'incertes sa nette sud'ore Insreta complessiva del terromato (1) J. B. 6. 27 casel. (caedal la) Modatte controlla del incorpo. Serve fige ble Del tola O'ssessispic con l'oralogie Ettitta della senare M. J. H. J. 20 casel., passe septem B. J. H. J. 20 casel., passe septem B. J. H. J. D. pare. James suppose Biproce nell internità del terromato D'autità delle senare in artine cronologica Procenienza del prima urtre e diversinai successivo del terromata Direccione predominante Disti ricanata diagli strumente sumici	Fixe massima	
Description and the terromate of J. J. 6. 27 costs. (a chale la Medicali controllo deli viologia) Medicali controllo deli viologia M. J. 11 4 20 costs. posse sofra B. J. 11 16 por Joses sofra B. J. 11 16 por Joses sofra Riprose nell'internità del terromato Ossistia delle sease in artine cronologica Provinciana del primo urto e diversioni successivo del terromata Directiva predominante Directiva predomi	Investa complexion det acromoto (1) J. B. 6. 27 exest. (exclute la Modali controlla telli vicalegia Nortali della vicana No. I II (20 exest., prese testa B. I II (20 exest., prese testa B. II II (20 exest., prese testa B. II II (20 exest.) Riprese aell'internità del terremoto Oustità della scana in artina cromotogica Procenicara del prima urta e diversioni successivo del terremoto Discrime predominante Distrimente diugli strumenti sumici	Fine	(indicare se l'ara é ant a pom.)
Medarti controlla del investigio de la solo d'i serco segrio con d'orologia, Estate della rema de la serco segrio del della rema del proporto del serco de la segrio della rema del proporto del serco del segrio della rema del terranolo (Describe della rema e artico cromologica). Processione a del prima esta e diversioni successivo del terranola. Direzione predominante. Direzione predominante. Direzione predominante. Direzione predominante. Direzione predominante. Direzione predominante.	Modarti controla deli viralegia 201, tola O i serio seglio con l'orologia, Ettita della urano del proporto della seglio della urano del serio seglio della urano del seglio della urano della seglio del	Grada d'incertezza nelle sud'ore	- , 1
Medarti controlla del investigio de la solo d'i serco segrio con d'orologia, Estate della rema de la serco segrio del della rema del proporto del serco de la segrio della rema del proporto del serco del segrio della rema del terranolo (Describe della rema e artico cromologica). Processione a del prima esta e diversioni successivo del terranola. Direzione predominante. Direzione predominante. Direzione predominante. Direzione predominante. Direzione predominante. Direzione predominante.	Modarti controla deli viralegia Del 1860 O i secostropia con l'orologia, Ettita della urano del 11 1/2 20 casal, prince la fora Debita della urano del proporto della virale del berranoto (Destita della rano in ordine cromotogica). Procenienza del prima interesioni successive del terremota. Direzione predominante di direzioni successive del terremota. Direzione predominante della rimmenta namici	Durata complexiva del terremoto	14 J. A. 6.27 aug. jadde la
Etiota della sensa del sele del sesso tropic con de selega, firma della sensa del sesso de selega della sensa del sesso de selega della sensa del sesso della sensa del servano del servano della sensa su artine cranatogica. Proconsione del prima urtue circuma successive del terranota Directione predominante. Directione predominante. Directione predominante.	Ettota della mana () A. III y 20 cases, proce tafora A. III y 20 cases, proce tafora B. A. II Ib from. proce tafora U chiefe sesser convertibite galle forform () Riproce nell'intensis del terremoto () Qualità della sesses in ardine cronotogico Processiona a del primo unto e diversioni successive del terremota Direccione predominante Bati ricanati dagli strumenti somici		1 6 6
Provincente de la come	Ripone nell intensità del terremoto Prominera del primo urtre e diversione successivo del terremoto Discrime predominante Discrime predominante Discrimente diagli strumenti namici	vmobile)	Del tolo Vismonatio con Corologia,
M. III J. 20 casely, force topon B. II II from Joseph Topon Veriffe esser server like Golde for force Riginae nell intensia del terremoto Distribut delle source in artine eranalogica Processione a del prima neta e diversioni successive del terremoto Diversione pretominante Trati ciannate diagli strumenti namici	A. II I fine conserve to prove the provent to the prov		
O for 11 to prove prefere to some lafera. O costs essere la servicio del terremoto del terremoto del terremoto del terremoto del terremoto del prima neta e diversioni successive del terremoto del prima neta e diversioni successive del terremoto del terr	O for 11 16 prov. Joseph Paper. Verite esser server like Golde for force. Rigures nell intensità del tercanoto Oudità delle seuse in ordine cronalagica Procenicara del prima intra e diversioni successive del terromota Diversione predominante Train ricanuti diagli strumenti nomici	ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	A & 11 4 20 and lowe teli-
Rigorea nell'internità del terremoto (Paulità delle seane in ordine cronologica (Promisenza del primo urto e diversioni successivo del terremota (Diversione predominanto (Paulità degli atrumenti namici	Wigness nell intensità del tercanoto (Pustità delle seuse in artine cronotogica (Possitia delle seuse in artine cronotogica (Proposicione del primo urba e diversioni successive del terremota (Diversione predominante (Parti viennata diagli strumenta namici		
Rigorea nell'internità del terremoto (Paulità delle seane in ordine cronologica (Promisenza del primo urto e diversioni successivo del terremota (Diversione predominanto (Paulità degli atrumenti namici	Wigness nell intensità del tercanoto (Pustità delle seuse in artine cronotogica (Possitia delle seuse in artine cronotogica (Proposicione del primo urba e diversioni successive del terremota (Diversione predominante (Parti viennata diagli strumenta namici		A A 11 th how lower taken
Riginae nell'intensità del terremoto Oscolità delle seasa in artine cronotogica Proornioura del prima urtu e direciani auccessive del terremota Direciane preclaminante Bati cicavati dagli strumenti sumici	Riginae nell'intensità del terremoto Oscolità delle seasa in artine cronotogica Proornioura del prima urtu e direciani auccessive del terremota Direciane preclaminante Bati cicavati dagli strumenti sumici		The second second
Riginae nell'intensità del terremoto Oscolità della scoure in artine cronotogica Proceniona del primo urtu e stiresioni auccessive del terremota Direzione preclamiannte Bati cicavati dagli strumenti namici	Riginae nell'intensità del terremoto Oscolità della scoure in artine cronotogica Proceniona del primo urtu e stiresioni auccessive del terremota Direzione preclamiannte Bati cicavati dagli strumenti namici	Wine)	mustice Que (S. co)
Orastida deble secusa in ardine cranologica. Provension sa elek prima urtu e sliveriani successive del terremola Direccione prediminante. Direccione prediminante.	Orastida deble secusa in ardine cranologica. Provension sa elek prima urtu e sliveriani successive del terremola Direccione prediminante. Direccione prediminante.	b - ry C Marc Mr	The same of the sa
Orastida deblo scoura in ardine cranalogica. Praemioases debt prima urba e stiressani successive del terranola Direccione predominante. Dati, cianvati dagli strumenti sumici	Orastida deblo scoura in ardine cranalogica. Praemioases debt prima urba e stiressani successive del terranola Direccione predominante. Dati, cianvati dagli strumenti sumici		
Promionra del primo urto e diresioni successivo del terremota Diresione predominante Buti ricumute dagli strumenti sumici	Promionra del primo urto e diresioni successivo del terremota Diresione predominante Buti ricumute dagli strumenti sumici	Riprese nell intensità del terremoto	
Promionra del primo urto e diresioni successivo del terremota Diresione predominante Buti ricumute dagli strumenti sumici	Promionra del primo urto e diresioni successivo del terremota Diresione predominante Buti ricumute dagli strumenti sumici		
Direximo prediminanto Bati ricavati dagli strumenti namici	Direximo prediminanto Bati ricavati dagli strumenti namici	Qualitic delle score in ordine crono	logico
Direximo prediminanto Bati ricavati dagli strumenti namici	Direximo prediminanto Bati ricavati dagli strumenti namici		
Parti ricavati dagli strumenti nomici	Parti ricavati dagli strumenti nomici	Provenienza del primo urto e direci	ioni successive del ferremola
Parti ricavati dagli strumenti monici	Parti ricavati dagli strumenti monici		
		Directione preclaminante	
Rumori sollerrane	Rumeri autterrance	Dati ricamuli dagli strumenti nemi	in
Rumori sollorrance	Rumori autorrance		
Rumari sulterranci	Rumori sotterranci		
Rumori sotterrance	Rumeri sotterrance		
Rumeri setterranci	Rumeri setterransi		
Rumari satterranei	Rumeri sotterranci		
		Rumori sotterranci	

Fig. 19. Example of PDF file with the front and back images of a macroseismic questionnaire. The heading reports the institution owning the documents, the institution promoting the reproduction and the use of the documentation reproduced.

antee a user friendly and complete consultation the 76,244 images have been set up in PDF files that maintain the uniqueness of the different documents. So a PDF file with the back and front images of the document identifies a macroseismic questionnaire, while a paper consisting of several pages has been laid out in a PDF file containing all the pages of the report. This processing has produced 37,467 file-documents.

As for the other similar reproduction initiatives performed within the scope of the TRO-MOS project and in compliance with the rules for the use of archival materials, each PDF page presents a heading (fig. 19) that cite the body owing the documents, the body promoting its reproduction and the terms of use of the documentation reproduced.

The single images were transferred to file-documents in PDF complete with headings by means of a single automatic procedure performed by software, developed in C++ language and specifically designed.

The 37,467 PDF files thereby obtained of the digital scans of the macroseismic cards of the UCEA Archive are all collected in 10 DVDs that altogether occupy over 32 Gigabytes.

The numbering of the single PDF files and their organisation inside the folders largely follows the order present in the paper archive at the time of the scanning which, apart from some exceptions pointed out here, also represents the chronological order.

An HTML index (fig. 20), created by means of automatic procedures specifically developed for this job, allows the chronological consulta-

SGA Storia Geofisica Ambiente

Fondo di cartoline macrosismiche conservate presso l'UCEA

1871-1900, 1909, 1912, 1943, 1948 e 1953

INDICE GENERALE

CARTOLINE MACRO DISCO 01: Dal 1871 al 1889 e Senza data

CARTOLINE MACRO DISCO 02: 1890-1891

CARTOLINE MACRO DISCO 03: 1892

CARTOLINE MACRO DISCO 04:1893

CARTOLINE MACRO DISCO 05: 1894

CARTOLINE MACRO DISCO 06: 1895 e 1896

CARTOLINE MACRO DISCO 07: 1897

CARTOLINE MACRO DISCO 08: 1898

CARTOLINE MACRO DISCO 09: 1899 e 1900

CARTOLINE MACRO DISCO 10: 1909, 1912, 1943, 1948 e 1953

INTRO

Il fondo di cartoline macrosismiche conservate presso l'Ufficio Centrale di Ecologia Agraria di Roma (UCEA)

Per le complesse vicende del passaggio di consegne fra l'Ufficio Centrale di Meteorologia e di Geofisica (oggi UCEA) e il nascente ING, di cui peraltro non sono state a tuti foggi trovate tracce scritte negli archivi dei due enfi, una parte della documentazione storico-scientifica di competenza geofisica è rimasta negli archivi e nei deposità dell'UCEA.

Nel 1985 SGA, nel corso delle proprie ricerche, rintracciò una ricca documentazione scientifica storica inedita nei soffittoni cinquecenterchi dell'UCEA da decenni adbiti ormai a depositi. Si trattava di cartoline macrosismiche, nismogrammi, cartoline meteorologico. Su cinciesta della SGA, la documentazion di interesse sismologico che meteorologico. Su cinciesta della SGA, la documentazion di interesse sismologico fui oggetto di prestito da parte della direzione dell'UCEA per motivi di studio. L'operazione raggiunse un duplico obbietitivo: di sottrarre al rischio di degrado e di dispersione questo materiale e di rendere disposibile il contenuto scientifico della documentazione per le ricerche di sismologia storica e di storia della simologia. Queste cartoline macrosismiche como un acco temporale continuo che va dal 1871 al 1900 oltre ad alcune serie, il cui livello di completezza andrebbe verificato con le cartoline dell'INGV, relative a singoli anni (1909, 1912, 1943, 1948 e 1954). Presso INGV esistono infatti le cartoline macrosismiche del '900 per il periodo cioè complementare a quello delle cartoline conservate presso l'UCEA.

Su incarico dell'Amministrazione Centrale dell'INGV la SGA ha realizzato la scansione digitale delle cartoline macrosismiche del fondo dell'UCEA, al fine di ricomporre l'archivio originale, certamente uno dei più ricchi al mondo. Le scansioni hanno interessato 38. 122 documenti storici di diversa natura raccolin fondo: cartoline macrosismiche propriamente dette, lettere, relazioni, registrazioni simiche e mareografiche ecc. Sono state effettuate 76.244 scansioria a colori alla risoluzione di 300 dpi che sono state naccolte in 37467 files PDF.

Fig. 20. Initial HTML page (Home) for the chronological consultation of the digital of the macroseismic questionnaires. In the top frame the project credits are given; in the one on the left there is a general index with the links for the navigation within the Archive; in the one on the right-hand side, the history of the Archive is concisely told, from its birth to the digital scanning in 2003.

tion, by year and month, of the whole. The advantage of a consultation by means of an HTML index is first and foremost its accessibility through any browser, irrespective of the platform and the operating system. This form of data organisation facilitates the online digital publication of the macroseismic questionnaires already reproduced and also opens up interesting applicative prospects or other analogues archives present in the seismological research bodies both in Italy and abroad.

Given the territorial nature of the seismic event, an application has also been developed that allows us to consult the digital files of the macroseismic questionnaires on a geographical basis. This application has so far been tested on some sample events, and not on the whole file, in that for it to work properly it is necessary to carry out a preliminary task of re-coding the single PDF files, which, given the size of the file, calls for a large amount of time. After a thorough job of comparing the cards with the toponomastic catalogues and the earthquake

catalogue, the PDF files are renamed on the grounds of a pair of codes that univocally identify the location of origin of the document (NLOC) and the seismic event whose effects are being described (NTERR).

Subsequent to such a codification, it becomes possible to automatically create, through a MAPINFO PROFESSIONAL tool developed using MAPBASIC language, an interactive map for each earthquake (fig. 21), which visualises all the locations from which the questionnaires had been sent, thus allowing the geographic access to the documents.

The cartographic tool developed first of all generates the earthquake list on the grounds of the NTERR codes present in the file names, taken only once. For each line of that list it identifies the NLOC associated to the NTERR and it extracts from the database the basic information relating to the seismic event (intensity and epicentral localisation) and the different locations (geographic coordinates).

The individual maps of the distribution of




Fig. 21. Example of interactive map allowing to geographically access the consultation of the digital file of the macroseismic questionnaires. By clicking on the map the documents relating to each location can be visualised and interpreted.

the information for each event are thus created. Thanks to the NLOC-NTERR codification it is also possible, by means of a special and purpose-designed Hot-Link key to access the documents directly from the map itself.

5. Conclusions

The methodological approach followed by SGA in the valorisation of historical scientific documentary heritage from 1986 to the present, based on the application of information technology tools that have enabled us to achieve a rigorous treatment and study of documents, is always oriented to such techniques and solutions that offer widescale accessibility to the documentation and that allow a modern form of dissemination.

The methodological approach followed by

SGA is also oriented to creating a new disciplinary community dedicated to studying the history of the earth sciences. The cases we have reported here comprise some possible examples of new forms of interaction between research in historical seismology and the techniques used to encourage the dissemination and study of historic scientific documentation.

REFERENCES

Boschi, E., E. Guidoboni, G. Ferrari, D. Mariotti, G. Valensise and P. Gasperini (2000): Catalogue of Strong Italian Earthquakes from 461 B.C. to 1997, Introductory texts and CD-ROM, Version 3 of the Catalogo dei Forti Terremoti in Italia, *Annali di Geofisica*, 43 (4), 609-868.

FERRARI, G. (1992): The TROMOS project 1990-1: a laboratory for the history of seismology, in *Two hundred years of seismic instruments in Italy 1731-1940*, edited by G. FERRARI, (ING-SGA, Bologna), 14-18.

- FERRARI, G. (1997): Cultural and scientific value of seismology's heritage in Europe: why and how to preserve, Proceeding of the Workshop: Historical Seismic Instruments and Documents: a Heritage of Great Scientific and Cultural Value, edited by G. FERRARI, May 16th to 18th, 1994 Walferdange (Grand-Duchy of Luxembourg), Conseil de l'Europe, Cahiers du Centre Européen de Géodynamique et de Séismologie, vol. 13, 1-30
- FERRARI, G. (2002): Census, filing and elaboration of scientific letters in the Earth sciences, *Nuncius*, **17** (1), 307-320.
- GUIDOBONI, E., G. FERRARI, D. MARIOTTI, A. COMASTRI, G. TARABUSI and G. VALENSISE (2007): CFT14Med, Catalogue of Strong Earthquakes in Italy (461 B.C.-1997) and Mediterranean Area (760 B.C.-1500), INGV-SGA, Available from http://storing.ingv.it/cfti4med/.
- KANAMORI, H. (1988): Importance of historical seismograms for geophysical research, in *Historical Seismo*grams and earthquakes of the world, edited by W.H.K. LEE, H. MEYERS and K. SHIMAZAKI, (Academic Press), 16-33.
- MICHELINI, A., B. DE SIMONI, A. AMATO and E. BOSCHI (2005): Collecting, Digitizing, and Distributing Historical Seismological Data, *Eos Trans. AGU*, 12 July 2005, 86 (28).
- PINTORE, S., M. QUINTILIANI and D. FRANCESCHI (2005): Teseo: A vectoriser of historical seismograms, *Computers & Geosciences*, **31**, 1277-1285.
- VILLASEÑOR, A., E.A. BERGMAN, T.M. BOYD, E.R. ENGDA-HAL, D.W. FRAZIER, M.M. HARDEN, J.L. ORTH, R.L. PARKES and K.M. SHEDLOCK (1997): Tovard a comprehensive catalog of global historical seismicity, *Eos Trans. AGU*, **78** (50), 581, 583, 588.