Content available at: https://www.ipinnovative.com/open-access-journals

Panacea Journal of Medical Sciences

Journal homepage: www.ipinnovative.com

# **Editorial Modulating susceptibility and severity of COVID-19: Role of immuno-nutrition**

## Shefali Mehta<sup>1,\*</sup>, Aditi Mehta<sup>2</sup>, Vishwa Mehta<sup>3</sup>

<sup>1</sup>Ravindra Nath Tagore Medical College, Udaipur, Rajasthan, India
<sup>2</sup>Hinduja Hospital, Mumbai, Maharashtra, India
<sup>3</sup>Geetanjali Medical College & Hospital (GMCH), Udaipur, Rajasthan, India



### ARTICLE INFO

Article history: Received 01-12-2020 Accepted 15-12-2020 Available online 29-12-2020 © This is an open access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by/4.0/) which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

#### 1. Introduction

On December 12, 2019 a new coronavirus (SARS-CoV-2) emerged in Wuhan, China, triggering a pandemic of severe acute respiratory syndrome in humans (COVID-19).<sup>1</sup> Although, the pandemic has affected all the groups, severe pathology and mortality is disproportionately highest in the elderly, underrepresented minorities (blacks/African Americans and Latinos), and/or in those with underlying comorbidities.<sup>2</sup> Thus, the scientific community across the world is putting uni-directional efforts to develop therapy and prevention strategies from the available resources to defeat COVID-19. In this regards, these communities have unanimous view that immune-nutrition can play a pivotal role in improving immune responses against viral infections.

Initially, when the pandemic hit the world, it was difficult to identify the risk factors and etiology of COVID-19, further, making it difficult for the scientists for disease prevention. With the passage of time, it has been found that obesity represents a significant risk factor both for COVID-19 susceptibility and prognosis.<sup>3</sup> Around 13% of the world population is obese, therefore, immune-nutrition can be an effective prophylactic measure to lower the burden of COVID-19 disease.<sup>4</sup> Inflammation plays a fundamental role in the pathogenesis and progression of COVID-19, ranging from common colds to fatal cases of pneumonia due to the cytokine release syndrome (CRS) that affected patients, determining the severe conditions.<sup>5</sup> Infectious diseases, like COVID-19, are characterized by an increased production of adiponectin.<sup>6</sup> It seems interesting the possibility to improve the action of adiponectin through diet intervention.<sup>7</sup> An optimal nutritional status guarantees the main modulating processes of inflammatory and oxidative stress, both connected to the immune system. A balanced diet, rich in some foods, is associated with anti-inflammatory and immunomodulatory compounds, including vitamins (C, D, and E) and minerals (zinc and selenium), and may influence human nutritional status.<sup>8</sup>

Prebiotic from fruits and vegetables is well-established to modulate the gut microbiota and numerous benefits have been reported in chronic inflammatory and metabolic conditions.<sup>9</sup> Moreover, increased dietary fiber consumption is linked to reduced mortality rates in respiratory-related diseases and improved lung function. Thus, plant-based diets, functional foods, and supplements present a promising strategy for protecting against respiratory infections.<sup>10</sup>

Therefore, it can be concluded that personalized immune-nutrition for obese patients should be the first therapeutic choice to reduce the risk of infections and the disease course in COVID-19 patient. Immuno-nutrition

<sup>\*</sup> Corresponding author. E-mail address: shefalimehta202@gmail.com (S. Mehta).

can decrease the risk of infections, reducing characteristic inflammation state. In addition, immune-nutrition would be fundamental to support the immune response and protein synthesis in severe phase of COVID-19.

#### **Conflicts of interest**

None.

#### References

- Wang C, Horby PW, Hayden FG, Gao GF. A novel coronavirus outbreak of global health concern. *Lancet*. 2020;395(10223):470–3. doi:10.1016/s0140-6736(20)30185-9.
- Dietz W, Santos-Burgoa C. Obesity and its Implications for COVID-19 Mortality. *Obes.* 2020;28(6):1005. doi:10.1002/oby.22818.
- 3. Muscogiuri G, Pugliese G, Barrea L, Savastano S, Colao A. The "Achilles heel" for COVID-19? Metabolism. Philadelphia: W. B. Saunders; 2020.
- Obesity and overweight. 2020;Available from: https://www.who.int/ news-room/fact-sheets/detail/obesity-and-overweight.
- Olszak T, Neves JF, Dowds CM, Baker K, Glickman J, Davidson NO, et al. Protective mucosal immunity mediated by epithelial CD1d and IL-10. *Nat.* 2014;509:497–502.
- McLaughlin T, Ackerman SE, Shen L, Engleman E. Role of innate and adaptive immunity in obesity-associated metabolic disease. *J Clin Investig.* 2017;127(1):5–13. doi:10.1172/jci88876.

- Reis C, Bressan J, Alfenas R. Effect of the diet components on adiponectin levels. *Nutr Hosp.* 2010;25:881–889.
- 8. EFSA. Guidance on the scientific requirements for health claims related to the immune system, the gastrointestinal tract and defence against pathogenic microorganisms. *EFSA J.* 2016;14:4369.
- Holscher HD. Dietary fiber and prebiotics and the gastrointestinal microbiota. *Gut Microbes*. 2017;8(2):172–84. doi:10.1080/19490976.2017.1290756.
- Shinde T, Hansbro PM, Sohal SS, Dingle P, Eri R, Stanley R, et al. Microbiota Modulating Nutritional Approaches to Countering the Effects of Viral Respiratory Infections Including SARS-CoV-2 through Promoting Metabolic and Immune Fitness with Probiotics and Plant Bioactives. *Microorganisms*. 2020;8(6):921. doi:10.3390/microorganisms8060921.

#### Author biography

Shefali Mehta, Assistant Professor

Aditi Mehta, Clinical Assistant

Vishwa Mehta, MBBS 2nd Year Student

**Cite this article:** Mehta S, Mehta A, Mehta V. Modulating susceptibility and severity of COVID-19: Role of immuno-nutrition. *Panacea J Med Sci* 2020;10(3):176-177.