Indexes

(Volume 30, 2014)

No.1.	JanuaryPage	1- 59
No.2.	April	60-120
No.3.	JulyPage	122-184
No.4	October Page	185-253

Subject Index

Abstracts: 30: 56-8, 117-9, 183-4, 243-4.

Adnexa

• Cryptophthalmos syndrome: A Case Report 30: 173-5.

Cataract

- Comparison of pre and postoperative astigmatism after cataract extraction by phacoemulsification through a 3.2 mm clear corneal superotemporal incision 30: 157-61.
- Complications of Nd: YAG laser capsulotomy 30: 34-7.
- Congenital cataracts; Its laterality and association with consanguinity 30: 187-92.
- Effect of incision site on pre-existing astigmatism in phacoemulsification 30: 45-8.
- Neonatal screening for leukocoria 30: 232-6.
- Outcomes of congenital cataract surgery in a Tertiary Care Hospital 30: 28-32.
- Post operative Anterior Chamber Reaction in Adult Cataract Surgery after Adding Heparin in Irrigating Solution 30: 237-40.
- Pre-operative diclofenac sodium eyedrops vs intra-operative adrenaline irrigation in mantaining mydriasis during extracapsular cataract extraction 30: 199-203.
- Peribulbar versus topical anesthesia for cataract surgery: patient's satisfaction 30: 63-7.

Community

- Early presbiopia a psychosomatic disorder 30: 162-6
- Physical and physiological changes with presbyopia 30: 78-81.
- Lightning induced ocular complications: a case report 30: 49-52.
- Ocular emergencies in a rural hospital: A 5 year retrospective clinical audit 30: 68-72.
- Risk factors involved in pterygium recurrence

after surgical excision 30: 73-7.

• Subconjunctival loa loa worm: A Case Report 30: 241-2.

Congenital disorder

• A case series on waardenberg syndrome 30: 176-8

Cornea

- Kayser-fleischer rings in wilson's disease 30: 112-6.
- Role of sub-conjunctival bevacizumab in regression of corneal neovascularization 30: 99-102.
- To assess the efficacy of chemical corneal tattooing for unsightly corneal scars 30: 152-6.

Choroid

- Frequency and visual outcome of choroidal tubercles with miliary Tuberculosis 30: 213-8.
- Choroidal melanoma, a rare condition in asians: A Case Report 30: 237-40.

Editorials

- New perspectives in the management of diabetic macular edema 30: 122-4.
- Retinopathy of prematurity and Pakistan an epidemic coming 30: 60-2.
- The role of ocular coherence tomography in glaucoma diagnosis and management 30: 1-3.
- Updates in the management of retinoblastoma 30: 185-6.

Glaucoma

- Accuracy of IOP measured by non-contact (air-puff) tonometer compared with goldmann applanation 30: 20-3.
- Awareness of glaucoma in different groups of urban population 30: 143-7.
- Control of raised intraocular pressure after intravitreal triamcinolone acetonide 30: 148-51.
- Causes of blindness in patients with open angle glaucoma, an alarming situation 30:24-7.

- Diode laser trans-scleral cycloablation as surgical treatment for primary open-angle glaucoma after maximum tolerated medical therapy 30:90-4.
- Estimation of range of intraocular pressure in normal individuals by puff tonometer 30:130-3.
- The role of ocular coherence tomography in glaucoma diagnosis and management 30: 1-3.
- Trabeculotomy in primary congenital glaucoma at pediatric eye department, Bolan Medical College, Quetta 30: 125-9.

Letter to the Editor: 30: 245.

News and Events: 30: 59, 184, 246.

Orbit

• Orbital fungal myositis; A Case Report 30: 179-82.

Peads Oph.

- Pattern of common paediatric diseases at Spencer Eye Hospital 30: 10-4.
- Pattern of common eye diseases in children in a tertiary eye hospital, Karachi 30: 193-8.
- Timing of closed intubation in recurrent epiphoric children 30: 42-4.

Retina

- B-scan ultrasonography in blast related posterior segment eye injuries 30: 87-9.
- Comparison of brilliant blue g and trypan blue during vitrectomy for macular hole surgery 30: 227-31.
- Frequency of retinopathy in newly diagnosed patients of type 2 diabetes mellitus 30: 38-41.
- Frequency of retinopathy and its different grades among Type- II diabetic patients with Metabolic Syndrome 30: 219-23.
- Four cases of xeroderma pigmentosum in a pakistani family 30: 224-6.
- Masquerade syndrome: retinoblastoma presenting as sympathetic ophthalmia 30: 53-5.
- Modified scleral buckling technique using endoillumination and non contact wide angle viewing system 30: 103-7.
- New perspectives in the management of diabetic macular edema 30: 122-4.
- Prevalence of diabetic retinopathy among type-2 diabetes patients in pakistan-findings of the vision registry 30: 204-12.
- Retinopathy of prematurity and Pakistan an epidemic coming 30: 60-2.
- Sight threatening diabetic retinopathy in type-2 diabetes mellitus 30: 4-9.

- True exfoliation in a man with retinitis pigmentosa 30: 108-11.
- Updates in the management of retinoblastoma 30: 185-6.
- Vitrectomy combined with scleral buckling in patients with inferior retinal breaks 30: 82-6.

Sclera

• Trans-scleral effect of mitomycin-c on ciliary body epithelium 30: 15-9.

Trauma

- Ease of removal of posterior segment metallic intraocular foreign body with intraocular forceps Vs endomagnet plus forceps 30: 95-8.
- Epidemiological survey of traumatic eye injury in a southwestern Nigeria Tertiary Hospital 30: 138-42.
- Orbital tumors-retrospective study of 24 years 30: 33-7.

Vitreous

• Visual outcome and complications of 23 g versus 20 g vitrectomy in cases of diabetic vitreous haemorrhage 30: 167-72.

Author Index

A Nitin: The role of ocular coherence tomography in glaucoma diagnosis and management 30: 1-3.

Abdelbagi E: Physical and physiological changes with presbyopia 30: 78-81.

Abstracts: 30: 56-8, 117-9, 183-4, 243-4.

Adnan SM: Frequency and Visual Outcome of Choroidal Tubercles with Miliary Tuberculosis 30: 213-8.

Aftab M: Vitrectomy combined with scleral buckling in patients with inferior retinal breaks 30: 82-6.

Afridi MR: Effect of incision site on pre-existing astigmatism in phacoemulsification 30: 45-8.

Aftab AM: Role of sub-conjunctival bevacizumab in regression of corneal neovascularization 30: 99-102.

Ahmad A: Cryptophthalmos Syndrome: A Case Report 30: 173-5.

Ahmad A: Diode laser trans-scleral cycloablation as surgical treatment for primary open-angle glaucoma after maximum tolerated medical therapy 30:90-4.

Ahmad CN: Comparison of brilliant blue g and trypan blue during vitrectomy for macular hole surgery 30: 227-31.

Ahmad I: Causes of blindness in patients with open angle glaucoma, an alarming situation 30: 24-7.

Ahmad I: Effect of incision site on pre-existing astigmatism in phacoemulsification 30: 45-8.

Ahmad I: Pre-operative diclofenac sodium eyedrops vs intra-operative adrenaline irrigation in mantaining mydriasis during extracapsular cataract extraction 30: 199-203.

Ahmad J: Accuracy of IOP measured by non-contact (air-puff) tonometer compared with goldmann applanation 30: 20-3.

Ahmad K: Retinopathy of prematurity and Pakistan an epidemic coming 30: 60-2.

Ajayi IA: Epidemiological survey of traumatic eye injury in a southwestern nigeria tertiary hospital 30: 138-42.

Ajite KO: Epidemiological survey of traumatic eye injury in a southwestern nigeria tertiary hospital 30: 138-42.

Akhtar P: Neonatal screening for leukocoria 30: 232-6.

Akhter W: Congenital cataracts; its laterality and association with consanguinity 30: 187-92.

Alam A: Complications of Nd: YAG Laser Capsulotomy 30: 134-7.

Alam M: Effect of incision site on pre-existing astigmatism in phacoemulsification 30: 45-8.

Alam M: Complications of Nd: YAG laser capsulotomy 30: 134-7.

Alam M: B-scan ultrasonography in blast related posterior segment eye injuries 30: 87-9.

Ali Z: Estimation of range of intraocular pressure in normal individuals by puff tonometer 30: 130-3.

Ali ABM: Physical and physiological changes with presbyopia 30: 78-81.

Amir M: Subconjunctival loa loa worm: A Case Report 30: 241-2.

Anwar MS: Comparison of pre and postoperative astigmatism after cataract extraction by phacoemulsification through a 3.2 mm clear corneal superotemporal incision 30: 157-61.

Ashraf A: Subconjunctival loa loa worm: A Case Report 30: 241-2.

Asghar M: Frequency of retinopathy and its different grades among type ii diabetic patients with metabolic syndrome 30: 219-23.

Arain TM: Accuracy of IOP measured by non-contact (air-puff) tonometer compared with goldmann applanation 30: 20-3.

Arsalan Four cases of xeroderma pigmentosum in a Pakistani family 30: 224-6.

Azhar MN: Accuracy of IOP measured by non-contact (air-puff) tonometer compared with goldmann applanation 30: 20-3.

Baig MSA: Frequency and visual outcome of choroidal tubercles with miliary tuberculosis 30: 213-8.

Baloch RA: Trabeculotomy in primary congenital glaucoma at pediatric eye department, Bolan Medical College, Quetta 30: 125-9.

Bandopadhyay M: Ocular emergencies in a rural hospital: A 5 year retrospective clinical audit 30: 68-72.

Bashir B: Complications of Nd: YAG Laser Capsulotomy 30: 134-7.

Bashir T: Kayser-fleischer rings in wilson's disease 30: 112-6.

Burney JA: Frequency and visual outcome of choroidal tubercles with miliary tuberculosis 30: 213-8.

Butt JBY: Cryptophthalmos Syndrome: A Case Report 30: 173-5.

Butt JBY: Diode laser trans-scleral cycloablation as surgical treatment for primary open-angle glaucoma after maximum tolerated medical therapy 30:90-4.

Chakraborti C: Lightning induced ocular complications: A Case Report 30: 49-52.

Chaudhry QL: Abstracts 30: 56-8, 117-9, 183-4, 243-4.

Chaudhry QA: Ease of removal of posterior segment metallic intraocular foreign body with intraocular forceps Vs endomagnet plus forceps 30: 95-8.

Chaudhry S: Updates in the management of retinoblastoma 30: 185-6.

Chaudhury SK: Ocular emergencies in a rural hospital: A 5 year retrospective clinical audit 30: 68-72.

Chaudhry T: Retinopathy of prematurity and Pakistan an epidemic coming 30: 60-2.

Chaudhry TA: Four cases of xeroderma pigmentosum in a Pakistani family 30: 224-6.

Cheema A: A Case Series on Waardenberg Syndrome 30: 176-8.

Dey AK: Ocular emergencies in a rural hospital: A 5 year retrospective clinical audit 30: 68-72.

Dutta S: Ocular emergencies in a rural hospital: A 5 year retrospective clinical audit 30: 68-72.

Ejaz U: Peribulbar versus topical anesthesia for cataract surgery: patient's satisfaction 30: 63-7.

Fahmi MS: Pattern of common paediatric diseases at Spencer Eye Hospital 30: 10-4.

Fahmi MS: Early presbiopia a psychosomatic disorder 30: 162-6.

Farooq A: Peribulbar versus topical anesthesia for cataract surgery: patient's satisfaction 30: 63-7.

Farooq M: Neonatal screening for leukocoria 30: 232-6. **Fasih U:** Early presbiopia a psychosomatic disorder 30: 162-6.

Fasih U: Pattern of common paediatric diseases at Spencer Eye Hospital 30: 10-4.

Ganguly P: Ocular emergencies in a rural hospital: A 5

year retrospective clinical audit 30: 68-72.

Haider MA: Modified scleral buckling technique using endoillumination and non contact wide angle viewing system 30: 103-7.

Halepota FM: Orbital tumors - retrospective study of 24 years 30: 33-7.

Hashmi F: Retinopathy of prematurity and Pakistan an epidemic coming 30: 60-2.

Hayat N: A Case Series on Waardenberg Syndrome 30: 176-8.

Hussain I: Role of sub-conjunctival bevacizumab in regression of corneal neovascularization 30: 99-102.

Hussain M: Timing of closed intubation in recurrent epiphoric children 30: 42-4.

Hassan M: Frequency and visual outcome of choroidal tubercles with miliary tuberculosis 30: 213-8.

Idrees N: Four cases of xeroderma pigmentosum in a pakistani family 30: 224-6.

Iqbal J: Timing of closed intubation in recurrent epiphoric children 30: 42-4.

Iqbal N: Timing of closed intubation in recurrent epiphoric children 30: 42-4.

Iqbal Y: Frequency of retinopathy in newly diagnosed patients of type 2 diabetes mellitus 30: 38-41.

Iqbal Y: Post operative Anterior Chamber Reaction in Adult Cataract Surgery after Adding Heparin in Irrigating Solution 30: 237-40.

Iqbal A: Complications of Nd: YAG Laser Capsulotomy 30: 134-7.

Iqbal Z: Visual outcome and complications of 23 g versus 20 g vitrectomy in cases of diabetic vitreous haemorrhage 30: 167-72.

Inayat N: Awareness of glaucoma in different groups of urban population 30: 143-7.

Irfan S: To assess the efficacy of chemical corneal tattooing for unsightly corneal scars 30: 152-6.

Jahangir S: Modified scleral buckling technique using endoillumination and non contact wide angle viewing system 30: 103-7.

Jahangir T: Ease of removal of posterior segment metallic intraocular foreign body with intraocular forceps Vs endomagnet plus forceps 30: 95-8.

Jamil AZ: Estimation of range of intraocular pressure in normal individuals by puff tonometer 30: 130-3.

Jamil K: Frequency of retinopathy in newly diagnosed patients of type 2 diabetes mellitus 30: 38-41.

Jana S: Ocular emergencies in a rural hospital: A 5 year retrospective clinical audit 30: 68-72.

Kashif A: Pattern of common eye diseases in children in a tertiary eye hospital, Karachi 30: 193-8.

Khan A: B-scan ultrasonography in blast related posterior segment eye injuries 30: 87-9.

Khan A: Effect of incision site on pre-existing astigmatism in phacoemulsification 30: 45-8.

Khan AA: Ease of removal of posterior segment metallic intraocular foreign body with intraocular forceps Vs endomagnet plus forceps 30: 95-8.

Khan B: Complications of Nd: YAG laser capsulotomy 30: 134-7.

Khan BS: Causes of blindness in patients with open angle glaucoma, an alarming situation 30: 24-7.

Khan J: Pre-operative diclofenac sodium eyedrops vs intra-operative adrenaline irrigation in mantaining mydriasis during extracapsular cataract extraction 30: 199-203.

Khalid K: Orbital fungal myositis; a case report 30: 179-82.

Khan DA: Peribulbar versus topical anesthesia for cataract surgery: patient's satisfaction 30: 63-7.

Khan MT: Diode laser trans-scleral cycloablation as surgical treatment for primary open-angle glaucoma after maximum tolerated medical therapy 30: 90-4.

Khan MT: Cryptophthalmos syndrome: a case report 30: 173-5.

Khan MR: Accuracy of IOP measured by non-contact (air-puff) tonometer compared with goldmann applanation 30: 20-3.

Khan MZ: Frequency of retinopathy and its different grades among type 2 diabetic patients with metabolic syndrome 30: 219-23.

Khan QA: Frequency of retinopathy in newly diagnosed patients of type 2 diabetes mellitus 30: 38-41

Khan QA: Post operative Anterior Chamber Reaction in Adult Cataract Surgery after Adding Heparin in Irrigating Solution 30: 237-40.

Khatri B: Pattern of common eye diseases in children in a Tertiary Eye Hospital, Karachi 30: 193-8.

Khatri SF: Choroidal melanoma, a rare condition in asians: A Case Report 30: 237-40.

Lakho KA: Physical and physiological changes with presbyopia 30: 78-81.

Latif K: Outcomes of congenital cataract surgery in a Tertiary Care Hospital 30: 28-32.

Luhano MK: Orbital tumors - retrospective study of 24 years 30: 33-7.

Mahar PS: Control of raised intraocular pressure after intravitreal triamcinolone acetonide 30: 148-51.

Mahar PS: Risk factors involved in pterygium recurrence after surgical excision 30: 73-7.

Mahar PS: Trans-scleral effect of mitomycin-c on ciliary body epithelium 30: 15-9.

Mahmood SA: Visual outcome and complications of 23 g versus 20 g vitrectomy in cases of diabetic

vitreous haemorrhage 30: 167-72.

Mal W: Visual outcome and complications of 23 g versus 20 g vitrectomy in cases of diabetic vitreous haemorrhage 30: 167-72.

Malik TM: Peribulbar versus topical anesthesia for cataract surgery: patient's satisfaction 30: 63-7.

Malik AM: Peribulbar versus topical anesthesia for cataract surgery: patient's satisfaction 30: 63-7.

Manzar N: Risk factors involved in pterygium recurrence after surgical excision 30: 73-7.

Masroor M: Frequency and visual outcome of choroidal tubercles with miliary tuberculosis 30: 213-8.

Masud H: Kayser-fleischer rings in wilson's disease 30: 112-6.

Manzoor A: Awareness of glaucoma in different groups of urban population 30: 143-7.

Memon M: Sight threatening diabetic retinopathy in type-2 diabetes mellitus 30: 4-9.

Memon S: Sight threatening diabetic retinopathy in type-2 diabetes mellitus 30: 4-9.

Memon AS: Control of raised intraocular pressure after intravitreal triamcinolone acetonide 30: 148-51.

Mian UK: Retinopathy of prematurity and Pakistan an epidemic coming 30: 60-2.

Moin M: News and Events 30: 59, 184, 246.

Moin M: Vitrectomy combined with scleral buckling in patients with inferior retinal breaks 30: 82-6.

Moin M: Awareness of glaucoma in different groups of urban population 30: 143-7.

Moin M: Orbital fungal myositis; a case report 30: 179-82.

Mukhtar SA: Estimation of range of intraocular pressure in normal individuals by puff tonometer 30: 130-3.

Nadeem S: Neonatal screening for leukocoria 30: 232-

Naeem BA: Neonatal screening for leukocoria 30: 232-6.

Nawaz S: Frequency and visual outcome of choroidal tubercles with miliary tuberculosis 30: 213-8.

Nadeem S: True exfoliation in a man with retinitis pigmentosa 30: 108-11.

Naeem BA: True exfoliation in a man with retinitis pigmentosa 30: 108-11.

Naz S: Outcomes of congenital cataract surgery in a Tertiary Care Hospital 30: 28-32.

Nizamani NB: Masquerade syndrome: retinoblastoma presenting as sympathetic ophthalmia 30: 53-5.

Nizamani NB: Sight threatening diabetic retinopathy in type – 2 diabetes mellitus 30: 4-9.

Omotoye OJ: Epidemiological survey of traumatic eye injury in a southwestern nigeria tertiary hospital 30:

138-42.

Qayyum I: Timing of closed intubation in recurrent epiphoric children 30: 42-4.

Qayyum A: Trabeculotomy in primary congenital glaucoma at pediatric eye department, Bolan Medical College, Quetta 30: 125-9.

Qazi ZA: Accuracy of IOP measured by non-contact (air – puff) tonometer compared with goldmann applanation 30: 20-3.

Qureshi BZ: Ease of removal of posterior segment metallic intraocular foreign body with intraocular forceps Vs endomagnet plus forceps 30: 95-8.

Qureshi BZ: Modified scleral buckling technique using endoillumination and non contact wide angle viewing system 30: 103-7.

Qureshi TM: Diode laser trans-scleral cycloablation as surgical treatment for primary open-angle glaucoma after maximum tolerated medical therapy 30:90-4.

Qureshi TM: Cryptophthalmos syndrome: a case report 30: 173-5.

Rana AM: Congenital cataracts; its laterality and association with consanguinity 30: 187-92.

Rashid F: To assess the efficacy of chemical corneal tattooing for unsightly corneal scars 30: 152-6.

Rais M: Early presbiopia a psychosomatic disorder 30: 162-6.

Rahman A: Early presbiopia a psychosomatic disorder 30: 162-6.

Rafiq M: Causes of blindness in patients with open angle glaucoma, an alarming situation 30: 24-7.

Rais M: Pattern of common paediatric diseases at Spencer Eye Hospital 30: 10-4.

Rahman A: Pattern of common paediatric diseases at Spencer Eye Hospital 30: 10-4.

Rahman A: Timing of closed intubation in recurrent epiphoric children 30: 42-4.

Rahman M: Causes of blindness in patients with open angle glaucoma, an alarming situation 30: 24-7.

Rahman M: Pre-operative diclofenac sodium eyedrops vs intra-operative adrenaline irrigation in mantaining mydriasis during extracapsular cataract extraction 30: 199-202.

Rahman M: Frequency of retinopathy and its different grades among type II diabetic patients with metabolic syndrome 30: 219-23.

Rahman MA: Frequency of retinopathy and its different grades among type II diabetic patients with metabolic syndrome 30: 219-23.

Raza A: Congenital cataracts; its laterality and association with consanguinity 30: 187-92.

Shaheer M: Comparison of brilliant blue g and trypan blue during vitrectomy for macular hole surgery 30:

227-31.

Rizvi SF: Visual outcome and complications of 23 g versus 20 g vitrectomy in cases of diabetic vitreous haemorrhage 30: 167-72.

Rizvi SF: Outcomes of congenital cataract surgery in a Tertiary Care Hospital 30: 28-32.

Riaz N: Vitrectomy combined with scleral buckling in patients with inferior retinal breaks 30: 82-6.

Saleem Z: Vitrectomy combined with scleral buckling in patients with inferior retinal breaks 30: 82-6.

Shahzad I: To assess the efficacy of chemical corneal tattooing for unsightly corneal scars 30: 152-6.

Shaikh A: Pattern of common paediatric diseases at Spencer Eye Hospital 30: 10-4.

Shaikh A: Early presbiopia a psychosomatic disorder 30: 162-6.

Shaikh AS: Subconjunctival loa loa worm: A Case Report 30: 241-2.

Shah MA: Complications of Nd: YAG Laser Capsulotomy 30: 134-7.

Shaikh SM: Orbital tumors - retrospective study of 24 years 30: 33-7.

Shakir M: Outcomes of congenital cataract surgery in a Tertiary Care Hospital 30: 28-32.

Siddiqui F: Frequency and Visual Outcome of Choroidal Tubercles with Miliary Tuberculosis 30: 213-8.

Siddiqui MAR: New perspectives in the management of diabetic macular edema 30: 122-4.

Siyal AR: Orbital tumors - retrospective study of 24 years 30: 33-7.

Sohail M: Prevalence of diabetic retinopathy among type-2 diabetes patients in Pakistan-findings of the vision registry 30: 204-12.

Surhio SA: Masquerade syndrome: retinoblastoma presenting as sympathetic ophthalmia 30: 53-5.

Surhio SA: Sight threatening diabetic retinopathy in type – 2 diabetes mellitus 30: 4-9.

Syed Zulfiqarud Din: Peribulbar versus topical anesthesia for cataract surgery: patient's satisfaction 30: 63-7.

Tahir MZ: Frequency of retinopathy and its different grades among type II diabetic patients with metabolic syndrome 30: 219-23.

Tahir Z: Pre-operative diclofenac sodium eyedrops vs intra-operative adrenaline irrigation in mantaining mydriasis during extracapsular cataract extraction 30: 199-203.

Tahira R: True exfoliation in a man with retinitis pigmentosa 30: 108-11.

Talpur KI: Sight threatening diabetic retinopathy in type – 2 diabetes mellitus 30: 4-9.

Talpur KI: Orbital tumors - retrospective study of 24 years 30: 33-7.

Talpur KI: Masquerade syndrome: retinoblastoma presenting as sympathetic ophthalmia 30: 53-5.

Tayyab H: Modified scleral buckling technique using endoillumination and non contact wide angle viewing system 30: 103-7.

Waseem S: True exfoliation in a man with retinitis pigmentosa 30: 108-11.

Zafar S: Visual outcome and complications of 23 g versus 20 g vitrectomy in cases of diabetic vitreous haemorrhage 30: 167-72.

Zafar S: Outcomes of congenital cataract surgery in a Tertiary Care Hospital 30: 28-32.

Zain-ul-Abidin A: Timing of closed intubation in recurrent epiphoric children 30: 42-4.

Zia S: Frequency of retinopathy in newly diagnosed patients of type 2 diabetes mellitus 30: 38-41.

Zia S: Post operative Anterior Chamber Reaction in Adult Cataract Surgery after Adding Heparin in Irrigating Solution 30: 237-40.

Abstracts Index

Cataract

- Antibiotic choice for the prophylaxis of postcataract extraction endophthalmitis 30: 118.
- Cost-effectiveness of femtosecond laserassisted cataract surgery versus phacoemulsification cataract surgery affiliations 30: 57.
- Post-cataract prevention of inflammation and macular edema by steroid and nonsteroidal anti-inflammatory eye drops a systematic review 30: 243.

Community

- A randomized clinical trial comparing methotrexate and mycophenolate mofetil for noninfectious uveitis 30: 243
- The utility of routine tuberculosis screening in county hospital patients with uveitis 30: 183.

Cornea

- Collagen Cross-Linking with Photoactivated Riboflavin (PACK-CXL) for the Treatment of Advanced Infectious Keratitis with Corneal Melting 30: 182.
- Collagen cross-linking in progressive keratoconus; three year results 30: 118.
- Descemet's membrane endothelial keratoplasty 30: 56.

Retina

- Changes in postoperative refractive outcomes following combined phacoemulsification and pars plana vitrectomy for rhegmatogenous retinal detachment 30: 183.
- Management and outcome of retinoblastoma with vitreous seeds 30: 56.
- Collaborative retrospective macula society study of photodynamic therapy for chronic central serous chorioretinopathy 30: 117.
- Intravitreal aflibercept injection for macular edema resulting from central retinal vein occlusion 30: 57.
- Intravitreal aflibercept injection for macular edema due to central retinal vein occlusion (two-year results from the copernicus study) 30: 182.

• Vitrectomy with internal limiting membrane peeling versus no peeling for idiopathic full-thickness macular hole 30: 117.

Retina/glaucoma

 Retinal nerve fibre layer and macular thickness analysis with fourier domain optical coherence tomography in subjects with a positive family history for primary open angle glaucoma 30: 244.

Vitreous

 Cost evaluation of surgical and pharmaceutical options in treatment for vitreomacular adhesions and macular holes 30: 244.