Indexes

(Volume 28, 2012)

No.1.	Jan – MarPage	01 – 55
No.2.	Apr – JunPage	56 – 114
No.3.	Jul – SepPage	116 – 169
No.4	Oct – DecPage	170 – 237

Subject Index

Abstracts: 28: 53, 112-3, 166, 227-28.

Adnexa

- Comparison of dacryocystorhinostomy with mitomycin c against dacryocystorhinostomy with intubation in patients of nasolacrimal duct block 28: 214-8.
- Problems / complications, success rate endoscopic dacryocystorhinostomy 28: 17: 21.
- Timing of probing for congenital nasolacrimal duct obstruction 28: 43-6.

Cataract

- Modified technique of four point scleral sutured posterior chamber intraocular lens without scleral flaps 28: 188-93.
- Pre-operative screening of patients for Hepatitis B and C virus 28: 69: 71.
- Randomized clinical trial of topical versus retrobulbur anesthesia for phacoemulsification: comparison of patient satisfaction 28: 157-60
- Visual outcome and complications of anterior chamber intraocular lens versus scleral fixated intraocular lens 28: 206-210.

Community

- Conservative management of congenital eversion of the upper lid in a nigerian child 28: 222-3.
- Factors influencing choice of specialty amongst nigerian ophthalmologists 28: 10-13.
- Pattern of ocular problems in school going children of district lasbela, Balochistan 28: 200-05.
- Prevalence of incidental amblyopia in buraidah city 28: 140-3.
- Prevalence of oculo-visual disorders amongst university students in varanasi district, north india 28: 86-90.
- Pattern of eye diseases in an air force hospital in nigeria 28: 144-8.

Conjunctiva

- Comparison of pterygium recurrence rate between consultants and residents using 5 fu as an adjuvant after excision of primary pterygium 28: 219-21.
- Role of subconjunctival bevacizumab in treatment of pterygium 28: 132-5.

Cornea

- Corneal graft in children 28: 72-6.
- Conductive keratoplasty for presbyopia 28: 184-7.
- Evaluation of fresh human amniotic membrane transplantation for the treatment of corneal perforation and impending corneal perforation 28: 194-9.
- Side effects and effectiveness of subconjunctival bevacizumab injection in patients with corneal neovascularization 28: 33-7.
- Visual and keratometric results after corneal collagen cross linking in keratoconus 28: 179-83.

Editorial

- Femtosecond laser assisted cataract surgery 28: 116-7.
- Ophthalmic viscosurgical devices (ovds) past, present and future 28: 56-9
- Restructuring of Pakistan Journal of Ophthalmology 28: 1,2.
- Physical examination of patients from a glaucoma perspective 28: 170-1.

Glaucoma

- Idiosyncratic topiramate induced high myopic shift with angle closure glaucoma 28: 224-6.
- Outcome of mitomycin-c augmented trabeculectomy in primary congenital glaucoma 28: 136-9.
- Transscleral diode laser cyclophotoco-aglation for refractory glaucoma 28: 22-6.

News and Events: 28: 54, 114, 167-8, 229-30.

Peads Ophth

- Avoid euas; adequate examination possible under sedation with chloral hydrate28: 91-4.
- Bilateral optic disc drusen in a hypermetropic children of a family 28: 163- 5.
- Citicoline treatment of children with visual impairment; a pilot study 28: 172-8.

Retina

- Corneal topography pattern in healthy volunteers coming to the ophthalmology department hayatabad medical complex, peshawar as attendants 28: 81-5.
- Effect of bevacizumab and laser in the management of diabetic maculopathy 28: 27-32.
- Intravitreal bevacizumab for treatment of diabetic macular edema 28: 3-9.
- Incidence of endophthalmitis after bevacizumab (avastin) 28: 66-8.
- Intravitreal Bevacizumab for the Treatment of Subfoveal Choroidal Neovascularization Secondary to Age Related Macular Degeneration 28: 211-3.
- Outcome of rhegmetogenous retinal detachment surgery in uncomplicated pseudophakic eyes 28: 38-42.
- Outcome of macular hole surgery at mayo hospital, Lahore 28: 77-80.
- Prevalence of diabetic retinopathy in patients of age group 30 years and above attending multicentre diabetic clinics in Karachi 28: 99-104.
- Retinal redetachment after silicone oil removal 28: 127-32.
- Total retinal detachment 28: 49- 53.
- To compare the effect of intravitreal bevacizumab on the resolution of macularedema secondary to diabetic retinopathy and branch retinal vein occlusion 28: 60-5.
- Visual outcome after intravitreal bevacizumab for macular edema secondary to branch retinal vein occlusion 28: 154-6.
- Yag laser for macular subhyaloid hemorrhage 28: 105-8.

Sclera

• Congenital erythropoietin porphyria (cep) - a case of necrotic scleritis 28: 47: 8.

Squint

• Graded recession for primary inferior oblique over action 28: 122-6.

Trauma

- Epidemiology of penetrating ocular trauma 28: 14-6.
- Management of intraocular foreign body in tertiary care hospital 28: 118-121.
- Presentation of ocular and orbital dermoid cysts at holy family hospital Rawalpindi 28: 95-8.
- Sebaceous gland carcinoma of the lower eyelid 28: 109-111.

Uveitis

• Presentation of posner schlossman syndrome and viral uveitis 28: 161-2.

Uveitis

• Sulfadiazine plus clindamycin and trimethoprim / sulfamethoxazole plus clindamycin versus standard treatment for therapy of ocular toxoplasmosis 28: 149- 53.

Vitreous

• Cholesterosis bulbi in a painful blind eye with high intraocular pressure and long standing 28:

Author Index

Ali Z: Epidemiology of Penetrating Ocular Trauma 28: 14-6.

Aslam S: Congenital erythropoietin porphyria (CEP) - a case of necrotic scleritis 28: 47: 8.

Ahmad S: Problems / Complications, Success Rate – Endoscopic Dacryocystorhinostomy 28: 17: 21.

Ahmed S: Problems / Complications, Success Rate – Endoscopic Dacryocystorhinostomy 28: 17: 21.

Aslam I: Problems / Complications, Success Rate – Endoscopic Dacryocystorhinostomy 28: 17: 21.

Ahmad N: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Ahmed CN: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Arif M: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Ain Q: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Ahmad N: Out come of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Ahmad M: Corneal topography pattern in healthy volunteers coming to the Ophthalmology Department Hayatabad Medical Complex, Peshawar as Attendants 28: 81-5

Ahmed CN: Out come of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Arif M: Out come of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Ali SS: Sebaceous gland carcinoma of the lower eyelid 28:109-111.

Asim AA: Graded recession for primary inferior oblique over action 28: 122-6.

Arshad R: Role of subconjunctival bevacizumab in treatment of pterygium 28: 132-5.

Ahmed MI: Prevalence of incidental amblyopia in buraidah city 28: 140-3.

Al-debasi YH: Prevalence of incidental amblyopia in buraidah city 28: 140-3.

Adenuga OO: Pattern of eye diseases in an air force hospital in nigeria 28: 144-8.

Asif SI: Role of subconjunctival bevacizumab in treatment of pterygium 28: 132-5.

Awan AH: Conductive keratoplasty for presbyopia 28: 184-7.

Ahmad M: Visual outcome and complications of anterior chamber intraocular lens versus scleral fixated intraocular lens 28: 206-10.

Ahmed A: Intravitreal bevacizumab for the treatment of subfovealchoroidal neovascularization secondary to agerelated macular degeneration 28: 211-3.

Abbasi KZ: Evaluation of fresh human amniotic membrane transplantation for the treatment of corneal perforation and impending corneal perforation 28: 194-9.

Azhar MN: Intravitreal bevacizumab for the treatment of Subconjunctival Bevacizumab Injection in Patients subfovealchoroidal neovascularization secondary to age related macular degeneration 28: 211-3.

Baig Mirza AB: Visual and Keratometric Results after Corneal Collagen Cross Linking in Keratoconus 28: 179-83.

Bokhari SA: Bilateral optic disc drusen in a hypermetropic children of a family 28: 163-5.

Butt MH: News and Events 28: 54, 114, 167-8, 229-30.

Bhutto IA: Outcome of mitomycin-c augmented trabeculectomy in primary congenital glaucoma 28: 136-9.

Bukhari S: Outcome of mitomycin-c augmented trabeculectomy in primary congenital glaucoma 28: 136-9.

Bokhari SA: Management of intraocular foreign body in tertiary care hospital 28: 118-121.

Baig Mirza AB: Visual outcome after intravitreal bevacizumab for macular edema secondary to branch retinal vein occlusion 28: 154-6.

Behnaz F: Sulfadiazine plus clindamycin and trimethoprim / sulfamethoxazole plus clindamycin versus standard treatment for therapy of ocular toxoplasmosis 28: 149-53.

Burney JA: Sebaceous gland carcinoma of the lower evelid 28: 109-111.

Bokhari SA: To compare the effect of intravitreal bevacizumab on the resolution of macularedema secondary to diabetic retinopathy and branch retinal vein occlusion 28: 60-5

Bhushan P: Prevalence of oculo-visual disorders amongst university students in varanasi district, North India 28: 86-90.

Bokhari SA: Corneal graft in children 28: 72-6.

Bhatti N: Side Effects and Effectiveness of Subconjunctival Bevacizumab Injection in Patients with Corneal Neovascularization 28: 33-7.

Bokhari SA: Transscleral Diode Laser Cyclophotocoaglation for Refractory Glaucoma 28: 22-6.

Choudhry AA: Intravitreal Bevacizumab for Treatment of Diabetic Macular Edema 28: 3-9.

Chaudhry QL: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Chaudhry QL: Out come of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Chaudhry QL: Abstract: 28: 53, 112-3, 166, 227-8.

Dawar S: Prevalence of diabetic retinopathy in patients of age group 30 years and above attending multicentre diabetic clinics in karachi 28: 99-104.

Fawad U: Side Effects and Effectiveness of with Corneal Neovascularization 28: 33-7.

Fehmi MS: Randomized clinical trial of topical versus anesthesia for phacoemulsification: retrobulbur comparison of patient satisfaction 28: 157-60.

Fasih U: Randomized clinical trial of topical versus retrobulbur anesthesia for phacoemulsification: comparison of patient satisfaction 28: 157-60.

Ghayoor I: YAG laser for macular subhyaloid hemorrhage 28: 105-8.

Huda W: Randomized clinical trial of topical versus retrobulbur anesthesia for phacoemulsification: comparison of patient satisfaction 28: 157-60.

Hashmani S: Graded recession for primary inferior oblique over action 28: 122-6.

Haider SI: YAG laser for macular subhyaloid hemorrhage 28: 105-8.

Hashmani S: YAG laser for macular subhyaloid hemorrhage 28: 105-8.

Hasan T: Prevalence of diabetic retinopathy in patients of age group 30 years and above attending multicentre diabetic clinics in karachi 28: 99-104.

Hussain M: Side Effects and Effectiveness of Subconjunctival Bevacizumab Injection in Patients with Corneal Neovascularization 28: 33-7.

Hasan MU: Side Effects and Effectiveness of Subconjunctival Bevacizumab Injection in Patients with Corneal Neovascularization 28: 33-7.

Hussain SA: Congenital erythropoietin porphyria (CEP) - a case of necrotic scleritis 28: 47: 8.

Haq SN: Problems / Complications, Success Rate-Endoscopic Dacryocystorhinostomy 28: 17: 21.

Hussain M: Epidemiology of Penetrating Ocular Trauma 28: 14-6.

Hussain M: Intravitreal Bevacizumab for Treatment of Diabetic Macular Edema 28: 3-9.

Hag A: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Haider A: Cholesterosis bulbi in a painful blind eye with high intraocular pressure and long standing total retinal detachment 28: 49-53.

Haider SA: Incidence of endophthalmitis after bevacizumab (avastin) 28: 66-8.

Haq A: Out come of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Haq MI: Visual and Keratometric Results after Corneal Collagen Cross Linking in Keratoconus 28: 179-83.

Haider MA: Visual results and safety profile of a modified technique of four point scleral sutured posterior chamber intraocular lens without scleral flaps 28: 188-93.

Haider MA: Intravitreal bevacizumab for the treatment of going children of district labella, baluchistan 28: 200subfovealchoroidal neovascularization secondary to age- 05. related macular degeneration 28: 211-3.

Iqbal S: Visual outcome and complications of anterior chamber intraocular lens versus scleral fixated intraocular lens 28: 206-10.

Iqbal Y: Visual and Keratometric Results after Corneal Collagen Cross Linking in Keratoconus 28: 179-83.

Iqbal S: Corneal topography pattern in healthy volunteers coming to the Ophthalmology Department Hayatabad Medical Complex, Peshawar as Attendants 28:81-5

Irfan S: Avoid EUAs; adequate examination possible under sedation with chloral hydrate 28: 91-4.

Islam Z: Timing of Probing for Congenital Nasolacrimal Duct Obstruction28: 43-6.

Imran M: Congenital erythropoietin porphyria (CEP) a case of necrotic scleritis 28: 47: 8.

Imran M: Presentation of posner schlossman syndrome and viral uveitis 28: 161-2.

Iqbal **Y**: Visual outcome after intravitreal bevacizumab for macular edema secondary to branch retinal vein occlusion 28: 154-6.

Jamil MA: Graded recession for primary inferior oblique over action 28: 122-6.

Jahangir K: Retinal redetachment after silicone oil removal 28: 127-32.

Jahangir T: Cholesterosis bulbi in a painful blind eye with high intraocular pressure and long standing total retinal detachment 28: 49-53.

Jahangir S: Cholesterosis bulbi in a painful blind eye with high intraocular pressure and long standing total retinal detachment 28: 49-53.

Iadoon Z: Prevalence of diabetic retinopathy in patients of age group 30 years and above attending multicentre diabetic clinics in karachi 28: 99-104.

Jahangir K: Pre-operative screening of patients for hepatitis b and c virus 28: 69: 71.

Jehangir N: Corneal topography pattern in healthy volunteers coming to the Ophthalmology Department Hayatabad Medical Complex, Peshawar as Attendants 28:81-5.

Jahangir T: Modified technique of four point scleral sutured posterior chamber intraocular lens without scleral flaps 28: 188-93.

Jahangir S: Modified technique of four point scleral sutured posterior chamber intraocular lens without scleral flaps 28: 188-93.

Jadoon MZ: Pattern of ocular problems in school-

Jafri HR: Comparison of dacryocystorhinostomy with mitomycin c against dacryocystorhinostomy with intubation in patients of nasolacrimal duct block 28: 214-8.

Kamil Z: To compare the effect of intravitreal bevacizumab on the resolution of macularedema secondary to diabetic retinopathy and branch retinal vein occlusion 28: 60-5

Kamil Z: Corneal graft in children 28: 72-6.

Khan AA: Out come of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Khaqan HA: Incidence of endophthalmitis after bevacizumab (avastin) 28: 66-8.

Khan AA: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Khan A: Intravitreal Bevacizumab for Treatment of Diabetic Macular Edema 28: 3-9.

Kamil Z: Transscleral Diode Laser Cyclophotocoaglation for Refractory Glaucoma 28: 22-6.

Kamil Z: Management of intraocular foreign body in tertiary care hospital 28: 118-121.

Kamil Z: Bilateral optic disc drusen in a hypermetropic children of a family 28: 163- 5.

Lateef Q: Incidence of endophthalmitis after bevacizumab (avastin) 28: 66-8.

Lakho KA: Pattern of ocular problems in school going children of district labella, baluchistan 28: 200-05.

Lennerstrand G: Citicoline treatment of children with visual impairment; a pilot study 28: 172-8.

Mahar PS: Pattern of ocular problems in school going children of district labella, baluchistan 28: 200-05.

Majeed AA: Modified technique of four point scleral sutured posterior chamber intraocular lens without scleral flaps 28: 188-93.

Mahmood H: Pre-operative screening of patients for hepatitis b and c virus 28: 69: 71.

Mahju TM: Out come of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Memon WU: Prevalence of diabetic retinopathy in patients of age group 30 years and above attending multicentre diabetic clinics in karachi 28: 99-104.

Maurya RP: Prevalence of oculo-visual disorders amongst university students in varanasi district, North India 28: 86-90.

Mubaruk B: Intravitreal Bevacizumab for Treatment of Diabetic Macular Edema 28: 3-9.

Mahar PS: Ophthalmic Viscosurgical Devices (OVDs) Past, Present and Future 28: 56-9

Moin M: Restructuring of Pakistan Journal of Ophthalmology 28: 1,2.

Malik IQ: Epidemiology of Penetrating Ocular Trauma 28: 14-6.

Moin M: Epidemiology of Penetrating Ocular Trauma 28: 14-6.

Manzoor M: Problems/Complications, Success Rate-Endoscopic Dacryocystorhinostomy 28: 17: 21.

Mahju TM: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Memon F: Outcome of Rhegmetogenous Retinal Detachment Surgery in Uncomplicated Pseudophakic Eyes 28: 38-42.

Mahar PS: Outcome of Rhegmetogenous Retinal Detachment Surgery in Uncomplicated Pseudophakic Eyes 28: 38-42.

Muhammad Z: Timing of Probing for Congenital Naso-lacrimal Duct Obstruction 28: 43-6.

Mahmood H: News and Events 28: 54-5, 114, 167-8, 229-30.

Mahar PS: Outcome of mitomycin-c augmented trabeculectomy in primary congenital glaucoma 28: 136-9.

Memon AS: Outcome of mitomycin-c augmented trabeculectomy in primary congenital glaucoma 28: 136-9.

Miratashi AM: Sulfadiazine plus clindamycin and trimethoprim / sulfamethoxazole plus clindamycin versus standard treatment for therapy of ocular toxoplasmosis 28: 149- 53.

Maanaviat MR: Sulfadiazine plus clindamycin and trimethoprim / sulfamethoxazole plus clindamycin versus standard treatment for therapy of ocular toxoplasmosis 28: 149- 53.

Muhammad Safdar Iqbal: Presentation of posner schlossman syndrome and viral uveitis 28: 161-2.

Memon GM: Bilateral optic disc drusen in a hypermetropic children of a family 28: 163- 5.

Nair V: Prevalence of incidental amblyopia in buraidah city 28: 140-3.

Naz S: Prevalence of diabetic retinopathy in patients of age group 30 years and above attending multicentre diabetic clinics in karachi 28: 99-104.

Nadeem S: Presentation of ocular and orbital dermoid cysts at holy family hospital rawalpindi 28: 95-8.

Naeem M: Visual outcome and complications of anterior chamber intraocular lens versus scleral fixated intraocular lens 28: 206-10.

Nizamani NB: Idiosyncratic topiramate – induced high myopic shift with angle closure glaucoma 28: 224-26.

Oluwatosin G: Comparison of pterygium recurrence rate between consultants and residents using 5 fu sas an adjuvant after excision of primary pterygium 28: 219-21.

Omolase CO: Conservative management of congenital eversion of the upper lid in a nigerian child 28: 222-3.

Ogunleye OT: Conservative management of congenital eversion of the upper lid in a nigerian child 28: 222-3.

Omolase BO: Conservative management of congenital eversion of the upper lid in a nigerian child 28: 222-3.

Ogedengbe A: Conservative management of congenital eversion of the upper lid in a nigerian child 28: 222-3.

Oluwole OC: Factors Influencing Choice of Specialty Amongst Nigerian Ophthalmologists 28: 10-3.

Qureshi MA: Prevalence of incidental amblyopia in buraidah city 28: 140-3.

Omar R: Role of subconjunctival bevacizumab in treatment of pterygium 28: 132-5.

Oidwai U: Side Effects and Effectiveness of Subconjunctival Bevacizumab Injection in Patients with Corneal Neovascularization 28: 33-7.

Pansell T: Citicoline treatment of children with visual impairment; a pilot study 28: 172-8.

Qidwai N: Comparison of the surgical outcome of dacryocystorhinostomy with mitomycin c against dacryocystorhinostomy with intubation in patients of nasolacrimal duct block 28: 214-8.

Qazi ZA: Intravitreal bevacizumab for the treatment of Samuel OJ: Pattern of eye diseases in an air force subfovealchoroidal neovascularization secondary to age - hospital in nigeria 28: 144-8. related macular degeneration 28: 211-3.

Qidwai U: Prevalence of diabetic retinopathy in patients of age group 30 years and above attending multicentre diabetic clinics in karachi 28: 99-104.

Rehman A: Epidemiology of Penetrating Ocular Trauma 28: 14-6.

Rizvi SF: Transscleral Diode Laser Cyclophotocoaglation for Refractory Glaucoma 28: 22-6.

Rehman AU: Side Effects and Effectiveness of Subconjunctival Bevacizumab Injection in Patients with Corneal Neovascularization 28: 33-7.

Raza A: Presentation of ocular and orbital dermoid cysts at holy family hospital rawalpindi 28: 95-8.

Rizvi SF: Corneal graft in children 28: 72-6.

Rizvi F: To compare the effect of intravitreal bevacizumab on the resolution of macularedema secondary to diabetic retinopathy and branch retinal vein occlusion 28: 60-5

Rahman H: Pre-operative screening of patients for hepatitis b and c virus 28: 69: 71.

Rimsha S: Role of subconjunctival bevacizumab in treatment of pterygium 28: 132-5.

Rizvi SF: Management of intraocular foreign body in tertiary care hospital 28: 118-121.

Rehman A: Randomized clinical trial of topical versus retrobulbur anesthesia for phacoemulsification: comparison of patient satisfaction 28: 157-60.

Rydberg A: Citicoline treatment of children with visual impairment; a pilot study 28: 177-8.

Sana J: Modified technique of four point scleral sutured posterior chamber intraocular lens without scleral flaps 28: 188-93.

Sanaullah: Visual outcome and complications of anterior chamber intraocular lens versus scleral fixated intraocular lens 28: 206-10.

Siddigui AP: Citicoline treatment of children with visual impairment; a pilot study 28: 172-8.

Sultan S: Randomized clinical trial of topical versus retrobulbur anesthesia for phacoemulsification: comparison of patient satisfaction 28: 157-60.

Shaikh A: Randomized clinical trial of topical versus anesthesia phacoemulsification: retrobulbur for comparison of patient satisfaction 28: 157-60.

Shakir M: Bilateral optic disc drusen in a hypermetropic children of a family 28: 163-5.

Shakir M: Management of intraocular foreign body in tertiary care hospital 28: 118-121.

Shahzada BS: Role of subconjunctival bevacizumab in treatment of pterygium 28: 132-5.

Shakir M: Corneal graft in children 28: 72-6.

Shah SRA: Out come of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Shah S: YAG laser for macular subhyaloid hemorrhage 28: 105-8.

Sarwar S: Out come of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Singh VP: Prevalence of oculo-visual disorders amongst university students in varanasi district, North India 28: 86-90.

Singh MK: Prevalence of oculo-visual disorders amongst university students in varanasi district, North India 28: 86-90.

Sen PR: Prevalence of oculo-visual disorders amongst university students in varanasi district, North India 28: 86-90.

Siddiq Z: Intravitreal Bevacizumab for Treatment of Diabetic Macular Edema 28: 3-9.

Shoaib KK: Problems / Complications, Success Rate-Endoscopic Dacryocystorhinostomy 28: 17: 21.

Shakir M: Transscleral Diode Laser Cyclophotocoaglation for Refractory Glaucoma 28: 22-6.

Shah SRA: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Sarwar S: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Soomro Q: Outcome of Rhegmetogenous Retinal Detachment Surgery in Uncomplicated Pseudophakic Eyes 28: 38-42.

Shoaib KK: Timing of Probing for Congenital Nasolacrimal Duct Obstruction28: 43-6.

Tarig M: Timing of Probing for Congenital Nasolacrimal Duct Obstruction28: 43-6.

Tayyab AA: Congenital erythropoietin porphyria (CEP) - a case of necrotic scleritis 28: 47: 8.

Tahir MY: Effect of Bevacizumab and Laser in the Management of Diabetic Maculopathy 28: 27-32.

Tayyab H: Cholesterosis bulbi in a painful blind eve with high intraocular pressure and long standing total retinal detachment 28: 49-53.

Tahir MY: Outcome of macular hole surgery at Mayo Hospital, Lahore 28: 77-80.

Tayyab AA: Presentation of posner schlossman syndrome and viral uveitis 28: 161-2.

Talpur KI: Femtosecond laser assisted cataractsurgery 28: 116-7.

Tayyab H: Visual results and safety profile of a modified technique of four point scleral sutured posterior chamber intraocular lens without scleral flaps 28: 206-10.

Tayyab H: Intravitreal bevacizumab for the treatment of subfovealchoroidal neovascularization secondary to agerelated macular degeneration 28: 211-3.

Talpur KI: Idiosyncratic topiramate – induced high myopic shift with angle closure glaucoma 28: 224-6.

Ubah Josephine NU: A comparison of pterygium recurrence rate between consultants and residents using 5 fu sas an adjuvant after excision of primary pterygium 28: 219-21.

Upadhyay OP: Prevalence of oculo-visual disorders amongst university students in varanasi district, North India 28: 86-90.

Waseem R: Role of subconjunctival bevacizumab in treatment of pterygium 28: 132-5.

Zafar S: Transscleral Diode Laser Cyclophotocoaglation for Refractory Glaucoma 28: 22-6.

Zafar S: Corneal graft in children 28: 72-6.

Zaheer M: Graded recession for primary inferior oblique over action 28: 122-6.

Zafar S: Management of intraocular foreign body in tertiary care hospital 28: 118-121.

Zadeh M: Sulfadiazine plus clindamycin and trimethoprim / sulfamethoxazole plus clindamycin versus standard treatment for therapy of ocular toxoplasmosis 28: 149- 53.

Zafar S: Bilateral optic disc drusen in a hypermetropic children of a family 28: 163- 5.

Zia S: Visual outcome after intravitreal bevacizumab for macular edema secondary to branch retinal vein occlusion 28: 154-6.

Abstracts Index

Cataract

- Early experience with the femtosecond laser for cataract surgery 28: 112.
- Phacoemulsification versus trabeculectomy in medically uncontrolled chronic angle closure glaucoma without cataract 28: 227-8.

Conjunctiva

• Recurrence and complications after 1000 surgeries using pterygium extended removal followed by extended conjunctival transplant 28: 166.

Cornea

- Efficacy and safety of long-term corticosteroid eye drops after penetrating keratoplasty: a prospective, randomized, clinical trial 28: 53.
- Visual outcomes and safety of a refractive corneal inlay for presbyopia using femtosecond laser 28: 228.

Glaucoma

• A twenty – year follow-up study after abeculectomy: risk factors and outcomes 28: 112.

Ptosis

• Brow ptosis after temporal artery biopsy: incidence and associations 28:167.

Retina

- Benefit from bevacizumab for macular edema in central retinal vein occlusion: twelve-month results of a prospective, randomized study 28:166.
- Grid laser photocoagulation for macular edema due to branch retinal vein occlusion in the age of bevacizumab? results of a prospective study with crossover design 28:227.
- Intravitreal ranibizumab for diabetic macular edema with prompt versus deferred laser treatment: Three-year randomized trial results 28:166.
- Long-term visual acuity and the duration of macular detachment: findings from a prospective population based study 28:227.
- Outcomes of sulfur hexafluoride (SF₆) versus perfluoroethane (C₂F₆) gas tamponade for non-posturing macular-hole surgery 28: 53.
- Ranibizumab and bevacizumab for treatment of neovascular age – related. macular degeneration: two – year results. comparison of age – related macular degeneration treatments trials (catt) research group 28: 112.

Tumor

Correlation between clinical features, magnetic resonance imaging, and histopathologic findings in retinoblastoma: a prospective study 28: 53.