

# REINWARDTIA

*A JOURNAL ON TAXONOMIC BOTANY,  
PLANT SOCIOLOGY AND ECOLOGY*

**VOL. 14.  
2014–2015**

**Published by**

HERBARIUM BOGORIENSE, BOTANY DIVISION,  
RESEARCH CENTER FOR BIOLOGY–LIPI,  
CIBINONG 16911, INDONESIA  
E-MAIL: [reinwardtia@mail.lipi.go.id](mailto:reinwardtia@mail.lipi.go.id)

**Chief Editor**

KARTINI KRAMADIBRATA (MYCOLOGIST, HERBARIUM BOGORIENSE, INDONESIA)

**Editors**

DEDY DARNAEDI (TAXONOMIST, HERBARIUM BOGORIENSE, INDONESIA)

TUKIRIN PARTOMIHARDJO (ECOLOGIST, HERBARIUM BOGORIENSE, INDONESIA)

JOENI SETIJO RAHAJOE (ECOLOGIST, HERBARIUM BOGORIENSE, INDONESIA)

MARLINA ARDIYANI (TAXONOMIST, HERBARIUM BOGORIENSE, INDONESIA)

TOPIK HIDAYAT (TAXONOMIST, INDONESIA UNIVERSITY OF EDUCATION, INDONESIA)

EIZI SUZUKI (ECOLOGIST, KAGOSHIMA UNIVERSITY, JAPAN)

JUN WEN (TAXONOMIST, SMITHSONIAN NATURAL HISTORY MUSEUM, USA)

**Managing Editor**

HIMMAH RUSTIAMI (TAXONOMIST, HERBARIUM BOGORIENSE, INDONESIA)

LULUT DWI SULISTYANINGSIH (TAXONOMIST, HERBARIUM BOGORIENSE, INDONESIA)

**Secretary**

ENDANG TRI UTAMI

**Layout**

DEDEN SUMIRAT HIDAYAT

MEDI SUTIYATNO

**Illustrators**

SUBARI

WAHYUDI SANTOSO

ANNE KUSUMAWATY

**Distributed by**

Library

Herbarium Bogoriense, Botany Division,

Research Center For Biology – LIPI,

Cibinong 16911, Indonesia

E-MAIL: [reinwardtia@mail.lipi.go.id](mailto:reinwardtia@mail.lipi.go.id)

## ACKNOWLEDGEMENT

Editor of Reinwardtia would like to thank to the following reviewers:

Abdulrokhman Kartonegoro (Bogor, Indonesia)

Agus Susatya (Bengkulu, Indonesia)

Altafhusain B Nadaf (Pune, India)

Amy Y. Rossman (Beltsville, USA)

Andre Schuiteman (Kew, UK)

Ary P. Keim (Bogor, Indonesia)

Axel D. Poulsen (Scotland, UK)

Barry Conn (Sydney, Australia)

Campbell O. Webb (Harvard, USA)

Dato' Abdul Latiff Mohamad (Selangor, Malaysia)

Daniel Potter (California, USA)

Deby Arifiani (Bogor, Indonesia)

Edwino Fernando (Los Banos, Philippines)

Fabian Brambach (Gottingen, Germany)

Ferry J. W. Slik (University of Brunei Darussalam, Brunei)

Henti H. Rachmat (Bogor, Indonesia)

Ian M. Turner (Kew, UK)

Iskandar Z. Siregar (Bogor, Indonesia)

Jay H. Bernstein (New York, USA)

Jens G. Rohwer (Hamburg, Germany)

Joan Pereira (Sabah, Malaysia)

John Mood (Hawaii, USA)

Kuswata Kartawinata (Bogor, Indonesia)

Lars H. Schmidt (Copenhagen, Denmark)

Mark Hughes (Edinburgh, UK)

Mark Newman (Scotland, UK)

Martin Dancak (Palacky University, Czech Republic)

Masahiro Kato (Kyoto, Japan)

Mien A. Rifai (AIPI, Indonesia)

Nuril Hidayati (Bogor, Indonesia)

Ong Poh Teck (Kepong, Malaysia)

Peter C. van Welzen (Leiden, Netherlands)

Reuben Nilus (Sabah, Malaysia)

Ridha Mahyuni (Bogor, Indonesia)

Rugayah (Bogor, Indonesia)

Ruth Kiew (Kepong, Malaysia)

Uwe Braun (Halle, Germany)

Yasuaki Sato (Osaka, Japan)

**DATE OF ISSUE**

No. 1 (pp 1 – 248) 23 December 2014

No. 2 (pp 249 – 324) 23 December 2015

## INDEX TO VOLUME 14

New genera, species and combination are printed in **bold face**. Illustrations are marked with an asterisk

- Acacia mangium* 214, 216  
*Acanthus ebracteatus* 180, 273; *ilicifolius* 180  
*Aceros cassidix* 158  
*Acorus calamus* 101  
*Acronychia porter* 201, 210  
*Acrostichum aureum* 180, 270, 281; *speciosum* 180  
*Actinodaphne* 142  
*Adiantum* 143, 144, 145, 148, 150, 151, 152, 153\*, 156; *aethiopicum* 148, 156; *capillus-veneris* 143, 145, 148, 150, 151, 153\*, 156; *caudatum* 143, 145, 148, 150, 151, 153\*, 156; *concinnum* 145, 148, 150, 151, 153\*; *cuneatum* 148, 150, 156; *cunninghamii* 150; *diaphanum* 145, 148, 150, 151, 153\*, 156; *edgeworthii* 145, 148, 150, 151, 153\*, 156; *flabellulatum* 148, 156; *fulvum* 150; *hispidulum* 143, 145, 148, 150, 151, 152, 153\*, 154\*; *jordanii* 148, 156; *malesianum* 148, 156, 270; *mariesii* 148, 156; *peruvianum* 143, 145, 148, 150, 151, 152, 154\*; *philippense* 145, 148, 150, 151, 154\*, 156; *pinceps* 148, 156; *polyphyllum* 145, 150, 154\*; *pubescens* 150, 152; *raddianum* 145, 146, 148, 150, 151, 155\*; *silvaticum* 146, 150, 151, 155\*; *sinicum* 148, 151, 156; *soboliferum* 148, 151, 156; *tenerum* 143, 146, 148, 150, 151, 155\*, 156; *tetraphyllum* 148, 156; *trapeziforme* 146, 150, 151, 155\*; *viridescens* 150, 152  
*Adinandra longipedicellata* 140  
*Adonidia merrillii*  
*Aegiceras corniculatum* 180; *floridum* 180  
*Aeschynanthus* 1, 2, 4, 11; *pulcher* 2; *radicans* 2; *volubilis* 2  
*Agalmyla* 1, 2, 3, 4, 11; *brownii* 3; *exannulata* 3, 4\*; *parasitica* 2; *remotidentata* 3, 4\*; *scabriflora* 2, 3, 4  
*Agathis* 283; *celebica* 284; *dammara* 85, 88, 89, 90\*, 91, 92, 271, 278, 279, 284, 285  
*Ageratum conyzoides* 89, 90\*, 91, 93, 94, 105, 116, 273  
*Aglaia macrocarpa* 201, 205; *odoratissima* 275  
*Aidia racemosa* 180  
*Albizia lebbeck* 274  
*Allium ampeloprasum* 111; *tuberosum* 108  
*Alocacia odara* 108  
*Alocasia* 77; *balgooyi* 161; *esculenta* 108; *suhirmaniana* 161  
*Allophylus cobbe* 180  
*Alocasia* cf. *balgooyi* 271, 280  
*Alphitonia* 118  
*Alpinia* 77, 93, 94, 311, 314, 315; subsect. *cenolophon* 311, 312, 314, 315, 316; *galanga* 113, 311; *hulstijnii* 311, 316; *macrocrista* 311, **312**, 313, 313\*, 315, 316; *macrostephana* 312; *orthostachys* 311, 316; *padacanca* 311, 316; *pusilla* 311, 312, **314**, 314\*, 315, 316; *rubricaulis* 311, 316; *versicolor* 311, 316; *warburgii* 311, 315, 316; *zerumbet* 311  
*Alseodaphne* 53, 54, 55, 55\*, 56, 58\*, 59, 60, 61, 62, 64, 92; *andersonii* 57\*, 59, 61, 64; *borneensis* 271; *elongata* 61, 64; *glaucina* 59, 64; *hainanensis* 61, 64; *insignis* 57\*, 61, 64; *oblanceolata* 61, 64; *obovata* 61, 64; *peduncularis* 56, 64; *rhododendropsis* 55, 61, 64; *semecarpifolia* 62, 64  
*Alstonia*; *angustifolia* 284; *angustiloba* 106; *macrophylla* 273; *pneumatophora* 38; *scholaris* 273; *spathulata* 114  
*Altingia excelsa* 88, 90\*, 92, 94, 97  
*Alyxia floribunda* 180  
*Amaranthus gangeticus* 108; *sessilis* 108  
*Amarphopallus* 27, 28, 30, 31, 271; *annulifer* 28; *decussilvae* 28; *discophorus* 27, 28, 29, 29\*, 30; *muelleri* 27, 28, 30, 31; *paeoniifolius* 28; *sagittarius* 28; *spectabilis* 28; *variabilis* 28  
*Amomum abendanoni* 314  
*Ampelocissus* 77  
*Amphistomatous* 163, 166  
*Amydrium* 75, 77  
*Anadendrum* 77  
*Ananas comosus* 109  
*Andrographis paniculata* 79, 80, 81, 82\*, 83, 273  
*Angiopteris evecta* 270, 280  
*Annona muricata* 108  
*Antrophyum* 144, 146; *callifolium* 146, 155\*, 156; *latifolium* 146, 155\*  
*Aphanamixis polystachya* 180  
*Apis* 127  
*Apium graveolens* 108  
*Apluda mutica* 271  
*Apollonias* 53, 55  
*Appunia* 297  
*Arachis hypogaea* 111  
*Arcangelisia flava* 180, 275, 277  
*Archidendron borneense* 197, 201; *microcarpum* 204, 205, 209  
*Ardisia elliptica* 180; *polygama* 290  
*Areca catechu* 109, 272, 284; *vestiaria* 272, 280, 282  
*Arenga australasica* 237, 238, 239, 239\*, 240, 241, 242,

- 243, 244, 245; engleri 243; microcarpa 239, 241, 243, 244, 247; obtusifolia 243; pinnata 220, 243, 247, 272; tremula 243; undulatifolia 106, 120\*, 243, wightii 243
- Arthropodium* 273; *diversifolium* 92
- Artocarpus*; *altilis* 92; *dadah* 106; *elasticus* 111, 275, 279; *heterophyllum* 111, 220, 275; *integer* 111; *odoratissimus* 104, 106, 111; *teysmanii* 180
- Aspidium* *crenatus* 280
- Asplenium* 77, 303; *auriculatum* 303, 304; *belangeri* 303, 304; *bipinnatum* 303; *doreyi* 304; *elongatum* 304; *longissimum* 270; *macrophyllum* 270; *nidus* 93, 270, 279, 280; *rutifolium* 303; *tenerum* 303, *var. elongatum* 304, *var. laciniata* 304, *var. pallidum* 303, **304**, 305\*; *thunbergii* 303, 304, *var. belangeri* 303, 304; *veitchianum* 304
- Asystasia gangetica* ssp. *micrantha* 79, 80, 81, 82\*, 83
- Atalantia monophylla* 180
- Athyrium* 151
- Averrhoa bilimbi* 112; *carambola* 276
- Avicennia* 81; *marina* 180; *marina* subsp. *australasica* 180; *officinalis* 180
- Azadirachta indica* 220
- Babyrousa babirusa* 158
- Balanophora fungosa* 273, 277
- Bambusa vulgaris* 112
- Barringtonia* 281; aff. *pendula* 274; *asiatica* 180; *racemosa* 171, 174, 175, 180, 274, 278, 279, 280
- Basella rubra* 109
- Begonia* 19, 20, 26, 233, 234, 235, 236; *adenostegia* 234, 236; *aketajawensis* 19, **20**, 21\*, 22\*, 23; *andersonii* 236; *apiensis* 235; *aptera* 20; *aptera* subsp. *hirtissima* 161; *baramensis* 234, 236; *benaratensis* 235; *borneensis* 234; *brachybotrys* 20; *burtii* 236; *calcareo* 236; *chlorocarpa* 234, 236; *chlorosticta* 235; *congesta* 236; *conipila* 236; *cyanescens* 234; *diwolii* 236; *elatostemma* 236; *eutricha* 235; *fuscisetosa* 234; *gemella* 23; *georgei* 23; *grandipetala* 23; *gueritziana* 236; *havilandii* 236; *hidiri* 235; *holosericea* 19, 20, 21, 21\*, 23, 24, 25\*, 26; *holosericoideus* 19, 20, 21\*, 23\*, **24**; *hullettii* 235; *juliasangii* 235, 236; *keithii* 235; *kiamfeeii* 235; *kurakura* 235, 236; *layang-layang* 235; *longiseta* 235; *mekonggensis* 161; *mendumae* 23; *microptera* 233, 236; *murudensis* 235; *nagaensis* 235; *niahensis* 235; *papyraptera* 235; *payung* 235, 236; *piring* 236; *promethea* 235; *propinqua* 23, 235; *pseudolateralis* 20; *punchak* 235; *pyrrha* 235; *rhodochaeta* 236; *rieckei* 20; *sabahensis* 236; *sageaensis* 20; *sarungica* 235; *serapatensis* 235; *sibutensis* 235; *speluncae* 236; *stenogyna* 234; *subnummularifolia* 236; *tambelanensis* 235, 236; *urunensis* 235; *vaccinioides* 235; *watuwilensis* 23
- Beilschmiedia* 60; *maingayi* 205, 209
- Bellucia pentamera* 90\*, 91, 92, 95
- Benincasa hispida* 110
- Benstonea* 163, 164, 169
- Bischofia javanica* 116
- Blechnum* 77; *orientale* 115
- Blumea balsamifera* 105, 115, 120\*, 273, 281
- Blumeodendron subtrotundifolium* 193, 194, 197, 198, 199, 200, 202, 205, 207, 209
- Boea* 1, 14; *hygrometrica* 14, 15; *philippensis* 14, 15
- Boeopsis* 13, 14, 15, 16, 17
- Boerhavia diffusa* 180
- Boesenbergia* 75, 76, 77
- Bombax ceiba* 269, 275
- Bombus* 127
- Borreria laevicaulis* 276
- Brackenridgea palustris* 201, 210
- Brasica juncea* 109
- Bromheadia* 77
- Brownlowia argentata* 180
- Bruguiera cylindrica* 180; *gymnorhiza* 171, 172, 173, 174, 176\*, 177, 178, 179, 180, 276, 281; *parviflora* 180; *sexangula* 174, 175, 178, 179, 180
- Brunfelsia hopeana* 211, 215; *uniflora* 211, 212, 215, 216
- Bubalus quarlesi* 158
- Buchanania arborescens* 269, 273, 278, 284; *sessilifolia* 269, 273
- Bulbophyllum flabellum-veneris* 272, 279
- Butia* 238
- Caenopteris auriculata* 303, 304; *furcata* 303
- Caesalpinia bonduc* 180; *crista* 180
- Calamus* 93, 114, 239, 243, 265, 269, 272, 281, 283, 284; *australis* 237, 238, 239, 239\*, 240, 241, 242, 243, 244, 245; *caesius* 239, 246; *javensis* 106; *koordersianus* 272, 279, 282; *latifolius* 239, 243; *leiocaulis* 272; *leptostachys* 272, 281, 282; *levis* 105, 106; *macrosphaerion* 272, 282; *mannan* 239, 246; *minahassae* 272, 282; *mindorensis* 272, 281, 282; *moti* 239, 240; *ornatus* 272, 281, 282; *pachystachys* 272; *paucijugus*

- 272; pedicellatus 272, 282; peregrinus 239, 243, 247; robinsonianus 272; siphonospathus 282, var. dransfieldii 272; suaveolens 272, 282; subinermis 272, 282; symphysipus 272, 282; zollingeri 272, 281, 282
- Calanthe millikenii 272, 280
- Calliandra calothyrsus 86, 90\*, 91, 92, 94, 95, 98
- Calophyllum canum 201, 204, 205, 209; inophyllum 180, 200, 201, 273; soulattri 273, 280
- Camptosperma 38; coriaceum 201, 202, 209; macrophylla 201
- Camponotus schmitzi 70
- Camptostemon schultzei 180
- Cananga odorata 271, 284
- Canarium asperum 269, 273; cf. balsamiferum 273
- Capsicum 81, 113; annuum 113, 118; assamicum 215; frutescens 89, 90\*, 91, 92
- Carica papaya 110, 115, 220
- Caryota mitis 114, 272, 277, 282
- Castanopsis 88, 89; acuminatissima 88, 89, 90\*, 92, 93, 94, 95; buruana 274, 278, 279, 280, 284; cf. tungurrut 92; javanica 92, 95
- Celastraceae 183, 190
- Celtis philippensis 180
- Cenchrus brownie 271
- Cenolophon 315; rubrum 311
- Cerbera manghas 180
- Cercospora 211, 212, 214, 215, 216, 217; acaciae-mangii 211, 213, 214, 215, 216; apii 211, 213, 216, 217; apiicola 213; armoraciae 213; beticola 213; brunfelsiicola 211, 212, 213, 214, **215**, 215\*, 216; canescens 216; capsici 213; cf. citrulina 213; cf. flagellaris 213; cf. helianthicola 213; cf. ipomoeae 213; cf. nicotianae 213; cf. richardiicola 213, 215; cf. zinniae 213; chenopodii 213; habenariicola 216; kikuchii 213; lactucaae-sativae 213; lanugiflori 216; nicandrae 216; nicotianicola 216; nigri var. microsporae 216; physalidis 216; physalidis-angulatae 216; punctiformis 213; puyana 216; rodmanii 213, 215; sciadophila 216; senecionis-walkeri 213; sojina 213; solanacea 216; solani 216; solanigena 216; solani-nigri 216; tezpuren-sis 213, 215; venezuelae var. indica 216; zae-maydis 213; zebrina 213; zeina 213
- Ceriops decandra 180; tagal 174, 178, 180
- Chaetocarpus castocarpus 205
- Chalicodoma derelicta 126
- Chamaedorea seifrizii 247
- Chassalia curviflora 205
- Cheilocostus speciosus 115
- Chionanthus 287, 288, 289, 290, 291, 292, 294, 295; celebicus 287, 288, 292, 294; cordulatus 287, 289, 292, 294; gigantifolius 287, 294; kostermansii 287, 288, **289**, 290; laxiflorus 290; macrobotrys 291; montanus 276; pluriflorus 288; polygamus 287, 290, 292, 294; ramiflorus 287, 288, 290, 291, 292; rupicolus 287, 288, 290, 291, 292, 293; sessiliflorus 292, 294; sordidus 287, 288, **292**, 293; spicatus 294; stenurus 287, 288, 292, 293; sulawesicus 287, 288, 289, **294**
- Chirita 16, 17
- Chisocheton kingii 275
- Chromolaena odorata 115, 273, 281
- Chrysalidocarpus lutescens 247
- Cinchona; calothyrsus 89; pubescens 89, 90\*, 91, 92, 93, 97
- Cinnamomum celebicum 271; iners 111
- Cissus 277
- Citrus aurantifolia 112, 120\*; limon 112, 118, var. ponderosa 112; maxima 112; microcarpa 113; reticulata 113
- Claderia 77
- Cleistanthus oblongifolius 274, 277
- Clerodendrum buchananii 180; inerme 180; paniculatum 274
- Clibadium surinamense 90\*, 91, 93, 95
- Clidemia hirta 89, 91, 93, 97
- Clitoria ternatea 274
- Cnetis 115
- Cocos nucifera 109, 220
- Codonoboea 1, 2, 4, 11, 13, 14, 15, 16; albomarginata 15; anthonyi 15; bakoensis 15; bombycina 15, 16; calcarea 15; codonion 15; corrugate 15; crenata 15; crinita 15, 16; curtisi 15; fasciata 15; floribunda 15; glabrata 15; heterophylla 15; kjelbergii 4, 5\*; leiophylla 15; leucocodon 4; longipes 14, 15; malayana 15; oreophila 15, 16; personatiflora 16; platypus 15, 16; pumila 15; puncticulata 15; racemosa 15; rubiginosa 15; salicina 15; salicinoides 15; sp. nov. 1 15; sp. nov. 2 15; sp. nov. 3 15; sp. nov. 4 15; sp. nov. 5 15; tiumanica 15
- Coelogyne 180
- Coffea arabica 89, 90\*, 91, 92, 93
- Coix lacryma-jobi 272
- Combretocarpus rotundatus 38
- Commelina diffusa 271

- Convolvulaceae 16  
 Cordia dichotoma 180  
 Corymborkis veratrifolia 132  
 Corypha utan 272  
 Cosmos caudatus 109  
 Crassocephalum crepidioides 89, 94, 109  
 Crateva religiosa 273, 280  
 Cratoxylum 198; arborescens 200, 201; glaucum 201, 202, 209  
 Crinum asiaticum 271  
 Criptocarya crassinervia 209  
 Cucumis sativus 110  
 Cucurbita maxima 110; pepo 115  
 Cucurbitaceae 323, 324  
 Curculigo 75, 77  
 Curcuma domestica 105; longa 119  
 Cyathea 77, 85, 89, 90\*, 91, 92, 93, 94, 180; cf. elmeri 270, 280; cf. roroka 270; contaminans 90\*, 92, 270, 279; moluccana 270, 280; roroka 279  
 Cyclosorus callosus 271, 281; heterocarpus 271; subpubescens 271  
 Cymbopogon citratus 105, 112, 117, 120\*  
 Cynodon dactylon 271  
 Cynometra cauliflora 274; ramiflora 180  
 Cyperus 115; kyllingia 271  
 Cyrtandra 1, 2, 4, 5, 6, 8, 10, 11, 16; coccinea var. celebica 5, 6\*; engleri 6; fasciata 5; geocarpa 6; gorontaloensis 1, 5, 6, 8; hypogaea 6, 6\*; luteiflora 6; picta 319; polyneura 6; rubropicta 8; sandei 93; widjajae 1, 2, 5, 6, 7\*, 8; **widjaje karten 6**  
 Cyrtostachys lakka 209, 238  
  
 Dacryodes macrocarpa 209; rostrata 319  
 Dactyloctenium aegyptium 272  
 Daemonorops robusta 272  
 Dalbergia candanensis 180  
 Daphniphyllum griffithianum 209  
 Darea belangeri 304; furcata 303, var. elongata 303, var. pallida 304, var. rigida 304  
 Davallia denticulata 270, 279  
 Dehaasia 53, 54, 55, 57\*, 59, 60, 64; annamensis 62, 64; cairocan 57\*, 62, 64; suborbicularis 62, 64; tomentosa 62, 64; turfosa 62, 64  
 Dendrobium 125, 126, 132; aloifolium 180; microglaphys 132  
 Dendrocnide oblanceolata 277; sinuata 277; stimulans 277  
 Dendrolobium umbellatum 180  
  
 Derris elegans 180; trifoliata 180  
 Dialium indum 201, 209  
 Dianella ensifolia 116  
 Dichrotrichum 3; brownii 3  
 Dicranopteris linearis 85, 91, 93, 95, 97, 270, 279  
 Didissandra 13  
 Didymanthus 13, 14, 15, 16  
 Didymocarpus 3, 4, 13, 16, 17; brownii 3  
 Digitaria ciliaris 272  
 Dillenia excelsa 205, 209; serrata 269, 274, 278, 279, 280  
 Dimocarpus dentatus 277, 278, 279  
 Dinochloa scandens 89, 90\*, 91, 93; sublaevigata 117  
 Dioscorea cf. pyrifolia 271; hispida 271, 277  
 Diospyros 204, 205, 277, 285; aff. lanceifolia 274; cauliflora 180; javanica 198, 199, 204, 205, 209; malabarica 274; maritima 205; siamang 204, 205, 209  
 Diplazium 77, 93, 271; esculantum 110; sorzogonense 93, 94  
 Diploclinium 234; holosericeum 24, 26  
 Dipodium 123, 124, 125, 126, 127, 128, 129, 132; bicallousum 127\*; brassii 127, 128, 130\*; brevilibium 127; conduplicatum 127\*; elatum 127; ensifolium 126; fevrellii 123, 127, 128\*, 129, 130\*; fragrans 124\*, 129, 131\*; gracile 125; hamiltonianum 132; javanicum 129, 130\*; paludosum 124\*, 125, 129, 131\*; pandanum 123, 127, 128, 129, 130\*; pictum 123, 129, 130\*; punctatum 123, 126, 132; purpureum 127\*, 129, 131\*; puspitae 129, 131\*; scandens 123, 129, 130\*; squamatum 123; stenochilum 126  
 Dipterocarpus 320  
 Dischidia 75, 77; nummularia 273, 279  
 Dismodium 116  
 Dolichandrone spathacea 174, 178, 180  
 Donax canniformis 106, 116, 272, 280  
 Dracaena 110; angustifolia 180, 271;  
 Dracontomelon dao 273, 277, 278  
 Drynaria quercifolia 270; sparsisora 270, 279  
 Dryobalanops 318; aromatica 43, 44, 45, 45\*, 46\*, 47, 48, 49, 50  
 Duabanga moluccana 37, 38, 275, 278, 280  
 Durio zibenthinus 109, 220  
 Dyera custulata 38  
 Dysoxylum arborescens 275, 277  
  
 Eichhornia crassipes 112, 215  
 Elaeocarpus 198, 284; angustifolius 269, 274; ovalis



- 204, 205, 209  
*Elephantopus mollis* 115  
*Eleusine indica* 272  
*Embelia* 117  
*Emilia sonchifolia* 273  
*Engelhardia serrata* 88  
*Entada* 274, 280  
*Epithema* 1, 2; *horsefieldii* 8; *saxatile* 8  
*Eragrostis tenella* 272  
*Erechtites valerianifolius* 273  
*Erigeron sumatrensis* 273  
*Eriodaphne* 54  
*Erycibe* 16  
*Eryngium foetidum* 108  
*Erythrina subumbrans* 274; *variegata* 274  
*Etlingera*; *brevilabrum* 119; *coccinea* 91, 93, 113; *elatior* 105, 113, 119, 120\*; *hemisphaerica* 307  
*Eucalyptus deglupta* 288, 294  
*Eugenia clariflora* 205, 210  
*Eumeninae* 127  
*Euodia aromatica* 197, 198, 199, 202, 210; *latifolia* 88  
*Euonymus* 183, 184, 190; *calocarpus* 187; *griffithii* 187; *marivelensis* 189; *pallidifolius* 189; *sclerocarpus* 187  
*Eupatorium inulifolium* 90\*, 91, 93, 95; *odoratum* 105, 281  
*Eurya acuminata* 90\*, 91, 92, 93  
*Eurycoma* 259, 260, 261, 262, 263; *apiculata* 259, 260, 261, 262, 262\*, 263; *longifolia* 118, 259, 260, 261, 262, 262\*, 263  
*Exannularia* 3  
*Excoecaria agallocha* 171, 174, 175, 178, 180  
  
*Fagraea* 142; *cuspidata* 116; *racemosa* 180  
*Fibraurea tinctoria* 117  
*Ficus* 117, 163, 170, 257, 265, 269, 281, 282, 283, 284, 285, 320; *adenosperma* 180, 275; *benjamina* 220, 275; *botryocarpa* 180, 275; *callophylla* 275; *caulocarpa* 275; *chrysolepsis* 275; *congesta* 275; *cordatula* 275; *crassiramea* 275; *disticha* 275; *disticha* subsp. *disticha* 277; *drupacea* 275; *fistulosa* 275; *glandifera* 269, 275; *gul* 275; *heteropleura* 275; *hirta* 88; *hispida* 275; *hombroiana* 282, *var. madhucifolia* 275; *lawesii* 275; *lepicalpa* 275, 282; *magnolifolia* 275; *microcarpa* 276; *nervosa* 276; *padana* 88; *pisifera* 276; *prasinicalpa* 276, 282; *racemosa* 276; *recurva* *var. urnigera* 276, 277; *riedelii* 276; *septica* 117, 276; *sinuata* 88; *sumatrana* 276; *sun-*  
*daica* 197, 210; *tinctoria* 276; *variegata* 282; *variegata* subsp. *gibbosa* 276; *variegata blume* *var. sycomoroides* 276; *variegata blume var. variegata* 276; *variegata blume var. viridicalpa* 276; *virrens* 276  
*Finlaysonia obovata* 180  
*Flagellaria indica* 180, 271, 277  
*Flemingia strobilifera* 274, 280  
*Franxinus angustifolia* 50  
*Freycinetia* 77, 91, 93, 163, 164, 166, 167, 168, 169, 223, 227, 277; *angustifolia* 167; cf. *devriesii* 273, 277; cf. *funicularis* 273; cf. *imbricata* 167; cf. *rigidifolia* 167; cf. *undulata* 167; *funicularis* 167, 277; *graminifolia* 166\*, 167; *insignis* 166\*, 167, 169; *javanica* 167, 167\*; *kartawinatae* 166\*, 167; *kostermansii* 167; *minahassae* 167; *sarawakensis* 167; *scandens* 167; *sumatrana* 167, 169  
*Fuchsia hybrida* 215  
  
*Garcinia* 120\*; *dulcis* 180; *rostrata* 92  
*Gesneriaceae* 1, 2, 4, 5, 11, 13, 16, 17  
*Gigantochloa levis* 103, 105, 106  
*Gleichenia linearis* 106; *truncate* 116  
*Globba* 77  
*Glochidion* 106  
*Glossadenia* 13, 14  
*Glyptopetalum* 183, 184, 190; *acuminatissimum* 185, 189; *angulatum* 186, 187; *annamense* 187; *aquifolium* 185, 188; *calocarpum* 184, 186, 187; *calyptratum* 186, 187; *chaudocense* 186, 188; *euonymoides* 183, 185, 189; *euphlebium* 186, 189; *feddei* 185, 188; *fengii* 186, 188, 189; *geloniifolium* 186, 188; *gracilipes* 185, 187, 188; *grandiflorum* 183, 184, 186; *griffithii* 187; *harmandianum* 186, 188; *ilicifolium* 185, 188; *integrifolium* 185, 188, 190; *lawsonii* 184, 186; *loheri* 183, 185, 189; *longepedunculatum* 185, 188; *longipedicellatum* 185, 189; *marivelense* 186, 189; *palawanense* 185, 189; *pallidifolium* 186, 189; *poilanei* 186, 188; *quadrangulare* 183, 185, 187, 188, 189; *remotinerivium* 189; *reticulatum* 189; *reticulinerve* 185, 189; *rhytidophyllum* 185, 189; *schero-carpum* 187; *sclerocarpum* 183, 186, 187, 188, 189; *strixifolium* 186, 188; *subcordatum* 185, 187; *thorelii* 186, 188; *tonkinense* 183, 186, 188, 189; *vidalii* 183, 186, 187, 188, 191\*, 192\*; *zeylanicum* 183, 184, 189, *var. brevipedicellatum* 186, 189, *var. zey-*

- lanicum 186  
 Gmelina arborea 281  
 Gnetum gnemon 271  
 Gonystylus bancanus 38, 193, 194, 201, 202, 205, 210  
 Gossypium 116  
 Grewia glabra 275; laevigata 180  
 Guettarda speciosa 180  
 Gymnopetalum 323, 324; chinense 324; cochinchinense 274; integrifolia 324; integrifolium *var.* pectinatum 323; orientale 324; **pectinatum** 323, 324; scabrum 324, *var.* pectinatum 323; tubiflorum 323  
 Gymnostoma 283; sumatranum 273, 279  
 Gynochthodes 297; **lanuginosa** 297; **suratmanii** 297; wongii 297  
 Gynotroches axillaris 92  
 Gynura procumbens 273  
  
 Hanguana malayana 201, 204  
 Hedyotis 93  
 Henckelia 4, 13, 16; kjelbergii 4  
 Heritiera globosa 180; littoralis 173, 174, 175, 178, 180, 275, 281; trifoliata 269, 275, 278  
 Hernandia ovigera 271, 280; sonora 180  
 Heteroboaea 13, 14, 15, 16  
 Hibiscus tiliaceus 171, 174, 175, 180, 275  
 Hippocratea angulata 187  
 Homalanthus populneus 88, 89, 115  
 Homalium foetidum 276, 277  
 Homalomena 77, 108, 320  
 Hopea 320  
 Hornstedtia scyphifera 113  
 Horsfieldia crassifolia 201, 205, 210; glabra 92, 205  
 Hortus bengalensis 182  
 Hoya diversifolia 273, 277; lacunosa 180  
 Huperzia 75, 77; phlegmaria 270, 279  
 Hydnohytium formicarum 276, 279; moseleyanum 180  
 Hydnora africana 321  
 Hydriastele selebica 272, 279, 280, 282; wendlandiana 237, 238, 239, 239\*, 240, 241, 242, 243, 244, 245, 246  
 Hylobates moloch 86, 98, 99  
 Hymenodictyon horsfieldii 276  
 Hypostomatous 163, 166  
 Hyptis capitata 274;  
  
 Ilex pleiobrachinata 204, 205; wallichii 205, 209  
 Impatiens platypetala 273, 277  
 Imperata 99; cylindrica 88, 90\*, 91, 93, 95, 97, 98, 117, 272, 281  
 Indomelothria 274  
 Inocarpus fagifera 171, 174, 175, 178, 180, 274, 278, 281  
 Intsia bijuga 174, 178, 180; palembanica 274, 277  
 Iodes cirrhosa 274  
 Ipomoea aquatica 110, 120\*, 273, 281; batatas 110; gracilis 180; hederifolia 273; pes-caprae 180, 273, 281  
 Ixonanthes petiolaris 209  
 Ixora 276  
  
 Jatropha curcas 115  
 Justicia; betonica 79, 80, 81, 82\*, 83; comata 79, 80, 81, 82\*, 83; gendarussa 104, 114, 120\*  
  
 Kleinhovia hospital 275  
 Knema laterifolia 198, 204, 205, 210  
 Koompassia malaccensis 37, 38, 201  
 Koordersiodendron pinnatum 273  
 Korthalsia celebica 281  
  
 Labisia 77  
 Lagenaria siceraria 106, 110  
 Lagstroemia spesiosa 38  
 Lansium domesticum 111  
 Lantana camara 274, 281  
 Laportea 320  
 Lasianthus 257  
 Lecanopteris 279  
 Leea aculeata 277; angulata 277  
 Lentibulariaceae 16  
 Leonotis leonurus 81  
 Leopardanthus 123, 124, 125, 127, 128, 129, 132  
 Lepsianthes *cf.* rubiginosa 277; tetraphylla 277  
 Leucaena leucocephala 220  
 Licuala celebica 272, 279, 280; elegans 243; gracilis 243; lauterbachii 243; muelleri 243; peltata 243; ramsayi 237, 239, 242, 243, 244, 245, 246, *var.* ramsayi 243, *var.* tuckeri 237, 238, 239, 239\*, 240, 241, 243; spinosa 243  
 Limnocharis flava 109, 120\*  
 Lindsaea 77, 279; lucida 270, 279  
 Linociera novoguineensis 292; ovalis 292; polygama 290; ramiflora 291, *var.* coriacea 292; rupicola 292; stenura 293  
 Lithocarpus 88, 103; celebicus 274, 278, 279, 284  
 Litsea 88, 116; cordata 271  
 Lonchitis bipinnata 303

- Loxocarpus* 13, 16  
*Luffa cylindrical* 110  
*Lumnitzera littorea* 171, 174, 175, 178, 180; *racemosa* 180  
*Lycopersicon esculentum* 113  
*Lycopodiella cernua* 270, 279, 280  
*Lygodium circinnatum* 270, 277, 279
- Macaca ochreata* 158  
*Macadamia* 283; *hildebrandtii* 276  
*Macaranga* 88, 120\*, 198, 281, 284; *caladifolia* 197, 209; cf. *grandiflora* 274; *gigantea* 274, 278, 280; *tanarius* 89, 90\*, 274; *triloba* 89, 90\*, 92, 93, 197, 205, 209  
*Machilus* 53, 54, 55, 59, 62, 65; *bombycina* 62, 65; *bre-viflora* 62, 65; *calcicola* 54, 62, 65; *chekiangen-sis* 62, 65; *decursinervis* 62, 65; *gamblei* 62, 65; *glabrophylla* 54, 62, 65; *grandibracteata* 62, 65; *grifsi* 62, 65; *kurzii* 57\*, 62, 65; *minutiloba* 62, 65; *nakao* 62, 65; *odoratissima* 62, 65; *oreophila* 62, 65; *parabreviflora* 62, 65; *phoenics* 62, 65; *platycarpa* 62, 65; *pomifera* 62, 65; *velutina* 62, 65  
*Madhuca betis* 277  
*Maesa* 117  
*Maesopsis eminii* 85, 88, 89, 90\*, 91, 92, 95, 97, 98  
*Malaxis* 77  
*Mallotus* 88, 281; *floribundus* 274, 278; *paniculatus* 115  
*Malvastrum* 82  
*Mangifera foetida* 108; *indica* 108, 120\*; *odorata* 108; *pajang* 108  
*Manihot esculanta* 110  
*Mapania macrocephala* 180  
*Maranthes corymbosa* 201, 209  
*Medinilla crassifolia* 204, 205  
*Melanthera biflora* 180  
*Melastoma malabathricum* 90\*, 91, 93, 95, 275  
*Melicope*; *accedens* 91, 92, 95; *latifolia* 88  
*Meliosma sumatrana* 276  
*Merremia peltata* 115, 273  
*Metroxylon sagu* 106  
*Micrechites serpyllifolius* 204  
*Microchirita* 14; *caliginosa* 14, 15; *involucrata* 14, 15; *ruthiae* 14, 15; *viola* 14, 15  
*Microcos* 142; *paniculata* 275, 280  
*Micromelum* 118  
*Microsorium membranifolium* 270; *punctatum* 270, 279  
*Microtropis poilanei* 188
- Mikania micrantha* 245, 247  
*Mimosa pudica* 274  
*Miquelia coerulea* 10  
*Miscanthus floridulus* 118  
*Molineria latifolia* 116  
*Momordica charantia* 110  
*Monogramma* 152  
*Monophyllaea* 1, 2, 8, 9, 11; *anthocrena* 8,9; *eymae* 8, 9; *horsefieldii* 8, 9; *merrilliana* 1, 8, 9, 9\*  
*Morinda* 297, 298; *citrifolia* 106, 180, 220, 276; *lanugi-nosa* 297; *wongiana* 297  
*Mucuna* 274; *bennettii* 180; *pruriens* 274, 280  
*Muntingia calabura* 220, 284  
*Musa* 111, 302; *accuminata* 90\*, 302; *ornata* 299; *salac-censis* 299, 300, 301\*, 302, 302\*  
*Mycosphaerella* 211, 217  
*Myristica koordersii* 271; *malaccensis* 271, 278, 280  
*Myrmecodia tuberosa* 279, 281; *var. bullosa* 276  
*Myrmeconuclea* cf. *stipulacea* 276, 279
- Naravelia laurifolia* 276  
*Nasturtium officinale* 109  
*Nauclea orientalis* 276  
*Neolamarckia cadamba* 276; *macrophylla* 276, 277, 278, 281  
*Neolitsea triplinervia* 95  
*Neonauclea calycina* 276, 280; cf. *havilandii* 276; *gi-gantea* 118  
*Nepenthes* 67, 68, 69, 70, 71, 77, 318; *albomarginata* 67; *ampullaria* 67, 69, 70, 201, 204, 206\*; *bical-carata* 67, 69, 70; *fusca* 67; *gracilis* 67, 69, 70; *hemsleyana* 69; *hirsuta* 67, 70; *lowii* 67; *macrovulgaris* 140; *mirabilis* 67, 69, 70; *raffle-siana* 67, 69, 70; *reinwardtiana* 67, 68, 70; *stenophylla* 67; *tentaculata* 67; *veitchii* 68, 70  
*Nephelium lappaceum* 113  
*Nephrolepis* 280; *biserrata* 270, 280; *davallioides* 93, 94; *hirsutula* 204, 206\*, 270, 281  
*Nerium oleander* 220  
*Nicandra physalodes* 216  
*Nicotiana tabacum* 216  
*Nomen nudum* 314  
*Notaphoebe* 53, 54, 55, 56, 59, 62, 65; *cavaliereii* 57\*, 59, 61, 62, 65; *cuneata* 61, 65; *sarawacensis* 57\*, 61, 65  
*Nypa fruticans* 180, 272, 281
- Ochthocharis* 77  
*Ocimum basilicum* 111

- Octomeles sumatrana* 37, 38  
*Olea* 290; *paniculata* 290; *rubrovenia* 290  
*Oleandra pistilaris* 93, 94  
*Oncosperma horridum* 272, 279, 280, 282  
*Ophioglossum pendulum* 270, 279  
*Oplismenus compositus* 272, 279  
*Oraniopsis appendiculata* 241, 247  
*Oropheia* 181, 182; *glabra* 181, 182; ***nitida*** 182;  
*sphaerocarpon* 181, 182  
*Orthosiphon aristatus* 114  
*Oryza sativa* 101, 112  
*Osbornia octodonta* 180  
*Osmanthus scortichinii* 288
- Palaquium* 38, 198; *burckii* 201; *gutta* 201, 210; *obovatum* 277, 278; *obtusifolium* 277; *ridleyi* 201, 202, 210; *walsurifolium* 201, 205, 210  
*Pandanus* 75, 77, 163, 164, 166, 167, 168, 169, 223, 224, 225, 226, 227, 228, 229, 230, 277; *aristatus* 166, 224, 225, 227, 228, 229, 231; *atocarpus* 193, 194, 197, 198, 199, 200, 202, 207, 210; cf. *borneensis* 273, 277; cf. *ridleyi* 224, 225, 227, 228, 229, 230; *discostigma* 166; *dubius* 180; *helicopus* 165, 166, 224, 225, 226, 228, 229, 230; *johoriensis* 224, 225, 226, 228, 229, 230; *motleyanus* 223; *odorifer* 180; *pachypilus* 166, 224, 225, 227, 228, 229, 231; *tectorius* 180; *vinaceus* 224, 225, 227, 228, 229, 231; *yvanii* 164, 165, 166, 223, 224, 225, 227, 228, 229, 231  
*Pangium edule* 273, 280  
*Panicum notatum* 91, 93  
*Panthera pardus melas* 86, 98  
*Panthera tigris sumatrae* 36, 38  
*Paphiopedilum rothschildianum* 140  
*Paraboea* 1, 13  
*Parkia sumatrana* 274, 278, 280  
*Paspalum conjugatum* 91, 93, 117  
*Passalora* 217  
*Passiflora foetida* 276  
*Pavetta* cf. *Montana* 276  
*Payena leerii* 210  
*Pectinati* 13, 14  
*Pegia sarmentosa* 114  
*Pemphis acidula* 180  
*Persea* 53, 54, 55, 60; *Americana* 111; *chatacea* 62, 65;  
*rimosa* 62  
*Pes caprae* 281  
*Petermannia* 20, 23, 24, 26, 234
- Phaeanthus* 182  
*Phaleria capitata* 277; *perrottetiana* 180  
*Pharmacoscea* 283  
*Phaseolus vulgaris* 111  
*Phoebe* 53, 54, 55, 59, 62, 66; *bourneri* 61, 65; *cathia* 61, 66; *chekiangensis* 61, 66; *chinensis* 54; *formosana* 55, 59, 61, 66; *forrestii* 61, 66; *hunanensis* 61, 66; *lanceolata* 61, 66; *lucida* 55\*, 61, 66; *macrophylla* 61, 66; *microphylla* 54; *neurantha* 59, 61, 66; *sheareri* 61, 66; *tavoyana* 59, 61, 66  
*Phyllanthus niruri* 274; *urinaria* 115  
*Phymatosorus scolopendria* 270, 279  
*Phytocrene hirsuta* 274  
*Pimeleodendron griffithianum* 197, 205, 209  
*Pinanga coronata* 93; *rumphiana* 273, 277, 282  
*Piper abbreviatum* 271; *amboinense* 271; *betle* 105, 112, 117, 180, 271; *caninum* 271; cf. *bantamense* 271; *fragile* 271; *umbellatum* 112, 117  
*Pittosporum ferrugenum* 117; *linearifolium* 140  
*Plagiostachys* 77  
*Planchonella duclitan* 277; *obovata* 180, 277  
*Planchonia valida* 269, 274, 278  
*Platea* 89; *excelsa* 90\*, 95; *latifolia* 92  
*Platycentrum* 234  
*Platycerium* 279  
*Plectocomia* 94  
*Pleocnemia irregularis* 270, 279  
*Pluchea indica* 273  
*Plumeria rubra* 220  
*Podocarpus neriifolius* 90\*  
*Pogostemon cablin* 81  
*Poikilospermum suaveolens* 277  
*Polyalthia glauca* 205, 209; *lateriflora* 271, 278  
*Polygala paniculata* 118  
*Polygonum odoratum* 112  
*Polytrias amaura* 272  
*Pometia pinnata* 269, 277, 278, 280  
*Pongamia pinnata* 180  
*Pothos* 277; *cylindricus* 271, 277; *scandens* 271, 277  
*Premna serratifolia* 180, 274  
*Pritchardia remota* 238, 247  
*Prunus arborea* 95  
*Pseuderanthemum*; *carruthersii* 79, 80, 81, 82\*, 83;  
*graciliflorum* 79, 80, 82\*, 83  
*Pseudocercospora thailandica* 213, 214  
*Pseudolacuna* 225, 226  
*Psidium guajava* 105, 112, 117, 120\*, 284  
*Psophocarpus tetragonolobus* 111

- Psychotria 77; sarmentosoides 204; varidiflora 93  
 Pteridium aquilinum 270, 279  
 Pteridrys symmatica 270  
 Pteris ensiformis 133, 134, 135, 270; moluccana 270, 281; tripartita 270, 279; *var. ensiformis* 133, 134, 135; *var. rheophila* 133; *var. victoriae* 133, 134, 135; vittata 270  
 Pterisanthes 75, 77  
 Pternandra azurea 90\*, 92  
 Pterocarpus indicus 274, 277  
 Pterocymbium javanicum 269, 275  
 Pterospermum celebicum 269, 275; diversifolium 269, 275  
 Pusillus 315  
 Pycnarrhena tumefacta 275  
 Pyrrosia longifolia 270, 279; piloselloides 270, 279  
  
 Quercus 88, 89, 92; gemmeliflora 88; lineata 90\*, 94, 92; odocarpa 90\*, 91, 92, 93  
  
 Rafflesia 317, 318, 319, 321, 322; arnoldi 317, 318, 319, 321, 322; atjehensis 319; azlanii 319; bengkuluensis 319, 322; cantleyi 319; gadutensis 317, 319, 320, 321\*; hasseltii 319, 320, 322; horsfieldii 318; lagascae 322; lawangensis 319, 322; leonardi 321; mejjeri 319; micropylora 319; patma 319, 320; rochusenii 319, 320; titan 318, 319, 321  
 Reichenheimia 234  
 Reptantes 13, 14  
 Rhabdophora 180; *cf. koordersii* 271; korthalsii 271, 277  
 Rheopteris 152  
 Rhizanthus 322; zippelii 318  
 Rhizophora apiculata 171, 172, 173, 174, 175, 176\*, 177, 178, 179, 180, 276, 281; lamarckii 180; mucronata 174, 175, 178, 180, 276, 281; stylosa 180  
 Rhodamnia cinerea 95  
 Rhododendron falaccinum 140; sugau 140  
 Rhynchosyris 1, 2, 9, 11; capsulare 9, 10; obliquum 9, 10  
 Rhynchotechum 1, 2, 10, 11; parviflorum 10, 10\*  
 Ridleyandra 13  
 Rollinia deliciosa 108  
 Roystonea elata 238; regia 247  
 Ruellia repens 79, 80, 82\*, 83  
  
 Saccharum officinarum 112; spontaneum 90\*, 94, 95, 272, 281  
 Sagus 318  
 Salicini 13, 14, 15, 16  
 Samara polygama 290  
 Sararanga 163, 164, 167, 168, 169; philippinensis 164; sinuosa 164, 167, 168\*  
 Sarcotheca diversifolia 319  
 Saribus rotundifolius 273, 280, 282  
 Saurauia 114, 120\*  
 Sauropus androgynus 110, 117  
 Scaevola sericea 274; taccada 180  
 Scaphium macropodium 180  
 Schefflera 77; nervosa 114  
 Schima wallichii 85, 86, 88, 89, 90\*, 91, 92, 93, 94, 95, 97, 99  
 Schippia concolor 247  
 Schismatoglottis ahmadii 109  
 Schisandra 60  
 Schizaea 77; dichotoma 270, 279, 280; digitata 270, 279  
 Schizostachyum ; lima 120\*; pilosum 106  
 Schleicheria oleosa 277, 278, 281  
 Scindapsus 75, 77  
 Scrophularia 118  
 Scyphiphora hydrophyllacea 174, 175, 180  
 Sechium edule 110  
 Selaginella 75, 77; plana 91, 94, 270, 277  
 Semecarpus angustifolius 140; *cf. cuneiformis* 273  
 Senna alata 274, 281; alexandrina 116  
 Sesuvium portulacastrum 180  
 Setaria palmifolia 272  
 Shirakiopsis indica 180  
 Shorea 38, 198; albida 199; curtisii 44, 49, 50; javanica 47, 50; leprosula 44, 47, 49, 50; lumutensis 47, 50; obtusa 47, 51; parvifolia 44, 49, 50, 200, 201; platycarpa 199; rugosa 193, 194, 198, 199, 201, 202, 205, 209, *var. uliginosa* 199, 201; scabrida 199; symingtonii 140; teysmanniana 193, 194, 198, 199, 201, 202, 204, 209; uliginosa 201  
 Siphonodon 180  
 Sloetia elongata 205  
 Smilax 118  
 Solanum ferox 277; lanugiflorum 216; melongena 113; nigrum 89, 90\*, 113, 118, 216; torvum 89, 118; trachycyphum 216; velutinum 216; violifolium 216  
 Sonneratia alba 174, 175, 178, 180; caseolaris 180; ovata 180, 276, 281

- Sophora tomentosa* 180  
*Sorghum propinquum* 272  
*Spatholobus* 106, 116  
*Sphaerostephanos cf. heterocarpus* 94  
*Sphenanthera* 20, 234  
*Spizaetus bartelsii* 86, 99  
*Spondias pinnata* 273  
*Stachytarpheta jamaicensis* 119, 274  
*Stauranthera* 1, 2, 11; **benth** 10; *coerulea* 10; *grandiflora* 10; *philippinensis* 11  
*Stemonurus scorpioides* 209; *secundiflorus* 205  
*Stenochlaena palustris* 109, 120\*, 204, 270, 279  
*Stenosemia aurita* 271  
*Sterculia coccinea* 205; *gilva* 210; *longifolia* 275; *macrophylla* 275; *oblongata* 95; *shillinglawii* 171, 174, 175  
*Sticherus truncatus* 270, 279  
*Strobilanthes* 94  
*Strychnos axillaris* 275  
*Swietenia macrophylla* 85, 88, 89, 90\*, 91, 92  
*Sygidium* 283  
*Sycomorus* 283  
*Symplocos* 106; *fasciculata* 93  
*Synoecia* 283  
*Synedrella nodiflora* 89, 90\*, 94, 273  
*Syzygium* 92, 142, 284, 320; *acuminatissimum* 204, 205, 210; *attenuatum* 205, 210; *densiflorum* 198, 204, 205, 210; *fastigatum* 205; *inopillum* 210; *lineatum* 92, 93, 197, 198, 199, 202, 204, 205, 210; *soepadmoi* 140; *zeylanicum* 276, 278, 280; *zollingerianum* 276, 280  
  
*Tabernaemontana macrocarpa* 273  
*Tarsius spectrum* 158  
*Tectaria* 77; *crenata* 271, 280; *zeylanica* 180  
*Tectona grandis* 98, 220, 281  
*Teijsmanniodendron hollrungii* 180  
*Teratophyllum aculeatum* 270, 279  
*Terminalia catappa* 180, 220; *copelandii* 273, 278, 280  
*Tetracera scandens* 115  
*Tetractomia holttumii* 205  
*Tetrameles nudiflora* 269, 274, 277, 278  
*Tetramerista glabra* 38, 198, 201, 202, 205, 210  
*Tetrastigma* 119, 317, 319; *cf. pedunculare* 277; *lanceolarium* 277  
  
*Teucrium* 82  
*Thespesia populnea* 180  
*Thysanolaena latifolia* 118  
*Timonius flavescens* 197, 204, 205, 210  
*Tinomiscium pytocreniodes* 204  
*Tinospora crispa* 275  
*Trema orientalis* 106, 277  
*Trichoglottis geminata* 272, 279  
*Tridax procumbens* 273  
*Trigona sarawakensis* 126  
*Tristaniopsis* 140, 142; *merguensis* subsp. *tavaiensis* 140; *obovata* 204, 210; *whiteana* 205  
*Tylophora cissoides* 180  
  
*Urena lobata* 116, 275  
*Urophyllum glabrum* 93; *macrophyllum* 93  
*Urostigma* 282, 283, 285  
*Urtica* 118  
*Utricularia* 16  
*Uvaria* 114; *nitida* 181, 182  
  
*Vateriopsis seychellarum* 47, 50  
*Vatica rassak* 201, 204, 205  
*Venusti* 13, 14, 15  
*Vernonia* 198; *cinerea* 273  
*Vigna marina* 274, 281; *sesquipedalis* 111; *unguiculata* 116  
*Vitex cofassus* 274, 277, 278, 281, 285; *pinnata* 119; *quinata* 274  
*Vittaria* 144, 156; *zosterifolia* 146, 155\*  
  
*Wedelia biflora* 94; *trilobata* 89, 90\*, 91  
*Weinmannia blumei* 90\*, 92, 95  
  
*Xanthostemon* 283; *petiolatus* 276, 278, 280  
*Ximenia americana* 180  
*Xylocarpus granatum* 180, 275, 278, 281; *moluccensis* 174, 178, 179, 180; *rumphii* 180  
  
*Zea mays* 112  
*Zingiber* 307; **engganoensis** 307, 308, 309, 309\*, 310\*; *officinale* 105, 113, 119, *var. rubrum* 113; *spectabile* 307, 308

## CONTENTS

Page

ARDI, W. H. & ARDIYANI, M. Two new species of <i>Alpinia</i> from Sulawesi, Indonesia .....	311
ARDI, W. H., KUSUMA, Y. W. C., LEWIS, C. E., RISNA, R. A., WIRIADINATA, H., ABDO, M. E. & THOMAS, D. C. Studies on <i>Begonia</i> (Begoniaceae) of the Molucca Islands I: Two new species from Halmahera, Indonesia, and an updated description of <i>Begonia holosericea</i> .....	19
ARDIYANI, M. A new species of <i>Zingiber</i> (Zingiberaceae) from Enggano island, Indonesia .....	307
CHUNG LU, L. & KIEW, R. <i>Codonoboea</i> (Gesneriaceae) sections in Peninsular Malaysia .....	13
DE WILDE, W. J. J. O., DUYFJES, B. E. E. & RUGAYAH. <i>Gymnopetalum pectinatum</i> (W. J. De Wilde & Duyfjes) Rugayah: rank of species for <i>Gymnopetalum scabrum</i> var. <i>pectinatum</i> (Cucurbitaceae) .....	323
DJAMALUDDIN, I., INDRAYANI, P., MITANI, Y., TAGANE, S. & YAHARA, T. GIS web server for biodiversity information system .....	249
DWIYANTI, F. G., KAMIYA, K. & HARADA, K. Phylogeographic structure of the commercially important tropical tree species, <i>Dryobalanops aromatica</i> Gaertn. F. (Dipterocarpaceae) revealed by microsatellite markers .....	43
EFFENDI, M., CHIKMAWATI, T. & DARNAEDI, D. New cytotypes of <i>Pteris ensiformis</i> var. <i>victoria</i> from Indonesia.....	133
HIDAYAT, I. & MEEBOON, J. <i>Cercospora brunfelsiicola</i> (Fungi, Mycosphaerellaceae), a new tropical Cercosporoid fungus on <i>Brunfelsia uniflora</i> .....	211
JUHARI, M. A. A. A., TALIP, N., AMRI, C. N. A. C. & RAHMAN, M. R. A. Trichomes morphology of petals in some species of Acanthaceae .....	79
KARTONEGORO, A. & POTTER, D. The Gesneriaceae of Sulawesi VI: the species from Mekongga Mts. with a new species of <i>Cyrtandra</i> described .....	1
KIEW, R. <i>Chionanthus</i> (Oleaceae) in Sulawesi, Indonesia, including three new species .....	287
KULIP, J. The Ethnobotany of the Dusun people in Tikolod village, Tambunan district, Sabah, Malaysia .....	101
LATIFAH, D., CONGDON, R. A. & HOLTUM, J. A. A Physiological approach to conservation of four palm species: <i>Arenga australasica</i> , <i>Calamus australis</i> , <i>Hydriastele wendlandiana</i> and <i>Licuala ramsayi</i> .....	237
LATIFF, N. A., SUKRI, R. S. & METALI, F. <i>Nepenthes</i> diversity and abundance in five habitats in Brunei Darussalam .....	67
LESTARI, W. S., ADJIE, B., JARUWATANAPHAN, T., WATANO, Y. & PHARMAWATI, M. Molecular phylogeny of maidenhair fern genus <i>Adiantum</i> (Pteridaceae) from Lesser Sunda Islands, Indonesia based on <i>Rbcl</i> and <i>Trnl-f</i> .....	143
MAHYUNI, R., KUSUMA, Y. W. C., WIHERMANTO & VELDKAMP, J. F. Notes on <i>Rafflesia</i> (Rafflesiaceae) in Sumatra with a new record <i>Rafflesia gadutensis</i> Meijer .....	317
NISHIDA, S. & WERFF, H. VAN DER. Do cuticle characters support the recognition of <i>Alseodaphne</i> , <i>Nothaphoebe</i> and <i>Dehaasia</i> as distinct genera? .....	53
O'BYRNE, P. On the evolution of <i>Dipodium</i> R. Br. ....	123
POWLING, A., PHILLIPS, A., PRITCHETT, R., SEGAR, S. T., WHEELER, R. & MARDIASTUTI, A. The vegetation of Lambusango forest, Button, Indonesia .....	265
PRAWIROATMODJO, S. & KARTAWINATA, K. Floristic diversity and structural characteristics of mangrove forest of Raja Ampat, West Papua, Indonesia.....	171

ROSALINA, Y., NISYAWATI, NURDIN, E., SUPRIATNA, J. & KARTAWINATA, K. Floristic composition and structure of a peat swamp forest in the conservation area of the PT National Sago Prima, Selat Panjang, Riau, Indonesia.....	193
ROSLEINE, D., SUZUKI, E., SUNDAWIATI, A., SEPTIANA, W. & EKAWATI, D. The effect of land use history on natural forest rehabilitation at corridor area of Gunung Halimun Salak National Park, West Java, Indonesia .....	85
ROYAYANI, M. F. & RAHAJOE, J. S. Behind the sacred tree: local people and their natural resources sustainability.....	35
SABRAN, S., NILUS, R., PEREIRA, J. T. & SUGAU, J. B. Contribution of the heart of Borneo (HoB) initiative towards botanical exploration in Sabah, Malaysia .....	137
SANG, J. & KIEW, R. Diversity of <i>Begonia</i> (Begoniaceae) in Borneo – How many species are there? .....	233
SANTIKA, Y., TIHURUA, E. F. & TRIONO, T. Comparative leaves anatomy of <i>Pandanus</i> , <i>Freycinetia</i> and <i>Saranga</i> (Pandanaceae) and their diagnostic value.....	163
SAVINOV, I. Taxonomic revision of Asian genus <i>Glyptopetalum</i> Thwaites (Celastraceae R. Br.) .....	183
TAN, A. L., KAMAL, N. M., TAN, H. P. & ROSLAN, I. Notes on morphological characteristic of <i>Eurycoma</i> spp. and its status in Peninsular Malaysia .....	259
TIHURUA, E. F. & ERLINAWATI, I. Leaf anatomy of <i>Pandanus</i> spp. (Pandanaceae) from Sebangau and Bukit Baka-Bukit Raya National Park, Kalimantan, Indonesia.....	223
TURNER, I. M. A new combination in <i>Orophea</i> (Annonaceae) for <i>Uvaria nitida</i> Roxb. ex G. Don .....	181
VAN BALGOOY, M. & WIDJAJA, E. A. Flora of Bali: a provisional checklist .....	219
VELDKAMP, J. F. & SULISTYANINGSIH, L. D. Nomenclature and typification of <i>Musa salaccensis</i> Zoll. ex Kurz. (Musaceae) .....	299
VELDKAMP, J. F. & WARDANI, W. <i>Asplenium tenerum</i> var. <i>pallidum</i> is the correct name for <i>A. thunbergii</i> var. <i>belangeri</i> (Aspleniaceae) .....	303
WIDJAJA, E. A. & POTTER, D. Floristic study of Mekongga Protected Forest: towards establishment of the Mekongga National Park.....	157
WONG, K. M. & RAZAFIMANDIMBISON, S. G. A new combination and a new name in <i>Gynochodes</i> (Rubiaceae) .....	297
YUZAMMI, WITONO, J. R. & HETTERSCHIED, W. L. A. Conservation status of <i>Amorphophallus discophorus</i> Backer & Alderw. (Araceae) in Java, Indonesia.....	27
ZAINI, N. H. & SUKRI, R. S. The diversity and abundance of ground herbs in lowland mixed Dipterocarp forest and heath forest in Brunei Darussalam .....	73