

"Performance Evaluation of Fiber-Reinforced Concrete for Sustainable Structures: Experimental and Analytical Approach"

Amar M. Chipade¹, Aiman², Abhinav Sharma³

¹ pdf, Lincoln University College, Malaysia ; ² Supervisor, Lincoln University College, Malaysia; ³ Cosupervisor, Lincoln University College, Malaysia
pdf.amar@lincoln.edu.my

Abstract:

The topic of sustainability of reinforced concrete structures is strictly related with their durability in aggressive environments. Sustainability in construction is a growing concern, prompting the need for innovative materials that enhance both mechanical performance and durability while minimizing environmental impact. Fiber-reinforced concrete (FRC) has emerged as a promising solution due to its improved strength, crack resistance, and longevity. This review explores the mechanical and durability properties of FRC, focusing on its tensile strength, flexural toughness, impact resistance, and shrinkage control. Additionally, the study examines the material's resistance to environmental degradation, including chloride penetration, freeze-thaw cycles, and sulfate attack. Various fiber types, such as steel, synthetic, glass, and natural fibers, are analyzed for their effectiveness in enhancing structural sustainability. The findings highlight FRC's potential in reducing maintenance costs and extending the lifespan of concrete structures, contributing to sustainable and resilient infrastructure. Future research directions for optimizing fiber content and assessing long-term environmental benefits are also discussed.

Keywords: Fiber-reinforced concrete (FRC); Sustainability; Compressive Strength, Tensile Strength

Introduction

Sustainability in the construction industry has become a key focus due to the increasing demand for durable, resilient, and environmentally friendly building materials. Among various advancements, fiber-reinforced concrete (FRC) has gained significant attention for its ability to enhance the mechanical and durability properties of conventional concrete. The incorporation of fibers, such as steel, synthetic, glass, or natural fibers, improves properties like tensile strength, impact resistance, ductility, and crack control, thereby extending the lifespan of structures. This review explores the role of fiber reinforcement in enhancing the sustainability of

concrete structures by assessing its mechanical performance (e.g., compressive, tensile, and flexural strength) and durability aspects (e.g., resistance to corrosion, freeze-thaw cycles, and chemical attacks). By integrating fiber-reinforced concrete into modern construction, engineers and researchers aim to reduce maintenance costs, minimize material wastage, and contribute to sustainable infrastructure development. Through a comprehensive analysis of recent studies, this paper highlights the potential of fiber-reinforced concrete in addressing structural sustainability challenges and provides insights into its practical applications in civil engineering.

Types of Fibres Used in Concrete

Fibers used in concrete can be classified into various categories, including:

- **Steel fibers:** Improve tensile strength, impact resistance, and ductility.
- **Synthetic fibers (polypropylene, nylon, polyester, etc.):** Enhance shrinkage crack control and flexibility.
- **Glass fibers:** Increase resistance to alkali attack and improve tensile properties.
- **Natural fibers (coir, jute, sisal, etc.):** Provide an eco-friendly alternative, improving ductility and crack resistance.
- **Carbon fibers:** Enhance flexural strength and conductivity for smart concrete applications.

Functions of Fibre in Concrete

Crack Control and Toughness Enhancement

Fibers help control cracking due to shrinkage, thermal changes, and mechanical stress. They bridge cracks and distribute stress more evenly, enhancing toughness.

Improved Tensile and Flexural Strength

The addition of fibers enhances the tensile and flexural properties of concrete, making it more resilient under load and reducing brittleness.

Impact and Fatigue Resistance

Fiber-reinforced concrete (FRC) demonstrates higher resistance to impact and cyclic loading, making it suitable for heavy-duty applications such as pavements and industrial floors.

Durability and Permeability Reduction

Fibers reduce permeability by minimizing microcracks, thus improving resistance to water ingress, chemical attacks, and freeze-thaw cycles.

Fire Resistance

Certain synthetic fibers (e.g., polypropylene) enhance fire resistance by melting at high temperatures, creating microchannels that release steam and prevent explosive spalling.

Improved Post-Cracking Behavior

Unlike conventional concrete, fiber-reinforced concrete retains load-bearing capacity even after initial cracking, preventing sudden failure.

Mechanical Properties of Fibre-Reinforced Concrete

Compressive Strength.

Fibres slightly enhance compressive strength by improving stress distribution and crack resistance.

Tensile Strength

FRC exhibits higher tensile strength due to crack bridging mechanisms of fibres, improving ductility and fracture resistance.

Flexural Strength

Flexural strength improves significantly with fibre addition, enhancing load-carrying capacity and reducing failure risks.

Applications of Fibre-Reinforced Concrete

Fiber-reinforced concrete is widely used in applications such as:

- Industrial floors and pavements
- Bridge decks and overlays
- Tunnel linings and shotcrete applications
- Precast concrete elements
- Marine structures and hydraulic constructions

Composite action of fibre and concrete

The composite action of fibres and concrete significantly enhances structural performance, durability, and sustainability. While challenges exist, advancements in fibre technology and optimized mix designs can further improve FRC applications. Future research should focus on sustainable fibre alternatives and hybrid fibre systems to maximize benefits.

Need of Study

Traditional concrete often cracks and has lower durability over time. Fiber-reinforced concrete (FRC) is stronger, resists cracking, and lasts longer. This study helps understand how FRC can solve these problems and make structures more durable. With limited resources and rising environmental concerns, sustainable materials are needed in construction. FRC increases structure lifespan, reduces repairs, and uses eco-friendly fibers like recycled or natural ones. This study shows how FRC helps in sustainable construction.

Literature Survey

Mechanical properties and durability of steel fiber reinforced concrete: A review (Yuanxun Zheng a b, Xiaoman Lv a b, Shaowei Hu a, Jingbo Zhuo a b, Cong Wan a b, Jiaqi Liu c) Journal of Building Engineering Volume 82, 1 April 2024, 108025 It can be seen that SF can enhance the interface structure, mechanical properties, and fracture properties of SFRC, and thus improve the durability of concrete.[1]

Enhancing the mechanical properties of fibre-reinforced concrete through sustainable mix design: effects of fiber type and dose (Sabahat Ahmad Khan1) Material building and Design 2023 This study demonstrated that integrating various types of fibers and recycled materials into M20 grade concrete can significantly enhance its mechanical properties while promoting sustainability.[2]

Enhancing durability and sustainability in concrete with fibre-reinforced composites Abdelatif Salmi Journal Of Water And Land Development e-ISSN 2083-4535 . This study has presented a comprehensive exploration of the transformative potential of self-healing mechanisms and sustainable material integration in fibre-reinforced concrete (FRC) production. [3]

Fiber Reinforced Concrete: A Review Muhammad Anas *, Majid Khan * , Hazrat Bilal, Shantul Jadoon and Muhammad Nadeem Khan Engineering Process ding . This paper intended to present the effects of adding various types of fibers in concrete. [4]

Sustainable Concrete-Based Structures: Review for the Potential Benefits of Basalt Fiber Reinforced Concrete (BFRC) in Enhancing the Environmental Performance of Buildings. Nadine

Albqour, Mohammad Shehata, Zeyad Elsayad, Shaher Rababeh This paper indicated the related studies that explored and investigated the features of BFRC in the field of construction buildings, that particularly found encouraging results. However, most of the related research focused on mechanical properties and structural performance, while Studies focusing on thermal properties and environmental performance have been modest and still sketchy.[5]

The Improvement of Durability of Reinforced Concretes for Sustainable Structures: A Review on Different Approaches . In particular, it is shown how it is possible to realize durable reinforced concrete structures in different aggressive environments through an appropriate design that starts from a proper concrete composition.[6]

A comprehensive study on enhancing of the mechanical properties of steel fiber-reinforced concrete through nano-silica integration. AnbuhezianAshokan¹ , Silambarasan Rajendran² & Ratchagaraja Dhairiyasamy³. Incorporating steel microfibers at higher volume fractions of 1–2% enhanced concrete's compressive strength, tensile strength, flexural strength, and fracture energy. However, excessive fiber content above 2% led to reduced workability .[7]

Optimization of Mechanical Properties and Durability of Steel Fiber-Reinforced Concrete by Nano CaCO₃ and Nano TiC to Improve Material Sustainability. Yajing Wen Zhengjun Wan Xilin Yuan and Xin Yang It was determined after testing that NC and NT can improve the mechanical properties and durability of SFRC. Optimizing the durability properties of SFRC allows for a reasonable reduction in the size of SFRC numbers or the thickness of the protective layer at the time of design, saving material costs while ensuring structural safety.[8]

Literature Survey Summary

Fiber-reinforced concrete (FRC) has emerged as a promising material for enhancing structural sustainability due to its improved mechanical properties and durability. A review of the literature highlights that incorporating fibers such as steel, glass, synthetic, and natural fibers enhances compressive, tensile, and flexural strength while reducing brittleness and crack propagation. Studies have shown that FRC exhibits superior resistance to fatigue, impact, and shrinkage-related cracking, contributing to longer service life and reduced maintenance costs. Additionally, durability improvements, including resistance to freeze-thaw cycles, chloride penetration, and chemical attacks, make FRC a viable solution for sustainable infrastructure. Research also emphasizes the role of fiber type, dosage, and distribution in optimizing performance while considering environmental impacts. Overall, FRC stands as a key innovation in sustainable construction, offering enhanced strength, longevity, and resilience to structural systems.


Objective of the study

- To analyze the mechanical properties of fiber-reinforced concrete (FRC).
- To review the durability properties of fiber-reinforced concrete.

Scope of the project

- A elite cement with an objective compressive quality of 30 MPa is accomplished to be utilized in high Rise building.
- The mechanical properties, for example, pressure, Spilt Tensile, Flexural and Elastic modulus will be resolved.
- The flexural behavior of superior concrete with fibres and customary steel support will be examined.
- The solidness property, for example, water entrance test and Rapid chloride infiltration test will be considered.

Experimental Methodology



Mix Design

Basic Assumptions:

- Cement: OPC 43 Grade

- **Water-Cement Ratio (w/c): 0.45** (as per durability requirement)
 - **Maximum Aggregate Size: 20 mm**
 - **Workability: 75–100 mm slump**
 - **Type of Mix: Machine mixed**
 - **Admixture: Superplasticizer (optional, for better workability)**
-

Target Mean Strength (f'_{ck}):

$$f'_{ck} = f_{ck} + 1.65 \times S$$

Assuming S (standard deviation) = 5.0 MPa (as per IS 10262 for M30)

$$\rightarrow f'_{ck} = 30 + 1.65 \times 5 = 38.25 \text{ MPa}$$

Mix Proportion (By Weight):

(Trial mix without admixture, for general condition)

Material **Quantity per m³ of Concrete**

Cement **394 kg**

Water **177.3 liters (w/c = 0.45)**

Fine Aggregate **682 kg**


Coarse Aggregate **1191 kg (60% 20mm + 40% 10mm)**

Admixture (if used) As per manufacturer (approx. 0.8–1% by weight of cement)

Mix Ratio (Approx by weight):

1 : 1.73 : 3.02 (Cement : Fine Aggregate : Coarse Aggregate)

Flow Chart of the Experimental Program



Properties of Fibers :

Specification	Polypropylene	Steel
Specific gravity	0.91	7.85
Tensile strength	0.67 kN/mm^2	1.1 kN/mm^2
Young's Modulus	4.0 kN/mm^2	29 kN/mm^2
Melting point	$>165^\circ\text{C}$	$\geq 1450^\circ\text{C}$
Absorption	NIL	NIL
Fiber cut length	20mm	30mm
Diameter	-	0.6mm
Aspect Ratio	-	50

Polypropylene Fiber (PPF) in Concrete:

Advantages:

- Excellent for plastic shrinkage crack control
- Improves impact resistance and abrasion resistance
- Lightweight and easy to mix
- Does not corrode (advantage in marine or chemical environments)
- Enhances fire resistance by creating pressure relief channels (reducing spalling)

Limitations:

- Low modulus of elasticity (less effective in load transfer compared to steel)
- Not suitable for high-strength or load-bearing structural enhancements

Can affect workability at higher dosages

Steel Fiber in Concrete:

Advantages:

- Improves tensile, flexural, and shear strength
- Significantly increases ductility and toughness
- Enhances crack resistance and load-carrying capacity post-crack
- Ideal for structural applications (e.g., beams, slabs)
- Increases impact resistance

Limitations:

- Corrosion potential in harsh environments (unless stainless or coated)
- Increased concrete weight
- Reduced workability if not well distributed
- More expensive than traditional reinforcement

Cube Casting



**Mechanism Of Failure Of Concrete Cylinders
Under Spilt Tensile Testing and Compressive strength Testing**



Expected Out Comes

- A comprehensive understanding of the mechanical behavior of FRC, including tensile, flexural, and compressive strengths.

- Insights into the durability performance of FRC under freeze-thaw cycles, chloride penetration, and sustained loading.
- Optimized FRC formulations for targeted structural applications, balancing mechanical performance and sustainability.

References

1. Yuanxun Zheng a b, Xiaoman Lv a b, Shaowei Hu a, Jingbo Zhuo a b, Cong Wan a b, Jiaqi Liu c Mechanical properties and durability of steel fiber reinforced concrete: A review [Journal of Building Engineering Volume 82](#) , 1 April 2024, 108025
2. Sabahat Ahmad Khan Enhancing the mechanical properties of fibre-reinforced concrete through sustainable mix design: effects of fibre type and dose Discover Civil Engineering.
3. Abdelatif Salmi Enhancing durability and sustainability in concrete with fibre-reinforced composites JOURNAL OF WATER AND LAND DEVELOPMENT DOI: 10.24425/jwld.2024.150258 2024, No. 61 (IV–VI): 48–54
4. Muhammad Anas * , Majid Khan * , Hazrat Bilal, Shantul Jadoon and Muhammad Nadeem Khan Fiber Reinforced Concrete: A Review †Eng. Proc. 2022, 22, 3. <https://doi.org/10.3390/engproc2022022003>
5. Nadine Albqour, Mohammad Shehata, Zeyad Elsayad, Shaher Rababeh .Sustainable Concrete-Based Structures: Review for the Potential Benefits of Basalt Fiber Reinforced Concrete (BFRC) in Enhancing the Environmental Performance of Buildings. REAL CORP 2024: Keep On Planning For The Real World
6. Luigi Coppola 1, Silvia Beretta 2, Maria Chiara Bignozzi .The Improvement of Durability of Reinforced Concretes for Sustainable Structures: A Review on Different Approaches . Materials 2022
7. AnbuhezianAshokan1 , Silambarasan Rajendran2 & Ratchagaraja Dhairiyasamy3 A comprehensive study on enhancing of the mechanical properties of steel fiber-reinforced concrete through nano-silica integration. Scientific Reports | (2023) 13:20092
8. Yajing Wen Zhengjun Wan Xilin Yuan and Xin Yang .Optimization of Mechanical Properties and Durability of Steel Fiber-Reinforced Concrete by Nano CaCO₃ and Nano TiC to Improve Material Sustainability. Sustainability 2025, 17(2), 641; <https://doi.org/10.3390/su17020641>